R 3850- 1

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.



** Includes Alaska and Hawaii

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	**Number in Books**	**Percent in Books**
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	591690	2.8	10	1	1	2	3	4	5	12
20-34	342623	3.2	18	<1	1	2	3	5	8	24
35-49	122691	4.5	30	1	1	3	5	9	14	29
50-64	78799	4.8	30	1	1	3	6	9	13	28
65+	67419	5.4	32	1	1	4	7	10	14	30
B. *Operated*										
0-19 YRS	176005	2.7	9	<1	1	2	3	5	7	14
20-34	391549	3.0	6	<1	1	3	4	5	7	12
35-49	179026	3.8	12	<1	1	3	5	8	10	16
50-64	139244	4.4	16	<1	1	3	6	9	12	18
65+	112091	5.4	24	<1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582379	4.4	42	1	1	3	5	7	12	39
20-34	342981	5.6	52	1	1	3	6	12	21	35
35-49	322474	6.0	45	1	1	4	7	12	19	33
50-64	481984	6.2	37	1	2	5	8	12	16	31
65+	1099656	7.4	45	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	178928	5.8	91	1	1	3	6	12	22	62
20-34	526357	4.8	31	1	1	4	5	8	12	30
35-49	361516	6.3	48	1	1	5	7	12	17	38
50-64	430961	8.0	74	1	1	6	10	16	23	47
65+	712310	10.3	98	1	2	8	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1203222	3.4	17	1	1	2	4	6	8	22
B. *Operated*	997915	3.6	12	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	2829474	6.2	45	1	2	4	7	12	18	35
B. *Operated*	2210072	7.5	73	1	1	5	9	16	23	47
1. SINGLE DX	2201137	3.5	15	<1	1	2	4	7	9	19
2. MULTIPLE DX	5039546	6.8	58	1	1	5	8	14	20	41
A. NOT OPERATED	4032696	5.4	38	1	1	4	6	11	16	32
B. OPERATED	3207987	6.3	58	1	1	4	8	14	19	41
TOTAL 0-19 YRS	1529002	3.8	32	1	1	3	4	6	10	32
20-34	1603510	4.2	28	1	1	3	5	7	11	28
35-49	985707	5.5	39	1	1	4	6	11	16	32
50-64	1130988	6.6	50	1	1	5	8	13	18	36
65+	1991476	8.3	65	1	2	6	10	16	22	44
GRAND TOTAL	**7240683**	**5.8**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215495	3.3	23	1	1	2	3	5	8	27
20-34	342623	3.2	18	<1	1	2	3	5	8	24
35-49	122691	4.5	30	1	1	3	5	9	14	29
50-64	78799	4.8	30	1	1	3	6	9	13	28
65+	67419	5.4	32	1	1	4	7	10	14	30
B. *Operated*										
0-19 YRS	175892	2.7	9	<1	1	2	3	5	7	14
20-34	391549	3.0	6	<1	1	3	4	5	7	12
35-49	179026	3.8	12	<1	1	3	5	8	10	16
50-64	139244	4.4	16	<1	1	3	6	9	12	18
65+	112091	5.4	24	<1	1	4	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312951	5.0	63	1	1	3	5	9	16	49
20-34	342981	5.6	52	1	1	3	6	12	21	35
35-49	322474	6.0	45	1	1	4	7	12	19	33
50-64	481984	6.2	37	1	2	5	8	12	16	31
65+	1099656	7.4	45	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	169080	5.0	58	1	1	3	5	11	17	44
20-34	526357	4.8	31	1	1	4	5	8	12	30
35-49	361516	6.3	48	1	1	5	7	12	17	38
50-64	430961	8.0	74	1	1	6	10	16	23	47
65+	712310	10.3	98	1	2	8	13	21	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827027	3.7	24	1	1	2	4	7	10	27
B. *Operated*	997802	3.6	12	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	2560046	6.5	47	1	2	5	8	13	18	36
B. *Operated*	2200224	7.5	71	1	1	5	9	16	22	46
1. SINGLE DX	1824829	3.6	17	<1	1	3	4	7	10	21
2. MULTIPLE DX	4760270	6.9	59	1	1	5	8	14	20	41
A. NOT OPERATED	3387073	5.8	43	1	1	4	7	12	17	34
B. OPERATED	3198026	6.2	56	1	1	4	8	13	19	40
TOTAL 0-19 YRS	873418	4.1	42	1	1	2	4	7	12	38
20-34	1603510	4.2	28	1	1	3	5	7	11	28
35-49	985707	5.5	39	1	1	4	6	11	16	32
50-64	1130988	6.6	50	1	1	5	8	13	18	36
65+	1991476	8.3	65	1	2	6	10	16	22	44
GRAND TOTAL	**6585099**	**6.0**	**49**	**1**	**1**	**4**	**7**	**13**	**18**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4174	2.7	4	1	1	2	3	5	6	10
20-34	1794	2.7	4	1	1	2	3	5	6	10
35-49	811	3.0	4	1	1	3	4	5	7	10
50-64	491	3.3	7	1	1	3	4	6	7	13
65+	330	3.4	5	1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	94	4.8	32	1	2	4	5	7	11	39
20-34	172	4.6	7	2	2	4	5	8	9	17
35-49	69	5.8	11	2	3	5	7	10	11	20
50-64	26	4.9	7	2	2	4	5	8	11	14
65+	19	7.8	43	1	2	7	10	12	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9527	3.2	7	1	1	3	4	5	7	13
20-34	3654	3.3	7	1	1	3	4	6	8	13
35-49	2276	3.8	8	1	1	3	5	7	9	15
50-64	2318	4.2	8	1	2	4	5	8	10	15
65+	4307	5.3	20	1	2	4	6	10	13	22
B. *Operated*										
0-19 YRS	228	9.0	146	2	2	6	9	20	32	98
20-34	306	6.7	51	2	2	5	7	11	18	40
35-49	266	8.4	61	2	3	6	10	18	23	53
50-64	289	9.1	81	2	3	6	10	19	24	51
65+	497	11.8	132	2	4	8	14	23	35	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7600	2.8	4	1	1	2	4	5	6	10
B. *Operated*	380	5.0	16	2	2	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	22082	3.8	10	1	1	3	5	7	9	16
B. *Operated*	1586	9.4	101	2	3	6	11	19	28	63
1. SINGLE DX	7980	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	23668	4.2	18	1	1	3	5	8	11	20
A. NOT OPERATED	29682	3.6	9	1	1	3	4	6	9	15
B. OPERATED	1966	8.5	87	2	2	6	9	17	24	58
TOTAL 0-19 YRS	14023	3.2	10	1	1	3	4	5	7	13
20-34	5926	3.3	9	1	1	3	4	6	8	14
35-49	3422	4.0	13	1	1	3	5	7	10	18
50-64	3124	4.5	17	1	2	4	5	8	11	20
65+	5153	5.8	34	1	2	4	7	11	15	30
GRAND TOTAL	**31648**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	7.4	105	1	2	4	8	15	22	58
20-34	72	10.6	53	3	4	9	14	22	29	85
35-49	53	8.0	19	3	3	7	10	14	17	20
50-64	27	9.6	80	2	3	8	10	20	36	38
65+	34	9.8	42	1	2	8	14	21	21	23
B. *Operated*										
0-19 YRS	10	6.8	21	2	2	6	9	13	17	17
20-34	41	11.2	104	1	2	8	14	23	32	54
35-49	33	7.7	20	1	2	7	10	14	17	18
50-64	41	9.5	31	2	3	8	12	19	21	22
65+	37	8.5	15	2	3	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	8.7	47	1	2	7	11	16	22	35
20-34	138	12.8	181	2	3	9	15	29	36	88
35-49	195	12.5	93	2	4	11	16	22	28	54
50-64	185	12.8	183	3	3	9	15	27	46	99
65+	325	12.7	88	3	4	10	15	24	28	45
B. *Operated*										
0-19 YRS	11	19.5	782	1	2	10	16	66	93	95
20-34	91	18.0	285	3	4	13	22	44	61	95
35-49	131	17.2	239	4	5	12	23	38	51	93
50-64	190	15.1	151	3	4	12	19	28	33	86
65+	333	15.7	132	3	5	13	21	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	9.2	55	2	3	7	12	18	23	44
B. *Operated*	162	9.2	44	1	2	8	12	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	891	12.5	121	2	3	10	15	24	32	72
B. *Operated*	756	16.1	182	3	5	13	20	32	43	92
1. SINGLE DX	382	9.2	50	2	3	8	12	17	21	39
2. MULTIPLE DX	1647	14.1	153	3	4	11	17	28	37	86
A. NOT OPERATED	1111	11.8	110	2	3	9	15	23	30	61
B. OPERATED	918	14.9	165	3	4	11	19	30	41	91
TOTAL 0-19 YRS	103	9.2	148	1	2	6	10	16	24	75
20-34	342	13.5	179	2	3	10	16	29	41	88
35-49	412	13.0	135	2	4	10	16	25	34	65
50-64	443	13.3	152	3	3	10	17	25	35	91
65+	729	13.7	106	3	4	11	17	26	32	53
GRAND TOTAL	**2029**	**13.2**	**137**	**2**	**3**	**10**	**16**	**26**	**35**	**77**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.7	566	<1	<1	4	11	56	67	67
20-34	14	7.0	22	1	1	7	10	15	15	15
35-49	6	11.3	268	1	1	6	10	41	44	44
50-64	5	10.2	89	1	1	8	17	24	24	24
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	14	4.6	24	<1	<1	2	6	12	15	16
20-34	24	8.0	58	<1	<1	7	11	18	22	32
35-49	9	6.0	11	<1	1	6	9	10	11	11
50-64	8	5.4	34	<1	<1	3	9	15	16	16
65+	9	11.8	86	1	1	10	18	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	11.6	55	2	2	12	16	22	23	23
20-34	20	9.5	101	1	1	6	15	31	68	99+
35-49	12	6.3	19	1	2	6	7	14	15	15
50-64	26	11.2	66	4	5	8	12	25	28	37
65+	41	12.3	106	3	4	10	14	25	33	56
B. *Operated*										
0-19 YRS	19	26.4	692	1	2	19	39	67	83	92
20-34	49	17.9	179	4	5	14	23	41	43	58
35-49	43	18.8	184	3	5	16	28	40	50	99+
50-64	57	16.9	277	1	2	11	22	36	53	73
65+	83	22.1	395	3	4	16	29	59	71	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	9.6	177	1	1	6	11	17	41	67
B. *Operated*	64	7.2	47	<1	<1	5	11	17	19	31
2. MULTIPLE DX										
A. *Not Operated*	106	10.8	83	2	2	8	14	23	32	75
B. *Operated*	251	19.9	314	2	4	15	28	44	62	95
1. SINGLE DX	97	8.0	91	<1	1	5	11	17	23	56
2. MULTIPLE DX	357	17.2	263	2	3	12	22	39	58	95
A. NOT OPERATED	139	10.5	105	1	2	8	13	23	33	70
B. OPERATED	315	17.3	286	1	2	12	22	40	59	93
TOTAL 0-19 YRS	47	15.8	447	<1	1	7	18	47	68	92
20-34	107	12.7	138	1	2	9	19	30	42	76
35-49	70	14.4	169	1	2	10	21	37	44	92
50-64	96	14.1	201	1	2	9	16	35	42	72
65+	134	18.3	306	2	4	12	22	37	65	96
GRAND TOTAL	**454**	**15.2**	**240**	**1**	**2**	**10**	**20**	**35**	**51**	**91**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	511	2.4	2	1	1	2	3	4	5	7
20-34	235	2.7	1	1	1	3	3	4	5	6
35-49	64	2.9	2	1	1	3	4	5	5	5
50-64	28	2.6	1	1	1	2	3	4	4	4
65+	9	3.3	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	161	1.2	1	1	1	1	1	2	2	3
20-34	33	1.3		1	1	1	1	2	3	4
35-49	6	3.2	19	1	1	1	3	11	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1624	2.8	2	1	1	2	3	4	6	8
20-34	630	3.2	4	1	2	3	4	5	6	9
35-49	252	3.8	5	1	2	3	5	6	7	11
50-64	133	3.9	3	2	2	4	5	6	7	9
65+	79	4.9	7	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	125	2.0	4	1	1	1	2	5	7	10
20-34	27	2.7	4	1	1	2	4	5	7	9
35-49	10	8.2	23	4	4	7	9	16	20	20
50-64	6	5.7	11	2	2	6	9	9	9	9
65+	4	16.0	79	9	9	13	21	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	2.5	2	1	1	2	3	4	5	6
B. *Operated*	200	1.3	1	1	1	1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	2718	3.1	3	1	1	3	4	5	6	9
B. *Operated*	172	2.9	13	1	1	1	3	8	9	19
1. SINGLE DX	1047	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	2890	3.1	4	1	1	3	4	5	6	9
A. NOT OPERATED	3565	3.0	3	1	1	3	4	5	6	9
B. OPERATED	372	2.0	7	1	1	1	2	4	8	13
TOTAL 0-19 YRS	2421	2.6	2	1	1	2	3	4	5	8
20-34	925	3.0	4	1	1	3	4	5	6	8
35-49	332	3.7	5	1	2	3	5	6	7	13
50-64	167	3.7	3	2	2	3	4	6	7	9
65+	92	5.2	14	2	2	4	6	9	11	24
GRAND TOTAL	**3937**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1207	4.4	8	1	2	4	5	9	10	14
20-34	79	5.5	29	2	2	4	6	9	13	36
35-49	62	6.7	32	2	2	5	7	14	15	37
50-64	72	6.7	39	2	2	5	7	14	24	33
65+	183	8.2	57	2	2	7	10	14	18	52
B. *Operated*										
0-19 YRS	30	6.5	18	2	2	5	10	13	14	18
20-34	13	7.4	27	1	2	6	9	16	18	19
35-49	5	9.0	27	4	4	9	13	16	16	16
50-64	5	12.4	76	1	1	11	17	25	25	25
65+	10	14.6	90	6	6	11	17	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2714	5.8	22	2	2	4	7	11	13	21
20-34	850	8.1	36	2	3	7	10	15	19	32
35-49	1202	9.4	50	3	3	8	11	17	21	39
50-64	2813	9.7	49	3	4	8	11	17	21	39
65+	12740	11.0	55	4	5	9	13	18	24	43
B. *Operated*										
0-19 YRS	255	13.5	158	3	3	10	15	27	40	80
20-34	362	18.0	245	3	4	14	26	41	63	99+
35-49	519	16.5	155	4	5	13	21	33	44	99+
50-64	1094	19.0	227	4	6	14	23	40	51	82
65+	3646	18.9	181	6	7	15	23	38	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.1	18	1	2	4	6	10	12	19
B. *Operated*	63	8.6	43	2	2	7	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	20319	9.9	52	3	3	8	12	17	22	40
B. *Operated*	5876	18.4	192	5	6	14	23	37	50	98
1. SINGLE DX	1666	5.2	20	1	2	4	7	10	12	20
2. MULTIPLE DX	26195	11.8	96	3	4	9	14	22	30	59
A. NOT OPERATED	21922	9.5	51	2	3	8	12	17	22	39
B. OPERATED	5939	18.3	191	5	6	14	23	37	50	97
TOTAL 0-19 YRS	4206	5.9	30	2	2	4	7	11	14	25
20-34	1304	10.7	114	2	3	7	13	23	33	69
35-49	1788	11.3	91	3	4	9	14	22	30	56
50-64	3984	12.2	115	3	4	9	14	23	33	61
65+	16579	12.7	93	4	5	10	15	23	31	60
GRAND TOTAL	**27861**	**11.4**	**94**	**3**	**3**	**9**	**14**	**22**	**30**	**58**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	6.3	15	2	2	6	9	11	13	20
20-34	126	5.2	10	2	2	4	7	10	11	15
35-49	82	6.0	21	1	2	4	8	14	15	22
50-64	62	5.7	12	2	3	5	7	10	13	21
65+	47	6.4	23	2	2	6	7	12	15	29
B. *Operated*										
0-19 YRS	31	8.1	21	1	2	9	11	14	16	17
20-34	19	7.4	89	1	1	3	7	25	30	33
35-49	17	12.9	115	2	3	7	18	28	36	40
50-64	8	7.8	22	4	4	6	9	16	18	18
65+	11	6.3	23	1	1	4	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	718	7.1	25	2	2	6	10	13	15	24
20-34	269	6.1	30	2	2	5	7	11	13	35
35-49	237	6.9	31	2	3	5	8	12	16	33
50-64	315	7.6	33	2	3	6	10	14	18	36
65+	698	9.9	73	3	4	7	12	19	25	46
B. *Operated*										
0-19 YRS	85	11.9	134	2	3	10	14	23	31	72
20-34	100	12.9	127	2	3	10	17	29	43	99+
35-49	92	16.2	287	2	4	11	20	32	49	84
50-64	151	17.7	207	5	6	13	21	39	49	99+
65+	252	18.3	223	4	5	14	23	43	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	961	6.1	15	2	2	5	8	11	13	21
B. *Operated*	86	8.6	57	1	1	7	11	18	26	37
2. MULTIPLE DX										
A. *Not Operated*	2237	7.9	44	2	3	6	10	14	19	35
B. *Operated*	680	16.3	208	3	4	12	21	37	50	96
1. SINGLE DX	1047	6.3	19	2	2	5	9	11	14	22
2. MULTIPLE DX	2917	9.8	95	2	3	7	12	19	28	58
A. NOT OPERATED	3198	7.4	36	2	2	6	9	13	17	31
B. OPERATED	766	15.4	197	2	4	11	19	34	49	89
TOTAL 0-19 YRS	1478	7.1	28	2	2	6	10	12	15	24
20-34	514	7.2	53	2	2	5	8	15	23	47
35-49	428	9.0	102	2	2	6	10	18	28	53
50-64	536	10.2	101	2	3	7	12	21	31	68
65+	1008	11.8	122	3	4	8	14	24	35	66
GRAND TOTAL	**3964**	**8.9**	**77**	**2**	**3**	**7**	**11**	**17**	**25**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2290	3.4	3	1	2	3	4	5	7	11
20-34	1276	3.4	4	1	2	3	4	6	7	11
35-49	298	3.8	6	1	1	3	5	6	8	14
50-64	47	4.3	7	1	2	4	5	8	10	14
65+	16	8.3	150	2	3	5	7	12	41	53
B. *Operated*										
0-19 YRS	29	4.0	4	2	2	3	4	6	8	12
20-34	12	4.3	5	1	2	4	6	7	8	8
35-49	5	7.0	7	5	5	6	9	11	11	11
50-64	2	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1417	4.2	9	1	2	3	5	7	10	16
20-34	823	4.3	9	1	2	4	5	8	10	15
35-49	299	5.2	18	1	2	4	7	9	11	18
50-64	118	6.6	19	2	2	5	8	13	15	21
65+	81	7.5	21	2	3	6	10	14	16	24
B. *Operated*										
0-19 YRS	49	8.2	131	2	3	5	8	13	20	79
20-34	44	8.2	39	3	4	7	10	25	43	99+
35-49	17	10.4	106	2	3	8	10	26	35	39
50-64	8	11.0	101	1	1	9	15	28	31	31
65+	20	18.7	114	5	8	16	26	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3927	3.5	5	1	2	3	4	6	7	11
B. *Operated*	48	4.4	5	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	2738	4.5	11	1	2	4	5	8	10	17
B. *Operated*	138	10.1	105	2	3	7	11	26	33	99+
1. SINGLE DX	3975	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX	2876	4.8	17	1	2	4	6	9	11	22
A. NOT OPERATED	6665	3.9	8	1	2	3	5	7	9	14
B. OPERATED	186	8.7	85	2	3	6	10	20	29	92
TOTAL 0-19 YRS	3785	3.7	7	1	2	3	4	6	8	12
20-34	2155	3.9	7	1	2	3	5	7	9	14
35-49	619	4.7	16	1	2	4	5	8	10	20
50-64	175	6.2	21	2	2	5	8	11	15	27
65+	117	9.5	70	2	3	7	12	18	27	44
GRAND TOTAL	**6851**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	640	3.2	5	1	1	3	4	6	7	11
20-34	208	4.3	7	1	2	4	6	8	10	13
35-49	95	4.5	7	1	1	4	6	8	9	13
50-64	130	4.6	8	1	1	4	6	8	11	14
65+	230	5.5	11	1	2	5	7	8	10	20
B. *Operated*										
0-19 YRS	16	6.7	30	<1	1	5	9	17	18	18
20-34	13	3.9	15	1	1	2	5	10	13	14
35-49	7	8.1	110	1	1	5	8	27	31	31
50-64	10	7.3	49	2	2	4	9	18	25	25
65+	24	7.0	18	1	3	7	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1768	3.9	11	1	2	3	5	7	9	16
20-34	471	5.3	12	1	2	5	7	9	12	19
35-49	305	6.6	46	2	2	5	8	11	14	43
50-64	658	6.8	22	2	3	6	8	12	15	26
65+	2236	7.8	36	2	3	6	9	14	19	31
B. *Operated*										
0-19 YRS	52	12.3	222	2	3	7	12	31	53	65
20-34	62	11.7	154	2	3	8	13	23	38	67
35-49	53	10.4	74	2	2	9	13	23	31	98
50-64	111	11.6	108	2	3	9	13	24	37	55
65+	305	14.0	179	2	3	10	18	29	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	4.0	8	1	1	3	5	7	9	13
B. *Operated*	70	6.5	33	1	1	5	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5438	6.2	28	1	2	5	8	11	15	26
B. *Operated*	583	12.8	158	2	3	9	15	28	42	73
1. SINGLE DX	1373	4.2	9	1	1	3	5	8	9	14
2. MULTIPLE DX	6021	6.8	44	1	2	5	8	13	18	35
A. NOT OPERATED	6741	5.7	24	1	2	5	7	11	14	25
B. OPERATED	653	12.2	148	2	3	9	15	26	41	72
TOTAL 0-19 YRS	2476	3.9	16	1	1	3	5	7	9	17
20-34	754	5.5	26	1	2	4	7	10	13	23
35-49	460	6.6	44	1	2	5	8	11	15	41
50-64	909	7.1	34	2	2	6	8	13	16	33
65+	2795	8.3	54	2	3	7	10	15	21	40
GRAND TOTAL	**7394**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	4.4	9	1	2	4	6	8	10	17
20-34	544	5.2	11	1	2	5	7	9	12	16
35-49	200	6.4	21	2	2	5	8	11	16	25
50-64	77	6.2	15	2	2	5	8	12	13	18
65+	35	4.9	6	2	2	4	7	8	10	12
B. *Operated*										
0-19 YRS	5	3.6	22	1	1	2	5	12	12	12
20-34	23	5.0	35	<1	<1	2	8	13	19	24
35-49	17	2.9	6	<1	1	2	4	7	8	8
50-64	6	4.7	7	1	1	5	7	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	5.1	18	1	2	4	6	9	11	27
20-34	835	5.9	23	1	2	5	7	11	14	25
35-49	366	6.7	24	2	2	5	8	12	16	27
50-64	252	7.8	29	2	3	7	9	15	18	28
65+	260	8.0	40	3	3	7	10	14	17	72
B. *Operated*										
0-19 YRS	12	11.5	229	1	1	5	17	33	50	53
20-34	48	8.9	91	1	1	7	11	17	22	57
35-49	52	8.2	35	1	1	8	11	15	18	29
50-64	51	10.6	89	1	2	9	14	21	30	99
65+	67	12.8	72	2	4	10	17	26	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	5.4	13	1	2	5	7	10	12	20
B. *Operated*	52	4.2	20	<1	1	2	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	1905	6.5	26	2	2	5	8	12	16	28
B. *Operated*	230	10.4	81	1	1	8	14	21	29	57
1. SINGLE DX	1082	5.3	13	1	2	5	7	10	12	20
2. MULTIPLE DX	2135	6.9	34	2	2	5	8	13	17	30
A. NOT OPERATED	2935	6.1	22	2	2	5	8	11	15	25
B. OPERATED	282	9.2	76	1	1	7	12	19	25	56
TOTAL 0-19 YRS	383	5.0	21	1	2	4	6	9	11	24
20-34	1450	5.7	21	1	2	5	7	10	13	23
35-49	635	6.6	24	1	2	5	8	12	16	26
50-64	386	7.8	35	2	2	6	10	15	18	31
65+	363	8.6	47	2	3	7	10	16	21	38
GRAND TOTAL	**3217**	**6.4**	**27**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	900	3.4	3	1	1	3	4	6	7	9
20-34	285	4.2	6	1	2	4	5	7	9	13
35-49	47	5.4	7	2	2	5	7	10	10	11
50-64	15	4.5	6	1	2	4	6	8	9	9
65+										
B. *Operated*										
0-19 YRS	12	6.3	17	2	2	5	9	13	14	14
20-34	5	7.4	4	5	5	7	9	10	10	10
35-49	7	8.3	17	4	4	7	12	15	15	15
50-64	1	15.0		15	15	15	15	15	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2267	3.8	5	1	2	3	5	6	8	11
20-34	557	4.2	7	1	2	4	6	7	9	13
35-49	145	4.9	20	1	1	4	6	9	11	29
50-64	57	4.7	15	1	1	4	7	9	10	20
65+	25	8.7	120	2	3	5	8	18	39	49
B. *Operated*										
0-19 YRS	51	6.6	20	2	3	5	8	13	14	24
20-34	31	8.5	22	2	3	8	11	15	16	22
35-49	18	12.9	133	5	5	8	19	22	40	52
50-64	5	9.4	33	2	2	11	14	16	16	16
65+	9	14.4	216	4	4	13	16	37	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1247	3.6	4	1	2	3	5	6	8	11
B. *Operated*	26	7.4	15	2	2	7	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	3051	4.0	7	1	2	3	5	7	8	12
B. *Operated*	114	8.8	59	2	3	6	11	16	21	51
1. SINGLE DX	1273	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX	3165	4.2	10	1	2	4	5	7	9	16
A. NOT OPERATED	4298	3.9	7	1	2	3	5	7	8	12
B. OPERATED	140	8.6	51	2	3	6	11	15	20	51
TOTAL 0-19 YRS	3230	3.7	5	1	2	3	5	6	7	11
20-34	878	4.4	8	1	2	4	6	8	9	14
35-49	217	5.8	31	1	1	4	7	10	14	30
50-64	78	5.1	16	1	1	4	7	10	14	19
65+	35	10.1	142	2	3	6	11	18	46	51
GRAND TOTAL	**4438**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	9	<1	<1	4	7	8	8	8
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	162	1.4	1	<1	<1	1	1	2	4	5
20-34	510	1.6	1	<1	<1	1	2	3	4	5
35-49	166	1.8	3	<1	<1	1	2	3	5	12
50-64	45	1.6	3	<1	<1	1	2	3	3	12
65+	13	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	9	<1	<1	2	5	8	9	9
20-34	12	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	54	2.3	3	<1	<1	2	3	5	6	9
20-34	244	2.4	9	<1	<1	2	3	4	7	11
35-49	137	3.2	28	<1	<1	2	4	7	10	20
50-64	58	2.7	5	<1	<1	2	4	6	7	11
65+	30	2.8	4	1	1	2	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.5	14	<1	<1	1	6	10	12	12
B. *Operated*	896	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	32	2.2	5	<1	<1	1	3	5	8	9
B. *Operated*	523	2.7	13	<1	<1	2	3	5	8	12
1. SINGLE DX	907	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	555	2.6	12	<1	<1	2	3	5	8	11
A. NOT OPERATED	43	2.6	7	<1	<1	1	3	8	9	12
B. OPERATED	1419	2.0	6	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	234	1.8	3	<1	<1	1	2	4	5	9
20-34	771	1.8	4	<1	<1	1	2	3	4	9
35-49	309	2.4	15	<1	<1	1	3	5	8	14
50-64	105	2.2	4	<1	<1	1	3	4	6	11
65+	43	2.5	4	<1	<1	2	4	4	6	11
GRAND TOTAL	**1462**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4236	2.7	2	1	1	2	3	4	5	7
20-34	848	3.1	6	1	1	3	4	5	7	10
35-49	421	3.2	5	1	1	3	4	6	7	11
50-64	171	3.7	8	1	1	3	4	7	9	17
65+	110	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	92	3.1	4	<1	<1	3	4	5	8	11
20-34	52	4.8	31	<1	<1	3	6	11	16	30
35-49	28	6.0	26	1	1	4	9	14	17	20
50-64	19	11.3	237	<1	1	8	10	24	48	67
65+	8	3.5	5	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6391	3.1	7	1	1	3	4	5	6	11
20-34	2261	3.9	13	1	1	3	4	7	9	21
35-49	1513	4.3	17	1	1	3	5	8	11	22
50-64	1308	4.4	13	1	2	4	5	8	11	19
65+	2057	5.0	21	2	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	186	6.9	97	1	1	4	7	16	32	99+
20-34	284	11.3	165	1	2	7	14	26	36	90
35-49	203	15.0	224	2	3	10	20	34	46	93
50-64	139	12.0	151	2	3	9	15	22	29	90
65+	162	11.6	105	3	3	9	13	24	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5786	2.8	3	1	1	3	4	5	6	9
B. *Operated*	199	4.8	41	<1	1	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	13530	3.8	12	1	1	3	4	7	9	18
B. *Operated*	974	11.4	158	1	2	8	14	25	39	90
1. SINGLE DX	5985	2.9	5	1	1	3	4	5	6	10
2. MULTIPLE DX	14504	4.3	26	1	1	3	5	8	11	26
A. NOT OPERATED	19316	3.5	10	1	1	3	4	6	8	15
B. OPERATED	1173	10.3	145	1	2	7	12	23	34	89
TOTAL 0-19 YRS	10905	3.0	7	1	1	3	4	5	6	11
20-34	3445	4.3	29	1	1	3	5	8	12	28
35-49	2165	5.1	45	1	1	3	6	10	15	41
50-64	1637	5.1	32	1	2	4	6	9	14	26
65+	2337	5.4	29	1	2	4	6	10	13	28
GRAND TOTAL	**20489**	**3.9**	**20**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	4.0	6	1	1	3	5	8	9	13
20-34	127	3.9	5	1	2	3	5	7	9	11
35-49	56	4.1	10	1	1	3	5	8	12	15
50-64	40	5.3	17	1	1	4	7	10	13	21
65+	7	4.1	7	2	2	4	4	9	10	10
B. *Operated*										
0-19 YRS	4	7.0	21	3	3	6	10	13	13	13
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	5.0	11	<1	<1	5	7	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.0	16	1	1	4	7	10	14	20
20-34	91	5.2	17	1	2	4	7	9	12	25
35-49	77	5.2	9	2	2	4	7	10	11	15
50-64	52	5.9	13	2	3	5	8	11	14	17
65+	43	6.2	42	2	2	4	7	10	15	42
B. *Operated*										
0-19 YRS	4	9.0	21	4	4	8	12	15	15	15
20-34	10	5.8	16	1	1	5	7	12	15	15
35-49	10	14.2	278	2	2	10	17	38	58	58
50-64	6	11.5	43	4	4	11	17	19	19	19
65+	10	12.0	81	3	4	9	15	25	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	4.1	8	1	2	3	5	8	10	14
B. *Operated*	10	6.0	12	<1	1	6	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	364	5.4	18	1	2	4	7	10	13	22
B. *Operated*	40	10.6	104	2	3	7	15	18	27	58
1. SINGLE DX	374	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	404	5.9	28	1	2	4	7	11	15	25
A. NOT OPERATED	728	4.8	13	1	2	4	6	9	11	17
B. OPERATED	50	9.7	88	2	3	7	14	17	19	58
TOTAL 0-19 YRS	243	4.6	11	1	1	4	6	8	11	17
20-34	229	4.5	11	1	2	4	6	8	10	17
35-49	147	5.4	32	1	2	4	6	11	14	20
50-64	99	6.0	18	2	2	5	8	12	16	20
65+	60	7.0	49	2	2	5	9	14	16	41
GRAND TOTAL	**778**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**13**	**19**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	4.5	6	1	2	4	6	8	10	13
20-34	316	4.4	6	1	2	4	5	7	9	15
35-49	55	5.0	12	1	2	4	7	8	12	20
50-64	20	6.1	39	<1	1	4	9	13	20	26
65+	12	4.8	21	<1	<1	2	9	11	12	12
B. *Operated*										
0-19 YRS	31	3.6	14	<1	<1	2	5	8	11	18
20-34	85	3.2	7	<1	<1	2	4	7	8	11
35-49	22	3.1	10	<1	<1	2	4	8	10	12
50-64	5	3.8	33	1	1	1	5	14	14	14
65+	5	4.0	4	1	1	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	5.3	9	2	2	5	7	10	11	15
20-34	461	5.2	12	2	2	4	6	8	11	16
35-49	105	5.9	16	1	2	5	8	11	14	21
50-64	48	9.1	85	1	1	8	11	16	20	56
65+	83	8.5	58	1	2	7	11	16	26	81
B. *Operated*										
0-19 YRS	43	6.0	14	1	3	6	7	11	13	21
20-34	108	5.6	33	1	1	4	7	13	19	63
35-49	49	7.1	43	1	1	5	11	16	19	30
50-64	27	10.0	120	1	1	7	13	24	35	47
65+	44	14.3	296	1	2	10	18	28	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	675	4.5	8	1	2	4	6	8	10	15
B. *Operated*	148	3.3	9	<1	<1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	971	5.8	20	2	2	5	7	10	13	23
B. *Operated*	271	7.8	92	1	1	5	9	18	24	73
1. SINGLE DX	823	4.3	8	1	1	4	5	8	10	15
2. MULTIPLE DX	1242	6.2	36	1	2	5	7	11	15	33
A. NOT OPERATED	1646	5.3	16	1	2	4	6	10	12	20
B. OPERATED	419	6.2	67	<1	1	4	7	14	20	40
TOTAL 0-19 YRS	620	4.9	9	1	2	4	7	9	11	15
20-34	970	4.8	12	1	2	4	6	8	11	19
35-49	231	5.7	21	1	1	4	7	12	15	22
50-64	100	8.5	84	1	1	6	11	17	25	51
65+	144	9.8	134	1	1	7	12	21	28	82
GRAND TOTAL	**2065**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**14**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	90	1	1	3	5	7	8	60
20-34	27	4.0	8	1	1	3	5	9	10	10
35-49	52	4.1	22	1	1	3	6	8	12	29
50-64	14	7.6	132	1	2	5	6	11	39	47
65+	5	6.8	29	1	1	7	10	15	15	15
B. *Operated*										
0-19 YRS	4	4.8	4	2	2	5	6	7	7	7
20-34	28	6.6	56	<1	1	5	8	12	17	40
35-49	38	8.5	100	1	1	6	9	16	23	59
50-64	40	8.6	142	<1	1	7	10	13	20	76
65+	16	7.3	23	<1	<1	8	10	12	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	4.3	12	1	1	3	5	8	13	17
20-34	148	9.0	123	1	1	6	11	17	34	57
35-49	168	8.9	116	1	2	6	9	18	31	63
50-64	189	8.9	63	2	3	7	12	16	22	61
65+	366	9.6	64	2	3	7	12	18	22	42
B. *Operated*										
0-19 YRS	33	21.7	322	4	5	19	29	45	63	77
20-34	101	21.8	343	5	6	15	31	56	73	99+
35-49	197	16.7	239	2	3	13	21	37	65	99+
50-64	192	17.4	306	2	3	11	24	41	78	99+
65+	247	17.3	248	3	5	12	23	37	54	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.8	49	1	1	3	6	8	11	49
B. *Operated*	126	7.8	90	<1	1	6	9	13	19	63
2. MULTIPLE DX										
A. *Not Operated*	1006	8.6	77	1	2	6	11	16	22	49
B. *Operated*	770	18.0	277	2	4	13	23	40	65	99+
1. SINGLE DX	261	6.3	71	1	1	4	7	11	15	58
2. MULTIPLE DX	1776	12.7	185	2	2	8	15	29	42	89
A. NOT OPERATED	1141	8.1	75	1	2	6	10	16	21	49
B. OPERATED	896	16.6	263	2	3	11	21	38	60	99+
TOTAL 0-19 YRS	209	7.2	113	1	1	4	7	17	25	62
20-34	304	12.6	223	1	2	7	15	34	46	81
35-49	455	11.7	178	1	1	7	15	28	42	88
50-64	435	12.6	197	1	3	8	15	29	46	99+
65+	634	12.6	149	2	3	9	15	25	37	76
GRAND TOTAL	**2037**	**11.8**	**175**	**1**	**2**	**8**	**14**	**27**	**40**	**83**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	<1	1	3	4	5	7	7
20-34	13	3.2	5	1	1	2	4	7	9	9
35-49	7	4.1	10	1	1	3	6	9	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	22	3.6	5	1	2	3	4	6	9	12
20-34	13	9.0	64	<1	2	5	16	20	26	27
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	9.0	5	7	7	8	10	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.5	12	1	1	4	5	11	13	13
20-34	30	4.9	9	1	2	5	6	9	10	14
35-49	29	6.1	16	1	2	5	8	11	15	17
50-64	10	6.0	7	3	3	5	8	10	11	11
65+	21	7.1	22	2	3	6	9	14	17	20
B. *Operated*										
0-19 YRS	28	4.7	10	2	2	4	5	10	12	14
20-34	18	10.1	70	1	2	7	15	22	28	32
35-49	15	8.7	99	2	2	6	7	20	36	41
50-64	9	16.7	220	3	4	15	23	41	48	48
65+	7	9.7	29	3	4	8	12	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.2	5	1	1	3	4	7	8	10
B. *Operated*	41	6.0	29	1	2	4	7	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	117	5.6	14	1	2	5	7	11	13	18
B. *Operated*	77	8.6	77	2	2	5	11	20	28	46
1. SINGLE DX	78	4.7	20	1	1	3	5	10	14	24
2. MULTIPLE DX	194	6.8	41	2	2	5	8	13	19	37
A. NOT OPERATED	154	5.0	13	1	1	4	7	10	12	17
B. OPERATED	118	7.7	62	2	2	5	9	17	22	43
TOTAL 0-19 YRS	91	4.1	9	1	1	3	5	9	11	14
20-34	74	6.6	39	1	2	5	7	16	20	31
35-49	52	6.6	39	1	2	5	8	11	17	41
50-64	24	10.3	107	2	3	7	11	22	36	48
65+	31	7.5	23	2	3	7	9	14	20	20
GRAND TOTAL	**272**	**6.2**	**36**	**1**	**2**	**4**	**7**	**13**	**17**	**32**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.0	6	1	2	3	5	8	9	10
20-34	65	4.0	5	2	2	3	5	8	9	10
35-49	47	5.7	24	1	2	4	7	12	15	28
50-64	18	4.8	9	1	1	4	8	9	10	10
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	14	4.4	23	<1	1	2	6	9	17	19
20-34	255	3.8	13	<1	1	3	5	9	10	19
35-49	176	3.3	11	<1	1	2	4	8	9	17
50-64	58	4.6	24	1	1	3	6	12	13	26
65+	21	4.7	23	<1	<1	3	7	11	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	5.2	17	1	2	4	6	12	16	18
20-34	319	9.0	69	1	2	6	12	19	26	44
35-49	363	9.4	91	2	2	7	12	19	23	64
50-64	169	8.9	34	2	3	7	12	16	21	28
65+	170	7.8	25	2	3	7	10	14	16	23
B. *Operated*										
0-19 YRS	38	12.4	86	1	3	10	14	28	33	37
20-34	659	14.2	120	2	2	13	20	28	35	60
35-49	637	15.0	151	2	2	13	21	30	40	62
50-64	252	13.1	158	1	2	9	19	26	31	72
65+	114	12.6	111	1	2	9	18	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.5	11	1	2	4	6	8	10	17
B. *Operated*	524	3.8	14	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	1131	8.5	61	2	2	7	11	17	22	38
B. *Operated*	1700	14.2	136	1	2	12	20	28	36	61
1. SINGLE DX	697	4.0	14	1	1	3	5	8	11	19
2. MULTIPLE DX	2831	12.0	114	2	2	9	16	25	31	54
A. NOT OPERATED	1304	8.0	56	2	2	6	10	16	21	36
B. OPERATED	2224	11.8	127	1	1	8	18	25	33	54
TOTAL 0-19 YRS	202	6.2	37	1	2	4	8	14	17	32
20-34	1298	10.4	99	1	2	7	15	24	29	48
35-49	1223	11.3	127	1	2	8	16	24	32	60
50-64	497	10.4	104	1	2	8	14	22	27	40
65+	308	9.3	63	1	2	7	12	20	24	40
GRAND TOTAL	**3528**	**10.4**	**104**	**1**	**2**	**7**	**15**	**23**	**29**	**49**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34										
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64	8	8.3	87	1	1	4	14	24	25	25
65+	6	6.7	7	3	3	7	9	10	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	10.3	98	3	3	5	21	25	25	25
35-49	11	21.5	750	1	2	7	29	73	76	76
50-64	9	10.1	176	1	1	7	9	32	44	44
65+	4	7.3	56	1	1	5	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.4	7	1	1	6	7	8	8	8
B. *Operated*	8	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	19	7.2	41	1	2	5	9	18	23	25
B. *Operated*	31	13.5	358	1	1	6	17	36	70	76
1. SINGLE DX	13	3.9	6	1	1	3	6	7	8	8
2. MULTIPLE DX	50	11.1	244	1	2	5	12	25	44	76
A. NOT OPERATED	24	6.8	34	1	2	5	8	14	22	25
B. OPERATED	39	11.4	302	1	1	5	11	29	59	76
TOTAL 0-19 YRS	7	5.4	18	1	1	6	8	12	13	13
20-34	9	8.0	76	1	1	4	10	23	25	25
35-49	18	14.6	521	1	2	5	12	59	74	76
50-64	19	8.7	116	1	1	5	7	23	35	44
65+	10	6.9	23	1	2	6	9	14	18	18
GRAND TOTAL	**63**	**9.6**	**202**	**1**	**1**	**5**	**8**	**23**	**36**	**75**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	8	6.5	52	2	2	4	6	19	24	24
50-64	47	4.3	24	1	1	3	5	7	14	30
65+	42	6.1	46	<1	1	4	7	13	25	30
B. *Operated*										
0-19 YRS	27	4.6	19	1	1	3	6	11	13	18
20-34	48	4.0	18	1	1	3	4	9	15	19
35-49	158	4.6	37	<1	1	2	5	12	15	31
50-64	476	5.0	37	<1	1	3	6	13	17	27
65+	432	5.0	38	1	1	3	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.4	162	2	2	5	8	32	43	47
20-34	22	6.2	28	<1	1	5	8	11	18	25
35-49	82	6.6	50	1	1	5	7	13	19	44
50-64	253	7.9	62	1	2	6	10	16	20	43
65+	294	8.4	87	1	2	6	10	17	24	44
B. *Operated*										
0-19 YRS	16	7.9	71	1	1	6	9	17	29	34
20-34	47	8.0	93	<1	1	5	11	19	30	47
35-49	351	11.5	141	1	1	8	16	26	35	57
50-64	1366	11.9	151	1	1	8	16	27	36	68
65+	1733	10.9	157	1	2	7	14	25	36	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.1	34	<1	1	4	6	11	18	30
B. *Operated*	1141	4.9	36	<1	1	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	666	7.9	73	1	2	6	9	16	21	46
B. *Operated*	3513	11.3	152	1	1	8	15	26	36	70
1. SINGLE DX	1245	4.9	36	<1	1	3	6	12	16	28
2. MULTIPLE DX	4179	10.8	141	1	1	7	14	24	34	66
A. NOT OPERATED	770	7.6	69	1	1	5	9	16	21	43
B. OPERATED	4654	9.7	131	1	1	6	13	23	32	64
TOTAL 0-19 YRS	61	6.6	68	1	1	4	8	13	24	46
20-34	121	6.0	51	<1	1	3	7	14	19	40
35-49	599	9.0	109	1	1	5	12	22	29	48
50-64	2142	9.7	122	1	1	6	13	22	31	58
65+	2501	9.5	132	1	1	6	12	22	32	67
GRAND TOTAL	**5424**	**9.4**	**123**	**1**	**1**	**6**	**12**	**22**	**31**	**62**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	4.0	5	1	1	5	6	6	6	6
50-64	24	4.9	11	<1	1	5	6	9	11	16
65+	22	4.3	10	<1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS										
20-34	3	17.3	108	9	9	14	25	29	29	29
35-49	20	10.6	67	2	3	7	14	25	28	28
50-64	99	9.2	49	1	1	9	12	17	23	33
65+	80	8.1	72	1	1	5	12	19	22	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.6	6	2	2	4	6	8	8	8
35-49	44	7.5	88	1	1	5	9	17	23	56
50-64	155	7.8	43	1	2	5	10	17	22	29
65+	313	7.6	34	2	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	12.7	117	1	1	13	19	28	29	29
35-49	113	17.3	324	2	3	12	19	36	69	99
50-64	531	16.0	161	2	3	13	21	33	43	75
65+	899	15.3	166	2	3	12	20	34	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.5	10	<1	1	4	6	9	11	16
B. *Operated*	202	9.0	61	1	1	8	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*	517	7.7	41	1	2	6	10	16	21	32
B. *Operated*	1550	15.6	176	2	3	13	20	34	44	84
1. SINGLE DX	255	8.1	54	1	1	6	11	17	22	33
2. MULTIPLE DX	2067	13.6	154	2	3	10	18	29	40	76
A. NOT OPERATED	570	7.4	39	1	2	5	9	15	20	31
B. OPERATED	1752	14.9	167	2	3	12	19	32	42	80
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	10.8	90	1	1	8	15	29	29	29
35-49	184	13.7	248	1	2	10	16	28	46	94
50-64	809	13.3	135	1	2	11	17	29	37	61
65+	1314	12.8	140	2	3	10	17	27	39	72
GRAND TOTAL	**2322**	**13.0**	**146**	**2**	**2**	**10**	**17**	**28**	**38**	**75**

21: Malignant neoplasm of stomach (151)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	10.8	75	1	1	13	16	23	23	23
50-64	15	4.9	27	1	1	3	5	14	18	20
65+	20	6.7	31	1	1	5	11	14	18	20
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	5.5	11	<1	<1	6	8	9	9	9
35-49	37	10.3	33	2	3	9	14	18	22	25
50-64	93	11.2	65	3	4	10	13	18	21	54
65+	153	11.1	47	1	3	10	14	20	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	6.8	30	1	2	6	9	14	20	21
35-49	68	7.1	40	1	2	6	9	15	20	31
50-64	162	7.6	63	1	2	6	9	17	21	34
65+	438	7.7	52	1	2	6	10	16	21	40
B. *Operated*										
0-19 YRS	3	14.7	86	4	4	19	20	21	21	21
20-34	42	17.1	108	5	6	15	24	29	39	51
35-49	270	15.3	147	3	5	11	18	28	43	62
50-64	843	15.9	136	4	6	13	19	28	37	65
65+	2413	16.8	132	4	6	14	21	30	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.4	35	1	1	4	11	15	20	23
B. *Operated*	288	10.9	51	2	3	10	14	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	680	7.6	53	1	2	6	9	16	21	35
B. *Operated*	3571	16.5	134	4	6	14	20	30	38	65
1. SINGLE DX	330	10.3	51	1	3	9	13	18	22	35
2. MULTIPLE DX	4251	15.0	131	3	4	12	19	29	37	62
A. NOT OPERATED	722	7.5	52	1	2	6	9	16	21	34
B. OPERATED	3859	16.0	130	4	6	13	20	29	37	64
TOTAL 0-19 YRS	6	10.0	63	4	4	6	19	21	21	21
20-34	58	14.1	108	2	3	12	17	27	33	51
35-49	380	13.3	126	2	3	10	16	25	34	61
50-64	1113	14.1	128	2	4	12	17	26	35	64
65+	3024	15.1	127	3	4	12	19	29	36	60
GRAND TOTAL	**4581**	**14.7**	**127**	**3**	**4**	**12**	**19**	**28**	**36**	**61**

22: Malignant neoplasm of small intestine (152)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	7	11.3	15	8	8	10	13	18	19	19
50-64	7	12.1	12	9	9	11	13	18	19	19
65+	15	14.7	50	5	7	12	18	26	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	11	3.5	7	1	1	3	6	7	7	7
50-64	17	5.5	14	1	1	5	7	11	14	15
65+	33	8.0	44	1	2	7	11	12	16	38
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	11	14.5	135	5	5	10	18	31	44	45
35-49	59	16.1	249	4	6	10	16	34	60	77
50-64	129	19.6	259	7	8	15	23	40	54	89
65+	320	17.4	136	7	8	14	21	31	40	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	32	12.7	33	6	7	11	15	19	25	31
2. MULTIPLE DX										
A. *Not Operated*	64	6.3	31	1	1	6	8	12	14	35
B. *Operated*	521	17.7	179	6	7	14	21	32	46	88
1. SINGLE DX	34	12.1	37	5	6	11	15	19	25	31
2. MULTIPLE DX	585	16.5	176	4	6	13	20	31	43	85
A. NOT OPERATED	66	6.2	31	1	1	5	8	12	13	34
B. OPERATED	553	17.4	172	6	7	13	21	31	44	87
TOTAL 0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34	16	11.3	117	1	2	8	15	22	38	45
35-49	77	13.9	212	1	4	9	14	27	55	75
50-64	153	17.7	241	4	6	12	21	35	52	87
65+	370	16.4	132	5	7	13	20	30	38	86
GRAND TOTAL	**619**	**16.2**	**169**	**4**	**6**	**12**	**20**	**31**	**42**	**82**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	4.2	12	2	2	3	4	10	11	11
50-64	33	5.9	28	1	1	4	8	13	16	25
65+	40	6.0	46	<1	<1	4	7	12	22	33
B. *Operated*										
0-19 YRS	5	6.4	5	3	3	7	8	9	9	9
20-34	38	8.1	10	2	4	8	10	13	14	15
35-49	177	9.1	12	5	6	9	11	13	14	24
50-64	788	9.6	14	5	6	9	11	14	17	24
65+	1128	10.0	18	5	6	9	12	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	24	9.0	97	1	2	6	11	18	35	43
35-49	80	7.9	100	1	1	5	8	16	29	56
50-64	345	7.5	47	1	2	5	10	17	21	35
65+	1114	8.4	75	1	2	6	10	17	22	45
B. *Operated*										
0-19 YRS	24	13.0	45	3	3	12	16	23	27	29
20-34	136	11.2	64	4	5	9	13	18	24	55
35-49	783	12.1	44	6	7	10	14	20	26	41
50-64	4162	12.5	54	6	7	11	14	20	26	42
65+	13652	14.9	85	7	8	12	17	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	5.8	35	<1	1	4	7	12	17	31
B. *Operated*	2136	9.8	16	5	6	9	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	1565	8.2	70	1	2	6	10	17	22	43
B. *Operated*	18757	14.2	77	6	7	12	17	24	30	50
1. SINGLE DX	2217	9.6	17	4	6	9	11	14	17	26
2. MULTIPLE DX	20322	13.8	79	4	7	11	16	23	30	50
A. NOT OPERATED	1646	8.1	69	1	2	6	10	16	22	43
B. OPERATED	20893	13.8	73	6	7	11	16	23	30	49
TOTAL 0-19 YRS	31	11.5	44	3	3	10	16	20	26	29
20-34	200	10.3	59	3	4	9	12	16	21	49
35-49	1046	11.2	45	4	6	10	13	19	25	40
50-64	5328	11.7	50	4	6	10	14	19	24	40
65+	15934	14.1	83	5	7	12	17	24	31	52
GRAND TOTAL	**22539**	**13.3**	**75**	**4**	**7**	**11**	**16**	**23**	**29**	**49**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	4.1	10	1	1	4	4	9	12	12
50-64	32	4.1	12	<1	1	3	5	8	10	17
65+	36	4.7	26	<1	<1	3	6	12	14	25
B. *Operated*										
0-19 YRS										
20-34	20	8.6	30	<1	1	9	12	14	18	21
35-49	168	8.5	19	1	2	9	11	15	16	19
50-64	537	9.6	27	1	3	9	12	15	18	27
65+	782	9.0	31	1	2	9	12	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	3.7	9	1	1	3	5	8	11	11
35-49	45	6.0	29	1	2	5	8	13	16	29
50-64	259	7.7	69	1	1	5	9	15	20	54
65+	611	8.1	71	1	2	6	10	16	22	52
B. *Operated*										
0-19 YRS	8	9.4	49	1	1	8	14	20	20	20
20-34	63	13.5	161	2	4	11	15	19	41	70
35-49	441	12.4	56	2	5	11	15	20	26	43
50-64	2120	13.2	63	3	6	12	16	22	27	45
65+	5453	14.9	101	3	5	13	18	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.4	18	<1	<1	3	5	9	13	23
B. *Operated*	1507	9.1	28	1	2	9	12	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	926	7.9	68	1	2	5	10	16	21	52
B. *Operated*	8085	14.3	89	3	6	12	17	24	31	53
1. SINGLE DX	1584	8.9	29	1	2	9	12	15	18	24
2. MULTIPLE DX	9011	13.7	91	2	4	12	17	24	30	52
A. NOT OPERATED	1003	7.6	65	1	1	5	10	15	20	47
B. OPERATED	9592	13.5	83	2	4	12	16	23	30	51
TOTAL 0-19 YRS	9	8.7	47	1	1	7	12	20	20	20
20-34	93	11.4	127	1	2	10	13	18	21	69
35-49	663	10.9	49	2	3	10	14	18	23	34
50-64	2948	12.0	61	2	4	11	15	20	25	42
65+	6882	13.6	96	2	3	12	17	24	31	53
GRAND TOTAL	**10595**	**12.9**	**84**	**2**	**3**	**11**	**16**	**23**	**29**	**51**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.4	20	1	1	3	6	10	16	17
50-64	20	4.6	14	1	1	4	6	10	13	15
65+	27	5.3	14	1	2	4	7	11	13	16
B. *Operated*										
0-19 YRS	29	8.5	26	2	3	8	12	16	18	21
20-34	17	7.8	69	1	1	5	9	14	28	36
35-49	65	7.8	30	1	1	7	10	14	18	26
50-64	105	9.4	62	1	1	8	13	20	26	35
65+	100	10.1	80	1	1	9	13	18	23	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.1	18	1	1	5	10	13	13	14
20-34	19	4.6	7	1	1	4	6	8	10	11
35-49	58	9.0	87	1	2	7	10	21	31	96
50-64	158	8.6	84	1	1	6	10	16	24	45
65+	382	7.7	39	2	2	6	10	16	19	27
B. *Operated*										
0-19 YRS	54	12.1	87	2	2	10	17	27	35	97
20-34	58	11.9	73	1	4	9	15	25	32	38
35-49	198	14.0	110	3	4	12	17	26	33	54
50-64	590	14.9	134	2	4	12	19	30	38	55
65+	1425	14.8	115	3	5	12	19	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.6	14	1	1	4	6	10	13	17
B. *Operated*	316	9.1	58	1	1	8	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	643	7.9	53	1	2	6	10	15	21	39
B. *Operated*	2325	14.6	118	2	4	12	19	28	35	55
1. SINGLE DX	382	8.3	54	1	1	7	11	17	22	35
2. MULTIPLE DX	2968	13.2	112	2	3	11	17	26	33	54
A. NOT OPERATED	709	7.6	50	1	2	6	9	15	20	38
B. OPERATED	2641	14.0	114	2	4	12	18	26	35	54
TOTAL 0-19 YRS	114	9.4	60	1	2	8	13	19	27	63
20-34	95	9.6	67	1	2	7	13	19	31	37
35-49	334	11.6	96	1	3	9	15	22	31	57
50-64	873	12.9	123	1	2	10	17	27	36	54
65+	1934	13.0	106	2	3	11	17	25	31	53
GRAND TOTAL	**3350**	**12.6**	**107**	**2**	**3**	**10**	**17**	**25**	**32**	**53**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	16.0		16	16	16	16	16	16	16
35-49	11	3.7	5	1	1	3	6	7	8	8
50-64	35	3.6	5	1	1	3	6	7	7	8
65+	48	5.9	27	1	1	4	8	11	13	29
B. *Operated*										
0-19 YRS										
20-34	4	18.8	102	10	10	17	27	31	31	31
35-49	23	11.9	168	1	2	8	12	40	43	48
50-64	72	10.3	70	1	1	11	14	18	23	47
65+	123	9.3	45	1	1	9	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	12.3	81	1	1	12	19	24	25	25
35-49	82	8.6	57	1	2	7	12	19	23	39
50-64	353	7.7	45	1	2	6	10	15	21	32
65+	839	8.3	51	2	2	6	10	17	22	34
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	16	15.9	98	5	7	10	24	31	35	37
35-49	228	16.7	228	3	5	12	20	30	43	86
50-64	1014	16.6	161	2	5	13	21	32	42	67
65+	2339	16.6	115	3	6	14	21	30	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	4.9	18	1	1	4	6	9	12	25
B. *Operated*	222	10.0	67	1	1	9	14	20	23	43
2. MULTIPLE DX										
A. *Not Operated*	1282	8.2	50	1	2	6	10	17	22	34
B. *Operated*	3599	16.6	135	3	6	14	21	31	39	61
1. SINGLE DX	318	8.5	58	1	1	7	12	18	22	40
2. MULTIPLE DX	4881	14.4	126	2	3	12	19	28	36	57
A. NOT OPERATED	1378	7.9	49	1	2	6	10	16	22	34
B. OPERATED	3821	16.2	133	3	5	14	20	30	38	60
TOTAL 0-19 YRS	4	6.0	21	2	2	5	9	12	12	12
20-34	28	15.4	88	2	5	12	23	29	32	37
35-49	344	14.0	191	2	3	10	18	27	40	77
50-64	1474	13.8	143	1	2	11	18	28	38	59
65+	3349	14.1	110	2	3	12	18	27	34	53
GRAND TOTAL	**5199**	**14.0**	**124**	**2**	**3**	**11**	**18**	**27**	**35**	**57**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	70	3.2	6	1	1	2	4	6	8	12
50-64	213	4.2	18	1	1	3	5	8	10	24
65+	199	5.4	39	1	1	4	6	10	15	31
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	24	7.3	41	1	2	6	9	13	22	30
35-49	245	6.9	29	1	1	7	9	13	17	22
50-64	1147	7.6	31	1	1	7	10	14	18	26
65+	1019	7.4	31	1	1	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	5	1	1	4	5	7	8	8
20-34	36	5.8	20	<1	1	5	7	12	13	23
35-49	600	7.3	58	1	2	5	9	15	21	34
50-64	3059	7.5	48	1	2	5	9	15	21	33
65+	4281	8.3	55	2	2	6	10	16	22	38
B. *Operated*										
0-19 YRS	18	9.7	35	2	2	9	11	20	23	24
20-34	87	12.5	105	2	3	10	15	29	33	48
35-49	1343	10.9	81	2	3	9	13	21	28	44
50-64	7603	11.1	78	2	3	9	14	21	27	46
65+	11122	12.0	88	2	3	10	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	4.6	25	1	1	3	5	8	14	29
B. *Operated*	2437	7.4	31	1	1	7	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	7984	7.9	53	1	2	6	10	16	21	35
B. *Operated*	20173	11.6	84	2	3	9	15	22	29	48
1. SINGLE DX	2921	7.0	31	1	1	6	9	13	17	27
2. MULTIPLE DX	28157	10.6	78	2	2	9	14	21	27	45
A. NOT OPERATED	8468	7.7	52	1	2	6	10	16	21	35
B. OPERATED	22610	11.2	80	2	3	9	14	21	28	47
TOTAL 0-19 YRS	28	7.8	31	1	2	7	10	13	22	24
20-34	149	9.9	82	1	2	8	12	23	30	45
35-49	2256	9.3	71	1	2	7	11	19	25	42
50-64	12022	9.7	69	1	2	8	12	19	25	40
65+	16621	10.7	79	2	2	9	14	21	27	46
GRAND TOTAL	**31078**	**10.2**	**75**	**1**	**2**	**8**	**13**	**20**	**26**	**44**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	14	2.6	3	<1	<1	2	4	5	5	5
50-64	27	2.4	3	<1	<1	2	3	6	6	7
65+	21	4.2	16	<1	<1	2	7	10	13	15
B. *Operated*										
0-19 YRS	12	4.8	10	1	1	5	7	9	10	10
20-34	22	5.5	18	<1	<1	5	9	12	13	13
35-49	113	5.9	27	<1	1	4	9	12	15	21
50-64	391	6.7	42	<1	1	5	10	15	19	27
65+	298	6.0	39	<1	1	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	9	1	1	5	6	9	11	11
20-34	19	6.1	51	1	1	3	6	19	25	26
35-49	33	7.2	96	1	1	4	9	17	20	53
50-64	155	5.8	55	1	1	4	7	13	17	97
65+	223	7.2	47	1	2	5	9	15	22	37
B. *Operated*										
0-19 YRS	24	10.1	50	3	4	8	13	22	27	28
20-34	42	14.7	256	1	2	10	17	31	44	87
35-49	216	13.1	121	1	2	11	18	27	36	53
50-64	978	12.3	123	1	1	11	16	25	33	63
65+	1162	12.2	125	1	1	11	16	26	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.2	8	<1	<1	2	5	7	8	14
B. *Operated*	836	6.3	38	<1	1	4	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	441	6.6	52	1	1	5	8	14	20	55
B. *Operated*	2422	12.4	125	1	1	11	16	26	35	58
1. SINGLE DX	901	6.0	36	<1	1	4	10	14	17	25
2. MULTIPLE DX	2863	11.5	118	1	1	9	15	25	33	57
A. NOT OPERATED	506	6.2	48	1	1	4	8	14	18	54
B. OPERATED	3258	10.8	110	1	1	9	15	23	30	55
TOTAL 0-19 YRS	47	7.5	37	1	1	6	9	15	23	28
20-34	86	10.1	159	1	1	8	12	23	30	75
35-49	376	10.0	99	1	1	8	13	21	29	50
50-64	1551	10.1	102	1	1	8	14	21	29	55
65+	1704	10.4	106	1	1	9	14	23	30	52
GRAND TOTAL	**3764**	**10.2**	**104**	**1**	**1**	**8**	**14**	**22**	**29**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	3.7	48	1	1	3	4	5	7	44
20-34	25	5.8	70	<1	1	4	5	9	31	35
35-49	7	3.4	5	1	1	3	5	7	7	7
50-64	15	4.6	21	1	1	3	5	15	15	15
65+	11	8.0	26	2	2	7	13	42	92	99+
B. *Operated*										
0-19 YRS	217	6.0	34	1	1	5	8	11	15	37
20-34	136	7.2	57	1	1	5	8	14	20	45
35-49	144	5.9	24	1	1	5	8	12	16	24
50-64	230	6.0	24	1	1	5	9	13	16	26
65+	219	6.9	61	<1	1	5	8	12	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	4.7	17	1	1	4	5	9	12	25
20-34	53	5.1	16	1	1	3	7	11	14	17
35-49	39	7.3	55	<1	1	6	10	16	26	31
50-64	96	7.2	71	1	1	5	9	16	21	49
65+	137	8.8	113	1	2	6	9	20	33	53
B. *Operated*										
0-19 YRS	168	10.8	143	1	2	7	13	25	38	65
20-34	96	11.2	132	1	2	7	16	24	35	86
35-49	136	12.3	166	1	2	8	15	33	38	64
50-64	301	11.4	103	1	2	9	15	25	31	63
65+	567	10.7	104	1	2	8	13	23	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.5	46	1	1	3	4	8	14	67
B. *Operated*	946	6.4	40	1	1	5	8	12	17	35
2. MULTIPLE DX										
A. *Not Operated*	524	6.5	57	1	1	4	7	13	20	45
B. *Operated*	1268	11.1	118	1	2	8	14	25	35	61
1. SINGLE DX	1095	6.1	41	1	1	4	8	12	17	36
2. MULTIPLE DX	1792	9.7	104	1	2	7	12	21	31	55
A. NOT OPERATED	673	6.0	56	1	1	4	7	12	18	45
B. OPERATED	2214	9.1	90	1	2	6	11	19	30	52
TOTAL 0-19 YRS	675	6.5	65	1	1	4	7	12	19	45
20-34	310	8.0	79	1	1	5	9	17	24	52
35-49	326	8.7	96	1	1	6	10	18	31	48
50-64	642	8.7	75	1	1	6	12	20	26	62
65+	934	9.5	97	1	2	7	11	21	32	50
GRAND TOTAL	**2887**	**8.4**	**83**	**1**	**1**	**6**	**10**	**18**	**28**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.2	2	1	1	2	4	4	4	4
35-49	9	4.3	11	<1	<1	4	6	10	11	11
50-64	4	6.3	5	4	4	6	8	9	9	9
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	12	4.1	26	<1	<1	2	5	12	17	18
20-34	189	3.3	7	1	1	3	4	7	8	13
35-49	337	3.6	9	<1	1	3	5	8	10	13
50-64	352	3.8	8	<1	1	3	5	7	9	13
65+	275	4.2	16	1	1	3	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	5.0	25	<1	<1	3	5	14	16	20
35-49	38	4.8	26	<1	1	4	6	8	17	26
50-64	49	6.9	41	<1	1	5	9	15	18	36
65+	58	5.9	24	1	1	5	7	14	16	24
B. *Operated*										
0-19 YRS	12	5.8	47	1	1	4	5	15	24	26
20-34	93	4.0	11	<1	1	3	5	8	9	17
35-49	204	4.8	15	1	1	4	6	9	12	23
50-64	275	6.1	49	1	1	4	8	12	17	26
65+	498	6.6	38	1	1	5	8	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.7	8	<1	1	3	5	8	10	11
B. *Operated*	1165	3.8	10	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	170	5.8	30	<1	1	4	7	14	16	26
B. *Operated*	1082	5.9	35	1	1	4	7	12	17	26
1. SINGLE DX	1188	3.8	10	<1	1	3	5	8	10	14
2. MULTIPLE DX	1252	5.9	34	1	1	4	7	12	17	26
A. NOT OPERATED	193	5.6	27	<1	1	4	7	13	16	25
B. OPERATED	2247	4.8	23	1	1	3	6	10	13	24
TOTAL 0-19 YRS	25	4.8	34	<1	1	3	5	10	20	26
20-34	312	3.6	9	<1	1	3	5	7	9	15
35-49	588	4.1	12	1	1	3	5	8	11	18
50-64	680	5.0	28	<1	1	4	6	10	13	23
65+	835	5.8	31	1	1	4	7	12	17	28
GRAND TOTAL	**2440**	**4.9**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

1492 Hospitals, United States, January-December 1986

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	8	5.0	27	1	1	3	6	14	17	17
B. *Operated*										
0-19 YRS	21	2.2	4	<1	<1	1	3	6	7	7
20-34	64	3.3	10	<1	<1	2	5	7	10	14
35-49	160	2.3	10	<1	<1	1	2	4	7	16
50-64	327	2.3	7	<1	<1	1	3	5	8	13
65+	672	2.5	8	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	20	5.8	14	1	1	5	8	11	13	14
35-49	25	9.4	166	1	1	5	9	25	45	53
50-64	21	4.6	24	<1	<1	3	6	12	17	19
65+	100	4.7	21	<1	<1	3	6	9	16	22
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	41	6.2	59	1	1	4	7	13	17	46
35-49	142	5.1	49	<1	1	3	6	12	17	44
50-64	475	5.1	54	<1	1	3	6	12	18	38
65+	1578	5.6	67	<1	1	3	6	12	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.1	19	1	1	3	5	9	16	17
B. *Operated*	1244	2.5	8	<1	<1	1	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	168	5.5	44	<1	1	4	7	11	17	40
B. *Operated*	2240	5.5	63	<1	1	3	6	12	18	45
1. SINGLE DX	1256	2.5	8	<1	<1	1	3	5	8	14
2. MULTIPLE DX	2408	5.5	61	<1	1	3	6	12	18	45
A. NOT OPERATED	180	5.4	42	<1	1	4	7	11	17	38
B. OPERATED	3484	4.4	45	<1	<1	2	5	10	15	36
TOTAL 0-19 YRS	28	2.7	5	<1	1	2	4	7	7	7
20-34	126	4.6	28	<1	1	3	6	10	14	25
35-49	328	4.1	42	<1	<1	2	4	9	14	43
50-64	824	4.0	36	<1	<1	2	4	9	15	28
65+	2358	4.7	50	<1	1	2	5	10	16	41
GRAND TOTAL	**3664**	**4.5**	**45**	**<1**	**<1**	**2**	**5**	**10**	**15**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49	30	3.2	3	<1	1	3	4	5	6	9
50-64	53	3.9	8	<1	1	3	5	9	10	11
65+	40	3.6	5	<1	<1	3	5	7	7	9
B. *Operated*										
0-19 YRS	7	5.0	8	1	1	5	7	9	9	9
20-34	411	4.0	5	1	1	4	5	7	8	11
35-49	2634	4.0	5	1	1	4	5	7	8	11
50-64	3953	4.3	6	1	2	4	6	7	8	11
65+	4016	4.7	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	28	5.4	23	<1	<1	3	8	11	16	22
35-49	233	8.1	98	1	1	5	9	18	26	56
50-64	428	7.0	60	1	1	5	8	15	21	43
65+	550	7.8	67	1	1	6	10	16	22	49
B. *Operated*										
0-19 YRS	10	5.6	8	2	2	5	7	9	11	11
20-34	458	5.2	15	1	2	4	6	9	11	20
35-49	3306	5.2	13	1	2	5	6	9	10	18
50-64	6599	5.9	21	2	2	5	7	10	12	23
65+	10907	6.5	22	2	3	6	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.6	5	<1	1	3	5	7	9	10
B. *Operated*	11021	4.4	6	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1240	7.5	69	1	1	5	9	16	22	46
B. *Operated*	21280	6.1	20	2	2	5	7	10	13	24
1. SINGLE DX	11149	4.4	6	1	2	4	6	7	8	11
2. MULTIPLE DX	22520	6.2	23	2	2	5	7	10	13	25
A. NOT OPERATED	1368	7.1	65	1	1	5	9	15	21	44
B. OPERATED	32301	5.5	16	1	2	5	7	9	11	20
TOTAL 0-19 YRS	19	5.3	7	1	2	5	7	9	10	11
20-34	901	4.6	11	1	1	4	6	8	10	16
35-49	6203	4.8	13	1	2	4	6	8	9	18
50-64	11033	5.4	18	1	2	5	7	9	11	21
65+	15513	6.1	20	2	2	5	7	10	13	24
GRAND TOTAL	**33669**	**5.6**	**18**	**1**	**2**	**5**	**7**	**9**	**12**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	3.7	6	1	1	3	5	7	9	12
35-49	90	3.0	7	1	1	3	3	4	5	18
50-64	89	3.3	13	1	1	3	4	5	7	24
65+	73	3.5	4	2	2	3	4	5	5	16
B. *Operated*										
0-19 YRS	8	5.1	13	<1	1	4	8	10	11	11
20-34	206	5.2	10	1	1	5	7	10	11	14
35-49	319	5.4	31	1	1	4	7	10	12	17
50-64	164	4.6	11	1	1	4	6	9	12	15
65+	123	4.3	15	1	1	3	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	59	4.8	18	1	1	4	6	10	13	24
35-49	185	6.5	55	1	1	4	8	14	20	43
50-64	221	5.2	25	1	2	4	6	11	14	22
65+	186	6.6	33	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	287	7.8	29	1	3	6	10	15	18	29
35-49	626	8.3	46	1	2	7	10	15	21	38
50-64	490	8.8	72	1	2	7	11	18	23	46
65+	516	8.2	66	1	2	6	10	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	3.3	8	1	2	3	4	5	6	16
B. *Operated*	820	5.0	19	1	1	4	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	653	5.9	35	1	2	4	7	12	17	30
B. *Operated*	1922	8.3	56	1	2	7	10	17	22	38
1. SINGLE DX	1106	4.6	17	1	1	4	6	9	11	16
2. MULTIPLE DX	2575	7.7	51	1	2	6	9	16	21	38
A. NOT OPERATED	939	5.1	28	1	2	3	6	10	15	30
B. OPERATED	2742	7.3	47	1	2	6	9	14	19	35
TOTAL 0-19 YRS	13	5.3	9	<1	1	5	7	9	11	11
20-34	586	6.3	22	1	1	5	8	12	15	26
35-49	1220	6.9	44	1	2	5	9	13	18	38
50-64	964	6.8	50	1	2	4	8	14	19	38
65+	898	6.9	50	1	2	5	8	15	21	36
GRAND TOTAL	**3681**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	9	3.6	1	2	2	4	4	4	4	4
50-64	59	3.2	2	1	1	3	4	5	7	8
65+	72	2.6	1	1	1	3	3	4	4	5
B. *Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	28	5.8	5	2	3	5	7	9	10	12
35-49	139	5.9	5	2	3	6	7	8	10	15
50-64	569	5.4	6	1	2	5	7	8	9	13
65+	594	5.7	9	1	2	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	6	4	4	6	8	9	9	9
20-34	8	4.1	6	2	2	3	5	8	9	9
35-49	22	6.1	27	1	1	4	8	16	18	19
50-64	138	5.2	53	1	1	3	5	10	16	50
65+	273	5.6	40	1	1	4	6	11	15	32
B. *Operated*										
0-19 YRS	4	11.8	52	1	1	15	16	16	16	16
20-34	78	6.2	16	2	2	6	7	9	13	24
35-49	500	6.2	10	2	3	6	7	10	12	18
50-64	1941	7.2	26	2	3	6	8	11	14	28
65+	3206	8.3	44	2	3	7	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	3.1	4	1	1	3	4	4	5	9
B. *Operated*	1333	5.6	7	1	2	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	445	5.5	42	1	1	4	6	11	16	34
B. *Operated*	5729	7.7	35	2	3	7	9	13	16	31
1. SINGLE DX	1477	5.4	8	1	2	5	7	8	10	15
2. MULTIPLE DX	6174	7.5	36	2	3	6	8	13	16	31
A. NOT OPERATED	589	4.9	34	1	1	3	5	9	14	29
B. OPERATED	7062	7.3	31	2	3	6	8	12	15	29
TOTAL 0-19 YRS	13	8.5	40	1	1	6	14	17	20	21
20-34	116	5.8	13	2	2	6	7	9	11	22
35-49	670	6.1	10	2	3	6	7	9	11	17
50-64	2707	6.6	24	1	2	6	8	10	13	25
65+	4145	7.6	39	2	2	7	9	13	17	33
GRAND TOTAL	**7651**	**7.1**	**31**	**1**	**2**	**6**	**8**	**12**	**15**	**29**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	9	1	1	2	6	8	8	8
20-34	5	5.0	29	1	1	4	7	14	14	14
35-49	28	2.2	7	<1	<1	2	2	4	6	15
50-64	73	2.5	3	1	1	2	3	5	6	9
65+	39	2.6	9	1	1	2	3	5	6	19
B. *Operated*										
0-19 YRS	18	5.9	12	1	2	5	9	10	13	15
20-34	71	6.1	6	3	4	6	7	9	10	17
35-49	121	6.5	8	2	4	6	8	10	12	16
50-64	171	7.5	21	1	2	7	9	12	15	29
65+	115	9.6	84	3	4	8	10	15	20	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	3	2	2	4	6	6	6	6
20-34	13	5.5	51	1	1	3	6	12	25	28
35-49	94	6.8	110	1	1	3	7	16	23	64
50-64	309	5.3	34	1	1	3	7	12	18	30
65+	402	7.4	44	1	2	5	10	15	21	32
B. *Operated*										
0-19 YRS	29	8.6	37	4	5	7	9	15	19	35
20-34	174	7.9	17	4	4	7	9	13	16	23
35-49	545	9.8	51	4	5	8	11	16	21	42
50-64	1334	11.8	81	4	5	9	14	20	28	44
65+	1474	14.0	81	5	6	11	17	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.6	6	1	1	2	3	5	7	15
B. *Operated*	496	7.4	32	2	4	7	9	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	824	6.5	48	1	1	4	9	14	21	33
B. *Operated*	3556	12.2	76	4	5	10	15	22	28	46
1. SINGLE DX	647	6.3	30	1	1	6	8	11	14	23
2. MULTIPLE DX	4380	11.1	75	2	3	9	14	21	27	45
A. NOT OPERATED	975	5.9	44	1	1	4	8	13	19	30
B. OPERATED	4052	11.6	73	4	5	9	14	21	28	45
TOTAL 0-19 YRS	59	6.8	26	1	2	6	8	10	16	33
20-34	263	7.2	16	3	4	6	8	12	16	23
35-49	788	8.6	53	1	3	7	10	15	20	41
50-64	1887	10.0	73	1	2	8	12	18	25	42
65+	2030	12.2	81	2	4	10	15	23	29	47
GRAND TOTAL	**5027**	**10.5**	**72**	**2**	**3**	**8**	**13**	**20**	**26**	**44**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	1	1	3	3	5	5	5
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	7	6.1	60	1	1	3	7	20	23	23
65+	18	3.4	5	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	11	4.8	10	1	1	5	8	9	10	10
20-34	11	4.7	13	<1	<1	4	6	11	13	13
35-49	33	5.3	20	1	2	4	7	10	11	24
50-64	46	7.4	34	1	1	6	11	17	18	19
65+	118	6.4	43	1	1	5	9	12	15	36
2. MULTIPLE DX										
A. *Not Operated*										
C-19 YRS	4	6.5	28	1	1	6	11	12	12	12
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	12	5.3	33	1	1	3	7	13	20	21
50-64	26	4.0	10	1	1	3	5	10	11	11
65+	99	6.8	32	1	2	5	8	15	18	27
B. *Operated*										
0-19 YRS	13	9.4	38	1	2	8	14	17	21	22
20-34	27	8.9	106	1	2	6	9	27	37	41
35-49	80	9.0	44	2	2	8	12	17	21	36
50-64	178	12.1	124	2	3	9	14	24	36	60
65+	466	11.5	97	2	3	9	15	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.0	16	<1	1	3	5	8	9	23
B. *Operated*	219	6.3	35	1	1	5	9	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	143	6.1	28	1	1	4	8	14	17	22
B. *Operated*	764	11.2	98	2	3	9	14	22	31	51
1. SINGLE DX	254	6.0	33	1	1	4	8	11	16	24
2. MULTIPLE DX	907	10.4	90	2	2	8	13	21	29	46
A. NOT OPERATED	178	5.7	26	1	1	4	7	12	17	23
B. OPERATED	983	10.1	88	1	2	8	13	21	28	47
TOTAL 0-19 YRS	35	6.3	26	1	1	5	9	13	16	22
20-34	42	7.4	75	<1	1	5	8	12	33	41
35-49	126	7.7	39	1	2	7	10	15	21	30
50-64	257	10.3	102	1	2	8	12	21	33	52
65+	701	9.8	82	1	2	7	13	21	26	45
GRAND TOTAL	**1161**	**9.5**	**81**	**1**	**2**	**7**	**12**	**20**	**26**	**45**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	11	4.0	11	<1	<1	3	6	9	11	11
65+	61	5.5	29	<1	1	4	7	12	16	28
B. *Operated*										
0-19 YRS	3	7.0	39	2	2	5	12	14	14	14
20-34	4	3.5	6	1	1	3	5	7	7	7
35-49	32	5.4	23	<1	1	4	8	12	13	22
50-64	1026	5.8	17	1	1	5	8	11	14	18
65+	2854	4.9	12	1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	10	7.3	26	2	2	7	8	15	20	20
50-64	285	6.4	52	1	1	4	8	14	20	41
65+	1553	7.9	65	1	2	6	10	16	22	39
B. *Operated*										
0-19 YRS	13	7.5	27	1	2	7	10	15	18	19
20-34	4	6.0	11	1	1	7	8	8	8	8
35-49	57	8.9	62	1	2	8	10	15	22	49
50-64	2673	7.4	39	1	2	6	9	15	18	31
65+	15011	7.3	36	1	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	5.2	26	<1	1	4	7	11	15	27
B. *Operated*	3919	5.2	13	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1854	7.6	62	1	2	5	10	15	22	39
B. *Operated*	17758	7.3	36	1	2	6	9	14	18	31
1. SINGLE DX	3991	5.2	14	1	1	5	7	10	12	17
2. MULTIPLE DX	19612	7.3	39	1	2	6	9	14	18	32
A. NOT OPERATED	1926	7.5	61	1	2	5	9	15	22	39
B. OPERATED	21677	6.9	33	1	2	6	9	13	17	29
TOTAL 0-19 YRS	18	7.3	24	1	2	7	9	14	17	19
20-34	12	4.1	7	1	1	3	7	6	8	8
35-49	99	7.6	47	1	1	7	10	14	21	41
50-64	3995	6.9	35	1	2	6	9	14	17	29
65+	19479	7.0	35	1	2	6	9	13	17	31
GRAND TOTAL	**23603**	**7.0**	**35**	**1**	**2**	**6**	**9**	**13**	**17**	**30**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	3.8	6	1	1	4	5	6	9	11
35-49	6	3.2	3	<1	<1	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS	63	3.7	7	1	1	3	5	7	9	12
20-34	397	2.9	10	1	1	2	3	6	8	15
35-49	165	3.0	19	1	1	2	3	6	9	30
50-64	57	3.8	64	1	1	3	4	5	6	58
65+	48	3.3	8	<1	<1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	9	<1	1	4	6	9	11	11
20-34	67	5.7	20	1	1	5	6	12	14	26
35-49	18	5.2	19	2	2	4	5	8	16	21
50-64	12	6.8	69	1	2	5	7	17	30	32
65+	4	10.8	58	3	3	9	16	21	21	21
B. *Operated*										
0-19 YRS	35	5.8	14	1	1	5	9	12	12	13
20-34	232	7.0	46	1	1	6	9	14	20	58
35-49	130	8.3	139	1	1	4	10	17	28	72
50-64	76	7.2	43	1	1	6	9	17	19	35
65+	109	6.2	24	1	1	5	9	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.9	6	1	1	4	5	6	10	11
B. *Operated*	730	3.1	16	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	112	5.8	25	1	2	5	6	11	14	30
B. *Operated*	582	7.1	60	1	1	5	9	15	18	42
1. SINGLE DX	760	3.1	15	1	1	2	4	6	9	14
2. MULTIPLE DX	694	6.9	55	1	1	5	9	14	18	41
A. NOT OPERATED	142	5.4	21	1	1	4	6	11	13	28
B. OPERATED	1312	4.9	40	1	1	3	6	11	15	34
TOTAL 0-19 YRS	111	4.5	10	1	1	4	6	9	11	13
20-34	715	4.5	26	1	1	3	6	10	13	31
35-49	319	5.3	74	1	1	3	6	13	17	38
50-64	146	5.8	55	1	1	4	6	13	18	41
65+	163	5.5	21	1	1	4	8	12	16	20
GRAND TOTAL	**1454**	**4.9**	**38**	**1**	**1**	**3**	**6**	**11**	**14**	**33**

1492 Hospitals, United States, January-December 1986

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64	21	3.0	8	<1	1	2	3	7	9	11
65+	29	3.1	7	1	1	2	4	6	10	11
B. *Operated*										
0-19 YRS	9	3.8	8	1	1	2	6	9	9	9
20-34	45	2.5	3	<1	1	2	3	5	7	8
35-49	258	2.9	8	<1	1	2	3	5	11	15
50-64	1372	3.4	16	1	1	2	4	7	11	19
65+	2662	3.6	13	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	16	6.6	66	<1	1	5	6	14	28	34
50-64	114	6.0	44	1	1	4	7	13	21	36
65+	504	7.1	64	1	1	5	8	14	21	44
B. *Operated*										
0-19 YRS	18	9.4	214	1	1	5	9	21	47	63
20-34	38	7.2	175	1	1	2	7	13	42	63
35-49	312	5.8	41	1	1	3	7	14	21	31
50-64	2459	6.3	51	1	1	4	8	14	19	37
65+	9605	6.7	56	1	1	4	8	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.1	6	1	1	2	4	6	9	11
B. *Operated*	4346	3.5	14	1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	638	6.8	61	1	1	5	8	13	21	38
B. *Operated*	12432	6.6	55	1	1	4	8	15	20	37
1. SINGLE DX	4401	3.5	14	1	1	2	4	7	11	18
2. MULTIPLE DX	13070	6.6	55	1	1	4	8	15	20	37
A. NOT OPERATED	693	6.5	57	1	1	5	8	13	20	37
B. OPERATED	16778	5.8	46	1	1	4	7	13	18	34
TOTAL 0-19 YRS	30	7.0	137	1	1	3	7	14	23	63
20-34	84	4.6	85	1	1	2	4	8	13	61
35-49	591	4.5	29	1	1	3	5	11	15	29
50-64	3966	5.3	40	1	1	3	6	13	17	31
65+	12800	6.1	49	1	1	4	7	14	19	35
GRAND TOTAL	**17471**	**5.8**	**47**	**1**	**1**	**4**	**7**	**13**	**18**	**34**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	8	<1	<1	1	2	5	10	11
20-34	5	5.2	9	3	3	3	8	9	9	9
35-49	7	3.7	8	1	1	3	6	8	8	8
50-64	12	5.9	35	<1	1	4	6	17	20	20
65+	15	3.4	4	<1	<1	3	4	7	7	7
B. *Operated*										
0-19 YRS	56	9.2	55	2	4	8	11	14	21	50
20-34	35	6.7	12	1	2	7	9	10	10	19
35-49	151	7.3	12	1	2	7	9	11	13	15
50-64	303	7.8	15	1	2	8	9	13	14	21
65+	304	7.8	17	1	2	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.6	18	1	1	3	6	10	14	20
20-34	10	5.1	10	1	1	4	9	10	10	10
35-49	63	5.4	23	1	1	4	7	10	12	31
50-64	238	6.7	33	1	2	5	8	14	19	28
65+	361	8.8	81	1	2	6	12	18	25	41
B. *Operated*										
0-19 YRS	80	12.4	94	3	4	9	14	25	36	87
20-34	61	11.8	92	2	3	9	15	21	31	52
35-49	312	9.6	29	2	4	9	11	17	19	25
50-64	1232	11.1	67	2	4	9	13	19	25	41
65+	2195	12.6	83	3	5	10	15	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.9	14	<1	<1	3	4	8	11	20
B. *Operated*	849	7.7	18	1	2	8	10	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	713	7.5	57	1	2	5	9	15	22	38
B. *Operated*	3880	11.8	75	2	4	10	14	21	27	49
1. SINGLE DX	901	7.5	18	1	2	8	9	12	15	20
2. MULTIPLE DX	4593	11.2	74	2	3	9	14	20	26	46
A. NOT OPERATED	765	7.3	55	1	1	5	9	15	21	37
B. OPERATED	4729	11.1	67	2	4	9	13	20	25	45
TOTAL 0-19 YRS	190	9.1	72	1	1	7	11	20	26	56
20-34	111	9.3	63	1	2	8	10	19	22	47
35-49	533	8.4	26	1	3	8	10	14	17	25
50-64	1785	9.9	57	2	3	8	12	17	23	37
65+	2875	11.5	79	2	3	10	14	21	27	49
GRAND TOTAL	**5494**	**10.6**	**67**	**2**	**3**	**9**	**13**	**19**	**25**	**43**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.4	1	<1	<1	1	1	2	4	6
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	42	2.4	3	<1	<1	2	3	5	6	8
20-34	8	3.0	7	1	1	2	3	7	9	9
35-49	19	2.7	5	<1	<1	2	4	5	8	9
50-64	31	3.0	6	1	1	2	4	5	11	11
65+	54	2.8	3	1	1	3	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	22	<1	<1	3	7	12	16	16
20-34										
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	3	4.3	12	1	1	4	7	8	8	8
65+	10	5.6	34	1	1	3	6	15	21	21
B. *Operated*										
0-19 YRS	18	9.3	66	<1	1	6	14	23	24	24
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	9	4.2	4	1	1	5	6	7	7	7
50-64	27	4.7	15	1	1	3	7	10	13	17
65+	80	6.8	184	1	1	3	6	10	17	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.6	3	<1	<1	1	1	4	6	7
B. *Operated*	154	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	25	5.1	24	<1	<1	3	7	11	17	21
B. *Operated*	136	6.5	121	1	1	4	7	11	21	75
1. SINGLE DX	176	2.6	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX	161	6.3	106	1	1	4	7	11	20	67
A. NOT OPERATED	47	3.5	17	<1	<1	1	5	8	12	21
B. OPERATED	290	4.5	62	1	1	3	5	8	11	30
TOTAL 0-19 YRS	90	3.8	25	<1	<1	2	4	8	16	24
20-34	10	3.5	8	1	1	3	3	8	9	9
35-49	31	3.5	7	<1	1	3	5	7	9	11
50-64	62	3.8	10	1	1	3	4	8	11	16
65+	144	5.2	108	1	1	3	5	8	11	73
GRAND TOTAL	**337**	**4.4**	**56**	**<1**	**1**	**3**	**5**	**8**	**11**	**26**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	19	1	1	3	5	7	11	26
20-34	44	4.6	10	1	1	4	6	7	9	18
35-49	54	6.4	54	1	1	4	7	21	25	31
50-64	87	7.5	52	1	2	5	9	17	21	37
65+	91	7.9	51	1	2	6	10	16	25	36
B. *Operated*										
0-19 YRS	196	9.0	42	1	2	8	12	16	19	36
20-34	181	8.7	37	1	2	8	10	16	18	34
35-49	248	8.7	38	2	2	8	11	15	19	27
50-64	316	10.6	80	2	3	9	14	17	25	45
65+	170	12.1	76	2	3	10	15	21	25	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	5.1	41	1	1	3	6	11	17	50
20-34	133	7.4	83	1	2	4	8	17	27	48
35-49	256	8.6	85	1	1	6	11	19	26	49
50-64	436	9.4	115	1	2	6	11	21	28	69
65+	500	10.3	85	2	3	8	13	20	27	55
B. *Operated*										
0-19 YRS	304	15.6	246	2	3	11	19	42	59	99+
20-34	231	12.8	98	2	4	11	15	25	29	61
35-49	333	13.1	102	3	4	10	17	26	36	72
50-64	510	16.5	215	3	5	12	20	32	47	82
65+	598	18.2	168	5	6	15	23	35	49	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	6.6	44	1	1	4	8	14	21	32
B. *Operated*	1111	9.8	58	2	2	8	12	17	21	43
2. MULTIPLE DX										
A. *Not Operated*	1492	8.9	91	1	2	6	11	19	27	54
B. *Operated*	1976	15.9	177	3	5	12	20	32	46	78
1. SINGLE DX	1426	9.1	56	1	2	8	12	17	21	40
2. MULTIPLE DX	3468	12.9	152	2	2	9	16	27	39	70
A. NOT OPERATED	1807	8.5	84	1	2	6	11	18	26	52
B. OPERATED	3087	13.7	142	2	4	10	16	27	38	68
TOTAL 0-19 YRS	706	10.6	149	1	1	7	13	23	42	99
20-34	589	9.7	76	1	2	8	12	19	27	54
35-49	891	10.2	82	1	2	8	13	21	27	52
50-64	1349	12.2	152	2	2	9	15	25	36	75
65+	1359	13.9	133	2	4	11	17	28	38	59
GRAND TOTAL	**4894**	**11.8**	**127**	**2**	**2**	**9**	**15**	**24**	**35**	**65**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	5	<1	<1	1	2	6	7	7
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	24	6.8	29	1	1	5	10	15	17	19
20-34	21	9.2	69	1	2	7	12	18	28	37
35-49	12	9.2	32	1	2	8	10	18	21	22
50-64	12	10.9	53	2	4	9	13	23	26	27
65+	12	13.5	183	1	2	10	16	28	49	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.9	274	<1	<1	3	25	74	99+	99+
20-34	5	4.2	13	1	1	2	7	9	9	9
35-49	9	10.8	33	5	5	10	14	20	22	22
50-64	17	9.2	80	2	3	7	11	15	31	40
65+	36	9.3	49	1	2	8	13	20	21	32
B. *Operated*										
0-19 YRS	33	14.2	140	2	3	11	18	28	38	58
20-34	25	18.8	368	2	4	14	20	39	71	86
35-49	31	17.4	250	3	5	14	24	37	82	99+
50-64	53	19.2	327	1	3	14	24	43	53	91
65+	64	23.5	328	4	7	17	30	50	66	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	3	<1	1	1	3	5	7	7
B. *Operated*	81	9.4	67	1	2	8	12	17	22	48
2. MULTIPLE DX										
A. *Not Operated*	76	9.2	76	1	1	7	12	21	30	86
B. *Operated*	206	19.4	296	2	4	14	24	43	62	89
1. SINGLE DX	95	8.3	64	1	1	7	11	16	22	46
2. MULTIPLE DX	282	16.7	257	2	3	12	21	39	55	90
A. NOT OPERATED	90	8.1	71	1	1	6	11	20	25	79
B. OPERATED	287	16.6	251	2	3	12	20	37	53	87
TOTAL 0-19 YRS	73	10.1	120	1	1	8	13	23	38	90
20-34	51	13.4	236	1	2	10	16	22	39	86
35-49	54	13.9	173	2	3	11	17	25	39	99
50-64	85	15.4	251	1	3	11	18	34	46	86
65+	114	17.6	263	1	3	12	22	42	57	72
GRAND TOTAL	**377**	**14.6**	**221**	**1**	**2**	**11**	**18**	**33**	**48**	**87**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3	3	<1	1	2	3	4	6	10
20-34	39	2.4	2	1	1	2	3	5	6	6
35-49	39	2.3	1	1	1	2	3	4	5	5
50-64	26	2.6	3	<1	1	2	3	5	6	9
65+	14	5.6	136	<1	1	3	4	8	38	46
B. *Operated*										
0-19 YRS	74	5.7	58	1	2	3	7	12	18	49
20-34	290	3.1	4	1	1	3	4	5	7	11
35-49	277	3.2	3	1	1	3	4	5	7	10
50-64	171	3.7	8	1	2	3	4	6	8	20
65+	83	4.6	12	1	2	4	5	9	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	5.2	37	<1	1	3	7	11	18	34
20-34	39	3.3	17	<1	1	2	3	5	11	24
35-49	60	4.5	34	1	1	3	5	9	15	37
50-64	70	5.7	25	1	2	3	9	13	16	22
65+	91	7.9	62	1	2	5	11	18	23	44
B. *Operated*										
0-19 YRS	124	12.1	251	1	2	7	13	30	49	84
20-34	326	4.6	18	1	2	3	5	9	11	25
35-49	369	5.0	34	1	2	4	5	8	14	29
50-64	357	6.5	48	2	2	4	7	12	20	41
65+	388	8.7	69	2	3	6	10	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.7	15	1	1	2	3	4	5	10
B. *Operated*	895	3.6	10	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	313	5.7	40	1	1	3	7	13	19	32
B. *Operated*	1564	6.7	64	2	2	4	7	14	20	49
1. SINGLE DX	1048	3.5	11	1	1	3	4	6	8	15
2. MULTIPLE DX	1877	6.6	60	1	2	4	7	14	19	45
A. NOT OPERATED	466	4.7	34	1	1	3	5	11	15	30
B. OPERATED	2459	5.6	47	1	2	4	6	11	16	38
TOTAL 0-19 YRS	286	7.9	144	1	1	4	8	16	30	66
20-34	694	3.7	12	1	1	3	4	7	10	17
35-49	745	4.2	21	1	2	3	5	7	10	21
50-64	624	5.5	34	1	2	4	6	10	16	29
65+	576	7.9	63	2	2	5	9	17	23	48
GRAND TOTAL	**2925**	**5.5**	**45**	**1**	**2**	**4**	**6**	**11**	**16**	**36**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.9	22	1	2	4	8	10	17	21
20-34	11	2.0	1	1	1	2	3	4	4	4
35-49	36	6.3	67	<1	1	3	5	20	22	38
50-64	108	4.5	14	1	1	4	6	10	12	19
65+	132	6.6	44	1	1	5	9	13	17	39
B. *Operated*										
0-19 YRS	40	6.0	24	<1	1	4	8	12	15	25
20-34	51	8.3	136	<1	1	5	9	16	27	76
35-49	161	5.1	16	<1	1	5	6	10	13	22
50-64	319	5.5	26	<1	1	4	8	12	16	26
65+	347	6.0	46	<1	1	4	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.7	46	<1	1	4	7	12	18	36
20-34	479	6.6	37	1	1	5	8	14	18	32
35-49	2103	7.6	54	1	2	5	9	17	22	33
50-64	6555	8.3	60	1	2	6	10	17	23	38
65+	11598	9.1	64	2	2	7	11	18	24	40
B. *Operated*										
0-19 YRS	199	11.3	124	1	2	8	13	22	36	61
20-34	741	10.3	112	1	2	7	12	22	33	60
35-49	2928	10.6	114	1	2	8	13	22	31	57
50-64	8452	11.2	111	1	2	8	14	23	32	55
65+	13061	12.2	113	1	2	9	16	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	5.6	35	1	1	4	7	12	16	31
B. *Operated*	918	5.8	38	<1	1	4	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	20862	8.6	61	1	2	6	11	18	23	39
B. *Operated*	25381	11.6	113	1	2	9	15	24	32	55
1. SINGLE DX	1222	5.7	37	<1	1	4	7	12	16	28
2. MULTIPLE DX	46243	10.2	92	1	2	8	13	21	28	50
A. NOT OPERATED	21166	8.6	61	1	2	6	11	18	23	39
B. OPERATED	26299	11.4	112	1	2	9	15	24	32	55
TOTAL 0-19 YRS	383	8.6	91	1	1	6	11	17	27	51
20-34	1282	8.8	87	1	2	6	11	18	27	48
35-49	5228	9.2	89	1	2	6	11	19	26	51
50-64	15434	9.8	89	1	2	7	12	21	28	49
65+	25138	10.6	92	2	2	8	14	22	29	49
GRAND TOTAL	**47465**	**10.1**	**91**	**1**	**2**	**8**	**13**	**21**	**28**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	1	2	3	4	5	5
20-34	53	2.6	8	<1	1	1	3	6	10	14
35-49	26	3.8	19	<1	1	2	4	6	11	23
50-64	11	4.6	22	<1	<1	2	7	13	15	15
65+	5	5.8	26	1	1	4	10	13	13	13
B. *Operated*										
0-19 YRS	165	5.2	14	1	1	5	7	9	10	18
20-34	400	4.9	11	1	1	5	7	9	10	16
35-49	161	4.9	13	<1	1	4	7	10	11	16
50-64	79	5.0	15	<1	1	4	7	11	13	17
65+	37	5.5	26	<1	<1	5	8	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.2	18	1	1	4	7	10	13	23
20-34	136	5.1	31	1	1	3	7	13	16	28
35-49	67	6.6	40	1	1	5	9	13	16	35
50-64	76	6.9	48	1	2	5	9	14	18	43
65+	66	8.5	74	1	1	5	11	19	25	45
B. *Operated*										
0-19 YRS	97	11.2	102	2	2	8	13	24	35	45
20-34	353	9.8	97	1	2	7	11	21	31	52
35-49	192	10.7	107	1	2	8	14	24	31	55
50-64	177	10.6	74	1	2	8	14	23	30	40
65+	187	13.6	110	2	3	11	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.1	12	<1	1	2	4	7	11	18
B. *Operated*	842	5.0	13	1	1	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	386	6.3	43	1	1	4	8	14	18	33
B. *Operated*	1006	11.0	99	1	2	8	14	23	32	50
1. SINGLE DX	960	4.8	13	1	1	4	7	9	11	16
2. MULTIPLE DX	1392	9.7	88	1	2	7	12	22	30	47
A. NOT OPERATED	504	5.6	37	1	1	4	7	13	16	29
B. OPERATED	1848	8.3	69	1	1	6	10	18	25	42
TOTAL 0-19 YRS	326	6.8	48	1	1	5	8	13	22	40
20-34	942	6.6	52	1	1	5	8	13	19	40
35-49	446	7.6	65	1	1	5	9	16	23	38
50-64	343	8.3	59	1	1	6	11	18	23	35
65+	295	11.3	99	1	2	9	16	23	33	46
GRAND TOTAL	**2352**	**7.7**	**63**	**1**	**1**	**6**	**9**	**16**	**23**	**42**

1492 Hospitals, United States, January-December 1986

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.5	15	<1	<1	3	4	7	8	23
20-34	12	6.4	26	1	1	5	10	15	15	15
35-49	14	9.9	137	1	1	5	10	31	35	36
50-64	20	4.1	10	<1	1	3	5	9	12	12
65+	28	7.0	56	<1	1	5	10	15	27	31
B. *Operated*										
0-19 YRS	235	7.0	47	<1	<1	5	9	15	23	32
20-34	34	13.7	128	1	2	9	21	29	38	42
35-49	23	9.8	129	1	1	5	14	26	36	41
50-64	27	6.1	28	<1	1	4	8	13	18	23
65+	31	5.6	21	1	1	4	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	5.5	31	1	1	4	7	12	15	29
20-34	54	7.7	62	1	1	5	9	16	25	41
35-49	53	5.6	21	1	1	4	7	13	16	20
50-64	148	7.3	49	1	2	6	9	14	23	36
65+	404	8.2	55	1	2	6	10	16	23	45
B. *Operated*										
0-19 YRS	361	16.1	188	2	3	12	23	35	43	62
20-34	115	25.9	354	4	6	24	35	47	67	90
35-49	59	20.3	260	3	4	14	32	42	53	61
50-64	178	15.5	298	2	3	8	20	42	61	78
65+	366	12.7	142	2	3	9	16	27	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.4	29	<1	<1	3	5	9	13	31
B. *Operated*	350	7.6	60	<1	1	5	10	18	24	38
2. MULTIPLE DX										
A. *Not Operated*	1156	6.8	44	1	1	5	8	14	20	36
B. *Operated*	1079	16.1	226	2	3	11	22	37	46	75
1. SINGLE DX	608	6.3	49	<1	1	4	8	15	22	35
2. MULTIPLE DX	2235	11.3	154	1	2	7	14	27	38	62
A. NOT OPERATED	1414	6.4	42	1	1	4	8	14	19	35
B. OPERATED	1429	14.1	199	1	2	9	19	33	43	69
TOTAL 0-19 YRS	1277	8.5	100	<1	1	5	10	22	29	48
20-34	215	18.3	296	1	2	13	27	40	48	83
35-49	149	12.5	184	1	1	7	17	35	41	58
50-64	373	11.0	183	1	2	6	12	27	42	74
65+	829	10.1	98	2	2	7	13	22	29	49
GRAND TOTAL	**2843**	**10.2**	**136**	**1**	**1**	**6**	**12**	**25**	**35**	**58**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.2	11	<1	1	3	6	9	11	15
20-34	37	5.8	138	<1	1	3	5	8	37	55
35-49	37	8.8	125	<1	1	4	10	26	35	48
50-64	43	5.7	75	1	1	3	5	11	27	45
65+	82	3.8	27	<1	<1	1	5	7	14	28
B. *Operated*										
0-19 YRS	64	11.1	130	<1	2	8	12	30	38	53
20-34	58	10.5	141	1	1	6	11	30	36	41
35-49	53	14.4	302	1	1	6	28	34	38	93
50-64	65	12.7	239	2	2	7	16	33	41	80
65+	61	9.5	166	1	2	6	9	22	44	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	6.8	65	<1	1	4	9	16	22	39
20-34	118	7.6	45	1	1	6	10	18	25	29
35-49	133	8.2	86	1	1	5	11	19	28	45
50-64	225	8.0	81	1	1	6	10	18	25	47
65+	665	8.1	77	1	1	5	10	18	26	42
B. *Operated*										
0-19 YRS	172	26.2	375	3	6	24	37	54	65	94
20-34	222	26.6	323	2	4	26	36	52	61	78
35-49	295	24.7	341	2	3	25	35	51	64	98
50-64	410	23.7	353	2	3	21	36	50	58	91
65+	717	19.2	296	2	3	12	30	44	54	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	5.1	58	<1	1	3	6	10	18	47
B. *Operated*	301	11.6	193	1	1	6	12	33	38	58
2. MULTIPLE DX										
A. *Not Operated*	1333	7.9	74	1	1	5	10	18	26	42
B. *Operated*	1816	22.7	335	2	3	19	34	47	59	89
1. SINGLE DX	587	8.4	138	<1	1	4	8	26	34	55
2. MULTIPLE DX	3149	16.4	278	1	2	9	26	40	51	78
A. NOT OPERATED	1619	7.4	72	1	1	5	9	17	25	42
B. OPERATED	2117	21.1	330	2	3	15	32	46	57	87
TOTAL 0-19 YRS	515	13.4	253	<1	1	7	16	37	47	69
20-34	435	17.5	294	1	2	10	28	40	53	76
35-49	518	18.3	313	1	2	11	30	41	54	85
50-64	743	16.9	302	1	2	10	27	41	53	85
65+	1525	13.2	214	1	2	7	17	35	45	74
GRAND TOTAL	**3736**	**15.2**	**264**	**1**	**2**	**8**	**24**	**38**	**49**	**75**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	7	<1	<1	1	3	6	9	11
20-34	31	4.1	7	1	1	4	6	8	10	10
35-49	98	4.2	17	<1	1	3	5	9	13	21
50-64	148	4.2	16	1	1	3	5	9	12	21
65+	146	5.6	22	1	1	4	8	12	14	21
B. *Operated*										
0-19 YRS	92	5.7	28	1	1	4	8	12	14	31
20-34	139	6.2	40	1	1	4	9	13	18	36
35-49	257	5.3	33	<1	1	3	7	10	15	37
50-64	566	5.5	26	1	1	4	8	12	16	25
65+	581	5.9	33	1	1	4	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.0	21	1	1	4	6	10	14	24
20-34	124	6.2	36	1	1	5	8	12	14	35
35-49	300	7.5	62	1	1	5	9	15	22	45
50-64	936	7.9	54	1	2	6	10	17	23	37
65+	1937	9.7	94	2	2	7	12	21	29	51
B. *Operated*										
0-19 YRS	124	14.5	198	1	3	10	19	36	41	88
20-34	253	14.1	189	2	3	10	17	35	44	68
35-49	556	12.6	169	2	2	9	15	26	39	80
50-64	1613	12.4	143	2	3	9	16	26	37	65
65+	3281	13.8	146	2	3	11	18	28	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	4.5	17	<1	1	3	6	10	13	21
B. *Operated*	1635	5.7	31	1	1	4	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	3385	8.8	78	1	2	6	11	18	26	48
B. *Operated*	5827	13.3	151	2	3	10	17	28	38	67
1. SINGLE DX	2093	5.4	28	<1	1	4	7	12	15	25
2. MULTIPLE DX	9212	11.7	129	2	2	8	15	25	35	62
A. NOT OPERATED	3843	8.3	72	1	2	6	10	17	24	46
B. OPERATED	7462	11.6	134	1	2	8	15	25	35	63
TOTAL 0-19 YRS	339	8.4	108	1	1	5	10	19	32	48
20-34	547	9.7	122	1	1	6	11	22	36	60
35-49	1211	9.1	112	1	1	6	11	20	29	58
50-64	3263	9.5	100	1	2	7	12	20	28	53
65+	5945	11.5	123	1	2	8	15	24	33	60
GRAND TOTAL	**11305**	**10.5**	**116**	**1**	**2**	**7**	**13**	**22**	**32**	**58**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	90	2.5	4	<1	<1	2	3	6	8	10
20-34	385	2.2	2	1	1	2	3	4	5	7
35-49	517	2.2	2	1	1	2	3	4	5	7
50-64	523	2.4	2	1	1	2	3	4	5	7
65+	384	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	4	4.8	11	1	1	4	7	9	9	9
65+	10	3.7	11	<1	<1	2	6	9	10	10
B. *Operated*										
0-19 YRS	34	4.2	24	1	1	2	5	9	16	24
20-34	88	3.2	6	1	1	2	4	7	9	12
35-49	208	2.7	3	1	1	2	3	5	6	10
50-64	379	3.0	4	1	1	3	4	5	7	10
65+	510	3.6	9	1	1	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1899	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	3.1	9	<1	<1	2	5	8	9	10
B. *Operated*	1219	3.2	7	1	1	3	4	6	8	14
1. SINGLE DX	1909	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1240	3.2	7	1	1	3	4	6	8	14
A. NOT OPERATED	31	2.8	6	<1	<1	2	4	7	9	10
B. OPERATED	3118	2.7	4	1	1	2	3	5	6	10
TOTAL 0-19 YRS	126	2.9	10	<1	1	2	4	7	8	19
20-34	476	2.4	3	1	1	2	3	4	5	9
35-49	732	2.4	3	1	1	2	3	4	5	9
50-64	909	2.6	3	1	1	2	3	4	6	9
65+	906	3.2	6	1	1	3	4	5	7	13
GRAND TOTAL	**3149**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	9	3.4	4	<1	<1	3	5	6	7	7
35-49	22	2.0	2	<1	<1	2	3	4	5	5
50-64	43	1.7	2	<1	<1	1	2	4	5	7
65+	34	1.8	2	<1	<1	1	2	4	4	6
B. *Operated*										
0-19 YRS	68	3.2	7	<1	1	2	5	8	9	11
20-34	84	6.2	22	<1	1	6	8	12	15	24
35-49	213	4.2	12	<1	<1	3	7	9	10	13
50-64	491	4.0	14	<1	<1	2	7	9	11	15
65+	590	4.1	16	<1	<1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	2	<1	1	2	3	4	5	5
20-34	31	5.0	42	<1	1	3	6	9	10	37
35-49	30	3.7	6	<1	<1	3	6	7	8	8
50-64	113	3.8	10	<1	1	3	5	8	11	15
65+	264	4.7	18	<1	1	3	6	10	13	20
B. *Operated*										
0-19 YRS	69	6.5	31	1	1	5	9	15	21	99+
20-34	174	7.1	23	1	1	7	10	13	16	21
35-49	410	6.3	28	<1	1	5	9	12	15	24
50-64	1366	6.5	43	<1	1	5	9	13	16	30
65+	3127	7.4	53	1	1	6	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	1.9	2	<1	<1	1	3	4	5	7
B. *Operated*	1446	4.2	15	<1	<1	2	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	453	4.4	16	<1	1	3	6	9	12	19
B. *Operated*	5146	7.1	47	<1	1	6	10	14	18	33
1. SINGLE DX	1559	4.0	14	<1	<1	2	7	9	11	15
2. MULTIPLE DX	5599	6.8	45	<1	1	5	9	14	18	32
A. NOT OPERATED	566	3.9	14	<1	<1	3	5	8	11	18
B. OPERATED	6592	6.4	42	<1	<1	5	9	13	17	30
TOTAL 0-19 YRS	157	4.5	20	<1	1	3	7	11	14	93
20-34	298	6.5	25	1	1	6	9	12	15	23
35-49	675	5.4	22	<1	<1	4	8	11	13	22
50-64	2013	5.6	34	<1	<1	4	8	12	15	24
65+	4015	6.7	47	<1	1	5	9	14	18	33
GRAND TOTAL	**7158**	**6.2**	**40**	**<1**	**<1**	**5**	**9**	**13**	**17**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34										
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	5.2	12	1	1	5	8	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	284	1.8	4	<1	<1	1	2	3	6	11
20-34	116	3.6	10	<1	<1	2	6	8	10	14
35-49	161	3.9	9	<1	1	3	6	8	9	11
50-64	167	4.3	13	<1	1	3	6	9	10	16
65+	85	4.7	18	<1	<1	3	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	3	1	1	4	5	5	5	5
20-34	4	4.8		4	4	5	5	5	5	5
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	10	5.2	23	<1	<1	3	9	13	16	16
65+	8	6.5	45	1	1	4	7	18	22	22
B. *Operated*										
0-19 YRS	137	3.6	32	<1	1	2	3	7	15	31
20-34	69	5.0	22	1	1	4	8	10	13	21
35-49	120	5.7	30	<1	1	4	8	12	16	27
50-64	249	7.0	36	1	1	6	9	14	18	21
65+	245	8.4	79	1	1	7	11	17	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.9	8	1	1	2	5	7	9	10
B. *Operated*	813	3.3	10	<1	<1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	32	5.2	19	<1	1	4	6	9	15	22
B. *Operated*	820	6.5	49	1	1	5	9	14	19	30
1. SINGLE DX	827	3.3	10	<1	<1	2	5	8	9	14
2. MULTIPLE DX	852	6.5	48	1	1	5	9	14	18	30
A. NOT OPERATED	46	4.5	17	<1	1	4	5	9	11	22
B. OPERATED	1633	4.9	32	<1	1	3	7	10	14	24
TOTAL 0-19 YRS	434	2.4	13	<1	<1	1	2	5	7	23
20-34	189	4.2	15	<1	<1	3	6	9	11	20
35-49	286	4.6	18	<1	1	4	7	9	11	24
50-64	431	5.9	28	<1	1	5	8	11	17	21
65+	339	7.4	65	1	1	6	10	15	20	53
GRAND TOTAL	**1679**	**4.9**	**32**	**<1**	**1**	**3**	**7**	**10**	**14**	**24**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
20-34	11	2.4	3	<1	<1	2	3	5	7	7
35-49	10	2.1	2	1	1	2	3	4	5	5
50-64	11	1.5	1	<1	<1	1	2	3	3	3
65+	8	2.4	5	<1	<1	1	4	6	6	6
B. *Operated*										
0-19 YRS	1127	2.2	4	<1	<1	2	3	4	6	9
20-34	871	2.3	4	<1	<1	2	3	5	6	10
35-49	1044	2.2	6	<1	<1	1	3	4	6	10
50-64	838	2.3	6	<1	<1	1	3	4	6	13
65+	361	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.7	1	<1	<1	1	2	3	4	4
20-34	23	2.2	4	<1	<1	1	3	5	7	8
35-49	13	3.8	9	<1	<1	3	7	8	8	8
50-64	37	3.0	10	<1	<1	2	4	6	10	16
65+	31	3.5	11	<1	<1	2	4	8	11	16
B. *Operated*										
0-19 YRS	270	4.0	24	1	1	2	5	9	12	22
20-34	373	3.7	17	<1	1	2	4	7	10	19
35-49	627	4.1	28	<1	<1	2	5	9	11	23
50-64	797	4.2	32	<1	1	2	5	9	13	23
65+	668	5.2	37	<1	1	3	7	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.1	2	<1	<1	1	3	4	6	7
B. *Operated*	4241	2.3	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	125	2.8	8	<1	<1	2	3	6	8	16
B. *Operated*	2735	4.3	29	<1	1	3	5	9	13	26
1. SINGLE DX	4294	2.3	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2860	4.2	29	<1	1	3	5	9	13	25
A. NOT OPERATED	178	2.6	6	<1	<1	2	3	6	8	15
B. OPERATED	6976	3.1	16	<1	<1	2	3	7	9	18
TOTAL 0-19 YRS	1431	2.5	8	<1	1	2	3	5	7	13
20-34	1278	2.7	8	<1	<1	2	3	6	7	14
35-49	1694	2.9	15	<1	<1	2	3	6	9	17
50-64	1683	3.2	19	<1	<1	2	3	7	10	18
65+	1068	4.3	27	<1	<1	2	5	10	14	29
GRAND TOTAL	**7154**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**7**	**9**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	7	<1	<1	2	3	7	10	11
20-34	10	2.8	3	1	1	2	3	6	7	7
35-49	13	3.2	4	1	1	3	4	6	8	8
50-64	9	1.9	2	<1	<1	1	3	4	5	5
65+	7	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*										
0-19 YRS	958	2.3	7	<1	<1	1	3	5	7	12
20-34	286	2.6	6	<1	<1	2	3	6	8	12
35-49	225	2.8	7	<1	<1	2	3	7	9	12
50-64	180	2.7	6	<1	<1	2	3	6	8	12
65+	104	2.6	8	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.7	19	<1	<1	2	5	11	16	93
20-34	16	2.7	5	<1	1	2	3	7	8	8
35-49	32	3.9	10	<1	<1	3	5	9	11	13
50-64	23	4.3	8	1	1	4	5	9	10	10
65+	66	5.7	19	1	1	4	8	11	14	21
B. *Operated*										
0-19 YRS	328	4.6	50	<1	1	2	5	9	14	46
20-34	187	4.3	18	<1	<1	3	6	9	13	23
35-49	229	5.1	61	<1	<1	2	6	11	16	44
50-64	257	5.4	63	<1	<1	3	7	13	19	23
65+	261	6.8	62	<1	1	4	9	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.6	5	<1	<1	2	3	5	8	11
B. *Operated*	1753	2.5	7	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	195	4.4	16	<1	1	3	6	10	12	21
B. *Operated*	1262	5.3	53	<1	<1	3	7	12	17	37
1. SINGLE DX	1825	2.5	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX	1457	5.2	48	<1	<1	3	7	12	17	37
A. NOT OPERATED	267	3.9	13	<1	1	3	5	10	11	20
B. OPERATED	3015	3.6	28	<1	<1	2	4	8	12	25
TOTAL 0-19 YRS	1377	2.9	19	<1	<1	2	3	6	9	24
20-34	499	3.3	11	<1	<1	2	4	7	9	17
35-49	499	3.9	33	<1	<1	2	5	9	11	31
50-64	469	4.2	39	<1	<1	2	5	10	14	22
65+	438	5.6	45	<1	<1	3	7	14	17	34
GRAND TOTAL	**3282**	**3.7**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	122	1.5	1	<1	<1	1	2	2	4	6
20-34	242	1.4	4	<1	<1	<1	1	2	3	4
35-49	266	1.4	1	<1	<1	1	2	2	3	5
50-64	214	1.5	1	<1	<1	1	2	3	3	5
65+	98	2.0	10	<1	<1	1	2	3	5	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	27	1.6	1	<1	<1	1	2	3	4	6
20-34	120	1.9	2	<1	<1	1	2	4	5	7
35-49	362	2.2	3	<1	<1	2	3	4	5	10
50-64	278	2.1	4	<1	<1	2	2	4	6	9
65+	271	2.6	8	<1	<1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		<1	<1	1	2	2	2	2
B. *Operated*	942	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	10	1.4		<1	<1	1	2	3	3	3
B. *Operated*	1058	2.2	4	<1	<1	2	3	4	6	10
1. SINGLE DX	949	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1068	2.2	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	17	1.4		<1	<1	1	2	2	3	3
B. OPERATED	2000	1.9	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	150	1.5	1	<1	<1	1	2	2	3	6
20-34	364	1.6	3	<1	<1	1	2	2	3	6
35-49	631	1.8	2	<1	<1	1	2	3	4	7
50-64	497	1.9	2	<1	<1	1	2	3	4	8
65+	375	2.4	9	<1	<1	2	3	4	6	12
GRAND TOTAL	**2017**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	2.7	2	<1	<1	2	4	5	5	6
35-49	61	2.9	4	1	1	2	4	6	8	9
50-64	10	2.4	4	<1	<1	1	4	5	6	6
65+										
B. *Operated*										
0-19 YRS	10	3.9	2	1	2	4	5	5	5	5
20-34	973	4.8	4	1	3	5	6	7	7	11
35-49	2811	5.0	3	2	3	5	6	7	8	9
50-64	424	5.0	4	1	2	5	6	7	8	11
65+	42	5.8	7	1	2	6	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	131	2.6	4	<1	<1	2	4	5	6	8
35-49	376	2.5	7	<1	<1	1	3	5	7	13
50-64	51	3.0	9	<1	<1	2	4	6	8	18
65+	31	4.4	9	<1	1	3	7	9	10	11
B. *Operated*										
0-19 YRS	31	4.9	3	2	3	5	6	7	8	10
20-34	4449	5.3	5	2	3	5	6	7	9	13
35-49	25686	5.5	5	3	4	5	6	8	9	13
50-64	4697	5.8	7	3	4	6	7	8	10	16
65+	632	7.4	22	3	4	6	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	4260	5.0	3	1	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	592	2.7	6	<1	<1	2	4	6	7	12
B. *Operated*	35495	5.6	5	3	4	5	6	8	9	14
1. SINGLE DX	4359	4.9	4	1	3	5	6	7	8	10
2. MULTIPLE DX	36087	5.5	6	2	3	5	6	8	9	14
A. NOT OPERATED	691	2.7	6	<1	<1	2	4	6	7	11
B. OPERATED	39755	5.5	5	3	3	5	6	8	9	13
TOTAL 0-19 YRS	44	4.5	3	1	2	4	5	7	8	10
20-34	5581	5.1	5	1	3	5	6	7	8	12
35-49	28934	5.4	5	3	3	5	6	8	8	13
50-64	5182	5.7	6	2	3	6	7	8	9	15
65+	705	7.2	21	2	4	6	8	11	15	24
GRAND TOTAL	**40446**	**5.5**	**5**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	23	4.5	4	1	2	5	6	7	8	8
35-49	42	4.2	5	<1	1	4	6	7	8	10
50-64	13	4.6	8	1	1	5	6	9	11	11
65+	5	2.8	6	<1	<1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	5	3.4	2	<1	<1	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	85	4.8	6	1	1	4	6	8	9	13
35-49	351	5.3	4	3	3	5	6	7	9	12
50-64	113	5.2	7	1	2	5	6	8	10	16
65+	27	7.2	27	1	2	6	8	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	83	4.3	5	<1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	8	3.4	3	<1	1	4	4	6	6	6
B. *Operated*	576	5.3	6	2	3	5	6	8	9	15
1. SINGLE DX	84	4.3	5	1	1	4	6	7	8	11
2. MULTIPLE DX	584	5.3	6	2	3	5	6	8	9	15
A. NOT OPERATED	9	3.2	2	<1	1	4	4	5	6	6
B. OPERATED	659	5.2	6	1	3	5	6	8	9	15
TOTAL 0-19 YRS										
20-34	111	4.7	6	1	1	4	6	8	8	13
35-49	398	5.2	5	2	3	5	6	7	8	12
50-64	127	5.1	7	1	2	5	6	8	10	15
65+	32	6.5	26	1	1	6	8	15	17	23
GRAND TOTAL	**668**	**5.1**	**6**	**1**	**2**	**5**	**6**	**8**	**9**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	12	1	1	5	7	8	8	8
20-34	4	5.5	4	3	3	6	7	7	7	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	349	4.4	2	3	3	4	5	6	7	8
20-34	1266	4.2	2	2	3	4	5	6	6	8
35-49	430	4.9	2	3	3	5	6	7	8	10
50-64	275	5.7	5	3	4	5	6	8	9	14
65+	154	6.3	4	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	5	<1	<1	1	4	6	7	7
20-34	13	3.5	4	<1	<1	4	5	6	6	6
35-49	5	3.4	2	<1	<1	4	4	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	264	5.0	5	3	3	5	6	7	8	11
20-34	1617	4.8	4	3	3	5	6	7	8	11
35-49	1518	5.6	5	3	4	5	6	8	9	14
50-64	1019	6.7	11	4	4	6	7	10	13	19
65+	974	8.6	36	4	5	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.3	6	<1	1	5	6	8	8	8
B. *Operated*	2474	4.6	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	5	<1	<1	4	5	6	7	9
B. *Operated*	5392	6.1	13	3	3	5	7	9	11	20
1. SINGLE DX	2485	4.6	3	3	3	4	5	6	7	10
2. MULTIPLE DX	5423	6.1	13	3	3	5	7	9	11	20
A. NOT OPERATED	42	3.7	5	<1	<1	4	5	7	8	9
B. OPERATED	7866	5.6	10	3	3	5	6	8	10	17
TOTAL 0-19 YRS	625	4.6	4	3	3	4	5	6	7	10
20-34	2900	4.5	3	3	3	4	5	6	7	10
35-49	1955	5.4	5	3	3	5	6	7	9	13
50-64	1298	6.4	10	3	4	6	7	9	12	19
65+	1130	8.3	32	4	5	7	9	13	17	27
GRAND TOTAL	**7908**	**5.6**	**10**	**3**	**3**	**5**	**6**	**8**	**10**	**17**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	3	<1	<1	4	5	5	5	5
20-34	37	3.1	3	<1	<1	3	4	5	6	7
35-49	37	3.1	4	<1	<1	3	4	6	7	8
50-64	9	2.0	3	<1	<1	1	2	5	6	6
65+	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	42	4.3	6	<1	1	4	5	7	9	12
35-49	73	4.8	6	1	1	5	6	7	9	12
50-64	41	5.8	16	1	2	5	7	9	11	24
65+	32	4.4	8	1	1	4	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	93	3.0	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	189	4.9	9	1	1	5	6	8	9	14
1. SINGLE DX	96	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	189	4.9	9	1	1	5	6	8	9	14
A. NOT OPERATED	3	1.3		<1	<1	1	2	2	2	2
B. OPERATED	282	4.2	8	<1	1	4	6	7	9	13
TOTAL 0-19 YRS	8	3.4	3	<1	<1	4	5	5	5	5
20-34	80	3.7	5	<1	1	4	5	6	7	12
35-49	111	4.2	6	<1	1	4	6	7	8	11
50-64	50	5.1	15	<1	1	5	7	9	9	24
65+	36	4.3	8	<1	1	4	6	8	9	13
GRAND TOTAL	**285**	**4.2**	**8**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	18	1.7	1	<1	<1	1	2	3	3	3
20-34	48	1.7	1	1	1	1	2	3	3	7
35-49	30	1.8	1	<1	1	2	2	3	3	3
50-64	25	2.5	4	<1	<1	2	3	6	7	8
65+	7	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.0	5	<1	<1	1	2	5	8	9
20-34	19	3.6	21	<1	1	1	4	10	15	19
35-49	17	2.1	1	1	1	2	3	3	4	5
50-64	22	4.0	14	<1	1	3	5	8	12	18
65+	42	4.8	12	1	1	4	8	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	128	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	112	3.7	12	<1	1	2	5	9	10	18
1. SINGLE DX	128	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	113	3.7	12	<1	1	2	5	9	10	18
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	240	2.7	7	<1	1	2	3	6	9	13
TOTAL 0-19 YRS	30	1.8	2	<1	<1	1	2	3	3	9
20-34	67	2.2	7	1	1	1	2	4	7	17
35-49	48	1.9	1	<1	1	2	3	3	3	5
50-64	47	3.2	9	<1	<1	2	4	7	8	18
65+	49	4.4	11	1	1	3	7	10	11	12
GRAND TOTAL	**241**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**6**	**9**	**13**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	17	3.9	9	<1	<1	3	6	9	10	10
35-49	25	5.2	11	<1	1	5	7	9	11	14
50-64	41	2.9	8	<1	<1	1	4	7	9	12
65+	48	3.5	15	<1	1	2	3	8	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	3	5.3	33	2	2	2	10	12	12	12
B. *Operated*										
0-19 YRS	7	7.0	22	2	2	8	9	14	15	15
20-34	17	5.2	17	1	1	4	7	10	15	17
35-49	34	6.1	23	1	1	6	9	11	12	25
50-64	91	5.9	19	1	1	5	9	11	15	19
65+	220	5.2	25	1	1	3	7	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	134	3.6	11	<1	<1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	20	<1	<1	2	6	12	12	12
B. *Operated*	369	5.5	23	1	1	4	8	11	15	25
1. SINGLE DX	136	3.6	11	<1	<1	2	5	8	10	15
2. MULTIPLE DX	374	5.4	23	1	1	4	8	11	15	25
A. NOT OPERATED	7	3.6	15	<1	<1	2	4	10	12	12
B. OPERATED	503	5.0	20	1	1	3	7	10	13	23
TOTAL 0-19 YRS	11	5.1	20	1	1	3	9	12	15	15
20-34	35	4.5	13	<1	<1	4	7	9	11	17
35-49	60	5.7	18	1	1	5	8	10	12	24
50-64	132	5.0	18	<1	1	4	7	11	13	18
65+	272	4.9	23	1	1	3	7	10	14	25
GRAND TOTAL	**510**	**5.0**	**20**	**1**	**1**	**3**	**7**	**10**	**13**	**23**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.4	1	<1	<1	1	2	2	3	6
20-34	9	2.7	5	<1	<1	2	3	6	8	8
35-49	6	2.3	11	<1	<1	1	1	8	9	9
50-64	4	6.8	48	1	1	6	12	15	15	15
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	5	4.2	17	<1	<1	3	6	11	11	11
50-64	2	4.0		4	4	4	4	4	4	4
65+	9	2.6	3	<1	<1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	48	2.2	8	<1	<1	1	2	5	9	15
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	61	<1	<1	6	12	12	12	12
B. *Operated*	22	3.0	6	<1	<1	2	4	5	8	11
1. SINGLE DX	48	2.2	8	<1	<1	1	2	5	9	15
2. MULTIPLE DX	24	3.3	9	<1	<1	2	4	6	11	12
A. NOT OPERATED	2	6.5	61	<1	<1	6	12	12	12	12
B. OPERATED	70	2.5	7	<1	<1	1	3	5	9	14
TOTAL 0-19 YRS	31	1.5	1	<1	<1	1	2	2	3	6
20-34	12	2.6	5	<1	<1	2	4	6	8	8
35-49	11	3.2	13	<1	<1	1	4	10	11	11
50-64	7	6.7	31	1	1	4	11	14	15	15
65+	11	2.5	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**72**	**2.6**	**8**	**<1**	**<1**	**1**	**3**	**6**	**10**	**14**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	13	1.9	2	1	1	1	2	4	6	6
50-64	15	2.3	2	1	1	2	3	4	6	6
65+	18	3.2	5	<1	<1	3	5	6	7	8
B. *Operated*										
0-19 YRS	28	7.9	18	1	2	7	11	13	16	16
20-34	89	7.7	15	1	1	8	10	13	15	17
35-49	249	8.3	42	1	2	8	10	14	16	25
50-64	231	8.6	30	1	2	8	11	15	18	26
65+	160	9.8	49	1	2	9	12	18	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	11	5.4	34	1	1	2	7	16	18	18
35-49	27	7.7	179	1	1	5	7	9	23	73
50-64	69	4.9	26	1	1	4	7	11	20	85
65+	244	7.7	60	1	2	5	9	15	20	46
B. *Operated*										
0-19 YRS	49	12.7	106	2	4	9	16	28	30	53
20-34	103	12.4	122	2	3	10	15	28	33	60
35-49	275	12.9	100	2	4	10	17	23	31	80
50-64	494	14.7	188	2	4	10	17	30	49	93
65+	633	16.8	190	3	5	13	21	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.6	4	1	1	2	4	5	6	8
B. *Operated*	757	8.6	36	1	2	8	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	355	7.0	62	1	1	5	9	14	20	50
B. *Operated*	1554	15.0	169	2	4	11	19	30	44	96
1. SINGLE DX	809	8.3	36	1	2	8	10	14	17	29
2. MULTIPLE DX	1909	13.5	159	2	3	10	17	28	41	86
A. NOT OPERATED	407	6.5	56	1	1	5	8	14	19	48
B. OPERATED	2311	12.9	134	2	3	10	16	25	35	75
TOTAL 0-19 YRS	83	10.3	79	1	2	8	13	24	29	46
20-34	207	9.8	76	1	2	8	11	18	28	47
35-49	564	10.4	83	1	2	9	13	19	24	71
50-64	809	11.9	139	1	2	9	14	23	35	75
65+	1055	13.4	153	2	3	10	17	28	41	86
GRAND TOTAL	**2718**	**12.0**	**128**	**1**	**2**	**9**	**14**	**24**	**34**	**73**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	76	2.2	1	1	1	2	3	3	4	5
20-34	643	2.5	1	1	1	2	3	4	4	6
35-49	818	2.6	1	1	1	2	3	4	4	6
50-64	472	2.9	3	1	1	3	3	4	5	6
65+	185	2.9	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	6	5.3	25	2	2	3	6	14	15	15
65+	8	6.6	21	3	3	5	9	14	16	16
B. *Operated*										
0-19 YRS	26	2.4	1	1	1	2	3	4	4	5
20-34	207	3.0	3	1	2	3	4	5	5	10
35-49	462	3.0	3	1	1	3	4	5	6	10
50-64	518	3.8	10	1	2	3	4	6	8	14
65+	396	4.7	17	2	2	4	5	8	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	2194	2.6	2	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	19	5.4	17	2	2	4	6	13	16	16
B. *Operated*	1609	3.7	9	1	2	3	4	6	7	15
1. SINGLE DX	2198	2.6	2	1	1	3	3	4	4	6
2. MULTIPLE DX	1628	3.7	9	1	2	3	4	6	7	15
A. NOT OPERATED	23	4.8	16	1	2	4	6	12	15	16
B. OPERATED	3803	3.1	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	103	2.3	1	1	1	2	3	3	4	5
20-34	851	2.6	2	1	1	2	3	4	5	7
35-49	1285	2.7	2	1	1	3	3	4	5	7
50-64	998	3.3	7	1	1	3	4	5	6	12
65+	589	4.2	13	1	2	3	4	7	9	24
GRAND TOTAL	**3826**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	<1	<1	1	2	3	3	3
20-34	8	3.6	6	2	2	3	4	8	9	9
35-49	14	3.4	6	1	1	3	5	8	8	8
50-64	9	3.1	2	1	1	4	4	5	5	5
65+	5	4.8	14	<1	<1	4	6	11	11	11
B. *Operated*										
0-19 YRS	11	6.0	2	4	4	6	7	8	8	8
20-34	97	6.5	10	3	3	6	7	9	11	20
35-49	131	5.4	12	1	2	5	7	10	13	16
50-64	163	5.0	13	2	2	4	6	9	11	19
65+	114	5.6	19	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	8	2	2	2	7	7	7	7
20-34	31	4.9	22	1	1	3	6	13	14	20
35-49	35	4.4	9	1	2	4	5	8	12	13
50-64	47	5.0	8	<1	2	5	7	9	10	12
65+	58	8.1	47	1	2	6	10	15	21	37
B. *Operated*										
0-19 YRS	31	11.0	154	3	3	7	11	24	34	65
20-34	159	7.2	27	2	2	6	8	12	19	33
35-49	290	7.8	42	2	2	6	10	16	22	34
50-64	534	7.9	64	2	2	5	9	16	23	41
65+	526	9.0	90	2	3	6	11	18	26	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.2	5	<1	1	3	4	6	8	11
B. *Operated*	516	5.5	13	2	2	5	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	176	5.8	26	1	2	4	8	12	15	24
B. *Operated*	1540	8.2	67	2	2	6	10	17	23	43
1. SINGLE DX	561	5.3	13	1	2	5	7	9	11	19
2. MULTIPLE DX	1716	8.0	63	2	2	5	10	16	22	41
A. NOT OPERATED	221	5.3	23	1	1	4	7	11	14	24
B. OPERATED	2056	7.6	55	2	2	5	9	15	21	38
TOTAL 0-19 YRS	56	7.9	99	1	2	6	8	15	26	63
20-34	295	6.6	21	2	2	6	8	11	16	29
35-49	470	6.7	32	2	2	5	8	14	17	31
50-64	753	7.0	50	2	2	5	9	14	19	38
65+	703	8.3	76	2	2	5	10	17	23	48
GRAND TOTAL	**2277**	**7.3**	**52**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.7	5	<1	<1	1	4	6	6	6
20-34	1198	3.4	4	<1	1	4	5	6	6	8
35-49	583	3.8	4	<1	1	4	5	6	7	9
50-64	143	4.3	5	1	1	4	6	7	8	10
65+	63	4.5	8	1	1	4	6	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	1.5	2	<1	<1	1	1	3	5	6
35-49	19	2.0	5	<1	<1	1	2	4	8	10
50-64	4	1.8	2	<1	<1	1	28	99+	99+	99+
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	14	2.5	4	1	1	2	3	6	7	7
20-34	1364	4.2	4	1	1	4	5	7	7	10
35-49	1270	4.9	6	1	2	5	6	7	8	13
50-64	365	5.5	9	1	2	5	7	8	10	16
65+	228	5.7	15	1	1	6	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	1	1	2	4	4	4	4
B. *Operated*	1996	3.6	4	<1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	51	1.9	3	<1	<1	1	2	5	7	98
B. *Operated*	3241	4.7	6	1	1	5	6	7	8	13
1. SINGLE DX	2001	3.6	4	<1	1	4	5	6	7	9
2. MULTIPLE DX	3292	4.7	7	1	1	5	6	7	8	13
A. NOT OPERATED	56	1.9	3	<1	<1	1	2	5	7	94
B. OPERATED	5237	4.3	6	1	1	4	6	7	8	12
TOTAL 0-19 YRS	23	2.6	4	<1	1	2	4	6	7	7
20-34	2588	3.8	4	<1	1	4	5	6	7	9
35-49	1875	4.6	5	1	1	5	6	7	8	12
50-64	512	5.1	8	1	2	5	6	8	10	16
65+	295	5.4	14	1	1	5	7	9	12	19
GRAND TOTAL	**5293**	**4.3**	**6**	**1**	**1**	**4**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	5.0	13	2	2	4	7	10	10	10
65+	6	2.8	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	56	4.1	10	<1	1	3	6	8	10	16
35-49	230	3.8	6	<1	1	3	5	7	8	12
50-64	324	3.8	10	<1	1	3	5	7	10	15
65+	283	4.0	9	<1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	22	5.3	34	<1	1	4	6	13	20	24
65+	18	5.7	38	<1	1	3	9	18	20	20
B. *Operated*										
0-19 YRS	3	5.3	16	1	1	6	8	9	9	9
20-34	73	5.3	25	1	1	4	6	10	13	30
35-49	339	5.3	30	1	1	4	6	10	12	24
50-64	656	6.3	34	1	1	5	8	12	15	31
65+	1154	7.4	49	1	2	6	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.1	6	<1	<1	2	4	6	9	10
B. *Operated*	894	3.9	9	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	46	5.1	32	<1	1	3	6	13	20	24
B. *Operated*	2225	6.7	41	1	1	5	9	13	17	32
1. SINGLE DX	909	3.9	9	<1	1	3	5	8	10	14
2. MULTIPLE DX	2271	6.6	41	1	1	5	9	13	17	32
A. NOT OPERATED	61	4.6	26	<1	1	3	5	10	19	24
B. OPERATED	3119	5.9	33	1	1	4	8	12	15	29
TOTAL 0-19 YRS	8	3.9	9	1	1	3	6	8	9	9
20-34	132	4.7	18	<1	1	4	6	9	11	24
35-49	573	4.7	21	1	1	4	6	8	11	20
50-64	1006	5.5	27	1	1	4	7	11	14	24
65+	1461	6.7	42	1	1	5	9	14	18	32
GRAND TOTAL	**3180**	**5.8**	**33**	**1**	**1**	**4**	**8**	**12**	**15**	**29**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.5	4	<1	<1	2	3	5	7	10
20-34	53	2.7	3	<1	1	2	3	4	6	10
35-49	57	3.6	26	<1	<1	2	4	7	11	34
50-64	81	4.4	40	1	1	3	5	8	12	41
65+	88	3.8	7	<1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	292	4.5	22	<1	1	3	6	9	13	24
20-34	441	4.0	11	1	1	3	5	9	11	16
35-49	483	3.9	11	<1	1	3	6	8	10	15
50-64	591	4.1	15	<1	1	3	6	9	12	17
65+	543	4.3	19	<1	1	3	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.3	34	<1	<1	2	3	6	9	35
20-34	159	3.9	23	<1	1	3	4	8	10	22
35-49	181	4.1	25	<1	<1	3	5	8	11	24
50-64	334	5.4	28	<1	1	4	7	12	16	29
65+	946	6.4	47	1	1	5	8	13	17	29
B. *Operated*										
0-19 YRS	213	7.6	49	1	1	6	9	15	23	40
20-34	416	6.0	30	1	1	5	7	11	16	28
35-49	710	6.4	43	1	1	5	8	12	16	54
50-64	1152	7.5	53	1	1	6	9	15	20	37
65+	2372	8.9	71	1	2	7	11	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	3.5	17	<1	1	2	4	7	9	14
B. *Operated*	2350	4.2	15	<1	1	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1753	5.5	39	<1	1	4	7	12	16	29
B. *Operated*	4863	7.9	59	1	2	6	10	16	22	43
1. SINGLE DX	2694	4.1	15	<1	1	3	6	9	11	17
2. MULTIPLE DX	6616	7.3	55	1	1	5	9	15	21	40
A. NOT OPERATED	2097	5.2	36	<1	1	3	7	11	15	29
B. OPERATED	7213	6.7	48	1	1	5	9	14	19	38
TOTAL 0-19 YRS	703	5.0	34	<1	1	3	7	11	15	27
20-34	1069	4.7	21	1	1	4	6	9	12	24
35-49	1431	5.2	31	1	1	4	7	10	13	30
50-64	2158	6.1	41	1	1	5	8	13	16	30
65+	3949	7.6	60	1	1	6	10	16	21	41
GRAND TOTAL	**9310**	**6.3**	**46**	**1**	**1**	**5**	**8**	**13**	**18**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	5	1.8	1	<1	<1	1	3	3	3	3
35-49	12	2.4	2	<1	<1	2	4	5	5	5
50-64	9	2.4	3	<1	<1	2	4	5	5	5
65+	10	5.2	16	1	1	4	7	11	14	14
B. *Operated*										
0-19 YRS	68	2.3	1	1	1	2	3	4	4	5
20-34	520	2.7	1	1	1	3	3	4	5	7
35-49	779	2.9	2	1	1	3	4	4	5	8
50-64	642	3.1	2	1	2	3	4	4	5	8
65+	270	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	3	3	4	4	4
20-34	19	4.1	6	<1	<1	4	7	7	8	8
35-49	38	2.2	4	<1	<1	1	3	5	6	10
50-64	34	3.5	13	<1	<1	2	5	8	12	15
65+	74	5.5	13	1	2	4	7	10	13	17
B. *Operated*										
0-19 YRS	26	2.9	1	2	2	3	4	4	5	5
20-34	189	3.1	2	1	2	3	4	5	5	7
35-49	427	3.8	6	1	2	3	4	6	8	13
50-64	582	4.0	8	2	2	3	5	6	8	17
65+	593	5.5	32	2	2	4	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.2	7	<1	<1	3	4	6	8	14
B. *Operated*	2279	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	170	4.1	11	<1	<1	3	6	9	10	16
B. *Operated*	1817	4.3	15	2	2	4	5	7	9	21
1. SINGLE DX	2317	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX	1987	4.3	15	1	2	4	5	7	10	20
A. NOT OPERATED	208	3.9	11	<1	<1	3	5	8	10	16
B. OPERATED	4096	3.5	8	1	2	3	4	5	7	14
TOTAL 0-19 YRS	101	2.5	1	1	1	2	3	4	4	5
20-34	733	2.8	2	1	1	3	3	4	5	7
35-49	1256	3.2	4	1	1	3	4	5	6	11
50-64	1267	3.5	5	1	2	3	4	5	7	14
65+	947	4.9	23	2	2	4	5	9	11	23
GRAND TOTAL	**4304**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.5	8	<1	1	3	4	8	10	12
20-34	102	3.9	5	1	1	3	5	7	9	11
35-49	108	4.4	8	1	1	4	6	9	10	14
50-64	52	4.1	6	1	1	4	6	8	8	11
65+	26	5.6	16	1	2	5	6	10	14	21
B. *Operated*										
0-19 YRS	93	3.2	3	1	1	3	4	5	5	11
20-34	356	3.5	4	1	2	3	4	5	6	13
35-49	369	3.1	3	1	1	3	4	5	6	9
50-64	229	3.3	4	1	2	3	4	5	7	9
65+	86	3.5	4	1	1	3	5	6	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	10	1	1	3	5	8	10	16
20-34	257	4.8	14	1	1	4	6	9	12	21
35-49	373	5.4	16	1	2	4	7	10	13	17
50-64	496	6.2	19	2	2	5	8	11	14	24
65+	909	8.8	61	2	3	7	11	17	20	37
B. *Operated*										
0-19 YRS	37	5.5	31	1	1	4	6	8	18	31
20-34	217	4.3	15	1	2	3	5	7	9	26
35-49	295	4.4	10	1	2	4	5	8	11	18
50-64	317	5.2	28	1	2	4	6	10	14	28
65+	324	10.6	150	2	3	6	13	25	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	4.2	8	1	1	4	5	8	9	12
B. *Operated*	1133	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2115	6.9	39	1	2	5	8	13	17	29
B. *Operated*	1190	6.3	61	1	2	4	7	12	20	39
1. SINGLE DX	1478	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3305	6.7	47	1	2	5	8	13	18	34
A. NOT OPERATED	2460	6.5	35	1	2	5	8	12	16	28
B. OPERATED	2323	4.9	35	1	2	3	5	8	14	30
TOTAL 0-19 YRS	267	3.8	10	1	1	3	4	7	9	17
20-34	932	4.1	10	1	1	3	5	7	9	16
35-49	1145	4.3	10	1	2	3	5	8	10	16
50-64	1094	5.2	19	1	2	4	6	9	13	24
65+	1345	8.8	81	2	3	6	10	17	24	45
GRAND TOTAL	**4783**	**5.7**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	5.4	46	2	2	5	6	8	9	44
20-34	139	4.2	11	1	1	4	6	7	8	12
35-49	141	4.7	7	1	2	4	6	8	9	13
50-64	128	5.0	9	1	2	5	7	9	10	15
65+	48	5.3	15	1	2	4	6	10	14	21
B. *Operated*										
0-19 YRS										
20-34	3	3.3		3	3	3	4	4	4	4
35-49	6	2.2	2	1	1	2	3	4	4	4
50-64	5	7.2	37	1	1	8	11	16	16	16
65+	7	4.3	34	<1	<1	2	4	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	4.6	17	<1	1	4	6	8	9	27
20-34	334	4.8	25	1	1	4	6	8	11	34
35-49	553	5.0	13	1	2	4	6	9	11	23
50-64	806	5.6	12	2	2	5	7	9	12	18
65+	561	6.7	34	2	3	6	8	11	15	31
B. *Operated*										
0-19 YRS	10	6.1	24	1	1	5	7	14	16	16
20-34	28	5.8	17	1	1	5	7	12	14	18
35-49	66	8.9	72	1	2	7	12	14	31	47
50-64	117	8.8	35	1	2	8	12	17	21	25
65+	72	12.4	107	2	4	9	17	26	34	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	5.1	27	1	2	4	6	8	9	21
B. *Operated*	21	4.2	21	<1	1	3	4	12	16	17
2. MULTIPLE DX										
A. *Not Operated*	2763	5.4	20	1	2	5	7	9	12	25
B. *Operated*	293	9.3	62	1	2	7	12	18	23	43
1. SINGLE DX	901	5.0	27	1	2	4	6	8	9	21
2. MULTIPLE DX	3056	5.8	25	1	2	5	7	10	13	27
A. NOT OPERATED	3643	5.3	21	1	2	5	7	9	11	23
B. OPERATED	314	9.0	61	1	2	7	12	18	23	41
TOTAL 0-19 YRS	943	5.0	30	1	1	4	6	8	9	32
20-34	504	4.7	21	1	1	4	6	8	10	33
35-49	766	5.3	18	1	2	4	6	9	12	26
50-64	1056	5.9	15	2	2	5	7	10	14	21
65+	688	7.2	43	2	2	6	8	13	18	35
GRAND TOTAL	**3957**	**5.6**	**26**	**1**	**2**	**5**	**7**	**9**	**13**	**26**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1873	3.6	6	1	1	3	5	7	8	12
20-34	1250	3.6	5	1	1	3	5	6	8	11
35-49	490	4.3	7	1	2	4	6	8	9	12
50-64	221	5.4	11	1	2	5	7	9	11	17
65+	145	6.2	26	2	2	5	7	10	14	22
B. *Operated*										
0-19 YRS	20	5.1	6	1	2	5	7	9	9	10
20-34	14	4.8	4	2	3	4	5	8	9	9
35-49	7	6.6	26	1	1	5	9	15	16	16
50-64	3	10.7	44	5	5	9	16	18	18	18
65+	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2722	4.3	16	1	1	3	5	8	10	16
20-34	3542	4.7	11	1	2	4	6	8	10	17
35-49	2232	5.9	17	2	2	5	7	11	13	21
50-64	1902	7.3	24	2	3	6	9	13	16	26
65+	2715	9.1	48	3	3	8	11	16	21	37
B. *Operated*										
0-19 YRS	98	7.9	48	2	3	7	9	12	18	44
20-34	321	10.2	95	2	3	7	11	20	29	54
35-49	365	11.3	96	3	4	9	13	21	28	74
50-64	342	16.2	191	4	5	12	20	34	48	91
65+	481	18.9	196	5	7	15	24	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3979	3.9	7	1	1	3	5	7	9	13
B. *Operated*	47	5.5	11	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	13113	6.1	26	2	2	5	8	11	15	26
B. *Operated*	1607	14.2	158	3	4	10	17	30	43	95
1. SINGLE DX	4026	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX	14720	7.0	47	2	2	5	8	13	18	37
A. NOT OPERATED	17092	5.6	23	1	2	4	7	10	14	24
B. OPERATED	1654	13.9	156	3	4	10	17	30	43	93
TOTAL 0-19 YRS	4713	4.1	13	1	1	3	5	8	9	15
20-34	5127	4.7	17	1	2	4	6	8	11	21
35-49	3094	6.3	29	2	2	5	8	12	15	27
50-64	2468	8.3	56	2	3	7	10	16	21	45
65+	3344	10.4	80	3	3	8	13	20	28	60
GRAND TOTAL	**18746**	**6.3**	**40**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	961	4.8	8	1	2	4	6	8	10	15
20-34	949	4.2	6	1	2	4	5	7	8	12
35-49	1055	4.8	7	2	2	4	6	8	10	14
50-64	1323	5.1	8	2	2	5	6	8	10	15
65+	1046	5.6	14	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	5	4.8	7	2	2	4	6	9	9	9
20-34	43	3.3	10	<1	1	2	4	6	10	17
35-49	57	4.1	15	1	1	3	6	8	9	21
50-64	98	4.6	22	1	1	3	6	10	15	22
65+	91	5.9	48	1	1	3	8	14	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1259	5.0	25	1	2	4	6	9	11	22
20-34	3468	5.4	21	1	2	4	7	9	12	24
35-49	6362	5.9	17	2	2	5	7	10	13	20
50-64	11770	6.4	20	2	3	5	8	11	14	22
65+	16638	7.4	32	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	72	7.3	32	2	2	6	10	14	16	32
20-34	1015	9.0	91	2	2	6	11	20	28	55
35-49	2413	11.7	123	2	3	8	15	25	35	59
50-64	5113	13.7	158	2	3	10	17	30	41	74
65+	7022	15.7	173	3	4	12	20	32	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5334	4.9	9	2	2	4	6	8	10	15
B. *Operated*	294	4.7	27	1	1	3	6	10	16	25
2. MULTIPLE DX										
A. *Not Operated*	39497	6.6	25	2	3	6	8	11	14	25
B. *Operated*	15635	13.9	158	2	3	10	18	30	41	75
1. SINGLE DX	5628	4.9	10	1	2	4	6	8	10	16
2. MULTIPLE DX	55132	8.7	74	2	3	6	10	17	24	50
A. NOT OPERATED	44831	6.4	24	2	2	5	8	11	14	24
B. OPERATED	15929	13.7	157	2	3	10	18	29	41	74
TOTAL 0-19 YRS	2297	5.0	19	1	2	4	6	9	11	21
20-34	5475	5.8	34	1	2	4	7	11	14	31
35-49	9887	7.2	48	2	2	5	8	13	18	41
50-64	18304	8.3	68	2	3	6	9	16	23	48
65+	24797	9.6	86	2	3	7	11	19	27	57
GRAND TOTAL	**60760**	**8.3**	**69**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	1	1	1	3	4	4	4
20-34	19	2.1	1	<1	1	2	2	4	5	5
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	27	3.3	3	<1	<1	4	5	5	6	7
20-34	143	3.6	4	<1	1	4	5	6	7	9
35-49	20	3.8	2	1	1	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	1	2	3	4	5	5
20-34	63	3.9	9	1	1	3	5	7	9	18
35-49	12	6.3	12	1	3	5	8	11	14	14
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	52	4.0	5	<1	1	4	5	7	8	9
20-34	470	4.3	6	<1	1	4	5	7	8	11
35-49	106	4.9	6	1	2	5	6	7	8	14
50-64	6	6.0	6	3	3	6	8	9	9	9
65+	5	6.0	18	2	2	5	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.2	2	1	1	2	3	4	5	6
B. *Operated*	191	3.6	4	<1	1	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	94	3.9	9	1	1	3	5	7	10	17
B. *Operated*	639	4.4	6	<1	1	4	6	7	8	12
1. SINGLE DX	225	3.4	4	<1	1	3	5	6	6	9
2. MULTIPLE DX	733	4.3	6	<1	1	4	5	7	8	12
A. NOT OPERATED	128	3.5	8	1	1	3	5	7	9	15
B. OPERATED	830	4.2	5	<1	1	4	5	7	8	11
TOTAL 0-19 YRS	104	3.3	4	<1	1	3	5	6	7	9
20-34	695	4.0	6	<1	1	4	5	6	8	11
35-49	143	4.8	6	1	2	5	6	7	9	14
50-64	10	5.0	7	1	1	5	7	8	9	9
65+	6	5.8	14	2	2	5	6	12	13	13
GRAND TOTAL	**958**	**4.1**	**6**	**<1**	**1**	**4**	**5**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	378	2.0	4	<1	<1	1	2	4	6	12
20-34	169	3.2	5	1	1	3	4	6	8	11
35-49	146	3.6	7	1	1	3	4	7	9	13
50-64	114	3.9	11	<1	1	3	4	8	10	20
65+	133	3.9	11	1	1	3	5	7	10	17
B. *Operated*										
0-19 YRS	27	4.4	12	1	1	3	6	9	11	16
20-34	47	4.2	9	1	1	4	6	8	11	14
35-49	68	4.5	13	1	1	3	6	9	13	17
50-64	62	4.3	17	1	2	3	4	7	12	27
65+	42	6.2	51	2	2	5	7	9	14	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	3.1	12	<1	1	2	4	6	9	18
20-34	927	4.2	20	1	1	3	5	8	10	18
35-49	1117	4.6	17	1	1	4	6	9	12	21
50-64	2106	5.4	27	1	1	4	7	11	14	24
65+	5873	6.2	31	1	2	5	8	12	15	29
B. *Operated*										
0-19 YRS	55	13.1	306	1	2	6	14	36	54	99
20-34	141	9.5	83	1	2	7	12	24	33	99+
35-49	298	8.9	97	2	2	6	10	19	27	75
50-64	502	9.9	141	2	2	6	11	20	29	74
65+	825	11.8	136	2	3	8	15	24	35	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	3.0	7	<1	1	2	4	6	8	13
B. *Operated*	246	4.7	20	1	1	4	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	10844	5.4	27	1	1	4	7	11	14	26
B. *Operated*	1821	10.6	133	2	3	7	13	23	35	82
1. SINGLE DX	1186	3.3	10	<1	1	2	4	7	9	15
2. MULTIPLE DX	12665	6.2	46	1	1	4	7	12	17	36
A. NOT OPERATED	11784	5.2	26	1	1	4	7	10	14	25
B. OPERATED	2067	9.9	123	2	2	7	11	21	33	77
TOTAL 0-19 YRS	1281	3.2	27	<1	1	2	3	7	9	29
20-34	1284	4.6	27	1	1	3	6	9	12	29
35-49	1629	5.3	33	1	1	4	7	10	14	31
50-64	2784	6.1	50	1	2	4	7	12	17	38
65+	6873	6.8	47	1	2	5	8	13	18	37
GRAND TOTAL	**13851**	**5.9**	**44**	**1**	**1**	**4**	**7**	**12**	**16**	**35**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.1	41	1	1	4	7	14	25	25
20-34	6	5.5	15	<1	<1	6	8	10	10	10
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	6	5.0	7	2	2	4	7	9	9	9
65+	13	5.4	11	2	2	4	7	10	12	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	8	7.0	37	1	1	4	12	16	16	16
65+	16	4.5	14	1	1	3	7	8	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	12.3	244	1	2	6	12	34	51	78
20-34	86	10.4	186	2	2	6	10	24	41	73
35-49	107	8.3	43	2	3	7	11	16	28	62
50-64	280	8.4	48	2	2	6	10	17	22	37
65+	1099	9.3	66	2	3	7	12	18	24	80
B. *Operated*										
0-19 YRS	56	14.9	227	2	3	11	25	39	99+	99+
20-34	81	11.8	201	3	4	7	13	27	45	99
35-49	165	11.0	160	3	4	6	13	26	35	60
50-64	162	14.2	210	3	4	10	16	31	58	99
65+	665	13.1	132	2	3	10	17	27	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.8	25	<1	1	4	8	11	15	25
B. *Operated*	31	4.9	19	1	1	3	7	12	16	16
2. MULTIPLE DX										
A. *Not Operated*	1743	9.4	86	2	3	7	11	18	28	63
B. *Operated*	1129	13.0	157	3	4	9	16	28	40	95
1. SINGLE DX	85	5.4	23	1	1	4	7	11	15	25
2. MULTIPLE DX	2872	10.8	117	2	3	8	13	22	33	78
A. NOT OPERATED	1797	9.3	84	2	3	7	11	18	27	63
B. OPERATED	1160	12.7	155	2	3	9	16	27	40	95
TOTAL 0-19 YRS	255	12.2	222	1	2	6	14	34	52	99+
20-34	177	10.7	184	2	2	7	11	24	41	93
35-49	276	9.9	114	2	3	6	11	23	28	59
50-64	456	10.4	113	2	3	8	13	20	31	65
65+	1793	10.6	93	2	3	8	13	21	30	64
GRAND TOTAL	**2957**	**10.7**	**115**	**2**	**3**	**7**	**13**	**22**	**33**	**75**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	9.3	38	1	2	9	12	14	18	29
20-34	128	11.2	32	3	4	11	14	19	22	26
35-49	11	11.4	21	4	6	11	14	17	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	20	13.6	119	1	1	12	15	28	40	46
20-34	9	11.8	37	3	3	14	15	19	22	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1022	11.5	47	2	4	11	14	18	21	35
20-34	455	12.2	42	3	5	12	15	18	23	38
35-49	54	12.2	30	4	5	12	14	19	23	30
50-64										
65+										
B. *Operated*										
0-19 YRS	137	17.1	137	4	5	14	21	34	45	67
20-34	60	18.7	118	6	9	16	21	37	45	47
35-49	6	19.0	206	<1	1	16	24	42	44	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	9.8	36	1	2	10	13	15	20	28
B. *Operated*	29	13.0	92	1	2	12	15	21	36	46
2. MULTIPLE DX										
A. *Not Operated*	1531	11.7	45	3	4	11	14	18	22	35
B. *Operated*	203	17.6	133	4	6	15	21	35	45	62
1. SINGLE DX	570	9.9	40	1	2	10	13	16	21	30
2. MULTIPLE DX	1734	12.4	59	3	4	12	15	20	25	46
A. NOT OPERATED	2072	11.2	43	2	3	11	14	18	21	33
B. OPERATED	232	17.1	130	3	5	14	21	34	45	62
TOTAL 0-19 YRS	1581	11.4	57	2	3	11	14	18	23	46
20-34	652	12.6	60	3	5	12	15	20	26	44
35-49	71	12.6	45	4	5	12	14	20	24	41
50-64										
65+										
GRAND TOTAL	**2304**	**11.8**	**55**	**2**	**4**	**11**	**14**	**19**	**24**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	4	<1	<1	3	4	6	7	7
20-34	20	24.9	1239	<1	1	7	38	91	91	91
35-49	10	5.0	38	1	1	3	4	14	22	22
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	45	5.2	6	2	2	5	7	8	9	12
20-34	497	5.6	5	2	2	6	7	8	9	13
35-49	423	6.0	20	2	2	6	7	9	10	15
50-64	53	6.2	18	2	2	5	8	11	15	25
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	15.8	381	1	2	5	25	51	59	99+
20-34	64	5.1	156	<1	<1	2	3	9	14	83
35-49	122	4.4	32	<1	<1	3	5	11	13	33
50-64	62	6.5	44	1	1	4	9	14	21	35
65+	25	6.5	56	1	2	5	7	11	21	39
B. *Operated*										
0-19 YRS	50	6.3	16	2	3	5	7	10	11	25
20-34	913	6.6	15	3	4	6	8	9	11	20
35-49	1330	7.7	43	3	4	7	8	11	14	44
50-64	314	8.6	71	3	4	7	9	12	17	58
65+	12	11.2	150	2	3	7	12	29	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	14.9	737	<1	1	4	9	71	91	91
B. *Operated*	1019	5.8	12	2	2	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	323	6.9	128	<1	1	3	7	14	32	64
B. *Operated*	2619	7.4	37	3	4	6	8	10	13	39
1. SINGLE DX	1058	6.1	41	2	2	6	7	9	10	22
2. MULTIPLE DX	2942	7.4	47	2	3	6	8	11	14	46
A. NOT OPERATED	362	7.7	198	<1	1	3	7	15	39	90
B. OPERATED	3638	7.0	31	2	3	6	8	10	12	31
TOTAL 0-19 YRS	153	8.9	154	2	2	5	8	21	45	75
20-34	1494	6.5	38	2	3	6	7	9	11	23
35-49	1885	7.1	38	2	3	6	8	10	13	41
50-64	430	8.0	62	2	3	7	9	12	17	49
65+	38	7.8	87	1	2	6	8	14	32	46
GRAND TOTAL	**4000**	**7.0**	**46**	**2**	**3**	**6**	**8**	**10**	**13**	**44**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.6	11	<1	<1	2	3	5	8	29
20-34	170	3.8	23	<1	<1	2	5	8	13	26
35-49	103	4.3	37	<1	<1	2	5	10	13	39
50-64	62	3.9	29	<1	<1	2	5	9	12	34
65+	61	3.5	8	<1	<1	3	4	8	9	14
B. *Operated*										
0-19 YRS	96	3.7	8	<1	1	3	5	7	8	14
20-34	166	3.1	11	<1	<1	2	4	6	9	16
35-49	245	2.9	23	<1	1	1	3	6	7	30
50-64	132	3.0	20	<1	1	2	3	5	9	26
65+	40	5.5	63	1	1	3	5	13	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	658	4.8	38	<1	<1	3	6	11	18	30
20-34	625	7.2	97	<1	<1	4	9	16	25	63
35-49	855	6.2	67	<1	<1	4	8	14	20	43
50-64	851	6.3	39	<1	<1	4	8	14	18	35
65+	1232	7.9	53	1	2	6	10	15	20	38
B. *Operated*										
0-19 YRS	156	12.0	228	1	2	6	14	35	60	99+
20-34	459	12.6	171	1	2	8	16	28	41	72
35-49	602	11.1	179	1	2	6	14	26	40	65
50-64	494	8.6	89	1	1	5	12	19	32	68
65+	540	11.2	133	1	2	8	15	24	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	3.3	20	<1	<1	2	4	7	11	29
B. *Operated*	679	3.2	20	<1	1	2	4	6	9	26
2. MULTIPLE DX										
A. *Not Operated*	4221	6.7	58	<1	<1	5	8	14	20	40
B. *Operated*	2251	10.9	152	1	2	7	14	25	37	70
1. SINGLE DX	1358	3.3	20	<1	<1	2	4	7	10	28
2. MULTIPLE DX	6472	8.1	95	<1	1	5	10	18	26	55
A. NOT OPERATED	4900	6.2	54	<1	<1	4	8	14	19	38
B. OPERATED	2930	9.2	132	1	1	5	12	22	32	64
TOTAL 0-19 YRS	1193	5.2	61	<1	<1	3	6	12	19	60
20-34	1420	8.1	114	<1	1	4	10	19	28	61
35-49	1805	7.3	105	<1	<1	4	8	17	26	56
50-64	1539	6.6	56	<1	<1	4	9	15	20	41
65+	1873	8.7	78	1	2	6	11	17	24	49
GRAND TOTAL	**7830**	**7.3**	**85**	**<1**	**1**	**4**	**9**	**16**	**24**	**51**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	2.4	2	1	1	2	3	5	5	5
35-49	66	3.8	4	1	2	3	5	7	8	9
50-64	76	4.1	6	1	2	4	5	7	9	13
65+	63	4.3	9	1	2	3	5	8	10	17
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	4.1	37	1	1	2	3	14	19	19
35-49	14	3.5	11	<1	<1	2	5	9	11	12
50-64	18	3.1	5	<1	1	3	5	6	8	9
65+	16	2.9	5	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	34	3	3	5	12	14	14	14
20-34	27	4.1	12	1	2	3	5	8	10	17
35-49	160	4.6	7	1	2	4	6	8	10	15
50-64	331	5.4	16	2	2	4	7	9	11	22
65+	837	6.4	40	2	2	5	8	11	15	32
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	4.9	29	<1	<1	3	6	14	17	17
35-49	36	5.4	15	1	1	4	7	10	12	20
50-64	72	7.0	53	1	2	6	8	13	15	49
65+	187	9.6	81	1	2	8	13	19	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.9	6	1	2	4	5	7	8	14
B. *Operated*	58	3.2	10	<1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	1358	5.9	30	2	2	5	7	10	13	26
B. *Operated*	304	8.4	67	1	2	6	10	17	21	77
1. SINGLE DX	285	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	1662	6.4	38	2	2	5	8	11	16	36
A. NOT OPERATED	1585	5.6	27	2	2	4	7	10	13	24
B. OPERATED	362	7.5	62	1	1	6	10	16	20	60
TOTAL 0-19 YRS	7	5.3	22	1	1	4	8	13	14	14
20-34	64	3.7	14	1	1	3	4	8	11	19
35-49	276	4.5	8	1	2	4	6	8	10	14
50-64	497	5.3	20	1	2	4	6	9	12	21
65+	1103	6.8	46	2	2	5	8	12	17	44
GRAND TOTAL	**1947**	**6.0**	**34**	**1**	**2**	**5**	**7**	**11**	**15**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	2.3	3	1	1	2	3	4	5	9
20-34	110	2.5	4	1	1	2	3	5	6	11
35-49	123	2.8	3	<1	1	2	4	5	7	9
50-64	125	3.2	5	1	1	3	4	6	8	11
65+	383	4.7	15	1	1	4	6	9	12	22
B. *Operated*										
0-19 YRS	7	2.6	2	1	1	2	4	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	5	4.8	17	1	1	3	8	11	11	11
50-64	1	48.0		48	48	48	48	48	48	48
65+	16	18.1	405	2	3	11	25	40	69	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9019	3.0	8	1	1	2	4	5	6	13
20-34	3341	3.5	15	1	1	3	4	6	8	16
35-49	3669	4.4	19	1	1	3	5	8	11	21
50-64	6941	5.7	31	1	2	4	7	11	14	27
65+	33173	7.2	42	2	2	6	9	13	18	36
B. *Operated*										
0-19 YRS	187	9.9	125	1	2	5	13	24	40	85
20-34	260	7.8	84	1	1	5	9	16	27	53
35-49	461	10.2	132	1	2	6	12	23	35	65
50-64	894	11.5	132	1	2	8	15	25	35	77
65+	3768	14.3	163	3	4	11	18	29	41	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1110	3.3	9	1	1	2	4	6	8	15
B. *Operated*	32	11.9	299	1	1	4	15	31	47	80
2. MULTIPLE DX										
A. *Not Operated*	56143	5.9	35	1	2	4	7	11	15	31
B. *Operated*	5570	13.1	154	2	3	10	16	28	40	88
1. SINGLE DX	1142	3.5	18	1	1	2	4	7	9	21
2. MULTIPLE DX	61713	6.6	50	1	2	5	8	13	18	39
A. NOT OPERATED	57253	5.9	34	1	2	4	7	11	15	30
B. OPERATED	5602	13.1	155	2	3	10	16	28	40	87
TOTAL 0-19 YRS	9582	3.1	11	1	1	2	4	5	7	16
20-34	3714	3.8	21	1	1	3	4	7	9	21
35-49	4258	5.0	34	1	1	4	6	10	13	31
50-64	7961	6.3	45	1	2	4	7	12	17	36
65+	37340	7.9	59	2	2	6	9	15	21	45
GRAND TOTAL	**62855**	**6.5**	**49**	**1**	**2**	**5**	**8**	**13**	**18**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.8	3	1	1	2	4	5	6	9
20-34	37	2.9	5	<1	1	3	3	5	6	14
35-49	63	3.1	3	1	1	3	4	6	7	7
50-64	52	3.5	3	1	1	3	5	6	6	8
65+	139	3.6	7	<1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	11	3.6	3	1	1	3	5	6	6	6
20-34	17	3.6	5	1	1	3	5	6	9	10
35-49	22	3.7	3	<1	1	4	5	6	7	7
50-64	22	4.7	4	1	2	5	6	8	8	9
65+	28	5.5	10	2	2	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	3.1	6	1	1	2	4	6	7	14
20-34	271	3.7	5	1	1	3	5	7	7	11
35-49	558	4.1	8	1	1	3	5	7	9	14
50-64	822	4.6	15	1	1	4	6	8	10	16
65+	4143	5.6	23	1	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	29	5.3	22	1	1	4	7	12	14	21
20-34	97	6.4	28	1	2	5	8	11	15	32
35-49	279	6.0	17	1	2	5	8	11	13	24
50-64	424	7.8	41	2	3	6	10	14	17	30
65+	1702	8.7	39	2	3	7	11	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	372	3.2	5	1	1	3	4	6	7	12
B. *Operated*	100	4.4	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	6008	5.1	20	1	1	4	7	9	12	21
B. *Operated*	2531	8.1	37	2	3	7	10	15	19	35
1. SINGLE DX	472	3.5	5	1	1	3	5	6	7	12
2. MULTIPLE DX	8539	6.0	27	1	2	5	8	11	14	26
A. NOT OPERATED	6380	5.0	19	1	1	4	6	9	12	21
B. OPERATED	2631	8.0	36	2	3	7	10	14	19	35
TOTAL 0-19 YRS	335	3.2	7	1	1	3	4	6	7	14
20-34	422	4.2	12	1	1	4	5	7	10	17
35-49	922	4.6	11	1	1	4	6	8	10	18
50-64	1320	5.6	25	1	1	4	7	11	14	23
65+	6012	6.4	29	1	2	5	8	12	15	28
GRAND TOTAL	**9011**	**5.9**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1214	4.2	8	1	1	4	5	8	9	16
20-34	1806	5.6	15	1	2	5	7	10	12	19
35-49	344	5.6	10	1	2	5	7	10	11	15
50-64	28	4.9	6	1	2	5	7	9	9	10
65+	6	4.2	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	8	4.3	3	1	2	4	5	6	6	6
20-34	38	8.8	26	1	2	8	13	14	15	25
35-49	11	7.3	23	1	2	6	9	14	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1558	5.0	14	1	2	4	6	9	12	19
20-34	2229	6.8	25	2	2	6	9	12	16	26
35-49	684	7.2	3[illegible]	2	3	6	8	13	17	28
50-64	106	6.8	34	2	2	6	8	13	15	35
65+	26	4.3	11	1	1	3	5	10	11	12
B. *Operated*										
0-19 YRS	74	9.4	76	2	2	7	12	18	33	41
20-34	184	14.8	179	3	4	11	17	31	48	72
35-49	70	16.5	223	4	4	11	20	45	50	62
50-64	19	12.0	72	3	4	9	14	22	32	40
65+	3	3.7	1	3	3	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3398	5.1	12	1	2	4	7	9	11	18
B. *Operated*	57	7.9	24	1	2	7	11	14	15	25
2. MULTIPLE DX										
A. *Not Operated*	4603	6.2	23	1	2	5	8	11	15	25
B. *Operated*	350	13.8	164	2	4	10	16	29	46	64
1. SINGLE DX	3455	5.1	12	1	2	4	7	9	11	18
2. MULTIPLE DX	4953	6.8	37	1	2	5	8	12	17	33
A. NOT OPERATED	8001	5.7	19	1	2	5	7	10	13	22
B. OPERATED	407	12.9	149	2	3	9	15	27	44	64
TOTAL 0-19 YRS	2854	4.8	14	1	1	4	6	9	11	18
20-34	4257	6.6	31	2	2	5	8	12	16	28
35-49	1109	7.3	42	2	2	6	8	13	17	39
50-64	153	7.1	37	2	2	6	8	13	17	40
65+	35	4.3	9	1	2	3	5	9	11	12
GRAND TOTAL	**8408**	**6.1**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	444	2.5	7	<1	<1	1	3	5	8	12
20-34	117	3.1	9	<1	1	2	4	7	9	16
35-49	101	3.3	18	1	1	2	3	7	11	26
50-64	150	2.9	9	<1	<1	1	4	7	8	16
65+	481	2.6	7	<1	<1	2	3	5	7	11
B. *Operated*										
0-19 YRS	136	5.0	69	1	1	3	5	8	12	59
20-34	57	5.6	13	1	2	5	8	10	12	20
35-49	53	5.5	21	1	1	5	7	9	15	27
50-64	66	6.2	14	1	2	5	8	11	13	19
65+	98	6.2	24	1	2	5	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	829	3.4	15	<1	<1	2	4	7	10	17
20-34	564	3.8	24	1	1	2	5	8	10	18
35-49	1014	4.2	19	1	1	3	6	9	13	20
50-64	2229	4.5	26	1	1	3	6	10	12	23
65+	7933	5.2	30	1	1	4	7	11	14	25
B. *Operated*										
0-19 YRS	227	8.2	61	1	1	6	10	18	26	42
20-34	251	9.1	105	1	2	6	10	18	28	64
35-49	436	8.6	68	1	2	7	10	17	22	51
50-64	817	9.4	82	1	2	7	12	18	26	49
65+	2807	9.6	72	2	3	7	12	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	2.7	8	<1	<1	2	3	6	8	15
B. *Operated*	410	5.6	35	1	2	4	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	12569	4.8	27	1	1	3	6	10	14	24
B. *Operated*	4538	9.4	75	2	2	7	12	18	25	47
1. SINGLE DX	1703	3.4	16	<1	1	2	4	7	10	17
2. MULTIPLE DX	17107	6.0	44	1	1	4	8	13	17	33
A. NOT OPERATED	13862	4.6	26	1	1	3	6	10	13	23
B. OPERATED	4948	9.1	73	2	2	7	11	17	24	47
TOTAL 0-19 YRS	1636	4.0	27	<1	1	2	5	9	12	27
20-34	989	5.2	48	1	1	3	6	11	15	33
35-49	1604	5.4	36	1	1	3	7	12	15	28
50-64	3262	5.7	44	1	1	4	7	12	16	31
65+	11319	6.2	43	1	1	4	8	13	17	33
GRAND TOTAL	**18810**	**5.8**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.5	9	1	1	4	6	8	11	14
20-34	45	6.5	45	1	1	3	7	18	22	27
35-49	11	3.9	9	1	1	3	5	8	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	6	12.2	107	6	6	8	11	31	33	33
35-49	5	5.0	16	2	2	4	6	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	5.5	46	1	1	3	6	13	18	36
20-34	76	4.7	8	1	2	4	6	9	11	14
35-49	36	5.6	15	1	2	5	7	10	14	18
50-64	12	4.8	11	<1	1	4	7	10	11	11
65+	13	5.9	26	1	2	5	8	13	18	19
B. *Operated*										
0-19 YRS	18	11.2	84	2	2	7	18	25	28	30
20-34	11	9.7	140	2	2	6	9	33	34	34
35-49	10	8.9	45	1	1	8	12	19	25	25
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	14.5	5	13	13	16	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	5.2	23	1	1	4	6	11	15	26
B. *Operated*	13	8.6	64	2	3	7	10	16	30	33
2. MULTIPLE DX										
A. *Not Operated*	278	5.3	29	1	1	4	6	11	14	30
B. *Operated*	43	10.1	80	2	2	7	15	26	33	99+
1. SINGLE DX	136	5.5	27	1	1	4	6	11	16	28
2. MULTIPLE DX	321	5.9	39	1	2	4	7	13	18	34
A. NOT OPERATED	401	5.2	27	1	1	4	6	11	14	26
B. OPERATED	56	9.8	76	2	2	7	12	25	33	95
TOTAL 0-19 YRS	227	5.6	41	1	1	4	6	13	18	33
20-34	138	6.0	37	1	2	4	7	12	19	33
35-49	62	5.8	20	1	2	4	7	12	14	24
50-64	15	4.9	9	<1	2	4	7	9	10	11
65+	15	7.1	32	1	2	5	12	19	76	99+
GRAND TOTAL	**457**	**5.8**	**35**	**1**	**1**	**4**	**7**	**12**	**18**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	674	3.0	6	<1	1	2	4	5	8	13
20-34	120	3.8	13	<1	<1	3	5	7	8	21
35-49	127	3.1	8	1	1	2	4	7	9	15
50-64	112	3.9	18	1	1	3	5	8	12	23
65+	123	3.5	8	<1	<1	3	5	7	10	12
B. *Operated*										
0-19 YRS	321	4.3	15	1	1	4	5	7	9	17
20-34	189	6.4	18	2	3	5	7	11	15	22
35-49	129	6.2	11	2	3	6	7	10	13	18
50-64	125	6.7	23	1	2	6	8	11	14	29
65+	109	6.9	24	2	3	5	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1228	4.3	11	1	1	3	5	8	11	17
20-34	553	4.8	14	1	1	4	6	9	11	18
35-49	735	5.6	18	1	1	5	7	10	13	23
50-64	1374	6.1	19	1	2	5	8	11	14	24
65+	2806	6.5	33	1	2	5	8	13	16	29
B. *Operated*										
0-19 YRS	389	7.9	77	1	2	5	9	16	27	58
20-34	443	8.5	69	1	2	6	10	16	24	40
35-49	423	9.8	69	2	3	7	12	20	26	42
50-64	818	10.8	95	2	3	8	13	21	30	51
65+	1626	11.5	84	3	3	9	15	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	3.2	9	<1	1	2	4	6	9	14
B. *Operated*	873	5.7	19	1	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	6696	5.8	24	1	1	5	7	11	14	25
B. *Operated*	3699	10.4	84	2	3	8	13	21	28	47
1. SINGLE DX	2029	4.3	14	<1	1	3	5	8	11	19
2. MULTIPLE DX	10395	7.4	50	1	2	6	9	15	20	37
A. NOT OPERATED	7852	5.4	22	1	1	4	7	11	14	24
B. OPERATED	4572	9.5	75	2	3	7	12	20	26	44
TOTAL 0-19 YRS	2612	4.5	23	1	1	3	5	9	12	25
20-34	1305	6.2	36	1	2	5	7	11	16	29
35-49	1414	6.7	36	1	2	5	8	13	18	33
50-64	2429	7.6	50	1	2	6	9	15	20	36
65+	4664	8.2	56	1	2	6	10	17	22	38
GRAND TOTAL	**12424**	**6.9**	**45**	**1**	**2**	**5**	**8**	**14**	**19**	**35**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1658	1.8	1	1	1	2	2	3	4	5
20-34	415	1.9	1	1	1	2	2	3	4	7
35-49	74	1.8	1	<1	1	2	2	3	4	5
50-64	20	2.5	3	<1	1	2	3	5	6	6
65+	6	1.8	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1010	3.2	2	2	2	3	4	5	6	9
20-34	378	3.5	2	2	2	3	4	5	6	9
35-49	49	3.7	2	2	2	3	5	5	6	8
50-64	12	4.0	6	2	2	4	4	7	10	11
65+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1060	2.2	2	1	1	2	3	4	4	8
20-34	258	2.4	2	1	1	2	3	4	5	7
35-49	65	2.8	5	1	1	2	3	4	7	15
50-64	27	3.0	3	1	1	3	4	6	7	7
65+	25	4.0	10	1	1	3	4	8	11	15
B. *Operated*										
0-19 YRS	552	4.0	4	2	2	4	5	6	8	11
20-34	294	4.7	6	2	2	4	5	8	9	15
35-49	49	5.9	19	2	2	5	7	12	13	24
50-64	12	7.8	21	3	3	6	11	15	16	16
65+	13	7.2	3	5	5	7	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2173	1.8	1	1	1	2	2	3	4	5
B. *Operated*	1452	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1435	2.3	2	1	1	2	3	4	5	8
B. *Operated*	920	4.4	6	2	2	4	5	7	9	15
1. SINGLE DX	3625	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2355	3.1	5	1	1	3	4	6	7	12
A. NOT OPERATED	3608	2.0	2	1	1	2	2	3	4	7
B. OPERATED	2372	3.7	4	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4280	2.5	3	1	1	2	3	4	5	9
20-34	1345	3.0	4	1	1	3	4	5	7	10
35-49	237	3.3	8	1	1	3	4	6	8	16
50-64	71	3.8	9	1	1	3	4	7	11	16
65+	47	4.5	10	1	1	4	7	9	10	15
GRAND TOTAL	**5980**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.0	4	1	2	4	5	6	8	10
20-34	38	3.5	5	1	1	3	5	7	8	9
35-49	19	4.5	29	2	2	3	5	6	17	26
50-64	5	5.0	17	1	1	4	6	12	12	12
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	122	3.2	7	<1	<1	2	4	7	8	11
20-34	110	2.8	15	<1	<1	1	3	6	11	23
35-49	62	2.4	4	<1	<1	2	3	5	6	11
50-64	37	2.6	6	<1	<1	2	3	6	9	11
65+	18	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	4.4	8	1	2	4	5	8	10	14
20-34	50	4.1	6	1	2	4	5	8	9	13
35-49	27	4.8	8	1	2	4	6	9	11	12
50-64	15	4.1	13	<1	<1	3	5	8	13	15
65+	21	4.0	7	1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	125	5.4	15	1	1	5	7	10	13	20
20-34	102	4.7	34	<1	1	3	6	10	12	33
35-49	68	4.6	24	1	1	3	6	10	12	28
50-64	41	4.3	11	1	1	4	6	10	11	13
65+	44	4.9	33	<1	<1	3	7	11	14	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	4.0	5	1	2	4	5	6	8	11
B. *Operated*	349	2.8	9	<1	<1	2	3	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	422	4.3	8	1	2	4	5	8	10	14
B. *Operated*	380	4.9	23	<1	1	4	7	10	12	21
1. SINGLE DX	728	3.4	7	<1	1	3	5	6	8	12
2. MULTIPLE DX	802	4.6	15	1	1	4	6	9	11	18
A. NOT OPERATED	801	4.2	7	1	2	4	5	7	9	13
B. OPERATED	729	3.9	17	<1	1	2	5	8	11	19
TOTAL 0-19 YRS	871	4.2	8	1	1	4	5	8	9	14
20-34	300	3.8	19	<1	<1	3	5	9	11	19
35-49	176	3.9	16	1	1	3	5	8	11	24
50-64	98	3.7	10	<1	1	2	5	8	11	14
65+	85	4.0	20	<1	1	3	5	8	11	28
GRAND TOTAL	**1530**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.1	309	<1	<1	3	13	36	56	67
20-34	56	12.0	135	1	1	7	18	30	36	46
35-49	42	12.0	270	1	1	6	15	26	44	84
50-64	54	10.8	271	1	1	3	13	28	52	81
65+	111	10.2	125	1	1	6	14	28	37	70
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	5	2.8	1	2	2	3	3	4	4	4
65+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	9.2	132	1	1	3	13	24	36	46
20-34	235	14.1	231	1	2	8	19	36	50	65
35-49	211	11.1	130	1	1	7	15	24	32	59
50-64	406	10.6	130	1	2	6	14	26	33	52
65+	1654	9.3	91	2	2	6	11	21	27	52
B. *Operated*										
0-19 YRS										
20-34	11	20.1	681	1	2	11	38	89	98	99+
35-49	20	18.8	483	2	3	9	24	53	70	84
50-64	49	15.6	232	2	3	12	19	33	39	81
65+	187	14.0	190	1	1	9	20	37	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	11.0	187	1	1	5	14	29	39	77
B. *Operated*	8	3.9	11	2	2	3	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	2563	10.1	116	1	2	6	13	23	31	59
B. *Operated*	267	14.9	238	1	2	10	20	38	57	99+
1. SINGLE DX	292	10.8	184	1	1	5	14	29	38	76
2. MULTIPLE DX	2830	10.5	129	1	2	7	13	24	34	63
A. NOT OPERATED	2847	10.2	123	1	2	6	13	24	32	61
B. OPERATED	275	14.6	235	1	2	9	20	37	55	99+
TOTAL 0-19 YRS	78	9.7	177	<1	1	3	13	30	38	61
20-34	303	13.9	229	1	2	8	19	34	50	75
35-49	273	11.8	179	1	2	7	15	25	35	70
50-64	514	11.0	155	1	2	6	14	27	35	67
65+	1954	9.8	104	1	2	7	12	23	31	63
GRAND TOTAL	**3122**	**10.6**	**134**	**1**	**2**	**7**	**13**	**25**	**34**	**65**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	1.9	9	<1	1	1	2	3	5	34
20-34	251	4.1	55	<1	1	2	4	8	14	27
35-49	101	6.5	71	1	1	4	7	15	24	47
50-64	142	7.6	117	1	1	4	10	17	23	93
65+	720	9.9	102	1	2	7	13	21	29	58
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	6.0	49	1	1	3	11	14	14	14
50-64	7	5.3	14	2	2	4	7	11	12	12
65+	15	8.4	72	1	1	5	10	21	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	7.1	191	1	1	2	6	19	45	99+
20-34	955	8.6	122	1	1	6	9	19	30	74
35-49	707	8.9	95	1	2	6	10	20	28	54
50-64	811	10.8	123	1	2	7	14	24	32	83
65+	6428	10.6	109	2	3	8	13	22	34	99+
B. *Operated*										
0-19 YRS	35	9.9	246	1	1	3	33	84	99+	99+
20-34	73	13.4	520	1	1	5	12	53	86	99+
35-49	49	12.1	159	1	2	9	17	31	40	99+
50-64	104	15.5	257	1	2	11	22	38	62	99+
65+	650	17.1	245	3	4	12	23	41	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1498	7.0	86	1	1	4	9	17	24	55
B. *Operated*	26	7.3	50	1	1	5	10	16	23	31
2. MULTIPLE DX										
A. *Not Operated*	9387	10.1	116	1	2	7	13	22	33	86
B. *Operated*	911	16.1	266	1	3	11	22	41	69	99+
1. SINGLE DX	1524	7.0	85	1	1	4	9	17	24	55
2. MULTIPLE DX	10298	10.6	132	1	2	7	13	24	35	99+
A. NOT OPERATED	10885	9.7	113	1	2	7	12	21	31	81
B. OPERATED	937	15.8	262	1	2	11	21	40	69	99+
TOTAL 0-19 YRS	805	5.4	136	1	1	2	4	13	37	99+
20-34	1280	8.0	135	1	1	5	8	17	28	79
35-49	860	8.8	97	1	2	6	10	20	28	60
50-64	1064	10.8	138	1	2	7	14	25	34	91
65+	7813	11.1	123	2	3	8	14	24	35	99+
GRAND TOTAL	**11822**	**10.2**	**128**	**1**	**2**	**7**	**13**	**23**	**35**	**98**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	38	11.2	80	1	2	9	16	26	35	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	10.4	87	1	1	8	13	26	31	31
50-64	71	13.3	111	3	4	10	17	28	37	48
65+	837	11.0	112	2	3	8	14	22	33	78
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	13	16.0	167	2	4	14	19	31	48	52
65+	74	15.2	143	5	5	12	18	29	46	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	11.0	78	1	2	9	16	25	35	99+
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	917	11.2	112	2	3	8	14	22	33	71
B. *Operated*	88	15.4	144	4	5	13	19	29	48	89
1. SINGLE DX	43	11.1	77	1	2	9	17	24	35	99+
2. MULTIPLE DX	1005	11.6	116	2	3	9	15	23	35	73
A. NOT OPERATED	959	11.2	110	2	3	8	14	23	33	76
B. OPERATED	89	15.4	142	4	5	13	19	28	48	88
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	11	10.7	86	1	2	8	16	25	30	31
50-64	86	13.5	118	3	4	10	18	27	38	51
65+	950	11.4	114	2	3	8	14	22	34	93
GRAND TOTAL	**1048**	**11.5**	**114**	**2**	**3**	**9**	**15**	**23**	**35**	**77**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	198	3.2	10	<1	1	2	4	6	9	23
35-49	253	3.5	15	1	1	3	4	6	9	24
50-64	146	5.4	58	1	1	3	6	10	16	36
65+	35	8.3	180	2	2	5	8	16	22	80
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.8	66	<1	1	4	6	22	27	32
20-34	2630	5.9	42	1	2	5	5	10	23	30
35-49	4558	5.7	29	1	2	5	5	9	15	29
50-64	2730	6.5	38	2	2	5	7	12	21	33
65+	1131	8.4	63	2	2	6	10	18	24	47
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	55	10.5	131	1	2	7	11	27	42	52
35-49	154	11.0	87	2	3	8	13	24	29	49
50-64	127	14.3	164	2	3	9	20	32	39	86
65+	72	16.7	205	4	5	13	20	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	4.1	34	1	1	3	4	7	12	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11113	6.2	39	1	2	5	6	12	21	30
B. *Operated*	409	12.9	142	2	3	9	17	29	41	75
1. SINGLE DX	637	4.1	34	1	1	3	4	7	12	28
2. MULTIPLE DX	11522	6.5	44	1	2	5	6	13	22	33
A. NOT OPERATED	11750	6.1	38	1	2	5	6	11	21	30
B. OPERATED	409	12.9	142	2	3	9	17	29	41	75
TOTAL 0-19 YRS	70	6.3	63	<1	1	3	6	22	27	32
20-34	2883	5.8	42	1	2	5	5	10	22	30
35-49	4965	5.7	31	1	2	5	5	9	17	29
50-64	3003	6.8	47	2	2	5	7	14	22	35
65+	1238	8.9	78	2	2	6	11	19	26	52
GRAND TOTAL	**12159**	**6.3**	**43**	**1**	**2**	**5**	**6**	**12**	**21**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.2	37	<1	<1	3	6	14	19	26
20-34	153	4.4	25	<1	1	3	5	9	16	35
35-49	57	4.9	43	<1	1	3	5	9	18	40
50-64	25	3.8	17	1	1	2	4	10	13	16
65+	41	4.2	19	1	1	3	5	8	13	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	9.1	133	1	1	5	10	27	32	51
20-34	1837	6.7	58	1	2	4	7	15	26	36
35-49	819	6.0	36	1	2	4	6	12	21	31
50-64	403	7.0	54	1	1	5	8	14	25	37
65+	1002	7.1	44	1	2	5	9	15	19	35
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	37	11.1	188	1	1	6	17	30	59	99+
35-49	23	9.2	49	1	2	8	13	21	24	25
50-64	36	12.8	136	2	3	10	17	21	32	65
65+	83	10.7	69	2	4	8	12	23	29	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.5	28	<1	1	3	5	10	16	28
B. *Operated*	4	3.5	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	4277	6.8	54	1	2	4	7	15	24	37
B. *Operated*	180	11.1	104	1	3	8	14	24	32	66
1. SINGLE DX	332	4.5	28	<1	1	3	5	9	16	28
2. MULTIPLE DX	4457	7.0	57	1	2	4	7	15	24	38
A. NOT OPERATED	4605	6.6	53	1	2	4	7	14	23	36
B. OPERATED	184	10.9	103	1	3	8	14	24	32	66
TOTAL 0-19 YRS	270	8.4	117	1	1	4	9	24	30	48
20-34	2028	6.6	58	1	2	4	7	15	26	37
35-49	901	6.0	37	1	2	4	6	12	21	31
50-64	464	7.3	61	1	1	5	9	16	25	38
65+	1126	7.3	46	1	2	5	9	15	19	40
GRAND TOTAL	**4789**	**6.8**	**55**	**1**	**2**	**4**	**7**	**15**	**24**	**37**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	17.9	262	2	3	14	24	43	61	99+
20-34	2937	14.2	175	1	2	10	19	31	41	66
35-49	1701	13.6	143	2	3	10	18	29	37	62
50-64	557	14.0	123	2	3	11	19	29	35	56
65+	138	17.0	127	2	4	14	24	33	37	49
B. *Operated*										
0-19 YRS										
20-34	8	18.5	196	4	5	13	27	41	46	46
35-49	5	12.6	95	3	3	14	18	27	27	27
50-64	2	15.5	1	15	15	15	16	16	16	16
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	20.9	307	1	3	18	29	46	63	99+
20-34	2316	15.3	186	2	3	12	20	34	44	79
35-49	1668	14.6	157	2	3	11	20	30	40	66
50-64	841	16.2	143	3	4	13	22	32	39	58
65+	420	17.6	183	2	4	15	23	36	47	98
B. *Operated*										
0-19 YRS	5	26.6	219	13	13	31	45	94	99+	99+
20-34	54	23.0	351	5	6	17	35	62	81	99+
35-49	78	21.1	191	5	7	19	28	47	56	99+
50-64	52	24.8	268	6	8	24	34	44	74	99
65+	21	25.5	258	6	8	25	40	50	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5532	14.2	162	2	3	11	19	30	40	65
B. *Operated*	16	15.9	125	3	4	14	20	29	41	46
2. MULTIPLE DX										
A. *Not Operated*	5383	15.6	174	2	3	12	21	33	42	73
B. *Operated*	210	23.1	257	5	7	20	32	50	69	99+
1. SINGLE DX	5548	14.2	162	2	3	11	19	30	40	65
2. MULTIPLE DX	5593	15.9	179	2	3	12	21	34	44	78
A. NOT OPERATED	10915	14.9	169	2	3	11	20	32	41	70
B. OPERATED	226	22.6	250	5	7	19	31	49	63	99+
TOTAL 0-19 YRS	342	19.2	281	2	3	15	28	46	62	99+
20-34	5315	14.8	182	2	3	11	20	32	42	73
35-49	3452	14.2	152	2	3	11	19	30	39	65
50-64	1452	15.7	144	2	4	13	22	31	39	59
65+	580	17.7	174	2	4	15	24	35	46	79
GRAND TOTAL	**11141**	**15.0**	**172**	**2**	**3**	**12**	**20**	**32**	**42**	**71**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	24.1	472	2	3	19	41	59	83	99+
20-34	204	13.3	125	1	2	10	20	27	36	53
35-49	54	12.4	115	1	2	10	17	28	32	45
50-64	11	14.5	148	2	3	10	19	31	44	45
65+	10	7.3	82	1	1	4	8	20	32	32
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	22.5	319	2	4	18	29	50	56	79
20-34	171	13.4	130	2	3	11	18	28	37	67
35-49	63	13.2	97	2	3	11	17	25	30	53
50-64	30	12.4	88	1	1	13	17	24	28	39
65+	22	13.1	142	2	3	9	14	33	40	42
B. *Operated*										
0-19 YRS	2	34.5	221	24	24	34	45	45	45	45
20-34	8	21.8	228	4	5	25	30	42	47	47
35-49	3	36.7	1352	5	5	28	65	77	77	77
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	15.1	210	1	2	11	21	35	45	83
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	335	14.6	157	2	3	12	19	30	42	65
B. *Operated*	15	24.3	426	3	4	24	30	47	69	77
1. SINGLE DX	348	15.1	209	1	2	11	21	35	45	83
2. MULTIPLE DX	350	15.0	171	2	3	12	21	31	45	71
A. NOT OPERATED	682	14.9	184	1	2	11	21	32	44	75
B. OPERATED	16	24.3	397	3	4	24	30	47	68	77
TOTAL 0-19 YRS	119	23.6	403	2	3	19	38	53	70	99+
20-34	384	13.5	130	1	3	11	20	28	37	57
35-49	120	13.5	138	1	2	11	17	27	33	61
50-64	43	12.6	100	1	2	10	18	23	32	45
65+	32	11.3	128	2	2	8	13	31	38	42
GRAND TOTAL	**698**	**15.1**	**190**	**1**	**2**	**11**	**21**	**32**	**45**	**77**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	18.1	275	2	3	13	27	46	58	99+
20-34	4002	14.6	177	1	2	11	20	32	41	65
35-49	2388	13.4	141	1	2	10	18	28	35	60
50-64	988	14.9	150	2	3	12	20	30	37	61
65+	214	16.6	221	1	3	13	22	39	46	99+
B. *Operated*										
0-19 YRS										
20-34	3	46.0	1332	4	4	64	68	70	70	70
35-49	2	20.5	1	20	20	20	21	21	21	21
50-64	3	18.0	157	5	5	19	27	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	22.1	383	2	3	17	34	58	84	99+
20-34	4074	15.9	201	2	3	12	21	34	44	74
35-49	3045	15.4	169	2	3	12	21	31	42	71
50-64	1765	16.8	179	3	4	14	22	33	43	74
65+	724	16.8	181	2	4	14	22	35	46	97
B. *Operated*										
0-19 YRS	14	26.5	306	2	4	27	39	63	91	99+
20-34	129	22.8	308	5	6	19	28	45	57	98
35-49	145	24.6	317	3	7	20	33	56	67	99+
50-64	100	24.0	203	7	9	21	32	44	50	88
65+	58	28.7	337	7	10	28	39	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7977	14.5	170	1	3	11	19	31	40	66
B. *Operated*	8	29.1	622	4	4	20	47	68	70	70
2. MULTIPLE DX										
A. *Not Operated*	10021	16.2	195	2	3	13	21	34	45	79
B. *Operated*	446	24.5	292	5	7	20	33	51	66	99+
1. SINGLE DX	7985	14.5	170	1	3	11	19	31	41	66
2. MULTIPLE DX	10467	16.6	202	2	3	13	22	35	46	83
A. NOT OPERATED	17998	15.5	184	2	3	12	21	33	43	73
B. OPERATED	454	24.6	297	5	7	20	33	51	67	99+
TOTAL 0-19 YRS	812	20.2	334	2	3	15	30	51	67	99+
20-34	8208	15.4	193	2	3	11	21	33	43	70
35-49	5580	14.8	164	2	3	11	20	31	40	70
50-64	2856	16.4	172	2	4	13	22	33	42	71
65+	996	17.4	206	2	4	14	23	38	49	99+
GRAND TOTAL	**18452**	**15.7**	**189**	**2**	**3**	**12**	**21**	**33**	**44**	**75**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	20.6	334	2	2	14	30	48	57	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	29.0		29	29	64	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	29.9	632	2	3	29	55	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	24.7	1412	1	1	36	84	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	20.6	334	2	2	14	30	48	57	99+
B. *Operated*	1	29.0		29	29	64	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	118	29.9	632	2	3	29	55	99+	99+	99+
B. *Operated*	3	24.7	1412	1	1	36	84	99+	99+	99+
1. SINGLE DX	53	20.8	329	2	2	16	31	53	79	99+
2. MULTIPLE DX	121	29.8	640	2	3	29	59	99+	99+	99+
A. NOT OPERATED	170	27.1	557	2	3	25	46	91	99+	99+
B. OPERATED	4	25.8	946	1	1	48	99+	99+	99+	99+
TOTAL 0-19 YRS	174	27.0	560	2	3	25	47	95	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**174**	**27.0**	**560**	**2**	**3**	**25**	**47**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	942	19.3	281	1	3	15	29	46	61	99+
20-34	2905	12.5	136	1	2	9	17	28	36	56
35-49	3057	13.2	121	1	2	11	18	28	35	54
50-64	1961	15.8	151	2	3	13	21	32	40	61
65+	1705	18.8	171	3	4	16	26	36	44	63
B. *Operated*										
0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	7	17.3	111	2	3	19	24	31	32	32
35-49	10	17.8	204	1	4	14	21	41	49	49
50-64	8	27.8	142	7	9	32	36	39	40	40
65+	18	20.7	198	4	6	19	27	38	53	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2135	24.6	455	2	3	19	38	62	83	99+
20-34	7135	14.4	168	2	3	11	20	30	40	68
35-49	7416	14.8	145	2	3	12	20	30	38	62
50-64	5395	16.6	160	3	4	14	22	32	41	68
65+	6598	19.1	201	3	5	16	26	38	48	74
B. *Operated*										
0-19 YRS	61	27.8	646	2	3	20	49	86	99+	99+
20-34	307	21.2	234	3	4	19	30	43	52	96
35-49	430	22.5	269	5	7	19	29	46	67	96
50-64	412	24.0	221	6	8	21	31	42	54	80
65+	602	25.9	279	6	9	23	33	52	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10570	14.9	160	1	3	12	21	31	41	63
B. *Operated*	44	21.8	213	3	6	19	30	40	53	63
2. MULTIPLE DX										
A. *Not Operated*	28679	16.8	198	2	3	13	23	35	46	77
B. *Operated*	1812	23.9	271	5	7	20	32	47	64	99+
1. SINGLE DX	10614	15.0	160	1	3	12	21	32	41	63
2. MULTIPLE DX	30491	17.2	205	2	3	14	23	36	47	80
A. NOT OPERATED	39249	16.3	188	2	3	13	22	34	44	74
B. OPERATED	1856	23.9	269	5	7	20	32	46	63	99+
TOTAL 0-19 YRS	3139	23.1	413	2	3	18	35	59	75	99+
20-34	10354	14.1	163	1	2	10	19	30	39	65
35-49	10913	14.6	147	2	3	12	20	30	38	63
50-64	7776	16.8	164	3	4	14	22	33	42	67
65+	8923	19.5	203	3	5	16	27	38	49	77
GRAND TOTAL	**41105**	**16.6**	**194**	**2**	**3**	**13**	**22**	**35**	**45**	**76**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	17.8	238	2	3	13	25	38	50	81
20-34	2408	14.1	129	2	3	11	19	28	37	55
35-49	2189	13.8	126	2	3	11	18	28	35	56
50-64	1087	15.2	127	2	4	13	20	29	36	54
65+	473	15.7	141	3	4	13	21	31	38	64
B. *Operated*										
0-19 YRS										
20-34	4	17.3	18	11	11	19	20	20	20	20
35-49	6	21.5	982	2	3	11	12	78	85	85
50-64	4	16.8	100	6	6	20	47	99+	99+	99+
65+	4	24.5	174	9	9	25	35	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	22.6	404	2	3	18	34	60	83	99+
20-34	3219	15.4	169	2	3	12	20	31	40	68
35-49	3231	15.4	154	2	3	13	21	31	40	62
50-64	2322	17.1	155	3	5	14	23	33	40	65
65+	1619	18.8	177	3	5	16	24	36	44	66
B. *Operated*										
0-19 YRS	15	28.8	600	3	4	18	50	63	73	76
20-34	120	21.0	219	3	7	18	28	38	67	99+
35-49	178	22.7	184	7	8	19	29	45	53	72
50-64	164	22.7	237	5	7	20	30	42	57	86
65+	121	26.2	201	8	11	25	38	54	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6539	14.5	136	2	3	12	19	29	37	58
B. *Operated*	18	20.2	350	4	7	19	27	67	93	99+
2. MULTIPLE DX										
A. *Not Operated*	10996	16.6	179	2	4	14	22	34	43	72
B. *Operated*	598	23.3	221	6	8	20	31	45	58	99+
1. SINGLE DX	6557	14.5	136	2	3	12	19	29	37	59
2. MULTIPLE DX	11594	17.0	184	2	4	14	22	34	44	73
A. NOT OPERATED	17535	15.9	164	2	3	13	21	32	41	67
B. OPERATED	616	23.2	225	6	8	20	31	45	60	99+
TOTAL 0-19 YRS	1002	20.9	349	2	3	16	30	52	70	99+
20-34	5751	15.0	154	2	3	12	20	30	39	64
35-49	5604	15.0	147	2	3	12	20	30	39	61
50-64	3577	16.8	152	3	4	14	22	32	40	65
65+	2217	18.5	176	3	5	16	24	37	45	69
GRAND TOTAL	**18151**	**16.1**	**168**	**2**	**4**	**13**	**21**	**32**	**42**	**69**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	12.4	170	1	1	8	18	29	39	74
20-34	829	9.7	90	1	1	7	13	23	29	39
35-49	587	9.7	74	1	2	7	13	20	26	42
50-64	345	10.5	108	1	1	7	14	22	30	53
65+	365	10.5	109	1	2	7	14	22	26	50
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	5	9.8	27	3	3	9	13	17	17	17
65+	5	4.2	13	1	1	3	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	17.4	361	1	2	11	25	45	77	99+
20-34	1477	10.7	107	1	2	7	15	24	30	51
35-49	1073	10.8	98	1	2	8	14	24	31	51
50-64	1096	10.9	108	1	2	8	14	23	30	51
65+	2829	10.2	97	2	2	7	13	21	30	51
B. *Operated*										
0-19 YRS	3	13.0	189	1	1	28	99+	99+	99+	99+
20-34	44	15.1	289	1	2	9	19	37	41	92
35-49	50	16.8	168	2	5	12	26	34	51	99+
50-64	103	15.4	163	3	3	13	20	32	44	63
65+	244	15.7	222	2	3	11	20	36	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2312	10.2	98	1	1	7	14	22	29	49
B. *Operated*	15	5.5	23	<1	1	4	9	12	16	17
2. MULTIPLE DX										
A. *Not Operated*	6853	10.9	118	1	2	8	14	24	32	57
B. *Operated*	444	15.7	207	2	3	12	21	36	52	99+
1. SINGLE DX	2327	10.1	98	1	1	7	14	22	29	49
2. MULTIPLE DX	7297	11.2	125	1	2	8	15	25	34	61
A. NOT OPERATED	9165	10.7	113	1	2	7	14	23	31	56
B. OPERATED	459	15.3	204	2	3	11	21	35	51	99+
TOTAL 0-19 YRS	568	15.7	302	1	1	10	23	42	62	99+
20-34	2351	10.4	105	1	2	7	14	24	30	50
35-49	1713	10.6	93	1	2	8	14	23	30	51
50-64	1549	11.1	113	1	2	8	15	23	30	51
65+	3443	10.6	109	2	2	7	14	22	31	56
GRAND TOTAL	**9624**	**10.9**	**118**	**1**	**2**	**8**	**14**	**24**	**32**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	7.0	113	<1	1	3	6	22	33	44
20-34	413	5.6	41	<1	1	3	7	13	18	32
35-49	344	5.3	45	1	1	3	6	13	18	36
50-64	186	4.8	18	1	1	3	6	11	14	19
65+	92	6.1	62	1	1	3	8	14	18	48
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	10	4.7	86	1	1	2	3	17	31	31
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	11.5	281	1	1	5	17	46	88	99+
20-34	1067	7.8	77	1	1	5	9	19	26	39
35-49	1265	7.1	67	1	1	4	9	18	24	42
50-64	989	6.3	44	1	1	4	8	15	21	30
65+	1027	6.2	46	1	1	4	7	14	18	29
B. *Operated*										
0-19 YRS	6	32.7	1560	2	2	15	86	98	99+	99+
20-34	56	8.4	85	1	1	5	13	23	26	42
35-49	62	9.9	173	<1	1	5	13	28	32	73
50-64	52	7.3	49	1	2	5	10	16	18	36
65+	44	9.9	103	1	1	8	13	23	24	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	5.5	46	<1	1	3	6	13	18	34
B. *Operated*	14	4.5	60	1	1	2	4	8	26	31
2. MULTIPLE DX										
A. *Not Operated*	4546	7.1	70	1	1	4	8	17	24	45
B. *Operated*	220	9.6	153	1	1	5	12	23	30	81
1. SINGLE DX	1141	5.5	46	<1	1	3	6	13	18	34
2. MULTIPLE DX	4766	7.2	74	1	1	4	9	18	24	46
A. NOT OPERATED	5673	6.8	65	1	1	4	8	16	23	43
B. OPERATED	234	9.3	148	1	1	5	12	23	30	80
TOTAL 0-19 YRS	296	10.5	264	<1	1	4	14	39	75	99+
20-34	1538	7.2	68	1	1	4	9	17	25	37
35-49	1681	6.8	67	1	1	4	8	18	24	40
50-64	1229	6.1	40	1	1	4	7	14	19	29
65+	1163	6.4	49	1	1	4	8	14	19	31
GRAND TOTAL	**5907**	**6.9**	**69**	**1**	**1**	**4**	**8**	**17**	**23**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	583	19.1	351	1	2	13	30	46	62	98
20-34	1047	8.0	70	1	1	5	11	17	25	40
35-49	862	8.9	73	1	2	6	12	20	25	43
50-64	307	9.6	100	1	2	7	13	19	25	65
65+	182	10.5	71	2	2	8	14	22	29	40
B. *Operated*										
0-19 YRS										
20-34	2	20.5	685	2	2	20	39	39	39	39
35-49	4	10.3	35	2	2	11	14	16	16	16
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	12.0	151	3	3	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1508	25.1	475	2	3	21	43	67	95	99+
20-34	3009	10.6	104	1	2	7	15	24	30	48
35-49	2629	10.9	97	1	2	8	15	24	30	47
50-64	1360	10.1	79	2	2	7	14	21	27	45
65+	1246	10.2	82	2	3	7	13	21	28	42
B. *Operated*										
0-19 YRS	42	27.4	417	3	4	25	51	94	99+	99+
20-34	110	17.9	267	2	3	14	23	36	51	82
35-49	110	18.5	234	3	4	14	24	35	46	77
50-64	95	14.9	130	2	4	12	19	28	41	58
65+	100	16.3	237	3	4	12	20	31	53	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2981	10.7	146	1	2	7	14	26	37	65
B. *Operated*	10	12.5	141	2	2	9	16	32	39	39
2. MULTIPLE DX										
A. *Not Operated*	9752	12.8	181	1	2	8	17	29	43	90
B. *Operated*	457	17.9	246	3	4	14	24	43	57	99
1. SINGLE DX	2991	10.7	146	1	2	7	14	26	37	65
2. MULTIPLE DX	10209	13.0	185	1	2	8	18	30	44	91
A. NOT OPERATED	12733	12.3	173	1	2	8	16	29	42	84
B. OPERATED	467	17.8	244	3	4	14	24	42	56	99
TOTAL 0-19 YRS	2133	23.5	447	1	3	18	40	62	86	99+
20-34	4168	10.1	103	1	2	7	14	23	29	47
35-49	3605	10.7	98	1	2	7	14	24	30	46
50-64	1763	10.3	86	1	2	7	14	22	28	47
65+	1531	10.6	93	2	3	8	14	22	29	48
GRAND TOTAL	**13200**	**12.5**	**177**	**1**	**2**	**8**	**17**	**29**	**43**	**84**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	475	9.9	205	1	1	4	12	30	45	73
20-34	949	8.6	125	<1	1	4	11	21	32	61
35-49	405	8.3	113	1	1	5	10	19	26	53
50-64	147	7.2	100	1	1	4	9	15	20	54
65+	68	9.1	133	<1	1	4	11	27	35	51
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	97	7.6	17	1	2	9	9	10	15	21
35-49	83	6.6	29	1	1	6	9	11	17	29
50-64	69	3.3	5	1	1	3	4	6	9	10
65+	19	4.8	19	1	2	4	6	8	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	987	13.1	291	1	1	6	19	41	58	99+
20-34	2729	8.6	116	1	1	5	11	21	29	63
35-49	1587	9.2	115	1	1	6	11	22	30	57
50-64	663	8.7	78	1	2	6	11	21	27	41
65+	731	8.1	61	1	2	5	10	18	26	41
B. *Operated*										
0-19 YRS	28	20.0	492	1	2	14	39	77	99+	99+
20-34	166	11.6	159	1	2	8	14	28	41	76
35-49	149	12.8	183	1	2	9	18	27	35	65
50-64	111	7.6	85	1	1	5	9	19	27	46
65+	71	11.2	120	1	2	8	18	24	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2044	8.7	140	<1	1	4	11	22	33	64
B. *Operated*	269	6.0	21	1	1	5	9	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	6697	9.4	134	1	1	5	11	23	33	74
B. *Operated*	525	11.5	169	1	2	7	15	26	39	82
1. SINGLE DX	2313	8.4	127	1	1	4	10	21	32	63
2. MULTIPLE DX	7222	9.5	137	1	1	5	12	23	33	74
A. NOT OPERATED	8741	9.2	136	1	1	5	11	23	33	69
B. OPERATED	794	9.6	125	1	2	7	10	22	32	62
TOTAL 0-19 YRS	1491	12.2	270	1	1	5	17	39	56	99+
20-34	3941	8.7	118	1	1	5	11	21	30	61
35-49	2224	9.2	117	1	1	6	11	22	30	55
50-64	990	8.0	79	1	1	5	10	19	26	41
65+	889	8.3	71	1	2	5	10	19	27	43
GRAND TOTAL	**9535**	**9.3**	**135**	**1**	**1**	**5**	**11**	**23**	**33**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	8.4	164	<1	<1	2	9	28	35	54
20-34	2342	8.6	92	1	1	4	11	27	28	31
35-49	2620	8.0	83	1	1	4	7	27	28	31
50-64	1055	8.1	85	1	1	4	8	27	29	34
65+	267	7.5	60	1	1	4	8	21	26	30
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	3	18.0	193	2	2	25	26	27	27	27
35-49	3	10.7	96	5	5	5	18	22	22	22
50-64	4	21.3	462	8	8	12	34	53	53	53
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2335	23.5	248	1	2	25	35	43	47	61
20-34	14750	14.0	123	1	2	10	24	29	30	39
35-49	14115	12.3	112	1	2	7	22	28	30	37
50-64	7736	12.0	111	2	2	6	21	28	30	38
65+	3267	11.7	101	2	2	7	20	28	30	39
B. *Operated*										
0-19 YRS	27	27.1	310	1	3	28	36	50	57	66
20-34	317	17.9	114	2	3	21	27	30	33	37
35-49	389	17.0	118	3	4	15	26	30	34	44
50-64	315	16.9	131	3	4	14	26	32	38	57
65+	202	17.7	218	2	3	15	26	35	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6535	8.2	89	1	1	4	9	27	28	32
B. *Operated*	13	15.7	205	2	4	8	23	32	49	53
2. MULTIPLE DX										
A. *Not Operated*	42203	13.4	129	1	2	8	23	29	31	42
B. *Operated*	1250	17.5	142	2	4	17	27	31	36	55
1. SINGLE DX	6548	8.3	89	1	1	4	9	27	28	32
2. MULTIPLE DX	43453	13.5	130	1	2	8	23	29	31	42
A. NOT OPERATED	48738	12.7	127	1	2	7	23	29	31	42
B. OPERATED	1263	17.5	143	2	4	17	27	31	36	55
TOTAL 0-19 YRS	2614	22.1	260	1	1	22	33	43	47	61
20-34	17412	13.3	122	1	2	8	24	29	30	38
35-49	17127	11.7	111	1	2	6	21	28	30	36
50-64	9110	11.7	112	2	2	6	21	28	30	38
65+	3738	11.7	108	2	2	7	20	28	30	40
GRAND TOTAL	**50001**	**12.8**	**128**	**1**	**2**	**7**	**23**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.2	51	1	2	6	14	20	24	24
20-34	412	7.5	62	1	2	4	8	22	28	33
35-49	164	7.8	58	2	2	5	9	21	26	31
50-64	5	15.6	215	5	5	8	25	39	39	39
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	21.9	347	2	3	21	31	41	65	84
20-34	1738	12.8	113	2	3	8	21	28	32	42
35-49	816	12.8	107	2	3	8	21	28	30	42
50-64	98	15.1	104	4	4	12	23	29	33	42
65+	73	13.9	125	3	4	9	21	29	34	48
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	54	19.0	116	4	6	20	26	31	33	57
35-49	27	16.1	104	2	4	13	27	29	30	31
50-64	12	15.4	82	5	6	12	22	30	32	32
65+	4	38.3	1312	4	4	30	62	89	89	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	7.7	62	1	2	4	8	22	28	33
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2787	13.1	118	2	3	8	21	28	32	42
B. *Operated*	98	18.4	161	4	5	18	27	31	33	74
1. SINGLE DX	595	7.6	62	1	2	4	8	22	27	33
2. MULTIPLE DX	2885	13.3	121	2	3	8	22	29	32	42
A. NOT OPERATED	3381	12.1	113	2	3	7	21	28	31	42
B. OPERATED	99	18.3	162	4	5	18	27	30	33	74
TOTAL 0-19 YRS	72	20.1	323	2	3	17	29	40	61	83
20-34	2204	12.0	109	2	3	7	20	28	31	42
35-49	1008	12.1	103	2	3	7	21	28	30	42
50-64	115	15.1	104	4	4	12	23	29	34	41
65+	81	14.6	196	2	3	9	21	31	38	76
GRAND TOTAL	**3480**	**12.3**	**115**	**2**	**3**	**7**	**21**	**28**	**31**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	24.5	392	1	2	25	39	46	59	90
20-34	800	10.4	88	1	2	6	18	26	28	33
35-49	181	11.1	93	1	2	7	20	26	28	36
50-64	23	11.3	341	<1	1	6	10	27	54	86
65+	13	10.4	165	<1	1	4	14	32	37	38
B. *Operated*										
0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	1	32.0		32	32	32	32	32	32	32
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1536	26.4	269	3	4	28	37	45	53	81
20-34	4806	17.2	124	2	3	20	27	30	34	42
35-49	1336	16.5	123	2	3	18	26	30	33	42
50-64	230	17.4	133	2	3	19	27	31	36	42
65+	153	17.9	159	3	5	16	26	33	41	46
B. *Operated*										
0-19 YRS	21	41.0	293	22	27	39	60	82	99+	99+
20-34	110	21.6	91	4	6	23	28	31	35	45
35-49	49	19.4	139	2	3	20	28	35	40	48
50-64	20	21.2	102	4	6	21	29	35	36	37
65+	3	21.3	82	11	11	25	27	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1206	12.7	167	1	2	7	21	29	36	58
B. *Operated*	3	14.0	243	5	5	5	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	8061	18.9	166	2	3	20	28	34	42	53
B. *Operated*	203	23.0	160	3	6	23	29	37	43	87
1. SINGLE DX	1209	12.7	167	1	2	7	21	29	36	58
2. MULTIPLE DX	8264	19.0	166	2	3	20	28	34	42	54
A. NOT OPERATED	9267	18.1	170	2	3	19	28	34	41	53
B. OPERATED	206	22.9	161	3	6	23	29	37	43	87
TOTAL 0-19 YRS	1746	26.4	285	2	4	28	38	46	54	86
20-34	5718	16.3	125	2	3	18	26	30	33	42
35-49	1567	16.0	123	2	3	16	25	29	33	42
50-64	273	17.2	151	2	3	16	27	31	37	43
65+	169	17.4	161	2	4	14	26	33	39	46
GRAND TOTAL	**9473**	**18.2**	**170**	**2**	**3**	**20**	**28**	**34**	**41**	**54**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	1.8	26	<1	<1	1	1	2	3	31
20-34	363	2.1	14	<1	<1	1	2	3	5	20
35-49	204	3.7	32	<1	<1	2	4	7	19	29
50-64	94	3.9	24	<1	1	2	4	9	13	28
65+	26	4.3	47	<1	1	2	5	9	14	35
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49										
50-64	3	3.7		3	3	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	904	8.1	214	<1	<1	1	6	30	44	60
20-34	1195	6.2	83	<1	<1	2	6	22	29	33
35-49	726	6.3	69	<1	1	3	6	20	28	33
50-64	452	5.8	55	<1	1	3	6	14	27	32
65+	223	5.2	49	1	1	3	5	11	22	33
B. *Operated*										
0-19 YRS	27	2.8	31	<1	<1	1	2	6	12	29
20-34	67	3.6	37	<1	<1	1	3	9	19	30
35-49	29	7.0	57	<1	1	4	11	16	23	33
50-64	29	9.5	102	<1	<1	5	13	28	29	32
65+	22	4.8	26	<1	1	2	7	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1338	2.4	25	<1	<1	1	2	4	7	29
B. *Operated*	7	3.1	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3500	6.6	109	<1	<1	2	6	21	30	47
B. *Operated*	174	5.2	53	<1	<1	2	7	16	24	32
1. SINGLE DX	1345	2.4	25	<1	<1	1	2	4	7	29
2. MULTIPLE DX	3674	6.5	106	<1	<1	2	6	21	30	46
A. NOT OPERATED	4838	5.4	89	<1	<1	2	4	17	28	45
B. OPERATED	181	5.1	51	<1	<1	2	6	15	23	32
TOTAL 0-19 YRS	1583	5.4	143	<1	<1	1	2	15	36	55
20-34	1628	5.2	69	<1	<1	2	4	19	28	32
35-49	959	5.7	62	<1	1	3	6	18	27	33
50-64	578	5.7	53	<1	1	3	6	13	26	32
65+	271	5.1	47	1	1	3	5	11	21	33
GRAND TOTAL	**5019**	**5.4**	**88**	**<1**	**<1**	**2**	**4**	**17**	**28**	**44**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	10.5	194	<1	1	3	14	35	41	52
20-34	513	8.1	84	1	1	4	10	24	28	33
35-49	125	6.5	56	1	1	4	7	19	26	31
50-64	14	7.9	60	1	2	6	9	16	28	32
65+	10	6.7	27	1	1	5	13	14	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	811	21.9	341	1	2	19	36	48	57	75
20-34	2014	12.6	121	1	2	8	22	28	30	42
35-49	534	11.3	102	1	1	7	21	28	30	35
50-64	118	10.4	89	1	2	7	13	27	30	42
65+	78	9.8	50	2	2	8	14	21	23	28
B. *Operated*										
0-19 YRS	14	24.5	377	2	2	19	42	51	57	59
20-34	75	19.1	151	1	3	20	28	33	41	54
35-49	19	16.4	140	1	2	15	28	33	36	37
50-64	8	15.1	163	3	4	10	21	37	41	41
65+	5	11.2	2	10	10	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	8.4	102	1	1	4	10	26	30	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3555	14.4	182	1	2	9	24	31	41	59
B. *Operated*	121	18.7	173	2	3	16	28	35	42	58
1. SINGLE DX	830	8.4	102	1	1	4	10	26	30	42
2. MULTIPLE DX	3676	14.5	183	1	2	9	24	31	41	59
A. NOT OPERATED	4385	13.3	173	1	1	7	22	30	39	57
B. OPERATED	121	18.7	173	2	3	16	28	35	42	58
TOTAL 0-19 YRS	993	20.0	334	1	1	16	34	47	54	73
20-34	2602	11.9	119	1	1	7	21	28	30	41
35-49	678	10.6	99	1	1	6	18	28	30	35
50-64	140	10.4	90	1	2	7	13	27	30	42
65+	93	9.5	45	2	2	8	14	21	22	28
GRAND TOTAL	**4506**	**13.4**	**174**	**1**	**1**	**7**	**22**	**30**	**39**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.8	3	1	1	2	4	5	7	9
20-34	73	3.0	5	1	1	2	4	7	7	9
35-49	68	2.9	4	<1	1	2	4	6	7	11
50-64	34	3.5	14	<1	1	2	4	8	12	18
65+	24	4.3	18	1	1	3	5	10	16	17
B. *Operated*										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	6	5.3	53	<1	<1	3	4	18	20	20
35-49	7	3.4	6	1	1	2	6	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	5.7	41	<1	<1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	6.8	204	<1	1	3	5	11	34	85
20-34	281	4.6	32	1	1	3	5	9	15	31
35-49	322	5.2	37	1	1	3	5	11	17	33
50-64	288	4.9	44	1	1	3	5	9	16	33
65+	405	4.6	18	1	2	4	5	8	11	24
B. *Operated*										
0-19 YRS	15	12.5	461	1	1	6	9	37	71	83
20-34	26	6.3	34	<1	1	4	8	14	20	24
35-49	37	5.1	13	1	1	5	7	9	11	19
50-64	45	6.1	30	1	1	4	10	12	16	27
65+	41	6.2	13	1	2	6	9	12	14	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	3.1	7	1	1	2	4	7	8	14
B. *Operated*	26	3.7	18	<1	1	2	4	7	14	20
2. MULTIPLE DX										
A. *Not Operated*	1445	5.0	50	1	1	3	5	9	15	35
B. *Operated*	164	6.5	63	1	1	5	8	12	16	76
1. SINGLE DX	294	3.2	8	1	1	2	4	7	8	16
2. MULTIPLE DX	1609	5.2	51	1	1	3	6	10	15	36
A. NOT OPERATED	1713	4.7	43	1	1	3	5	9	14	33
B. OPERATED	190	6.2	57	1	1	4	8	12	15	64
TOTAL 0-19 YRS	241	5.9	160	1	1	3	5	9	20	83
20-34	386	4.4	28	1	1	3	5	9	13	29
35-49	434	4.8	30	1	1	3	5	10	14	32
50-64	369	4.9	40	1	1	3	5	10	16	31
65+	473	4.7	18	1	1	4	6	9	13	25
GRAND TOTAL	**1903**	**4.9**	**45**	**1**	**1**	**3**	**5**	**9**	**14**	**34**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1796	11.9	189	1	1	7	17	32	41	69
20-34	1931	5.7	43	<1	1	3	7	13	18	36
35-49	1096	6.1	44	1	1	4	8	14	18	33
50-64	307	6.6	60	1	1	4	8	15	21	39
65+	135	8.6	70	1	1	6	11	20	27	38
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	4	3.3	10	<1	<1	2	5	8	8	8
35-49	3	15.0	163	4	4	12	25	29	29	29
50-64	4	10.3	103	1	1	10	19	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3278	14.6	257	1	1	9	22	39	50	99+
20-34	5125	7.7	74	1	1	5	10	18	25	40
35-49	3188	8.2	77	1	1	5	10	19	26	39
50-64	1165	8.7	80	1	1	6	11	20	29	47
65+	945	8.8	79	1	2	6	12	19	25	46
B. *Operated*										
0-19 YRS	62	14.7	255	1	2	10	21	39	53	98
20-34	149	11.0	159	1	1	7	15	24	40	66
35-49	103	11.0	86	1	1	9	15	26	32	69
50-64	39	14.9	163	2	3	12	18	27	39	67
65+	64	15.0	135	3	4	12	19	31	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5265	8.0	103	1	1	4	10	20	30	51
B. *Operated*	13	8.1	82	<1	<1	4	13	22	28	29
2. MULTIPLE DX										
A. *Not Operated*	13701	9.7	127	1	1	6	12	24	32	62
B. *Operated*	417	12.5	154	1	2	9	17	28	39	69
1. SINGLE DX	5278	8.0	103	1	1	4	10	20	30	51
2. MULTIPLE DX	14118	9.7	128	1	1	6	12	24	32	62
A. NOT OPERATED	18966	9.2	121	1	1	5	11	23	31	59
B. OPERATED	430	12.4	152	1	2	9	17	28	39	68
TOTAL 0-19 YRS	5138	13.7	235	1	1	8	20	36	47	95
20-34	7209	7.3	69	1	1	4	9	17	23	39
35-49	4390	7.8	70	1	1	5	10	18	25	39
50-64	1515	8.4	80	1	1	5	11	19	28	44
65+	1144	9.1	83	1	2	6	12	20	27	46
GRAND TOTAL	**19396**	**9.3**	**122**	**1**	**1**	**5**	**12**	**23**	**32**	**59**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1771	18.9	373	1	2	13	30	48	66	99+
20-34	826	11.6	194	<1	1	5	17	32	40	61
35-49	459	7.6	94	1	1	4	8	18	28	56
50-64	201	8.8	96	1	1	5	13	21	28	46
65+	129	10.9	125	1	2	7	14	26	34	55
B. *Operated*										
0-19 YRS	11	9.5	178	1	1	4	9	36	36	36
20-34	18	5.3	84	<1	1	2	6	10	28	40
35-49	18	7.8	62	1	1	7	9	20	28	30
50-64	6	3.8	9	1	1	3	7	8	8	8
65+	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4575	25.1	517	2	2	20	42	69	93	99+
20-34	2724	12.3	215	1	1	6	17	33	44	80
35-49	1818	9.2	115	1	2	5	12	24	32	55
50-64	1071	8.7	85	1	2	6	11	19	28	44
65+	1243	8.8	81	2	2	6	11	19	26	55
B. *Operated*										
0-19 YRS	114	33.7	852	3	3	30	71	99+	99+	99+
20-34	135	16.3	339	1	2	10	21	44	64	99+
35-49	146	13.0	175	2	2	9	16	29	44	58
50-64	88	12.2	130	2	3	10	16	24	33	64
65+	150	13.3	171	3	4	9	17	31	41	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3386	14.7	287	1	1	8	22	41	53	99
B. *Operated*	57	6.6	81	1	1	4	8	11	34	40
2. MULTIPLE DX										
A. *Not Operated*	11431	16.2	347	1	2	9	24	46	65	99+
B. *Operated*	633	17.4	383	2	3	10	23	53	80	99+
1. SINGLE DX	3443	14.6	284	1	1	7	22	40	52	98
2. MULTIPLE DX	12064	16.3	349	1	2	9	24	46	66	99+
A. NOT OPERATED	14817	15.9	334	1	2	8	24	45	63	99+
B. OPERATED	690	16.5	367	2	2	9	22	49	80	99+
TOTAL 0-19 YRS	6471	23.5	492	1	2	18	40	65	89	99+
20-34	3703	12.3	215	1	1	6	17	33	44	79
35-49	2441	9.1	115	1	1	5	11	23	32	55
50-64	1366	8.9	90	1	2	6	11	20	28	44
65+	1526	9.4	95	2	2	6	11	21	28	58
GRAND TOTAL	**15507**	**15.9**	**335**	**1**	**2**	**8**	**24**	**45**	**63**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	8.3	95	1	1	4	14	21	32	35
20-34	31	6.1	45	1	1	3	8	14	15	33
35-49	13	6.6	29	1	1	7	9	13	18	19
50-64	4	4.5	7	<1	<1	5	6	7	7	7
65+	2	14.0	72	8	8	14	20	20	20	20
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	12.2	199	1	2	7	15	38	45	90
20-34	108	12.1	118	1	2	8	17	30	40	99+
35-49	57	13.8	152	2	4	10	17	30	47	97
50-64	25	15.1	219	1	2	12	19	37	46	62
65+	4	14.8	186	3	3	12	26	31	31	31
B. *Operated*										
0-19 YRS	16	7.5	110	1	1	4	12	37	79	99+
20-34	10	10.0	35	5	5	7	16	19	21	21
35-49	8	11.5	308	1	1	4	13	42	53	53
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	7.1	58	1	1	4	10	18	21	34
B. *Operated*	5	4.2	10	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	282	12.8	158	1	2	8	17	32	43	99+
B. *Operated*	36	9.4	122	1	1	5	15	21	49	99+
1. SINGLE DX	81	6.9	56	1	1	4	8	16	21	34
2. MULTIPLE DX	318	12.4	155	1	2	8	17	32	44	99+
A. NOT OPERATED	358	11.6	142	1	2	8	15	31	40	97
B. OPERATED	41	8.8	111	1	1	5	14	20	46	99+
TOTAL 0-19 YRS	133	10.6	167	1	1	6	14	33	44	99+
20-34	150	10.7	102	1	2	8	14	25	35	99
35-49	78	12.4	150	1	2	9	17	28	47	90
50-64	31	13.5	190	1	2	8	16	35	41	62
65+	7	14.4	105	3	3	14	21	29	31	31
GRAND TOTAL	**399**	**11.3**	**140**	**1**	**1**	**7**	**15**	**30**	**40**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1032	9.1	18	1	3	10	11	14	15	22
20-34	152	6.4	25	1	2	5	8	11	14	27
35-49	96	7.1	62	1	1	5	10	13	18	44
50-64	49	7.7	32	1	1	7	11	15	16	25
65+	22	7.7	33	1	1	8	12	14	17	21
B. *Operated*										
0-19 YRS	95	12.3	65	1	5	11	14	24	28	47
20-34	57	6.0	57	1	1	3	8	16	19	43
35-49	97	6.1	71	1	1	3	8	15	23	48
50-64	56	6.2	60	1	1	3	9	15	20	42
65+	19	5.5	61	<1	1	2	8	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1414	10.9	28	2	4	11	13	16	20	28
20-34	250	8.2	39	1	2	7	11	16	22	32
35-49	264	11.7	121	1	2	9	15	24	31	55
50-64	221	11.8	73	2	3	11	15	21	27	43
65+	259	15.6	185	3	4	14	19	28	40	95
B. *Operated*										
0-19 YRS	284	19.1	171	6	8	15	24	37	48	92
20-34	160	19.4	324	2	4	14	25	41	64	98
35-49	227	14.9	243	1	1	9	21	42	54	99+
50-64	235	17.6	317	1	2	11	24	45	58	84
65+	210	21.7	279	1	3	18	34	51	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	8.6	23	1	2	10	11	14	15	23
B. *Operated*	324	7.9	72	1	1	6	11	17	24	44
2. MULTIPLE DX										
A. *Not Operated*	2408	11.3	63	2	3	11	14	18	24	44
B. *Operated*	1116	18.5	263	1	3	14	25	44	56	99+
1. SINGLE DX	1675	8.4	33	1	1	9	11	14	16	27
2. MULTIPLE DX	3524	13.5	138	2	3	11	15	26	39	69
A. NOT OPERATED	3759	10.3	51	2	3	10	12	16	21	39
B. OPERATED	1440	16.1	239	1	1	12	22	40	51	92
TOTAL 0-19 YRS	2825	11.1	48	2	3	11	13	17	22	41
20-34	619	10.5	139	1	2	7	13	22	32	77
35-49	684	11.3	156	1	1	8	14	26	42	69
50-64	561	13.3	186	1	1	10	16	30	44	69
65+	510	17.4	231	1	3	14	22	40	52	99
GRAND TOTAL	**5199**	**11.9**	**109**	**1**	**2**	**10**	**14**	**22**	**32**	**60**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	5.1	16	<1	<1	5	7	12	13	13
50-64	56	6.3	28	1	1	5	9	13	18	27
65+	150	7.7	56	2	2	6	10	14	18	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	7.6	10	4	4	8	10	12	12	12
50-64	4	4.8	8	1	1	5	7	7	7	7
65+	5	10.8	71	3	3	8	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	8.7	28	4	4	7	10	17	18	18
35-49	26	9.6	46	2	3	8	13	22	23	24
50-64	265	9.5	73	2	2	7	11	19	24	50
65+	1884	10.1	83	2	3	8	12	20	27	72
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	21.6	432	5	5	15	33	56	56	56
50-64	36	14.0	251	2	3	9	16	29	43	85
65+	252	15.9	203	3	5	12	20	34	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	7.2	48	1	2	6	9	13	18	30
B. *Operated*	14	7.9	33	1	3	7	9	13	22	25
2. MULTIPLE DX										
A. *Not Operated*	2182	10.0	81	2	3	8	12	20	26	60
B. *Operated*	293	15.8	211	3	5	11	19	34	58	99+
1. SINGLE DX	228	7.2	47	1	2	6	9	13	18	29
2. MULTIPLE DX	2475	10.7	100	2	3	8	13	21	29	79
A. NOT OPERATED	2396	9.8	78	2	3	8	12	19	26	60
B. OPERATED	307	15.4	206	3	4	11	19	33	55	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	7.6	32	1	2	5	10	16	18	18
35-49	43	10.0	93	1	3	8	12	22	24	56
50-64	361	9.4	86	2	2	7	11	18	25	50
65+	2291	10.6	98	2	3	8	13	21	29	83
GRAND TOTAL	**2703**	**10.4**	**96**	**2**	**3**	**8**	**13**	**21**	**29**	**76**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	12	1	1	4	8	10	11	11
20-34	364	6.7	30	1	1	6	9	12	15	28
35-49	536	7.6	35	1	2	6	10	14	19	29
50-64	153	7.4	26	1	1	7	10	14	16	24
65+	12	8.0	21	1	2	9	10	13	17	18
B. *Operated*										
0-19 YRS	4	4.8	25	1	1	3	8	12	12	12
20-34	53	3.7	13	1	1	2	5	8	11	18
35-49	65	5.5	30	1	1	3	8	14	18	23
50-64	24	5.5	27	1	1	4	7	13	17	21
65+	9	7.0	66	1	1	5	8	20	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.7	113	1	1	6	13	36	69	99+
20-34	478	9.2	72	2	2	7	11	17	22	54
35-49	847	9.7	63	2	3	8	12	18	24	41
50-64	452	10.1	56	2	3	9	13	19	23	37
65+	127	9.5	53	2	3	8	12	18	22	45
B. *Operated*										
0-19 YRS	1	12.0		12	12	56	99+	99+	99+	99+
20-34	99	13.2	134	2	3	10	18	29	49	99+
35-49	214	11.9	165	2	2	8	14	30	41	99+
50-64	146	12.7	112	2	3	10	16	27	36	54
65+	45	15.6	168	2	3	12	20	34	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	7.2	32	1	1	6	10	14	18	27
B. *Operated*	155	5.0	26	1	1	3	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	1924	9.7	63	2	3	8	12	18	23	43
B. *Operated*	505	12.7	144	2	2	9	16	29	40	99+
1. SINGLE DX	1240	6.9	31	1	1	6	9	13	18	26
2. MULTIPLE DX	2429	10.3	81	2	3	8	13	20	28	55
A. NOT OPERATED	3009	8.8	53	1	2	7	11	17	21	38
B. OPERATED	660	10.9	127	1	2	8	14	25	37	99+
TOTAL 0-19 YRS	45	7.2	62	1	1	6	11	15	51	99+
20-34	994	8.4	64	1	2	7	10	17	22	52
35-49	1662	9.1	68	1	2	7	11	18	23	46
50-64	775	9.9	63	2	3	8	13	19	23	38
65+	193	10.7	85	2	3	9	13	21	28	59
GRAND TOTAL	**3669**	**9.2**	**67**	**1**	**2**	**7**	**11**	**18**	**24**	**47**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1960	3.0	10	1	1	2	3	5	8	15
20-34	1195	3.1	14	1	1	2	4	5	8	19
35-49	601	3.1	8	1	1	2	4	6	8	15
50-64	312	3.2	6	1	1	2	4	6	7	14
65+	264	3.6	8	1	1	3	4	7	9	15
B. *Operated*										
0-19 YRS	56	4.5	10	1	1	3	6	9	11	14
20-34	65	8.6	76	1	1	7	11	15	27	47
35-49	35	5.5	25	1	1	4	7	13	17	22
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	4.7	9	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3278	4.7	39	1	1	3	5	9	15	34
20-34	2378	4.7	34	1	1	3	5	9	12	30
35-49	2242	4.9	23	1	1	4	6	10	14	26
50-64	2415	5.6	34	1	2	4	6	11	16	30
65+	4205	6.4	37	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	184	11.7	138	1	2	9	14	25	35	94
20-34	247	7.5	74	1	1	6	10	15	21	65
35-49	202	9.0	80	1	2	7	12	17	28	83
50-64	272	11.9	155	2	2	8	15	24	41	65
65+	467	14.0	170	2	4	11	18	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4332	3.1	10	1	1	2	4	6	8	16
B. *Operated*	167	6.3	42	1	1	4	9	12	16	39
2. MULTIPLE DX										
A. *Not Operated*	14518	5.4	35	1	1	4	6	11	15	31
B. *Operated*	1372	11.4	138	1	2	8	14	25	36	89
1. SINGLE DX	4499	3.2	12	1	1	2	4	6	8	17
2. MULTIPLE DX	15890	5.9	46	1	1	4	7	12	17	38
A. NOT OPERATED	18850	4.8	30	1	1	3	6	10	14	29
B. OPERATED	1539	10.8	130	1	2	8	13	24	34	83
TOTAL 0-19 YRS	5478	4.3	34	1	1	3	5	9	13	33
20-34	3885	4.4	32	1	1	3	5	9	12	29
35-49	3080	4.8	25	1	1	3	6	10	14	27
50-64	3003	5.9	46	1	2	4	7	12	17	39
65+	4943	7.0	54	1	2	5	8	14	19	45
GRAND TOTAL	**20389**	**5.3**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	3.3	22	<1	1	2	4	6	9	84
20-34	605	3.6	19	1	1	3	4	7	10	18
35-49	478	3.7	12	1	1	3	4	7	9	19
50-64	279	4.0	17	1	1	3	5	8	11	25
65+	340	5.8	28	1	1	4	7	11	16	29
B. *Operated*										
0-19 YRS	532	4.5	24	1	1	3	6	9	12	22
20-34	451	4.6	24	1	1	3	6	9	13	26
35-49	410	4.7	22	1	1	3	6	10	13	27
50-64	324	4.8	23	1	1	3	7	10	14	27
65+	288	6.6	36	1	1	5	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1576	7.8	197	1	1	4	7	40	99+	99+
20-34	1314	7.3	125	1	1	4	7	15	28	82
35-49	1334	7.3	91	1	1	4	8	15	25	65
50-64	1820	10.2	156	1	2	6	11	23	38	72
65+	6276	11.2	143	2	3	7	13	24	36	75
B. *Operated*										
0-19 YRS	1220	9.1	175	1	2	5	10	22	46	99+
20-34	876	10.1	151	1	1	6	12	26	47	99+
35-49	957	10.7	182	1	2	7	12	24	43	93
50-64	1274	12.5	197	1	2	8	16	31	44	99+
65+	2444	14.3	187	2	2	10	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	3.9	20	1	1	3	5	8	11	26
B. *Operated*	2005	4.9	25	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	12320	9.7	147	1	2	6	11	23	38	99+
B. *Operated*	6771	12.0	185	1	2	8	15	29	45	99+
1. SINGLE DX	4228	4.4	23	1	1	3	6	9	12	26
2. MULTIPLE DX	19091	10.5	162	1	2	7	13	25	41	99+
A. NOT OPERATED	14543	8.9	132	1	2	5	10	21	35	99+
B. OPERATED	8776	10.4	158	1	1	7	13	25	38	99+
TOTAL 0-19 YRS	3849	7.1	147	1	1	4	7	18	55	99+
20-34	3246	7.0	104	1	1	4	8	15	27	84
35-49	3179	7.4	104	1	1	4	8	16	26	66
50-64	3697	10.1	155	1	2	6	12	23	37	81
65+	9348	11.6	151	2	2	8	14	26	37	82
GRAND TOTAL	**23319**	**9.4**	**142**	**1**	**2**	**6**	**11**	**22**	**36**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	2.2	3	<1	1	2	3	4	5	9
20-34	1304	3.0	6	1	1	2	4	6	7	12
35-49	987	3.1	6	1	1	2	4	6	8	13
50-64	277	3.0	4	1	1	2	4	6	8	11
65+	46	3.0	8	<1	1	2	3	7	10	13
B. *Operated*										
0-19 YRS	25	2.5	7	<1	1	2	3	5	7	14
20-34	109	2.9	4	1	1	2	4	6	7	9
35-49	95	3.1	5	1	1	2	4	6	8	11
50-64	31	2.8	6	1	1	2	3	6	8	12
65+	8	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	3.0	6	1	1	2	3	6	8	12
20-34	1774	4.0	12	1	1	3	5	8	10	18
35-49	1969	4.5	16	1	1	3	5	9	12	20
50-64	864	4.4	15	1	2	3	5	8	11	18
65+	379	4.4	12	1	2	3	6	8	11	18
B. *Operated*										
0-19 YRS	26	4.6	14	1	1	3	7	11	12	14
20-34	151	6.2	63	1	2	4	7	12	16	56
35-49	175	5.5	15	1	2	5	7	10	14	20
50-64	137	5.0	19	1	1	4	6	9	11	27
65+	45	6.1	36	1	2	4	8	11	13	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3133	2.9	5	1	1	2	4	6	7	12
B. *Operated*	268	2.9	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	5497	4.2	13	1	1	3	5	8	11	18
B. *Operated*	534	5.6	31	1	2	4	7	10	14	25
1. SINGLE DX	3401	2.9	5	1	1	2	4	6	7	12
2. MULTIPLE DX	6031	4.3	15	1	1	3	5	8	11	19
A. NOT OPERATED	8630	3.7	11	1	1	3	5	7	9	17
B. OPERATED	802	4.7	24	1	1	3	6	9	12	23
TOTAL 0-19 YRS	1081	2.6	5	1	1	2	3	5	7	12
20-34	3338	3.7	12	1	1	3	5	7	9	17
35-49	3226	4.1	13	1	1	3	5	8	10	18
50-64	1309	4 1	13	1	1	3	5	8	10	18
65+	478	4.4	14	1	1	3	6	9	11	18
GRAND TOTAL	**9432**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	2.1	1	1	1	2	3	4	4	4
35-49	14	2.2	1	1	1	2	2	4	4	4
50-64	11	2.8	6	1	1	2	4	7	9	9
65+	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	25	1.3		<1	<1	<1	1	2	3	3
20-34	488	1.3	1	<1	<1	<1	1	2	2	5
35-49	838	1.4	1	<1	<1	<1	1	2	3	6
50-64	684	1.4	1	<1	<1	<1	1	2	3	6
65+	321	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	17	<1	<1	7	8	9	9	9
20-34	28	2.7	4	<1	<1	2	4	6	6	8
35-49	42	3.7	11	<1	<1	2	6	7	10	16
50-64	52	3.9	22	<1	<1	3	4	7	16	25
65+	34	4.2	49	<1	1	3	4	7	9	42
B. *Operated*										
0-19 YRS	17	4.0	71	<1	<1	1	3	7	26	36
20-34	244	2.2	4	<1	<1	1	2	4	6	11
35-49	585	2.3	6	<1	<1	2	3	5	7	12
50-64	714	2.4	13	<1	<1	2	2	4	6	14
65+	556	2.5	11	<1	<1	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.2	2	1	1	2	2	4	5	9
B. *Operated*	2356	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	159	3.7	21	<1	<1	2	5	7	9	25
B. *Operated*	2116	2.4	10	<1	<1	2	3	5	7	13
1. SINGLE DX	2404	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	2275	2.5	11	<1	<1	2	3	5	7	14
A. NOT OPERATED	207	3.4	17	<1	<1	2	4	6	9	22
B. OPERATED	4472	1.8	5	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	47	2.6	28	<1	<1	1	2	4	8	36
20-34	775	1.6	2	<1	<1	1	2	3	4	8
35-49	1479	1.8	4	<1	<1	1	2	3	5	9
50-64	1461	2.0	8	<1	<1	1	2	3	5	11
65+	917	2.1	9	<1	<1	1	2	4	6	13
GRAND TOTAL	**4679**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	6.1	93	1	1	4	7	12	16	86
20-34	332	4.9	28	1	1	4	6	10	14	31
35-49	408	5.3	35	1	1	4	7	11	15	29
50-64	287	4.6	22	1	1	3	6	10	14	24
65+	203	4.1	15	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	224	2.9	5	<1	1	2	4	5	7	13
20-34	1321	2.9	9	<1	1	2	4	5	7	13
35-49	1569	2.9	8	<1	1	2	4	6	8	13
50-64	1110	3.0	10	<1	1	2	4	7	9	17
65+	612	2.9	9	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	10.0	203	1	1	5	11	25	41	74
20-34	482	5.7	48	1	1	4	6	11	20	44
35-49	841	5.8	35	1	1	4	7	11	16	36
50-64	1135	6.3	47	1	2	4	8	12	18	30
65+	1813	6.8	34	1	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	215	6.7	140	1	1	3	6	13	26	70
20-34	961	5.4	71	1	1	3	6	10	18	47
35-49	1444	5.0	41	1	1	3	6	10	15	35
50-64	1349	6.1	99	1	1	3	7	13	20	71
65+	1423	8.2	108	1	1	5	10	19	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1428	5.0	36	1	1	3	6	10	14	30
B. *Operated*	4836	2.9	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	4445	6.5	46	1	2	5	8	13	18	36
B. *Operated*	5392	6.3	84	1	1	3	7	14	21	67
1. SINGLE DX	6264	3.4	16	<1	1	2	4	7	10	18
2. MULTIPLE DX	9837	6.4	67	1	1	4	8	13	20	50
A. NOT OPERATED	5873	6.1	44	1	1	4	7	12	17	35
B. OPERATED	10228	4.7	51	<1	1	3	5	10	15	41
TOTAL 0-19 YRS	811	6.2	111	1	1	3	6	12	23	70
20-34	3096	4.3	38	1	1	3	5	8	12	34
35-49	4262	4.4	28	<1	1	3	5	9	13	29
50-64	3881	5.2	55	1	1	3	6	11	16	40
65+	4051	6.6	58	1	1	4	8	14	20	47
GRAND TOTAL	**16101**	**5.2**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	5	3.2	4	<1	<1	3	4	6	6	6
50-64	7	2.4	1	1	1	2	3	4	4	4
65+	9	3.9	2	1	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	171	2.8	2	1	1	2	4	5	6	7
20-34	339	3.1	5	1	1	3	4	6	7	13
35-49	436	3.1	6	1	1	3	4	6	7	10
50-64	1135	2.9	3	1	1	3	4	5	6	9
65+	1122	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.2		<1	<1	1	1	2	3	3
20-34	21	1.7	1	<1	<1	1	2	3	4	4
35-49	18	3.2	8	<1	<1	2	4	9	9	9
50-64	32	2.1	2	<1	<1	1	3	5	5	5
65+	62	2.7	7	<1	<1	2	4	5	6	16
B. *Operated*										
0-19 YRS	200	3.5	6	1	1	3	4	6	7	14
20-34	484	3.7	8	1	1	3	5	6	8	14
35-49	636	3.7	6	1	1	3	5	7	8	13
50-64	1614	3.4	5	1	1	3	4	6	7	12
65+	2463	3.6	6	1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.1	2	<1	1	3	4	5	5	6
B. *Operated*	3203	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	144	2.4	5	<1	<1	1	3	5	6	10
B. *Operated*	5397	3.6	6	1	1	3	4	6	7	13
1. SINGLE DX	3229	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	5541	3.5	6	1	1	3	4	6	7	13
A. NOT OPERATED	170	2.5	4	<1	<1	2	4	5	5	9
B. OPERATED	8600	3.3	5	1	1	3	4	6	7	11
TOTAL 0-19 YRS	384	3.1	4	1	1	3	4	5	6	13
20-34	847	3.4	7	1	1	3	4	6	7	13
35-49	1095	3.4	6	1	1	3	4	6	8	12
50-64	2788	3.1	4	1	1	3	4	6	7	10
65+	3656	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**8770**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	10	1.6	4	<1	<1	1	1	4	7	7
50-64	34	1.3		<1	1	1	2	2	2	2
65+	59	1.5	1	1	1	1	2	3	3	5
B. *Operated*										
0-19 YRS	24	1.8	1	1	1	1	3	3	4	4
20-34	18	2.2	3	<1	1	2	2	4	6	8
35-49	71	2.4	2	<1	1	2	4	4	5	8
50-64	194	2.2	2	<1	<1	2	3	4	5	8
65+	352	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	2	1	1	2	4	5	5	5
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	11	2.1	3	<1	<1	2	2	5	7	7
50-64	38	2.9	9	1	1	2	3	8	9	14
65+	145	2.9	7	1	1	2	3	6	9	14
B. *Operated*										
0-19 YRS	25	2.4	6	<1	1	2	3	4	7	13
20-34	22	4.3	22	<1	1	3	5	10	16	20
35-49	61	3.3	5	1	1	3	4	7	8	9
50-64	239	2.9	6	1	1	2	3	6	7	14
65+	937	3.3	10	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.5	1	1	1	1	2	2	3	6
B. *Operated*	659	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	203	2.8	7	1	1	2	3	6	8	14
B. *Operated*	1284	3.2	9	1	1	2	4	6	8	16
1. SINGLE DX	771	2.2	2	<1	1	2	3	4	5	9
2. MULTIPLE DX	1487	3.2	9	1	1	2	4	6	8	15
A. NOT OPERATED	315	2.3	5	1	1	2	2	5	7	13
B. OPERATED	1943	2.9	7	1	1	2	3	5	8	13
TOTAL 0-19 YRS	61	2.1	3	<1	1	1	3	4	5	12
20-34	46	3.2	13	<1	1	2	4	7	10	20
35-49	153	2.7	4	1	1	2	4	5	7	9
50-64	505	2.5	5	<1	1	2	3	5	7	12
65+	1493	3.0	8	1	1	2	3	5	8	14
GRAND TOTAL	**2258**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	6	4.2	2	2	2	5	5	5	5	5
50-64	11	2.5	1	1	1	3	3	4	4	4
65+	19	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	18	1.6	1	1	1	1	2	3	3	3
20-34	15	2.2	1	<1	1	2	3	4	4	4
35-49	45	3.0	8	<1	1	2	3	8	11	12
50-64	65	2.4	3	<1	<1	2	3	5	6	8
65+	126	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4		1	1	1	2	3	3	3
20-34	12	5.9	19	1	1	5	9	13	14	14
35-49	16	5.9	33	<1	1	4	7	13	20	23
50-64	24	3.8	10	1	1	2	5	8	11	13
65+	87	3.6	39	1	1	2	4	7	8	40
B. *Operated*										
0-19 YRS	26	3.2	13	1	1	2	3	8	11	17
20-34	51	3.8	24	1	1	3	4	6	7	36
35-49	54	3.4	5	1	1	3	4	7	8	10
50-64	155	3.9	20	<1	1	2	4	8	12	23
65+	403	3.3	9	<1	1	2	4	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.5	2	<1	1	2	4	5	5	5
B. *Operated*	269	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	150	3.9	30	1	1	2	4	7	11	23
B. *Operated*	689	3.5	13	1	1	2	4	7	10	18
1. SINGLE DX	311	2.3	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX	839	3.5	16	1	1	2	4	7	10	19
A. NOT OPERATED	192	3.6	24	1	1	2	4	7	10	19
B. OPERATED	958	3.1	10	<1	1	2	4	6	9	17
TOTAL 0-19 YRS	58	2.3	7	1	1	1	2	4	8	16
20-34	81	3.7	19	1	1	3	4	6	10	29
35-49	121	3.6	10	1	1	3	5	7	10	16
50-64	255	3.5	15	<1	1	2	4	7	11	19
65+	635	3.1	12	<1	1	2	4	6	8	15
GRAND TOTAL	**1150**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	12	1.3		<1	<1	1	2	2	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	163	1.5	1	<1	<1	1	2	2	3	6
50-64	1174	1.4	1	<1	<1	1	2	2	2	3
65+	4663	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.6	1	1	1	1	2	3	4	4
50-64	56	2.8	22	<1	<1	1	2	7	10	30
65+	293	2.2	8	<1	<1	1	2	5	7	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	208	2.4	35	<1	<1	2	2	3	5	16
50-64	1672	1.9	3	<1	<1	2	2	3	4	9
65+	9997	2.0	4	<1	<1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.2		<1	<1	1	1	2	3	3
B. *Operated*	6000	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	357	2.3	10	<1	<1	1	2	5	8	14
B. *Operated*	11877	2.0	5	<1	<1	2	2	3	4	9
1. SINGLE DX	6017	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	12234	2.0	5	<1	<1	2	2	3	4	9
A. NOT OPERATED	374	2.3	10	<1	<1	1	2	5	7	14
B. OPERATED	17877	1.8	3	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS										
20-34										
35-49	380	2.0	20	<1	<1	1	2	3	4	8
50-64	2906	1.7	2	<1	<1	1	2	2	3	8
65+	14965	1.8	3	<1	<1	2	2	2	3	7
GRAND TOTAL	**18251**	**1.8**	**4**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	66	1.7	2	<1	<1	1	2	3	4	10
20-34	27	1.9	2	<1	<1	1	2	3	6	7
35-49	35	1.5		<1	<1	1	2	2	2	3
50-64	77	1.3		<1	<1	1	2	2	2	4
65+	87	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	7	3.7	12	<1	<1	3	6	9	10	10
65+	10	1.4	1	<1	<1	1	2	42	95	99+
B. *Operated*										
0-19 YRS	68	2.2	3	<1	1	2	3	4	6	9
20-34	50	3.2	27	<1	<1	2	3	5	6	35
35-49	88	2.0	2	<1	1	2	2	3	5	9
50-64	185	1.8	1	<1	<1	2	2	3	4	5
65+	379	2.0	2	<1	<1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	292	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	26	2.2	5	<1	<1	1	3	7	23	99+
B. *Operated*	770	2.0	4	<1	<1	2	2	3	4	9
1. SINGLE DX	296	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	796	2.0	4	<1	<1	2	2	3	5	9
A. NOT OPERATED	30	2.1	4	<1	<1	1	2	6	10	99+
B. OPERATED	1062	1.9	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	142	1.9	2	<1	<1	1	2	3	5	9
20-34	78	2.7	18	<1	<1	2	3	5	6	30
35-49	126	1.8	2	<1	<1	2	2	3	4	8
50-64	270	1.7	1	<1	<1	1	2	2	4	6
65+	476	1.8	2	<1	<1	2	2	3	4	9
GRAND TOTAL	**1092**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	4	<1	1	1	2	3	6	11
20-34	12	3.0	4	<1	1	2	4	6	7	7
35-49	14	2.4	2	1	1	2	3	5	5	5
50-64	13	3.5	5	1	1	3	5	7	8	8
65+	9	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	1192	1.2		<1	<1	1	1	2	2	2
20-34	160	1.3		<1	<1	1	1	2	3	4
35-49	112	1.4		<1	<1	1	2	2	3	4
50-64	47	1.5	1	<1	<1	1	2	2	4	7
65+	36	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.4	5	<1	<1	1	3	6	8	10
20-34	23	3.3	13	<1	1	2	4	7	14	15
35-49	32	3.2	3	1	2	3	4	6	8	8
50-64	78	4.4	14	1	1	3	5	9	12	20
65+	136	4.4	8	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	480	1.2		<1	<1	1	1	2	2	3
20-34	95	2.5	46	<1	<1	1	2	3	7	41
35-49	81	2.0	4	<1	<1	2	2	3	6	11
50-64	87	3.1	12	<1	<1	2	3	9	13	15
65+	115	4.0	14	1	1	2	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.6	4	1	1	2	3	5	6	10
B. *Operated*	1547	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	323	3.9	9	<1	1	3	5	8	10	14
B. *Operated*	858	2.0	10	<1	<1	1	2	3	7	13
1. SINGLE DX	1619	1.3	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	1181	2.5	10	<1	<1	1	3	6	8	14
A. NOT OPERATED	395	3.6	8	<1	1	3	5	7	10	14
B. OPERATED	2405	1.5	4	<1	<1	1	2	2	3	9
TOTAL 0-19 YRS	1750	1.2		<1	<1	1	1	2	2	3
20-34	290	1.9	17	<1	<1	1	2	3	4	12
35-49	239	1.9	2	<1	<1	1	2	3	5	9
50-64	225	3.2	11	<1	<1	2	4	7	10	16
65+	296	3.9	10	1	1	3	5	8	10	15
GRAND TOTAL	**2800**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	2.7	4	<1	<1	2	4	5	6	9
20-34	84	3.8	11	<1	1	3	5	6	9	19
35-49	52	3.5	7	<1	<1	3	4	7	8	13
50-64	47	4.1	10	<1	1	3	5	8	10	17
65+	75	4.7	9	1	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	193	1.9	3	<1	<1	1	2	4	5	10
20-34	266	1.7	1	<1	<1	1	2	3	4	5
35-49	380	1.7	1	<1	<1	1	2	3	3	6
50-64	397	1.8	3	<1	<1	1	2	3	4	10
65+	897	2.0	3	<1	<1	1	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	405	3.7	8	1	1	3	5	6	7	13
20-34	132	4.3	9	1	1	4	6	9	10	15
35-49	109	5.1	15	<1	1	4	6	10	12	20
50-64	118	5.3	20	1	1	5	7	10	12	23
65+	356	5.9	30	<1	1	5	7	11	16	24
B. *Operated*										
0-19 YRS	169	2.8	6	<1	1	2	4	6	7	12
20-34	215	3.2	18	<1	1	2	3	6	8	29
35-49	398	2.3	9	<1	<1	2	2	5	6	13
50-64	774	2.3	5	<1	1	2	3	4	6	13
65+	2396	2.9	12	<1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.4	7	<1	<1	3	4	6	8	14
B. *Operated*	2133	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1120	4.8	18	<1	1	4	6	9	11	22
B. *Operated*	3952	2.7	11	<1	1	2	3	5	7	16
1. SINGLE DX	2654	2.2	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	5072	3.2	13	<1	1	2	4	6	9	18
A. NOT OPERATED	1641	4.3	15	<1	1	3	5	8	11	20
B. OPERATED	6085	2.4	8	<1	1	2	3	4	6	14
TOTAL 0-19 YRS	1030	3.0	6	<1	<1	2	4	6	7	11
20-34	697	2.9	10	<1	1	2	3	6	8	17
35-49	939	2.4	7	<1	<1	2	3	5	6	13
50-64	1336	2.5	7	<1	1	2	3	5	7	13
65+	3724	3.0	13	<1	1	2	3	5	8	18
GRAND TOTAL	**7726**	**2.8**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1083	3.3	3	1	2	3	4	5	7	10
20-34	147	3.8	6	1	1	3	5	7	8	12
35-49	96	3.5	5	1	1	3	5	6	7	12
50-64	68	3.7	7	1	1	3	5	7	8	12
65+	97	3.8	5	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	119	3.0	7	<1	1	2	4	8	9	12
20-34	150	2.5	6	<1	<1	1	3	6	8	13
35-49	118	2.5	9	<1	<1	1	2	5	9	17
50-64	262	2.3	4	<1	<1	2	3	4	6	10
65+	516	2.5	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1423	4.1	6	1	2	3	5	7	9	12
20-34	246	4.3	12	1	1	3	5	8	10	20
35-49	242	5.5	21	1	1	4	7	10	14	25
50-64	317	5.2	24	1	1	4	7	9	12	27
65+	558	5.2	24	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	243	4.4	25	1	1	3	6	10	12	21
20-34	383	4.1	26	1	1	3	4	7	12	29
35-49	454	4.0	17	1	1	3	5	8	11	21
50-64	895	3.8	13	<1	1	3	5	8	10	19
65+	2012	3.6	17	<1	1	2	4	7	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1491	3.4	4	1	1	3	4	6	7	10
B. *Operated*	1165	2.5	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	2786	4.6	14	1	1	4	6	8	10	18
B. *Operated*	3987	3.8	17	<1	1	3	4	8	11	20
1. SINGLE DX	2656	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6773	4.1	16	1	1	3	5	8	11	19
A. NOT OPERATED	4277	4.2	11	1	1	3	5	8	10	16
B. OPERATED	5152	3.5	15	<1	1	2	4	7	10	19
TOTAL 0-19 YRS	2868	3.8	7	1	1	3	5	7	8	12
20-34	926	3.8	16	<1	1	3	5	7	10	20
35-49	910	4.1	17	<1	1	3	5	8	11	21
50-64	1542	3.8	14	<1	1	3	5	8	10	18
65+	3183	3.7	16	<1	1	2	4	8	11	19
GRAND TOTAL	**9429**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**7**	**10**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	3	<1	<1	2	3	5	6	8
20-34	14	2.2	3	1	1	2	3	4	6	7
35-49	13	1.8	1	<1	<1	1	2	4	5	5
50-64	26	2.9	3	<1	1	3	4	5	6	6
65+	13	3.3	5	<1	1	3	5	6	8	8
B. *Operated*										
0-19 YRS	12	1.9	4	<1	<1	1	2	4	7	8
20-34	20	1.8	3	<1	<1	1	2	3	6	8
35-49	26	2.3	2	<1	<1	2	3	4	5	7
50-64	26	1.7	2	<1	1	1	2	3	4	7
65+	16	1.9	8	<1	1	1	2	3	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.6	4	<1	<1	2	3	5	7	11
20-34	56	3.4	5	<1	1	3	5	6	9	11
35-49	56	3.0	4	1	1	3	4	6	7	8
50-64	103	3.7	7	1	1	3	5	7	9	12
65+	160	4.4	9	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	38	2.0	3	<1	1	2	2	3	4	11
20-34	59	2.6	5	<1	1	2	3	4	6	14
35-49	74	3.0	7	<1	1	2	4	6	7	15
50-64	94	3.1	11	1	1	2	3	6	11	18
65+	162	3.0	8	1	1	2	3	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	100	1.9	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	427	3.7	7	1	1	3	5	7	9	13
B. *Operated*	427	2.9	8	1	1	2	3	6	9	15
1. SINGLE DX	193	2.2	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	854	3.3	7	1	1	2	4	7	9	14
A. NOT OPERATED	520	3.5	6	1	1	3	5	7	8	12
B. OPERATED	527	2.7	7	<1	1	2	3	6	8	14
TOTAL 0-19 YRS	129	2.3	3	<1	<1	2	3	5	6	11
20-34	149	2.7	5	<1	1	2	3	5	7	11
35-49	169	2.8	5	<1	1	2	4	5	7	13
50-64	249	3.2	8	1	1	2	4	7	9	14
65+	351	3.6	9	1	1	3	5	7	10	13
GRAND TOTAL	**1047**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1188	2.5	2	1	1	2	3	4	5	7
20-34	25	3.4	26	1	1	3	3	4	10	27
35-49	12	2.3	1	1	1	2	3	4	5	5
50-64	12	2.8	5	1	1	2	5	6	7	7
65+	10	7.9	375	1	1	2	2	33	63	63
B. *Operated*										
0-19 YRS	2133	1.3	3	<1	<1	<1	1	2	2	7
20-34	431	1.4	1	<1	1	1	2	2	2	4
35-49	357	1.4	1	<1	1	1	2	2	3	6
50-64	368	1.5	1	<1	1	1	2	2	3	6
65+	128	1.6	1	<1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4827	3.0	4	1	1	3	4	5	6	10
20-34	157	3.9	10	<1	1	3	5	8	11	17
35-49	117	4.7	14	1	1	4	5	9	13	21
50-64	109	4.2	9	<1	1	4	5	8	10	14
65+	82	6.2	32	<1	1	4	7	15	18	27
B. *Operated*										
0-19 YRS	3802	1.5	3	<1	<1	1	1	2	4	10
20-34	660	1.7	3	1	1	1	2	3	4	10
35-49	584	1.8	3	1	1	1	2	3	4	11
50-64	667	1.8	4	1	1	1	2	3	4	11
65+	327	2.4	8	1	1	2	2	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1247	2.6	5	1	1	2	3	4	5	7
B. *Operated*	3417	1.3	2	<1	<1	1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	5292	3.1	5	1	1	3	4	5	7	12
B. *Operated*	6040	1.7	3	<1	<1	1	2	3	4	11
1. SINGLE DX	4664	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	11332	2.3	5	<1	1	2	3	4	6	11
A. NOT OPERATED	6539	3.0	5	1	1	3	4	5	7	11
B. OPERATED	9457	1.5	3	<1	<1	1	2	2	3	10
TOTAL 0-19 YRS	11950	2.2	4	<1	<1	1	3	4	5	10
20-34	1273	1.9	4	<1	1	1	2	3	5	11
35-49	1070	2.0	5	1	1	1	2	4	6	13
50-64	1156	2.0	4	1	1	1	2	4	5	11
65+	547	2.9	19	1	1	2	3	5	9	22
GRAND TOTAL	**15996**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	3.4	5	1	1	3	4	6	8	12
20-34	133	3.6	4	1	2	3	5	7	7	25
35-49	78	3.4	3	1	2	3	4	6	7	9
50-64	43	4.8	6	2	2	5	6	7	11	13
65+	26	9.7	251	2	2	5	11	18	40	81
B. *Operated*										
0-19 YRS	332	2.1	6	<1	<1	1	2	5	7	16
20-34	98	1.9	3	<1	<1	1	2	4	5	10
35-49	74	2.5	9	<1	1	2	2	5	7	17
50-64	74	2.1	6	1	1	1	2	3	5	15
65+	33	4.0	62	1	1	2	3	10	14	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	921	3.7	8	1	1	3	5	6	8	14
20-34	259	4.7	13	2	2	4	5	8	12	21
35-49	216	5.2	12	2	2	5	7	9	10	23
50-64	195	6.1	23	2	2	5	8	12	14	24
65+	219	8.4	80	2	3	6	9	15	23	46
B. *Operated*										
0-19 YRS	623	3.3	25	<1	<1	1	3	8	12	26
20-34	228	3.1	13	1	1	2	3	7	11	17
35-49	213	3.7	27	1	1	2	3	8	15	29
50-64	222	5.3	70	1	1	2	6	12	18	44
65+	225	9.2	164	1	1	4	12	24	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	3.8	16	1	1	3	4	7	8	14
B. *Operated*	611	2.2	9	<1	<1	1	2	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	1810	4.9	22	1	2	4	6	9	11	24
B. *Operated*	1511	4.5	55	<1	1	2	5	11	16	40
1. SINGLE DX	1223	3.0	13	<1	<1	2	4	6	8	16
2. MULTIPLE DX	3321	4.7	37	1	1	3	5	10	13	31
A. NOT OPERATED	2422	4.6	21	1	2	4	5	8	11	23
B. OPERATED	2122	3.8	43	<1	<1	2	4	9	14	34
TOTAL 0-19 YRS	2208	3.3	12	<1	<1	2	4	6	9	16
20-34	718	3.6	11	1	1	3	5	7	10	17
35-49	581	4.1	17	1	1	3	5	8	10	23
50-64	534	5.1	40	1	1	3	6	11	14	30
65+	503	8.5	126	1	1	5	10	18	30	56
GRAND TOTAL	**4544**	**4.2**	**31**	**<1**	**1**	**3**	**5**	**8**	**12**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.0	1	<1	1	2	3	4	4	5
20-34	245	2.6	3	1	1	2	3	5	6	10
35-49	416	2.7	3	1	1	2	4	5	6	9
50-64	661	2.5	3	1	1	2	3	5	6	9
65+	615	2.8	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	26	2.0	2	<1	1	1	3	4	5	7
20-34	119	2.1	3	1	1	1	3	4	6	9
35-49	197	2.6	4	1	1	2	3	5	8	9
50-64	190	2.5	4	1	1	2	3	5	7	11
65+	94	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.1	4	1	1	3	4	6	8	10
20-34	393	3.3	5	1	1	3	4	6	7	11
35-49	974	3.4	7	1	1	3	4	6	8	13
50-64	2274	3.6	7	1	1	3	5	7	8	14
65+	4630	4.1	11	1	2	3	5	7	10	15
B. *Operated*										
0-19 YRS	19	3.5	8	<1	1	3	5	6	10	13
20-34	112	5.1	33	1	1	3	6	10	18	29
35-49	155	4.2	23	1	1	3	5	9	12	17
50-64	232	4.7	15	1	1	4	6	9	12	20
65+	374	6.7	42	1	2	5	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1979	2.6	3	1	1	2	3	5	6	9
B. *Operated*	626	2.4	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	8343	3.9	9	1	1	3	5	7	9	14
B. *Operated*	892	5.5	31	1	1	4	7	11	15	26
1. SINGLE DX	2605	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	9235	4.0	11	1	1	3	5	7	10	16
A. NOT OPERATED	10322	3.6	8	1	1	3	5	7	8	14
B. OPERATED	1518	4.2	22	1	1	3	5	9	12	21
TOTAL 0-19 YRS	159	2.7	4	1	1	2	3	5	6	10
20-34	869	3.1	8	1	1	2	4	6	8	16
35-49	1742	3.2	7	1	1	3	4	6	8	13
50-64	3357	3.4	7	1	1	3	4	6	8	14
65+	5713	4.1	12	1	1	3	5	8	10	16
GRAND TOTAL	**11840**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	35TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	1.6		1	1	2	2	2	2	2
35-49	13	1.9		1	1	2	2	3	3	3
50-64	22	1.8		<1	1	2	2	3	3	3
65+	24	2.1		2	2	2	2	3	3	3
B. *Operated*										
0-19 YRS	40	1.6		<1	1	2	2	2	2	2
20-34	393	1.5		1	1	1	2	3	3	3
35-49	672	1.6	2	1	1	1	2	3	3	4
50-64	483	1.6	1	1	1	1	2	3	3	4
65+	205	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	13	2.2	1	<1	1	2	2	3	5	6
65+	19	3.0	7	<1	1	2	3	5	10	13
B. *Operated*										
0-19 YRS	21	1.6		1	1	2	2	3	3	3
20-34	146	1.5	1	1	1	1	2	3	3	4
35-49	257	1.5	1	1	1	1	2	3	3	4
50-64	234	1.6	1	1	1	1	2	3	3	4
65+	190	2.0	1	1	1	2	3	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	1.9		1	1	2	2	2	3	3
B. *Operated*	1793	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	42	2.4	4	<1	1	2	2	4	6	13
B. *Operated*	848	1.6	1	1	1	1	2	3	3	5
1. SINGLE DX	1862	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX	890	1.7	1	1	1	1	2	3	3	5
A. NOT OPERATED	111	2.1	2	1	1	2	2	3	3	9
B. OPERATED	2641	1.6	1	1	1	1	2	3	3	4
TOTAL 0-19 YRS	63	1.6		1	1	2	2	2	2	3
20-34	552	1.5		1	1	1	2	3	3	3
35-49	947	1.5	1	1	1	1	2	3	3	4
50-64	752	1.6	1	1	1	1	2	3	3	4
65+	438	1.9	1	1	1	2	2	3	3	5
GRAND TOTAL	**2752**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	2	<1	<1	2	3	4	5	5
20-34	36	3.7	4	1	2	3	5	6	8	9
35-49	44	3.2	3	1	1	3	4	5	6	9
50-64	50	3.5	5	1	1	3	4	5	9	12
65+	27	3.6	3	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	1212	1.2	1	<1	<1	1	1	2	2	3
20-34	787	1.4	1	<1	1	1	1	2	3	5
35-49	630	1.4	1	<1	1	1	2	2	3	4
50-64	494	1.4	1	<1	1	1	2	2	3	5
65+	204	1.5	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.8	6	<1	<1	2	4	6	9	12
20-34	63	4.3	12	<1	1	4	6	8	13	16
35-49	69	3.5	6	<1	<1	3	5	7	8	12
50-64	106	3.8	9	1	1	3	5	7	10	17
65+	130	4.7	17	1	1	4	5	9	14	22
B. *Operated*										
0-19 YRS	1231	1.4	2	<1	1	1	1	2	3	7
20-34	931	1.6	7	1	1	1	2	2	3	9
35-49	854	1.6	2	<1	1	1	2	3	3	7
50-64	750	1.8	3	<1	1	1	2	3	4	10
65+	467	2.2	6	1	1	1	2	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.3	4	1	1	3	4	5	7	10
B. *Operated*	3327	1.3	1	<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	449	3.9	11	<1	1	3	5	8	10	20
B. *Operated*	4233	1.7	4	<1	1	1	2	3	4	9
1. SINGLE DX	3515	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	4682	1.9	5	<1	1	1	2	3	5	10
A. NOT OPERATED	637	3.7	9	<1	1	3	5	7	9	16
B. OPERATED	7560	1.5	2	<1	1	1	2	2	3	8
TOTAL 0-19 YRS	2555	1.4	2	<1	<1	1	1	2	3	6
20-34	1817	1.6	5	<1	1	1	2	3	4	8
35-49	1597	1.7	2	<1	1	1	2	3	4	8
50-64	1400	1.9	3	<1	1	1	2	3	5	10
65+	828	2.4	7	<1	1	2	3	5	7	15
GRAND TOTAL	**8197**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.4	26	2	2	5	8	12	15	30
20-34	34	5.1	23	2	2	4	5	9	12	28
35-49	11	4.0	3	2	2	4	5	7	7	7
50-64	6	5.7	10	2	2	5	7	11	11	11
65+	4	10.3	9	6	6	11	12	13	13	13
B. *Operated*										
0-19 YRS	3	13.3	124	5	5	9	22	26	26	26
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	5	5.0	41	1	1	2	8	16	16	16
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	7.2	37	2	2	5	9	14	16	34
20-34	58	5.6	15	2	2	5	6	10	13	23
35-49	38	7.6	66	2	3	6	8	12	18	51
50-64	71	6.2	16	1	2	5	8	12	15	20
65+	67	7.6	16	2	3	7	10	15	16	17
B. *Operated*										
0-19 YRS	9	13.6	206	1	1	6	21	37	38	38
20-34	5	15.6	74	8	8	12	23	28	28	28
35-49	24	11.1	55	2	3	9	14	22	25	33
50-64	35	11.7	106	1	2	9	15	29	36	42
65+	30	11.9	109	2	3	10	17	19	22	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	6.1	24	2	2	4	7	11	14	29
B. *Operated*	14	6.9	51	1	1	5	9	17	24	26
2. MULTIPLE DX										
A. *Not Operated*	351	6.9	29	2	2	6	9	13	16	23
B. *Operated*	103	12.0	99	1	2	9	16	22	34	50
1. SINGLE DX	199	6.1	26	2	2	4	7	12	15	29
2. MULTIPLE DX	454	8.0	49	2	2	6	10	16	20	38
A. NOT OPERATED	536	6.6	27	2	2	5	8	12	16	27
B. OPERATED	117	11.4	95	1	2	9	15	22	33	48
TOTAL 0-19 YRS	259	7.1	39	2	2	5	9	14	17	36
20-34	99	5.9	25	2	2	4	7	11	15	28
35-49	78	8.0	56	1	2	6	9	16	22	46
50-64	114	7.8	49	1	2	6	9	15	21	39
65+	103	9.0	46	2	3	8	11	17	18	39
GRAND TOTAL	**653**	**7.4**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	237	1	1	4	10	37	44	44
20-34	12	3.3	5	1	1	2	5	6	7	7
35-49	16	2.5	2	<1	1	2	3	5	5	5
50-64	24	5.0	48	1	2	3	5	7	20	35
65+	11	7.7	107	2	2	5	8	21	37	38
B. *Operated*										
0-19 YRS	25	4.1	11	1	1	2	7	10	10	11
20-34	66	5.1	16	1	1	3	9	11	12	14
35-49	152	5.3	21	1	1	2	9	11	13	18
50-64	188	5.3	27	1	1	2	9	12	14	17
65+	107	5.8	37	1	1	2	11	16	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	8	1	1	4	5	8	10	13
20-34	78	4.1	12	1	1	3	5	8	10	21
35-49	179	4.8	23	1	1	4	6	8	11	23
50-64	397	6.1	36	1	2	5	7	12	15	29
65+	815	7.7	38	2	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	42	10.4	242	1	1	7	10	18	57	70
20-34	147	8.8	57	1	1	8	12	20	22	37
35-49	570	9.0	65	1	1	8	12	18	24	41
50-64	1306	10.0	113	1	1	9	13	20	27	63
65+	1328	12.0	123	1	2	10	16	26	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.1	59	1	1	3	5	7	14	43
B. *Operated*	538	5.3	25	1	1	2	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	1496	6.7	35	1	2	5	8	14	18	29
B. *Operated*	3393	10.6	109	1	1	9	14	22	29	52
1. SINGLE DX	608	5.3	29	1	1	2	9	12	14	21
2. MULTIPLE DX	4889	9.4	90	1	2	7	13	20	26	47
A. NOT OPERATED	1566	6.6	36	1	2	5	8	13	17	32
B. OPERATED	3931	9.8	101	1	1	8	13	21	27	49
TOTAL 0-19 YRS	101	7.1	128	1	1	4	8	13	19	67
20-34	303	6.6	39	1	1	5	9	14	20	25
35-49	917	7.5	52	1	1	6	10	15	20	36
50-64	1915	8.7	92	1	1	7	12	18	23	48
65+	2261	10.1	93	1	2	8	14	22	28	46
GRAND TOTAL	**5497**	**8.9**	**85**	**1**	**1**	**7**	**12**	**19**	**25**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	2	1	1	2	3	5	6	7
20-34	238	3.2	3	1	1	3	4	6	7	9
35-49	621	3.4	5	1	1	3	4	6	8	12
50-64	662	3.5	6	1	1	3	4	6	8	14
65+	456	3.8	13	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	16	2.8	4	1	1	2	4	6	7	8
20-34	59	2.4	4	<1	<1	1	3	6	7	9
35-49	108	3.0	7	1	1	2	4	7	8	13
50-64	135	3.2	9	<1	1	2	4	6	9	16
65+	55	4.5	31	<1	1	2	5	13	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.9	7	1	1	3	5	7	9	15
20-34	830	3.8	7	1	1	3	5	7	8	13
35-49	3051	4.4	10	1	2	4	5	8	10	17
50-64	4659	4.7	12	1	2	4	6	8	11	17
65+	5698	5.2	19	1	2	4	6	10	12	21
B. *Operated*										
0-19 YRS	50	5.9	53	1	1	3	7	11	20	40
20-34	178	6.0	37	1	1	4	8	12	17	29
35-49	523	6.1	32	1	1	5	8	12	16	31
50-64	841	5.9	27	1	1	5	8	12	15	27
65+	950	7.5	64	1	1	5	9	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2041	3.5	7	1	1	3	4	6	8	12
B. *Operated*	373	3.2	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	14395	4.8	14	1	2	4	6	9	11	19
B. *Operated*	2542	6.5	44	1	1	5	8	13	19	33
1. SINGLE DX	2414	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	16937	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	16436	4.6	13	1	2	4	6	8	11	18
B. OPERATED	2915	6.1	41	1	1	4	8	13	17	31
TOTAL 0-19 YRS	287	3.9	15	1	1	3	5	7	9	19
20-34	1305	4.0	11	1	1	3	5	7	9	16
35-49	4303	4.4	12	1	1	3	5	8	10	18
50-64	6297	4.7	14	1	2	4	6	9	11	19
65+	7159	5.4	26	1	2	4	7	10	13	25
GRAND TOTAL	**19351**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	5.1	12	2	2	4	8	10	11	11
35-49	76	4.3	4	1	2	4	6	7	8	11
50-64	134	4.4	7	2	2	4	6	8	9	14
65+	224	5.2	13	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	23	2.8	10	<1	1	2	2	7	12	13
50-64	43	2.4	4	<1	1	2	3	5	7	9
65+	26	3.3	15	1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	3	<1	1	3	5	6	7	7
20-34	57	5.8	13	1	2	6	7	10	14	19
35-49	525	5.6	15	1	2	5	7	10	12	20
50-64	1880	6.6	22	2	2	6	8	12	15	26
65+	6588	7.7	35	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	23	8.6	59	1	2	6	10	23	26	29
35-49	134	7.2	113	1	1	5	8	15	20	77
50-64	478	7.4	55	1	1	5	10	16	22	40
65+	914	12.2	154	2	2	9	15	25	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	4.8	10	1	2	4	6	8	10	15
B. *Operated*	93	2.8	8	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	9065	7.4	32	2	3	6	9	13	17	29
B. *Operated*	1551	10.2	124	1	2	8	13	21	30	93
1. SINGLE DX	539	4.4	10	1	1	4	6	8	10	15
2. MULTIPLE DX	10616	7.8	46	2	2	6	9	15	19	36
A. NOT OPERATED	9511	7.2	31	2	3	6	9	13	17	29
B. OPERATED	1644	9.8	120	1	2	7	12	21	30	92
TOTAL 0-19 YRS	18	4.1	3	<1	1	4	5	6	7	7
20-34	92	6.4	25	1	2	6	8	12	15	27
35-49	758	5.7	32	1	2	5	7	10	12	23
50-64	2535	6.6	28	1	2	5	8	12	16	31
65+	7752	8.2	51	2	3	6	10	15	20	39
GRAND TOTAL	**11155**	**7.6**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	6	2	2	4	5	8	9	9
20-34	10	5.1	13	1	1	4	7	11	13	13
35-49	32	4.4	6	1	1	4	6	8	9	9
50-64	35	6.1	15	1	1	5	9	12	13	14
65+	31	5.1	14	2	2	4	7	9	13	17
B. *Operated*										
0-19 YRS	24	4.1	10	1	1	3	5	8	12	13
20-34	42	4.2	13	<1	1	3	5	11	13	15
35-49	79	3.3	10	1	1	2	4	6	9	17
50-64	105	4.6	18	1	1	3	6	11	13	20
65+	79	4.4	21	1	1	2	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	5.0	30	1	1	3	6	13	15	30
20-34	93	5.0	22	1	1	3	6	12	14	23
35-49	189	6.4	40	1	2	5	8	12	18	35
50-64	389	6.7	36	1	2	5	8	13	17	33
65+	838	8.6	53	2	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	75	10.2	127	1	1	7	14	22	31	93
20-34	299	8.1	65	1	2	6	10	18	23	41
35-49	445	9.0	64	1	2	7	13	19	25	37
50-64	742	8.8	69	2	2	6	11	19	23	43
65+	822	11.7	129	2	2	8	15	26	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.1	12	1	2	4	7	10	13	15
B. *Operated*	329	4.1	16	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	1602	7.5	46	1	2	6	10	15	19	36
B. *Operated*	2383	9.8	92	1	2	7	13	21	29	48
1. SINGLE DX	445	4.4	15	1	1	3	6	10	13	18
2. MULTIPLE DX	3985	8.9	75	1	2	7	11	18	24	45
A. NOT OPERATED	1718	7.3	44	1	2	6	9	14	18	35
B. OPERATED	2712	9.1	86	1	2	7	12	20	27	47
TOTAL 0-19 YRS	200	6.8	69	1	1	4	9	15	20	60
20-34	444	7.0	52	1	2	4	9	16	21	39
35-49	745	7.6	54	1	2	5	10	16	21	35
50-64	1271	7.7	55	1	2	5	10	16	21	38
65+	1770	9.8	90	2	2	7	12	19	28	49
GRAND TOTAL	**4430**	**8.4**	**71**	**1**	**2**	**6**	**11**	**18**	**23**	**43**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	91	7.0	11	2	3	7	9	11	12	17
35-49	1279	7.6	10	2	3	8	9	11	12	15
50-64	2765	8.0	10	2	4	8	10	12	13	15
65+	2194	8.4	16	3	4	8	10	12	14	19
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	83	6.6	9	1	2	7	9	10	11	13
35-49	563	7.5	10	2	3	8	10	11	13	17
50-64	827	8.0	14	2	3	8	10	13	14	19
65+	369	9.2	27	2	4	9	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	7.9	17	2	4	7	10	12	18	99+
20-34	296	7.8	16	2	3	8	10	12	14	22
35-49	4706	8.5	14	3	4	8	10	13	14	19
50-64	16434	9.3	19	3	5	9	11	14	16	24
65+	38263	10.5	30	4	6	10	12	16	20	31
B. *Operated*										
0-19 YRS	15	18.9	407	6	7	12	18	47	73	82
20-34	282	9.0	30	2	3	8	11	15	17	33
35-49	3706	9.4	32	2	3	9	11	15	19	30
50-64	9111	11.1	55	2	4	10	13	18	23	41
65+	9371	14.3	92	4	6	12	17	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6332	8.1	12	2	4	8	10	12	13	17
B. *Operated*	1844	8.0	16	2	3	8	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	59743	10.0	26	4	5	9	12	15	18	28
B. *Operated*	22485	12.1	70	3	5	10	14	21	27	48
1. SINGLE DX	8176	8.0	13	2	4	8	10	12	13	17
2. MULTIPLE DX	82228	10.6	39	4	5	9	12	17	21	35
A. NOT OPERATED	66075	9.8	25	4	5	9	11	15	18	28
B. OPERATED	24329	11.8	68	3	5	10	14	20	26	47
TOTAL 0-19 YRS	64	10.4	126	2	4	8	12	17	28	97
20-34	752	8.0	20	2	3	8	10	13	15	25
35-49	10254	8.7	20	2	4	8	10	13	15	24
50-64	29137	9.7	31	3	5	9	11	15	18	30
65+	50197	11.1	43	4	6	10	13	18	22	37
GRAND TOTAL	**90404**	**10.3**	**37**	**3**	**5**	**9**	**12**	**16**	**20**	**34**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	119	2.7	3	1	1	2	3	5	5	11
35-49	1040	2.7	3	1	1	2	3	5	6	8
50-64	1623	2.8	6	1	1	2	3	5	6	9
65+	1360	2.9	4	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	37	2.5	3	<1	1	2	4	5	6	8
35-49	390	2.2	2	1	1	2	2	4	6	8
50-64	745	2.2	3	1	1	2	2	4	5	9
65+	310	2.4	6	<1	1	2	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	5	1	1	4	5	7	9	9
20-34	473	3.3	5	1	1	3	4	6	8	11
35-49	4983	3.5	6	1	1	3	4	6	8	11
50-64	13484	3.8	7	1	1	3	5	7	8	13
65+	24938	4.4	10	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	12	4.3	9	<1	1	4	6	9	10	10
20-34	160	3.9	12	1	1	3	5	9	11	17
35-49	2985	3.8	14	1	1	2	5	8	11	17
50-64	9146	4.4	21	1	1	2	6	10	13	20
65+	7231	5.7	35	1	1	3	8	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4144	2.8	4	1	1	2	4	5	6	9
B. *Operated*	1484	2.2	3	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	43906	4.1	9	1	2	3	5	7	9	14
B. *Operated*	19534	4.8	25	1	1	3	7	11	14	23
1. SINGLE DX	5628	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	63440	4.3	14	1	1	3	5	8	11	18
A. NOT OPERATED	48050	4.0	9	1	2	3	5	7	9	14
B. OPERATED	21018	4.6	24	1	1	2	6	10	14	23
TOTAL 0-19 YRS	44	3.8	6	<1	1	3	5	7	9	10
20-34	789	3.3	6	1	1	3	4	6	8	13
35-49	9398	3.5	8	1	1	3	4	7	8	13
50-64	24998	3.9	12	1	1	3	5	8	10	16
65+	33839	4.6	16	1	2	4	6	9	11	20
GRAND TOTAL	**69068**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	87	3.3	3	1	1	3	4	6	7	8
35-49	985	3.3	4	1	1	3	4	6	7	9
50-64	2192	3.5	4	1	1	3	4	6	7	11
65+	2631	3.8	6	1	2	3	5	7	8	11
B. *Operated*										
0-19 YRS										
20-34	12	3.2	6	<1	<1	2	5	7	8	8
35-49	227	4.5	11	1	1	4	6	9	11	16
50-64	576	4.6	15	1	1	3	6	10	12	19
65+	374	4.8	17	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.7	8	2	2	4	6	9	11	14
20-34	330	3.9	7	1	2	3	5	7	8	13
35-49	5679	4.1	8	1	2	4	5	7	9	14
50-64	20183	4.6	9	1	2	4	6	8	10	15
65+	46536	5.3	14	2	2	5	7	9	11	18
B. *Operated*										
0-19 YRS	9	6.8	18	1	1	6	11	12	12	12
20-34	132	5.7	20	1	2	4	7	12	14	23
35-49	3322	6.5	27	1	2	5	9	12	15	24
50-64	11816	7.5	41	1	2	6	10	14	18	30
65+	12742	9.4	66	1	2	8	12	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5899	3.6	5	1	1	3	5	6	7	11
B. *Operated*	1189	4.6	15	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	72786	5.0	12	2	2	4	6	9	11	17
B. *Operated*	28021	8.2	52	1	2	7	11	16	20	36
1. SINGLE DX	7088	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	100807	5.9	25	2	2	5	7	11	14	24
A. NOT OPERATED	78685	4.9	12	2	2	4	6	9	11	17
B. OPERATED	29210	8.1	51	1	2	7	11	16	20	35
TOTAL 0-19 YRS	71	4.9	9	1	2	4	6	10	12	14
20-34	561	4.2	10	1	2	3	5	8	10	19
35-49	10213	4.8	15	1	2	4	6	9	12	19
50-64	34767	5.5	21	1	2	4	7	10	13	22
65+	62283	6.1	27	2	2	5	7	11	15	26
GRAND TOTAL	**107895**	**5.8**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	3.2	4	<1	1	3	5	6	7	7
35-49	117	3.0	5	<1	1	3	4	5	6	13
50-64	276	3.1	7	1	1	2	4	6	9	13
65+	209	4.7	23	1	1	3	6	10	13	25
B. *Operated*										
0-19 YRS	15	2.4	6	<1	<1	2	2	7	8	9
20-34	65	2.7	6	1	1	2	3	5	9	12
35-49	1855	3.2	9	1	1	2	4	8	10	13
50-64	5105	3.6	12	1	1	2	4	9	11	15
65+	2552	4.3	22	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.1	21	1	1	4	5	12	17	17
20-34	74	3.6	12	1	1	3	4	6	8	24
35-49	995	3.9	7	1	1	3	5	7	9	13
50-64	3247	4.3	10	1	1	4	5	8	10	16
65+	4795	5.5	20	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	32	5.7	38	1	1	3	7	14	20	26
20-34	301	5.0	31	1	1	3	7	11	14	26
35-49	7371	4.9	23	1	1	3	8	11	13	22
50-64	24913	5.9	38	1	1	3	9	13	16	28
65+	18843	7.7	64	1	1	6	11	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	3.6	12	1	1	3	4	7	10	17
B. *Operated*	9592	3.7	14	1	1	2	4	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	9121	4.9	15	1	2	4	6	9	12	19
B. *Operated*	51460	6.4	46	1	1	4	9	14	18	32
1. SINGLE DX	10210	3.7	14	1	1	2	4	9	11	16
2. MULTIPLE DX	60581	6.2	42	1	1	4	9	13	17	30
A. NOT OPERATED	9739	4.8	15	1	1	4	6	9	12	19
B. OPERATED	61052	6.0	42	1	1	3	9	13	17	30
TOTAL 0-19 YRS	57	4.7	28	1	1	2	6	12	16	26
20-34	456	4.4	24	1	1	3	5	10	13	26
35-49	10338	4.5	19	1	1	3	7	10	12	20
50-64	33541	5.4	32	1	1	3	8	12	15	25
65+	26399	7.0	53	1	1	4	10	15	19	35
GRAND TOTAL	**70791**	**5.8**	**38**	**1**	**1**	**3**	**8**	**13**	**16**	**29**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.2	6	4	4	7	9	11	12	12
20-34	221	7.5	9	3	4	7	9	11	13	16
35-49	252	7.7	11	2	3	8	10	11	13	16
50-64	283	8.0	10	3	4	8	10	11	13	18
65+	289	8.9	12	4	5	8	11	13	15	20
B. *Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	36	8.5	13	3	5	8	10	14	15	19
35-49	48	9.4	17	3	5	8	11	15	19	22
50-64	65	10.0	20	4	5	9	12	17	18	23
65+	56	9.8	17	4	5	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	8.8	28	2	4	7	11	15	18	30
20-34	495	8.9	21	2	4	8	11	13	16	30
35-49	877	9.4	20	3	5	9	11	15	17	25
50-64	1880	10.2	27	4	6	9	12	15	19	30
65+	4508	11.1	33	5	6	10	13	17	20	32
B. *Operated*										
0-19 YRS	20	11.2	40	2	4	11	15	21	23	24
20-34	210	11.8	37	4	6	10	14	19	23	37
35-49	352	11.9	52	5	6	10	14	19	22	51
50-64	655	12.9	55	6	7	11	15	22	27	41
65+	1332	15.1	93	5	7	12	18	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	8.0	11	3	4	8	10	12	13	18
B. *Operated*	207	9.5	17	4	5	9	11	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	7797	10.6	30	4	6	10	12	16	19	31
B. *Operated*	2569	13.8	74	5	7	12	16	23	30	53
1. SINGLE DX	1268	8.3	12	3	5	8	10	12	15	19
2. MULTIPLE DX	10366	11.4	43	4	6	10	13	18	23	38
A. NOT OPERATED	8858	10.3	28	4	5	9	12	16	19	30
B. OPERATED	2776	13.5	71	5	7	11	16	23	29	52
TOTAL 0-19 YRS	75	9.1	27	3	4	8	11	16	18	28
20-34	962	9.2	24	3	5	9	11	14	17	29
35-49	1529	9.7	27	3	5	9	12	15	18	28
50-64	2883	10.6	33	4	6	10	12	16	20	33
65+	6185	11.9	48	5	6	10	14	19	24	40
GRAND TOTAL	**11634**	**11.0**	**40**	**4**	**6**	**10**	**13**	**17**	**22**	**37**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	209	2	2	4	22	28	28	28
20-34	13	10.8	117	1	2	7	21	28	30	30
35-49	13	14.4	100	2	4	12	23	29	30	30
50-64	9	10.9	109	2	2	6	22	26	28	28
65+	7	9.0	64	1	1	8	14	21	22	22
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	2	20.0	288	8	8	20	32	32	32	32
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	3	21.0	163	10	10	18	31	35	35	35
65+	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	20.3	224	2	2	18	31	42	46	54
20-34	217	19.7	183	3	3	17	29	40	45	55
35-49	190	19.4	209	3	4	16	30	42	45	49
50-64	203	17.9	134	3	4	16	28	32	39	49
65+	425	24.1	177	6	8	22	32	43	48	73
B. *Operated*										
0-19 YRS	21	34.2	532	10	11	34	46	72	81	85
20-34	160	31.3	225	9	11	30	42	48	54	84
35-49	160	28.6	204	7	11	29	38	46	56	81
50-64	154	31.1	316	6	9	29	43	56	68	94
65+	250	29.4	222	8	12	29	40	51	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	11.6	101	1	2	8	21	28	29	30
B. *Operated*	11	15.0	142	1	2	10	26	33	35	35
2. MULTIPLE DX										
A. *Not Operated*	1094	21.1	184	3	5	18	30	42	46	55
B. *Operated*	745	30.1	247	8	11	29	41	50	58	84
1. SINGLE DX	56	12.3	108	1	2	8	21	29	30	35
2. MULTIPLE DX	1839	24.7	229	4	6	23	34	45	51	72
A. NOT OPERATED	1139	20.7	184	3	4	18	30	41	45	54
B. OPERATED	756	29.9	248	7	11	29	41	50	58	84
TOTAL 0-19 YRS	84	23.6	332	2	3	20	34	45	55	82
20-34	392	24.1	234	3	5	24	33	44	48	66
35-49	365	23.2	225	3	5	21	32	44	47	66
50-64	369	23.3	253	3	5	20	31	44	52	77
65+	685	25.8	203	6	8	24	35	46	51	71
GRAND TOTAL	**1895**	**24.4**	**230**	**3**	**6**	**23**	**33**	**45**	**50**	**72**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.3	3	1	1	2	3	5	6	9
20-34	108	2.1	2	<1	1	2	3	4	5	8
35-49	207	2.3	16	<1	1	2	3	4	5	7
50-64	261	2.3	16	<1	1	2	3	4	5	10
65+	192	2.6	7	1	1	2	3	4	6	13
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.3	7	1	1	2	6	7	7	7
35-49	8	2.8	2	1	1	2	4	5	5	5
50-64	12	2.3	3	1	1	2	3	5	7	7
65+	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.3	11	<1	1	2	4	6	9	18
20-34	221	2.8	21	1	1	2	3	5	7	14
35-49	532	3.0	6	1	1	2	4	5	7	10
50-64	1268	3.5	8	1	1	3	4	6	8	14
65+	2755	4.7	19	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	4	4	4	4
20-34	14	6.1	61	1	1	4	6	16	27	30
35-49	42	5.2	18	1	1	4	7	11	14	21
50-64	118	6.0	16	1	2	5	8	12	14	45
65+	201	9.2	70	2	2	7	12	18	24	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	2.4	11	<1	1	2	3	4	5	9
B. *Operated*	33	2.5	3	1	1	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	4888	4.1	15	1	1	3	5	8	10	17
B. *Operated*	381	7.5	49	1	2	6	10	15	21	53
1. SINGLE DX	891	2.4	10	<1	1	2	3	4	5	9
2. MULTIPLE DX	5269	4.3	18	1	1	3	5	8	11	20
A. NOT OPERATED	5746	3.8	15	1	1	3	5	7	10	17
B. OPERATED	414	7.1	47	1	2	5	9	14	20	47
TOTAL 0-19 YRS	210	2.8	8	1	1	2	4	6	7	12
20-34	349	2.7	17	<1	1	2	3	5	7	14
35-49	789	2.9	10	1	1	2	4	5	7	12
50-64	1659	3.4	10	1	1	3	4	6	9	15
65+	3153	4.9	23	1	1	4	6	9	12	22
GRAND TOTAL	**6160**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	3	<1	1	2	3	5	6	8
20-34	326	1.8	2	<1	<1	1	2	3	4	7
35-49	576	2.0	2	<1	<1	2	2	4	5	7
50-64	1088	2.4	4	<1	<1	2	3	5	6	10
65+	1252	2.8	7	<1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.8	4	1	1	2	4	6	6	6
35-49	13	2.8	4	1	1	2	3	6	8	8
50-64	31	3.0	5	<1	<1	2	5	7	8	8
65+	33	3.1	6	<1	1	2	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.4	9	<1	<1	2	4	8	10	13
20-34	542	2.7	5	<1	1	2	3	5	7	11
35-49	1590	3.3	8	1	1	2	4	7	9	14
50-64	6503	4.0	11	1	1	3	5	8	10	16
65+	20645	5.3	21	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	18	4.4	16	1	1	3	8	11	12	13
20-34	48	5.6	52	<1	1	3	6	13	18	39
35-49	130	6.6	38	1	1	5	8	15	19	31
50-64	681	7.2	49	1	2	5	9	13	20	34
65+	2112	10.6	98	2	3	8	13	21	29	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3266	2.4	5	<1	1	2	3	5	6	10
B. *Operated*	83	3.0	5	<1	1	2	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	29392	4.8	18	1	1	4	6	9	12	20
B. *Operated*	2989	9.5	86	1	2	7	12	20	27	50
1. SINGLE DX	3349	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	32381	5.3	27	1	1	4	7	10	13	26
A. NOT OPERATED	32658	4.6	18	1	1	4	6	9	12	20
B. OPERATED	3072	9.3	85	1	2	7	12	20	27	49
TOTAL 0-19 YRS	155	3.4	9	<1	1	2	4	8	10	13
20-34	921	2.5	7	<1	1	2	3	5	6	13
35-49	2309	3.2	9	<1	1	2	4	7	9	15
50-64	8303	4.1	14	1	1	3	5	8	11	18
65+	24042	5.6	30	1	1	4	7	11	14	28
GRAND TOTAL	**35730**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	2.7	8	<1	1	2	3	5	6	17
20-34	372	2.9	10	<1	1	2	3	5	7	15
35-49	686	2.7	5	<1	1	2	3	5	7	11
50-64	863	3.0	5	1	1	2	4	5	6	10
65+	917	3.6	7	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	57	4.1	9	1	1	3	6	9	10	13
20-34	61	4.7	15	1	1	3	7	10	13	16
35-49	145	3.3	8	1	1	2	4	7	9	15
50-64	255	3.9	11	1	1	3	5	7	9	14
65+	789	4.5	10	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	445	3.6	12	1	1	3	4	7	9	18
20-34	1273	3.5	15	1	1	3	4	6	8	14
35-49	3038	3.8	11	1	1	3	5	7	9	15
50-64	8297	4.6	14	1	1	4	6	9	11	18
65+	24125	5.7	22	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	144	8.2	206	1	1	4	8	13	24	93
20-34	217	5.8	37	1	1	4	7	13	18	66
35-49	691	7.2	74	1	1	5	8	14	23	57
50-64	2696	8.0	66	1	2	6	10	16	21	45
65+	13000	8.4	50	2	3	7	10	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3030	3.0	6	1	1	2	4	6	7	12
B. *Operated*	1307	4.2	10	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	37178	5.2	19	1	2	4	6	10	13	21
B. *Operated*	16748	8.3	55	2	2	6	10	16	21	40
1. SINGLE DX	4337	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	53926	6.1	33	1	2	5	8	12	15	28
A. NOT OPERATED	40208	5.0	19	1	2	4	6	9	12	21
B. OPERATED	18055	8.0	53	2	2	6	10	15	20	39
TOTAL 0-19 YRS	838	4.2	47	1	1	3	5	8	11	28
20-34	1923	3.6	17	1	1	3	4	7	9	19
35-49	4560	4.1	21	1	1	3	5	8	11	23
50-64	12111	5.2	28	1	1	4	6	10	14	26
65+	38831	6.5	33	1	2	5	8	12	16	28
GRAND TOTAL	**58263**	**5.9**	**31**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	7	1	1	4	6	9	9	9
20-34	5	6.8	11	3	3	7	10	10	10	10
35-49	77	4.4	9	1	1	4	6	8	11	15
50-64	462	4.9	11	1	2	4	6	9	12	15
65+	1960	5.3	15	1	2	4	7	9	13	21
B. *Operated*										
0-19 YRS	3	4.0	9	<1	<1	4	6	7	7	7
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	8	2.8	7	<1	<1	2	4	7	8	8
50-64	27	5.6	31	1	1	3	8	14	18	22
65+	39	7.7	44	1	2	5	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	5.7	23	1	2	4	7	12	15	24
20-34	447	6.3	21	1	2	5	8	12	15	24
35-49	2906	6.6	24	2	2	5	8	12	15	26
50-64	17970	7.0	29	2	3	6	9	13	16	28
65+	91444	7.8	36	2	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	89	12.8	185	2	2	9	16	26	57	87
20-34	149	8.0	84	<1	1	5	10	17	25	50
35-49	648	10.6	118	1	2	8	13	22	33	61
50-64	2753	11.8	99	2	3	9	15	23	31	52
65+	9734	14.2	128	3	4	11	18	28	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2524	5.2	14	1	2	4	6	9	12	19
B. *Operated*	81	6.1	35	<1	1	4	9	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	113222	7.7	34	2	3	6	9	14	18	30
B. *Operated*	13373	13.4	123	2	4	11	17	26	35	66
1. SINGLE DX	2605	5.2	15	1	2	4	6	9	13	20
2. MULTIPLE DX	126595	8.3	47	2	3	7	10	15	20	36
A. NOT OPERATED	115746	7.6	34	2	3	6	9	14	18	30
B. OPERATED	13454	13.4	123	2	4	11	17	26	35	66
TOTAL 0-19 YRS	567	6.8	54	1	2	5	8	14	19	40
20-34	605	6.7	37	1	2	5	8	13	16	30
35-49	3639	7.2	43	2	2	6	9	13	17	35
50-64	21212	7.6	41	2	3	6	9	14	18	34
65+	103177	8.4	48	2	3	7	10	16	20	36
GRAND TOTAL	**129200**	**8.2**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	3.5	7	<1	1	3	5	6	8	16
20-34	552	3.1	5	1	1	3	4	6	7	9
35-49	627	3.0	4	<1	1	2	4	6	7	10
50-64	417	3.4	8	1	1	3	4	6	7	13
65+	304	3.5	11	<1	<1	3	4	7	10	19
B. *Operated*										
0-19 YRS	129	3.3	10	<1	1	2	5	7	9	15
20-34	185	4.3	15	1	1	2	7	10	12	17
35-49	459	3.9	18	1	1	2	6	10	12	18
50-64	767	4.4	26	1	1	2	7	11	13	23
65+	467	4.7	41	1	1	2	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	4.9	21	1	1	4	6	10	13	24
20-34	1321	4.3	16	1	1	3	5	8	11	22
35-49	2479	5.1	20	1	2	4	6	10	13	20
50-64	4551	6.4	24	1	2	5	8	12	16	24
65+	7318	7.5	35	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	302	7.8	115	<1	1	4	10	16	28	61
20-34	533	8.5	80	<1	1	6	11	18	28	43
35-49	1733	7.3	68	1	1	5	10	16	22	44
50-64	4326	8.3	85	1	1	6	11	18	24	50
65+	5463	10.3	103	1	1	8	14	22	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2051	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	2007	4.3	26	1	1	2	6	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	16057	6.5	29	1	2	5	8	12	16	27
B. *Operated*	12357	9.1	93	1	1	7	12	20	26	49
1. SINGLE DX	4058	3.7	16	<1	1	2	4	8	11	18
2. MULTIPLE DX	28414	7.6	58	1	2	5	10	16	21	38
A. NOT OPERATED	18108	6.1	27	1	2	5	8	12	15	26
B. OPERATED	14364	8.4	86	1	1	6	12	19	25	47
TOTAL 0-19 YRS	970	5.3	50	1	1	3	6	11	16	38
20-34	2591	4.9	30	1	1	3	6	10	14	30
35-49	5298	5.5	36	1	1	4	7	11	15	30
50-64	10061	6.9	52	1	1	5	9	15	19	35
65+	13552	8.4	65	1	2	6	11	17	23	40
GRAND TOTAL	**32472**	**7.1**	**55**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	5	4.2	8	1	1	4	7	7	7	7
65+	6	5.2	15	2	2	4	7	11	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	17	3.3	5	<1	1	2	5	7	8	8
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	55	3.4	5	1	1	3	4	6	9	10
50-64	212	4.5	9	1	2	4	6	8	10	16
65+	474	5.9	19	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS										
20-34	10	4.2	11	1	1	3	5	10	11	11
35-49	63	4.2	20	1	1	2	4	11	15	19
50-64	232	5.3	64	1	1	2	7	12	15	37
65+	185	8.2	87	1	2	6	10	17	24	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	10	1	1	4	7	9	12	12
B. *Operated*	23	2.9	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	744	5.3	16	1	2	4	7	10	14	20
B. *Operated*	490	6.2	68	1	1	3	8	14	17	49
1. SINGLE DX	35	3.5	7	1	1	2	5	7	8	12
2. MULTIPLE DX	1234	5.7	37	1	1	4	7	12	15	30
A. NOT OPERATED	756	5.3	16	1	2	4	7	10	14	20
B. OPERATED	513	6.1	65	1	1	3	8	14	17	48
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	13	4.2	10	1	1	3	6	9	11	11
35-49	121	3.7	13	1	1	2	4	9	11	18
50-64	466	4.9	36	1	1	3	6	10	13	20
65+	668	6.5	39	1	2	5	8	13	17	39
GRAND TOTAL	**1269**	**5.6**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	25	2	2	8	11	12	12	12
20-34	9	4.2	21	<1	<1	2	7	12	14	14
35-49	18	5.4	43	<1	<1	2	8	18	20	20
50-64	18	2.3	6	<1	<1	1	2	6	8	10
65+	11	9.1	60	<1	<1	8	13	21	25	25
B. *Operated*										
0-19 YRS	13	10.5	90	1	2	8	14	26	30	31
20-34	73	13.0	83	1	2	12	17	24	34	39
35-49	116	12.4	69	1	2	11	18	23	27	38
50-64	107	12.8	89	1	1	11	16	25	29	47
65+	24	11.9	92	1	2	10	17	25	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.6	166	2	2	6	9	30	43	43
20-34	15	7.3	83	1	1	3	14	22	27	29
35-49	35	7.7	86	<1	<1	4	12	20	30	35
50-64	60	7.6	54	<1	1	5	10	18	27	93
65+	161	13.6	105	2	3	11	18	24	37	96
B. *Operated*										
0-19 YRS	25	19.6	398	3	6	13	22	49	97	99+
20-34	90	19.4	249	3	5	16	24	44	63	99+
35-49	225	20.9	177	4	7	19	28	42	61	99+
50-64	338	24.8	304	5	8	20	32	54	72	99+
65+	257	25.4	291	5	8	22	34	57	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.1	34	<1	<1	2	8	13	19	25
B. *Operated*	333	12.6	80	1	2	11	17	24	29	39
2. MULTIPLE DX										
A. *Not Operated*	280	11.1	100	1	1	9	16	23	33	91
B. *Operated*	935	23.4	271	4	7	19	31	49	66	99+
1. SINGLE DX	392	11.4	80	1	1	10	16	24	28	38
2. MULTIPLE DX	1215	20.5	258	2	4	17	28	45	62	99+
A. NOT OPERATED	339	10.0	93	<1	1	8	14	21	30	76
B. OPERATED	1268	20.5	243	2	5	17	27	43	60	99+
TOTAL 0-19 YRS	50	14.7	270	2	2	10	19	40	49	99+
20-34	187	15.2	180	1	2	12	19	35	43	96
35-49	394	16.5	159	1	2	14	23	36	45	99+
50-64	523	19.6	274	1	2	16	27	44	60	99+
65+	453	20.1	246	2	5	17	27	43	60	99+
GRAND TOTAL	**1607**	**18.3**	**230**	**1**	**2**	**15**	**25**	**39**	**57**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	24.9	299	2	3	31	41	44	44	44
50-64	9	13.1	97	1	2	8	23	26	27	27
65+	24	19.4	264	1	6	14	26	46	54	58
B. *Operated*										
0-19 YRS	3	17.0	16	13	13	17	20	21	21	21
20-34	16	28.3	368	9	11	26	46	94	99+	99+
35-49	36	33.4	425	8	10	29	49	80	99+	99+
50-64	41	29.5	321	10	13	23	40	58	79	99+
65+	29	27.0	218	10	12	23	38	62	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	40	19.0	236	1	3	15	28	44	49	58
B. *Operated*	125	29.6	327	9	12	26	40	72	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	165	27.0	325	7	8	23	37	66	88	99+
A. NOT OPERATED	40	19.0	236	1	3	15	28	44	49	58
B. OPERATED	125	29.6	327	9	12	26	40	72	99+	99+
TOTAL 0-19 YRS	3	17.0	16	13	13	17	20	21	21	21
20-34	16	28.3	368	9	11	26	46	94	99+	99+
35-49	43	32.0	407	7	9	29	44	77	99+	99+
50-64	50	26.6	319	5	7	23	34	53	72	99+
65+	53	23.6	249	7	8	20	36	53	65	99+
GRAND TOTAL	**165**	**27.0**	**325**	**7**	**8**	**23**	**37**	**66**	**88**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.7	35	<1	1	4	7	12	20	25
20-34	8	9.1	68	1	1	8	15	21	23	23
35-49	23	8.3	160	<1	<1	3	10	19	35	60
50-64	49	7.3	52	1	1	6	10	14	17	43
65+	171	9.2	102	1	2	7	11	16	23	51
B. *Operated*										
0-19 YRS	33	8.1	37	2	2	7	10	19	22	25
20-34	53	8.2	50	1	1	7	10	18	23	33
35-49	68	8.2	65	1	2	6	9	17	20	53
50-64	90	8.1	31	1	2	7	11	14	18	33
65+	199	10.6	82	3	5	8	12	18	27	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.4	30	<1	1	6	9	16	19	21
20-34	44	9.4	186	<1	1	6	10	16	38	74
35-49	141	9.6	87	1	2	7	12	23	33	58
50-64	475	11.0	104	2	3	8	14	22	30	71
65+	2130	12.4	106	2	4	10	16	24	32	66
B. *Operated*										
0-19 YRS	92	13.7	123	3	3	11	18	29	41	49
20-34	90	14.1	152	3	5	10	19	31	53	99+
35-49	183	19.5	340	3	4	14	26	49	68	98
50-64	442	17.5	236	4	5	13	23	40	61	99+
65+	1201	19.8	237	5	6	16	26	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	8.5	92	1	1	6	11	16	23	51
B. *Operated*	443	9.3	63	2	3	7	11	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	2827	11.9	106	2	3	9	15	24	31	67
B. *Operated*	2008	18.7	240	4	5	14	25	40	59	99+
1. SINGLE DX	712	9.0	74	1	2	7	11	17	23	47
2. MULTIPLE DX	4835	14.7	173	3	4	11	19	31	44	99
A. NOT OPERATED	3096	11.6	106	2	3	9	15	23	31	65
B. OPERATED	2451	17.0	221	3	5	13	23	37	54	99+
TOTAL 0-19 YRS	180	10.4	91	1	2	8	13	23	29	46
20-34	195	11.2	134	1	2	8	14	25	34	88
35-49	415	13.6	225	1	2	8	18	31	52	91
50-64	1056	13.3	164	2	3	9	16	30	44	99+
65+	3701	14.5	161	3	4	11	19	30	41	90
GRAND TOTAL	**5547**	**14.0**	**164**	**2**	**4**	**10**	**18**	**29**	**41**	**93**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	19.7	374	2	2	16	25	52	55	55
20-34	7	9.3	28	1	2	9	13	16	17	17
35-49	44	18.6	289	3	5	13	22	37	60	80
50-64	212	16.1	209	3	5	11	20	34	54	88
65+	798	16.2	171	4	6	13	19	30	45	91
B. *Operated*										
0-19 YRS	5	15.4	78	8	8	11	25	25	25	25
20-34	18	29.7	335	7	10	26	47	59	64	65
35-49	37	24.2	246	8	10	22	44	99+	99+	99+
50-64	128	23.0	344	6	7	17	29	55	72	99+
65+	271	23.3	288	7	8	19	31	52	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1067	16.3	183	4	6	12	20	32	48	89
B. *Operated*	459	23.4	300	6	8	19	31	54	79	99+
1. SINGLE DX										
2. MULTIPLE DX	1526	18.4	229	4	6	14	23	41	59	99+
A. NOT OPERATED	1067	16.3	183	4	6	12	20	32	48	89
B. OPERATED	459	23.4	300	6	8	19	31	54	79	99+
TOTAL 0-19 YRS	11	17.7	223	2	3	14	25	37	53	55
20-34	25	24.0	332	4	6	16	33	53	63	65
35-49	81	21.2	273	4	6	17	30	59	99+	99+
50-64	340	18.7	270	4	5	13	24	45	63	99+
65+	1069	18.0	210	5	6	14	22	37	54	99+
GRAND TOTAL	**1526**	**18.4**	**229**	**4**	**6**	**14**	**23**	**41**	**59**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	3	29.0	2029	2	2	4	62	81	81	81
50-64	61	4.2	14	<1	1	3	6	7	11	19
65+	95	3.9	17	<1	<1	3	5	7	8	25
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	8	8.4	70	1	1	5	15	21	23	23
35-49	126	4.7	12	1	1	4	6	10	13	15
50-64	1147	4.2	7	1	1	4	5	7	9	12
65+	2274	4.4	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	14	1	1	6	9	10	10	10
20-34	5	3.0	7	1	1	2	5	7	7	7
35-49	50	4.6	13	1	1	4	6	9	13	18
50-64	391	5.2	28	1	1	4	7	10	13	21
65+	1645	6.1	30	1	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	15	7.9	97	1	1	5	8	15	34	41
20-34	23	4.6	20	1	1	4	6	9	14	21
35-49	427	6.3	38	1	2	5	8	11	15	35
50-64	4695	6.1	24	1	2	5	7	11	15	24
65+	11766	6.7	34	1	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.4	51	<1	<1	3	5	7	9	34
B. *Operated*	3557	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	2096	5.9	30	1	2	5	7	11	14	28
B. *Operated*	16926	6.5	32	1	2	5	8	12	16	28
1. SINGLE DX	3721	4.3	10	1	1	4	5	8	10	15
2. MULTIPLE DX	19022	6.5	31	1	2	5	8	12	16	28
A. NOT OPERATED	2260	5.8	31	1	1	5	7	11	14	28
B. OPERATED	20483	6.2	28	1	2	5	7	12	15	26
TOTAL 0-19 YRS	23	7.1	68	1	1	5	9	12	24	41
20-34	40	5.0	28	1	1	3	7	11	19	23
35-49	606	5.9	40	1	1	4	7	11	14	34
50-64	6294	5.7	22	1	2	5	7	11	14	23
65+	15780	6.3	31	1	2	5	8	12	16	28
GRAND TOTAL	**22743**	**6.1**	**29**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.8	8	5	5	7	10	11	11	11
50-64	53	12.2	282	1	2	7	13	36	70	99
65+	184	9.9	57	2	3	8	12	18	25	38
B. *Operated*										
0-19 YRS	8	7.1	56	2	2	4	9	20	24	24
20-34	9	7.3	31	2	2	7	11	16	18	18
35-49	39	12.4	215	1	2	7	14	22	52	69
50-64	270	10.3	104	2	2	8	12	23	34	92
65+	573	11.4	139	2	3	8	14	23	34	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	241	10.4	105	2	3	8	12	20	29	74
B. *Operated*	899	11.0	130	2	3	8	13	23	35	92
1. SINGLE DX										
2. MULTIPLE DX	1140	10.9	125	2	3	8	13	22	33	84
A. NOT OPERATED	241	10.4	105	2	3	8	12	20	29	74
B. OPERATED	899	11.0	130	2	3	8	13	23	35	92
TOTAL 0-19 YRS	8	7.1	56	2	2	4	9	20	24	24
20-34	9	7.3	31	2	2	7	11	16	18	18
35-49	43	11.9	196	1	2	7	14	21	52	69
50-64	323	10.6	133	2	2	8	13	23	38	99+
65+	757	11.1	119	2	3	8	13	22	30	77
GRAND TOTAL	**1140**	**10.9**	**125**	**2**	**3**	**8**	**13**	**22**	**33**	**84**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	19	<1	<1	1	2	11	12	12
20-34	24	4.5	9	<1	1	4	6	9	10	11
35-49	84	5.7	19	1	2	5	8	11	14	23
50-64	339	6.0	18	2	2	5	7	11	14	23
65+	1022	7.2	34	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	7	4.0	4	2	2	5	5	7	7	7
20-34	25	6.6	20	2	2	5	11	13	14	16
35-49	59	8.2	64	1	2	7	11	16	19	50
50-64	106	6.7	101	1	1	4	8	14	19	58
65+	124	6.7	45	1	1	5	8	13	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	8.8	91	1	2	5	11	18	36	43
20-34	105	7.7	49	2	2	6	10	16	19	73
35-49	682	8.3	64	2	3	6	9	15	22	53
50-64	3991	9.0	77	2	3	7	11	17	24	52
65+	21177	10.4	83	3	3	8	12	19	27	61
B. *Operated*										
0-19 YRS	15	10.3	120	2	2	7	13	25	38	42
20-34	89	10.8	88	2	2	7	14	25	31	44
35-49	299	10.9	133	2	3	8	12	24	33	93
50-64	1177	12.8	169	2	3	9	15	28	46	99+
65+	3338	16.2	207	3	4	12	21	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1475	6.8	29	2	2	6	8	13	16	26
B. *Operated*	321	6.9	64	1	1	5	8	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	26006	10.1	82	2	3	8	12	19	26	60
B. *Operated*	4918	15.0	194	3	4	11	19	35	53	99+
1. SINGLE DX	1796	6.8	35	1	2	5	8	13	17	28
2. MULTIPLE DX	30924	10.9	103	3	3	8	13	21	31	74
A. NOT OPERATED	27481	9.9	80	2	3	8	12	19	26	59
B. OPERATED	5239	14.5	190	2	3	10	18	34	51	99+
TOTAL 0-19 YRS	79	8.2	86	1	2	5	10	17	32	43
20-34	243	8.4	60	2	2	6	11	17	24	47
35-49	1124	8.8	81	2	2	7	10	17	25	64
50-64	5613	9.6	97	2	3	7	11	19	27	65
65+	25661	11.0	102	3	3	8	13	21	31	73
GRAND TOTAL	**32720**	**10.6**	**100**	**2**	**3**	**8**	**13**	**21**	**30**	**72**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	12.0	174	2	4	9	14	32	70	99+
20-34	41	11.0	173	2	3	6	12	30	42	66
35-49	271	11.9	125	3	4	9	15	21	29	69
50-64	1774	13.1	154	3	4	9	15	26	39	73
65+	9598	12.7	106	3	4	10	15	24	33	68
B. *Operated*										
0-19 YRS	9	8.2	15	1	3	8	11	13	13	13
20-34	39	14.6	132	4	5	11	19	34	40	50
35-49	116	14.4	162	3	4	11	20	37	52	99+
50-64	399	18.8	317	4	5	13	23	50	80	99+
65+	1421	19.7	263	5	6	15	25	47	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11712	12.7	115	3	4	10	15	24	34	70
B. *Operated*	1984	19.0	267	4	6	14	24	47	71	99+
1. SINGLE DX										
2. MULTIPLE DX	13696	13.6	141	3	4	10	16	27	39	88
A. NOT OPERATED	11712	12.7	115	3	4	10	15	24	34	70
B. OPERATED	1984	19.0	267	4	6	14	24	47	71	99+
TOTAL 0-19 YRS	37	11.1	137	2	3	9	12	20	56	99+
20-34	80	12.8	154	3	3	8	14	32	40	61
35-49	387	12.6	137	3	4	9	15	24	39	83
50-64	2173	14.2	189	3	4	10	17	30	46	94
65+	11019	13.6	132	3	5	10	16	27	38	86
GRAND TOTAL	**13696**	**13.6**	**141**	**3**	**4**	**10**	**16**	**27**	**39**	**88**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8		1	1	2	2	2	2	2
20-34	57	2.9	3	1	1	2	4	6	7	7
35-49	236	3.1	4	1	1	3	4	6	7	9
50-64	737	3.1	5	1	1	3	4	6	7	11
65+	1723	3.4	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	18	2.2	3	1	1	1	3	4	6	7
35-49	101	3.6	15	1	1	3	4	6	8	27
50-64	344	3.4	7	1	1	3	4	7	8	12
65+	356	3.9	17	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.8	15	1	1	3	4	7	12	21
20-34	202	3.7	7	1	1	3	5	7	8	14
35-49	991	4.1	8	1	1	3	5	8	9	14
50-64	5028	4.5	11	1	2	4	6	8	10	16
65+	25515	5.6	32	1	2	4	7	10	13	27
B. *Operated*										
0-19 YRS	11	5.2	18	1	1	4	7	12	15	15
20-34	56	5.5	14	1	2	5	7	9	11	23
35-49	406	5.4	18	1	2	4	7	10	13	20
50-64	1775	5.9	26	1	2	5	7	11	15	26
65+	4556	7.9	64	1	2	6	10	16	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2758	3.3	5	1	1	3	4	6	7	11
B. *Operated*	822	3.6	12	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	31778	5.4	28	1	2	4	6	10	12	24
B. *Operated*	6804	7.2	52	1	2	5	9	14	19	41
1. SINGLE DX	3580	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	38582	5.7	32	1	2	4	7	10	14	28
A. NOT OPERATED	34536	5.2	26	1	2	4	6	9	12	23
B. OPERATED	7626	6.8	49	1	2	5	8	14	19	40
TOTAL 0-19 YRS	61	3.8	14	1	1	2	4	7	12	20
20-34	333	3.8	8	1	1	3	5	7	9	14
35-49	1734	4.3	11	1	1	3	5	8	10	16
50-64	7884	4.6	14	1	1	4	6	9	11	19
65+	32150	5.8	36	1	2	4	7	11	14	30
GRAND TOTAL	**42162**	**5.5**	**31**	**1**	**2**	**4**	**7**	**10**	**13**	**27**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	13	5.2	23	<1	1	5	6	11	17	19
35-49	68	5.6	28	1	1	4	7	10	16	33
50-64	273	5.8	31	1	2	4	7	11	14	29
65+	835	7.2	40	2	2	6	9	13	19	32
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	7.3	21	1	2	7	10	13	17	17
35-49	23	6.1	27	1	2	6	8	13	17	22
50-64	74	5.8	30	1	1	4	8	11	16	29
65+	79	8.8	123	1	2	6	9	20	27	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.9	23	1	2	5	7	13	18	22
20-34	70	6.7	31	1	2	6	8	13	18	29
35-49	370	7.3	46	2	2	5	9	14	20	36
50-64	2115	7.8	57	2	2	6	9	15	19	41
65+	11277	9.1	64	2	3	7	11	17	22	46
B. *Operated*										
0-19 YRS	5	8.2	23	3	3	7	10	16	16	16
20-34	24	12.0	216	1	2	7	15	27	54	59
35-49	100	9.9	111	1	2	7	12	26	39	99+
50-64	485	10.1	83	2	3	8	12	22	31	99+
65+	1482	15.3	206	3	4	11	19	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1196	6.8	38	1	2	5	8	12	16	31
B. *Operated*	189	7.2	69	1	1	5	8	14	23	52
2. MULTIPLE DX										
A. *Not Operated*	13867	8.9	62	2	3	7	11	16	22	45
B. *Operated*	2096	13.8	178	2	4	10	17	29	44	99+
1. SINGLE DX	1385	6.8	42	1	2	5	8	13	17	31
2. MULTIPLE DX	15963	9.5	80	2	3	7	11	18	25	58
A. NOT OPERATED	15063	8.7	61	2	3	7	10	16	22	45
B. OPERATED	2285	13.2	172	2	3	9	16	29	43	99+
TOTAL 0-19 YRS	49	5.6	21	1	1	4	7	12	16	22
20-34	118	7.6	70	1	2	6	9	17	20	54
35-49	561	7.5	56	1	2	6	9	15	22	54
50-64	2947	7.9	59	2	2	6	10	15	21	45
65+	13673	9.7	82	2	3	7	11	18	25	58
GRAND TOTAL	**17348**	**9.3**	**78**	**2**	**3**	**7**	**11**	**17**	**24**	**57**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.4	66	2	2	11	17	23	26	26
20-34	26	8.6	20	2	2	8	11	15	16	17
35-49	147	9.9	92	2	3	7	13	21	26	54
50-64	797	10.4	84	2	3	8	13	20	28	52
65+	4416	11.0	87	3	4	9	13	21	28	58
B. *Operated*										
0-19 YRS	5	11.6	28	6	6	11	16	18	18	18
20-34	7	10.6	30	2	3	11	14	18	19	19
35-49	46	10.9	76	3	4	9	13	20	37	99+
50-64	175	14.5	207	2	3	9	18	41	56	99+
65+	541	17.4	215	4	5	13	21	36	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5396	10.9	86	3	3	9	13	21	28	56
B. *Operated*	774	16.3	205	4	5	12	20	35	53	99+
1. SINGLE DX										
2. MULTIPLE DX	6170	11.6	104	3	4	9	14	22	32	66
A. NOT OPERATED	5396	10.9	86	3	3	9	13	21	28	56
B. OPERATED	774	16.3	205	4	5	12	20	35	53	99+
TOTAL 0-19 YRS	15	11.5	50	2	2	11	17	20	24	26
20-34	33	9.0	22	2	2	9	13	15	17	19
35-49	193	10.2	88	2	3	7	13	21	27	57
50-64	972	11.1	109	2	3	8	14	23	35	80
65+	4957	11.7	105	3	4	9	14	22	31	66
GRAND TOTAL	**6170**	**11.6**	**104**	**3**	**4**	**9**	**14**	**22**	**32**	**66**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	3	1	1	1	3	5	5	5
20-34	31	3.2	3	1	1	3	4	6	7	8
35-49	155	3.0	4	1	1	3	4	6	7	11
50-64	187	3.7	6	1	1	3	5	7	8	12
65+	249	4.4	13	1	1	3	5	9	12	17
B. *Operated*										
0-19 YRS	13	4.2	14	1	1	3	6	11	12	12
20-34	44	4.7	15	1	1	3	8	10	12	15
35-49	109	5.3	21	1	1	4	8	11	16	19
50-64	143	6.1	39	1	1	3	9	14	21	29
65+	104	3.7	15	1	1	2	4	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.9	27	<1	1	3	6	10	14	30
20-34	168	4.5	18	1	1	3	5	8	12	17
35-49	686	5.0	18	1	2	4	6	9	13	19
50-64	1508	5.4	27	1	2	4	7	10	13	23
65+	5218	6.9	47	2	2	5	8	13	17	40
B. *Operated*										
0-19 YRS	28	16.0	524	1	2	6	18	54	79	87
20-34	111	12.0	222	1	2	8	13	23	44	86
35-49	233	10.7	113	1	2	8	14	22	32	86
50-64	644	10.2	162	1	2	6	12	23	36	93
65+	1051	9.8	130	1	2	7	12	21	31	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	3.7	8	1	1	3	5	7	9	15
B. *Operated*	413	5.1	26	1	1	3	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	7623	6.4	40	2	2	5	8	12	16	34
B. *Operated*	2067	10.2	149	1	2	7	12	22	34	91
1. SINGLE DX	1043	4.3	16	1	1	3	6	9	12	21
2. MULTIPLE DX	9690	7.2	66	1	2	5	8	14	19	53
A. NOT OPERATED	8253	6.2	38	1	2	5	7	11	15	32
B. OPERATED	2480	9.4	132	1	1	6	11	20	30	85
TOTAL 0-19 YRS	92	7.9	200	1	1	3	7	17	27	83
20-34	354	6.7	93	1	1	4	8	12	18	56
35-49	1183	5.9	41	1	1	4	7	12	17	41
50-64	2482	6.6	66	1	2	4	8	13	19	45
65+	6622	7.2	60	1	2	5	9	14	18	51
GRAND TOTAL	**10733**	**6.9**	**62**	**1**	**2**	**5**	**8**	**13**	**18**	**50**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.2	3	<1	<1	1	4	5	5	5
50-64	14	2.6	10	<1	<1	1	3	7	11	12
65+	22	4.0	18	<1	1	2	5	9	13	17
B. *Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	7	5.4	12	1	1	6	8	10	10	10
35-49	103	4.0	13	1	1	2	6	9	11	15
50-64	414	4.3	16	1	1	2	7	10	11	17
65+	446	4.5	21	1	1	2	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	<1	<1	1	4	7	7	7
20-34	5	4.6	16	1	1	2	9	9	9	9
35-49	34	3.5	8	<1	1	3	6	7	9	12
50-64	173	4.0	16	<1	1	3	5	9	11	16
65+	545	6.5	38	1	1	5	8	14	18	34
B. *Operated*										
0-19 YRS	29	7.4	29	1	1	7	10	14	17	23
20-34	41	7.0	43	1	1	6	9	15	16	37
35-49	553	8.2	60	1	1	7	11	17	25	45
50-64	2891	9.4	91	1	1	8	12	19	28	53
65+	6891	11.9	131	1	2	9	15	25	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.2	12	<1	<1	1	4	9	10	17
B. *Operated*	974	4.4	18	1	1	2	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	761	5.7	33	1	1	4	7	12	16	32
B. *Operated*	10405	11.0	117	1	2	9	14	23	32	61
1. SINGLE DX	1019	4.3	18	1	1	2	7	10	12	18
2. MULTIPLE DX	11166	10.6	113	1	1	8	14	22	32	60
A. NOT OPERATED	806	5.6	32	1	1	4	7	12	16	31
B. OPERATED	11379	10.4	112	1	1	8	13	22	31	59
TOTAL 0-19 YRS	37	6.2	28	1	1	5	10	12	17	23
20-34	53	6.6	37	1	1	6	9	12	16	36
35-49	699	7.2	53	1	1	6	10	15	23	43
50-64	3492	8.5	82	1	1	7	11	18	25	51
65+	7904	11.1	122	1	1	9	14	23	33	63
GRAND TOTAL	**12185**	**10.1**	**108**	**1**	**1**	**8**	**13**	**21**	**30**	**57**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	12	2.8	6	1	1	2	3	7	9	9
65+	42	4.8	34	<1	<1	3	5	13	20	27
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	7.6	11	2	3	8	10	12	12	12
35-49	21	7.2	11	1	2	8	9	10	12	14
50-64	261	9.0	15	1	5	9	11	13	15	26
65+	468	8.9	19	1	2	9	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.5	5	1	1	3	5	7	7	7
35-49	8	4.3	25	<1	<1	2	5	13	16	16
50-64	116	4.7	22	1	1	3	6	9	14	26
65+	832	6.3	49	1	1	4	8	14	18	31
B. *Operated*										
0-19 YRS	13	12.9	147	<1	2	9	14	32	43	46
20-34	26	14.7	173	1	3	11	20	25	34	67
35-49	105	11.1	89	1	1	10	13	21	29	51
50-64	1904	12.2	78	2	5	10	14	20	27	57
65+	5928	14.2	120	2	6	12	16	25	35	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.1	27	<1	<1	2	4	10	17	27
B. *Operated*	758	8.9	18	1	2	9	11	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	965	6.0	45	1	1	4	7	13	17	31
B. *Operated*	7976	13.7	110	2	5	11	16	24	33	67
1. SINGLE DX	816	8.5	20	1	2	9	11	13	16	21
2. MULTIPLE DX	8941	12.9	109	2	3	11	15	23	32	65
A. NOT OPERATED	1023	5.9	45	1	1	4	7	13	17	31
B. OPERATED	8734	13.3	104	2	5	11	15	23	32	65
TOTAL 0-19 YRS	15	11.6	139	<1	<1	9	14	28	41	46
20-34	42	11.1	131	1	2	8	16	24	25	67
35-49	137	9.9	77	1	1	8	12	18	26	42
50-64	2293	11.4	72	2	3	10	13	19	26	53
65+	7270	12.9	113	2	3	11	15	23	32	66
GRAND TOTAL	**9757**	**12.5**	**103**	**2**	**3**	**10**	**15**	**22**	**31**	**63**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	3	2.0		2	2	2	2	2	2	2
50-64	9	3.9	12	1	1	3	5	10	11	11
65+	8	2.5	2	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	11	3.1	9	1	1	2	4	8	9	9
20-34	37	6.3	77	1	1	4	9	12	16	52
35-49	60	6.0	57	1	1	4	8	12	14	49
50-64	114	6.5	21	1	1	6	9	12	15	23
65+	154	6.7	17	1	1	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	6	6.0	75	<1	<1	2	7	21	23	23
50-64	19	4.7	23	<1	<1	4	6	9	16	22
65+	50	6.1	32	1	1	4	8	12	13	34
B. *Operated*										
0-19 YRS	12	7.3	21	1	1	8	11	13	14	14
20-34	47	10.6	128	1	2	7	13	24	39	50
35-49	160	11.3	153	1	1	8	14	25	33	85
50-64	463	10.3	92	1	2	8	12	20	25	62
65+	1012	11.1	99	2	3	9	14	20	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.0	6	1	1	2	4	6	9	11
B. *Operated*	376	6.4	30	1	1	6	9	12	14	26
2. MULTIPLE DX										
A. *Not Operated*	77	5.7	32	<1	1	4	7	12	16	31
B. *Operated*	1694	10.9	103	2	2	8	13	21	28	64
1. SINGLE DX	400	6.2	29	1	1	5	9	11	14	25
2. MULTIPLE DX	1771	10.7	101	1	2	8	13	20	28	63
A. NOT OPERATED	101	5.0	27	<1	1	4	6	11	13	28
B. OPERATED	2070	10.1	92	1	2	8	12	19	25	59
TOTAL 0-19 YRS	24	5.1	19	1	1	3	8	12	13	14
20-34	89	8.4	105	1	1	5	10	18	29	51
35-49	229	9.7	130	1	1	7	12	23	29	80
50-64	605	9.3	79	1	2	8	11	18	23	52
65+	1224	10.3	89	2	2	8	12	19	25	61
GRAND TOTAL	**2171**	**9.8**	**91**	**1**	**2**	**8**	**12**	**19**	**25**	**57**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	2	5	5	7	8	9	9	9
20-34	23	6.4	9	2	2	7	9	11	11	11
35-49	32	6.4	14	1	2	6	9	12	13	15
50-64	68	4.5	16	<1	<1	4	7	10	10	21
65+	93	4.8	14	<1	1	4	7	11	12	16
B. *Operated*										
0-19 YRS	13	6.5	16	1	2	6	9	11	15	16
20-34	71	7.0	50	1	1	5	9	16	18	39
35-49	318	5.7	19	1	1	5	8	11	12	18
50-64	876	5.7	19	1	1	5	8	11	13	17
65+	839	6.1	24	1	1	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.4	33	<1	<1	4	9	16	17	17
20-34	27	7.7	16	2	2	8	10	14	15	15
35-49	107	6.1	17	<1	1	6	9	12	13	19
50-64	303	5.7	19	1	1	5	8	11	13	19
65+	893	7.2	40	1	1	6	9	13	18	31
B. *Operated*										
0-19 YRS	25	11.5	63	2	4	9	16	24	27	34
20-34	138	10.1	133	1	2	8	12	18	24	75
35-49	1049	9.6	85	1	2	8	11	18	26	61
50-64	4724	10.0	74	1	2	8	12	19	25	45
65+	9294	11.6	100	1	2	9	14	23	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	5.2	14	<1	1	5	7	10	12	16
B. *Operated*	2117	5.9	22	1	1	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1339	6.8	33	1	1	6	9	12	16	29
B. *Operated*	15230	10.9	92	1	2	9	13	21	28	54
1. SINGLE DX	2339	5.8	21	1	1	5	8	11	13	20
2. MULTIPLE DX	16569	10.6	88	1	2	9	13	20	28	52
A. NOT OPERATED	1561	6.6	31	1	1	6	9	12	15	27
B. OPERATED	17347	10.3	86	1	2	8	13	20	27	52
TOTAL 0-19 YRS	53	8.9	44	1	2	7	11	18	23	34
20-34	259	8.7	89	1	1	7	11	15	21	57
35-49	1506	8.5	68	1	1	7	10	15	21	49
50-64	5971	9.1	66	1	1	8	11	17	23	41
65+	11119	10.8	92	1	2	9	13	21	28	53
GRAND TOTAL	**18908**	**10.0**	**82**	**1**	**2**	**8**	**12**	**19**	**26**	**50**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	5.0	13	1	1	4	6	9	12	20
20-34	46	4.1	12	<1	<1	3	4	11	11	16
35-49	53	3.1	7	1	1	2	4	6	8	16
50-64	85	3.3	8	<1	1	2	5	7	8	14
65+	117	4.7	27	<1	1	3	6	10	17	24
B. *Operated*										
0-19 YRS	42	3.4	8	1	1	3	4	7	8	16
20-34	115	5.0	54	<1	1	2	6	10	15	47
35-49	266	3.6	11	1	1	2	5	8	10	17
50-64	599	4.0	19	1	1	2	5	9	12	17
65+	587	4.4	23	1	1	2	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	5.5	16	1	2	4	7	11	14	19
20-34	151	5.8	31	1	1	4	8	11	14	32
35-49	240	6.0	45	1	1	4	7	13	19	29
50-64	553	5.3	37	1	1	4	7	10	13	29
65+	1372	6.8	42	1	2	5	8	14	18	31
B. *Operated*										
0-19 YRS	84	9.3	114	1	1	6	12	22	34	88
20-34	235	8.9	95	1	2	6	11	20	31	84
35-49	750	7.8	95	1	1	5	9	16	26	63
50-64	2435	8.6	96	1	1	6	11	19	27	53
65+	4593	10.4	120	1	2	7	13	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	4.4	15	1	1	3	6	9	12	21
B. *Operated*	1609	4.1	21	1	1	2	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	2569	6.2	38	1	1	5	8	12	17	29
B. *Operated*	8097	9.6	111	1	1	7	12	21	30	59
1. SINGLE DX	2163	4.2	20	1	1	3	6	9	12	20
2. MULTIPLE DX	10666	8.8	95	1	1	6	11	19	26	53
A. NOT OPERATED	3123	5.9	35	1	1	4	7	12	16	28
B. OPERATED	9706	8.7	100	1	1	6	11	19	27	54
TOTAL 0-19 YRS	632	5.7	29	1	1	4	7	11	14	28
20-34	547	6.8	65	1	1	4	9	15	21	45
35-49	1309	6.4	68	1	1	4	8	14	20	51
50-64	3672	7.3	76	1	1	5	9	16	23	46
65+	6669	9.0	98	1	1	6	11	20	27	51
GRAND TOTAL	**12829**	**8.0**	**85**	**1**	**1**	**5**	**10**	**18**	**24**	**49**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	6.2	15	1	2	6	8	11	12	22
20-34	640	6.1	10	1	2	6	8	10	12	15
35-49	968	6.7	11	2	3	6	8	10	12	18
50-64	884	6.9	11	2	3	7	9	11	12	17
65+	881	6.9	9	2	3	7	8	10	12	17
B. *Operated*										
0-19 YRS	55	6.7	19	1	1	6	9	13	14	19
20-34	369	6.1	15	1	1	6	8	11	13	18
35-49	517	6.2	13	1	2	6	8	11	13	17
50-64	445	6.9	16	1	2	7	9	12	14	19
65+	367	7.2	16	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.3	29	2	2	7	9	13	19	28
20-34	783	7.5	18	2	3	7	9	12	15	23
35-49	1812	7.8	25	2	3	7	10	13	15	23
50-64	3121	8.1	21	3	4	7	10	13	16	24
65+	5738	8.5	20	3	4	8	10	14	16	24
B. *Operated*										
0-19 YRS	53	9.8	43	2	3	8	12	15	19	35
20-34	571	8.3	49	2	2	7	10	15	19	31
35-49	1087	8.5	32	2	3	8	11	15	19	26
50-64	1918	9.2	40	2	3	8	11	16	21	32
65+	3417	10.4	55	3	4	9	12	17	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3451	6.7	10	2	3	6	8	10	12	17
B. *Operated*	1753	6.6	15	1	2	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	11531	8.2	21	3	4	8	10	13	16	24
B. *Operated*	7046	9.6	47	2	3	8	12	16	21	37
1. SINGLE DX	5204	6.6	12	2	2	6	9	11	13	18
2. MULTIPLE DX	18577	8.7	31	3	4	8	11	14	18	29
A. NOT OPERATED	14982	7.9	19	3	3	7	10	13	15	23
B. OPERATED	8799	9.0	42	2	3	8	11	15	20	34
TOTAL 0-19 YRS	263	7.4	27	1	2	7	9	13	15	29
20-34	2363	7.1	24	1	2	6	9	12	15	23
35-49	4384	7.5	23	2	3	7	9	13	15	24
50-64	6368	8.2	25	2	3	7	10	13	16	27
65+	10403	8.9	32	3	4	8	11	14	18	30
GRAND TOTAL	**23781**	**8.3**	**28**	**2**	**3**	**7**	**10**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	3.8	13	1	1	3	5	7	11	18
35-49	61	5.7	51	1	1	3	8	12	16	45
50-64	62	6.6	30	1	2	5	8	12	21	26
65+	89	8.7	37	3	3	7	10	18	22	30
B. *Operated*										
0-19 YRS	42	2.7	3	<1	1	2	3	5	6	7
20-34	1260	2.5	4	1	1	2	3	4	5	9
35-49	2057	2.8	8	1	1	2	3	4	6	16
50-64	1297	3.4	17	1	1	3	4	6	8	21
65+	482	5.8	49	1	1	3	6	12	19	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	28	1	1	7	11	14	14	14
20-34	48	7.4	86	<1	<1	4	10	17	27	43
35-49	187	7.6	27	1	1	7	10	15	18	23
50-64	384	8.9	60	2	3	7	11	16	23	54
65+	1229	10.1	59	3	4	8	12	19	23	42
B. *Operated*										
0-19 YRS	18	4.4	16	1	1	4	5	12	14	14
20-34	410	5.2	50	1	1	3	5	11	22	40
35-49	997	5.4	51	1	1	3	5	13	21	33
50-64	1195	7.6	87	1	1	4	9	19	27	50
65+	1452	13.7	166	2	2	10	19	31	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	6.8	39	1	1	5	9	14	20	27
B. *Operated*	5138	3.1	14	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*	1852	9.5	57	2	3	8	12	18	23	43
B. *Operated*	4072	9.0	116	1	1	4	12	23	32	57
1. SINGLE DX	5378	3.3	15	1	1	2	4	6	9	22
2. MULTIPLE DX	5924	9.2	98	1	2	6	12	21	29	54
A. NOT OPERATED	2092	9.2	56	2	3	8	12	17	22	43
B. OPERATED	9210	5.7	67	1	1	3	5	14	23	43
TOTAL 0-19 YRS	64	3.5	9	<1	1	3	4	7	10	14
20-34	1746	3.3	19	1	1	2	3	5	8	25
35-49	3302	3.9	25	1	1	3	4	7	13	25
50-64	2938	5.9	56	1	1	3	6	13	20	41
65+	3252	11.0	113	2	2	8	14	24	32	61
GRAND TOTAL	**11302**	**6.4**	**67**	**1**	**1**	**3**	**7**	**15**	**23**	**43**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	3	<1	<1	1	3	5	6	6
20-34	99	2.3	2	<1	<1	2	3	4	6	7
35-49	136	2.4	3	<1	<1	2	3	4	5	8
50-64	88	1.9	2	<1	<1	1	2	4	5	7
65+	62	2.1	2	<1	<1	1	3	4	5	8
B. *Operated*										
0-19 YRS	38	2.6	4	<1	<1	2	3	4	5	13
20-34	765	3.1	2	1	1	3	4	5	6	8
35-49	1089	3.0	2	1	1	3	4	5	6	8
50-64	659	3.1	3	1	1	3	4	5	6	8
65+	227	3.3	8	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	65	<1	1	3	5	6	22	38
20-34	191	3.1	5	<1	1	2	4	6	8	10
35-49	441	3.4	8	<1	1	3	4	7	9	15
50-64	428	3.4	6	<1	1	3	4	7	8	12
65+	682	4.5	34	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	87	3.5	5	1	2	3	4	6	7	13
20-34	3399	3.4	4	1	1	3	4	6	7	10
35-49	6099	3.5	4	1	1	3	4	6	7	11
50-64	4803	3.8	6	1	1	3	5	6	8	13
65+	2835	4.7	14	1	2	4	6	9	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	2.2	2	<1	<1	2	3	4	5	7
B. *Operated*	2778	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1762	3.8	18	<1	1	3	5	7	9	16
B. *Operated*	17223	3.8	7	1	1	3	5	6	8	13
1. SINGLE DX	3175	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	18985	3.8	8	1	1	3	5	6	8	13
A. NOT OPERATED	2159	3.5	16	<1	1	3	4	7	8	15
B. OPERATED	20001	3.7	6	1	1	3	5	6	8	13
TOTAL 0-19 YRS	157	3.3	12	<1	1	3	4	6	7	15
20-34	4454	3.3	4	1	1	3	4	6	7	10
35-49	7765	3.4	4	1	1	3	4	6	7	10
50-64	5978	3.7	6	1	1	3	5	6	8	13
65+	3806	4.6	17	1	1	4	5	8	11	18
GRAND TOTAL	**22160**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	4.9	12	1	1	4	7	9	12	16
20-34	362	6.0	11	1	1	6	8	10	11	15
35-49	415	6.3	12	1	2	6	8	10	12	18
50-64	472	6.1	12	1	2	6	8	10	11	15
65+	521	6.5	16	1	2	6	8	11	13	21
B. *Operated*										
0-19 YRS	243	2.7	13	<1	1	1	2	6	9	21
20-34	645	4.1	17	<1	1	2	6	10	12	18
35-49	482	5.7	21	1	1	6	8	11	13	20
50-64	375	6.4	14	1	1	7	9	11	12	18
65+	341	7.7	21	1	2	7	10	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	4.6	22	1	1	3	6	9	13	24
20-34	788	6.1	21	1	1	5	8	11	14	25
35-49	1496	6.3	25	1	2	6	8	11	14	21
50-64	3171	6.4	22	1	2	5	8	12	14	23
65+	8182	6.7	26	1	2	6	9	12	15	25
B. *Operated*										
0-19 YRS	208	6.8	81	<1	1	4	9	15	20	50
20-34	1003	6.5	50	1	1	5	9	14	18	33
35-49	1281	8.1	55	1	1	7	11	15	20	41
50-64	2123	9.4	53	1	2	8	12	17	23	37
65+	3903	10.3	67	2	3	9	12	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1881	6.1	13	1	2	6	8	10	12	18
B. *Operated*	2086	5.3	20	<1	1	4	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	13846	6.6	25	1	2	6	8	12	15	24
B. *Operated*	8518	9.2	62	1	2	8	11	17	23	41
1. SINGLE DX	3967	5.7	17	1	1	6	8	10	12	19
2. MULTIPLE DX	22364	7.6	40	1	2	6	10	14	18	33
A. NOT OPERATED	15727	6.5	23	1	2	6	8	12	14	23
B. OPERATED	10604	8.4	56	1	1	7	11	16	21	39
TOTAL 0-19 YRS	771	4.6	36	<1	1	2	6	10	14	32
20-34	2798	5.8	30	1	1	5	8	11	15	26
35-49	3674	6.9	34	1	1	6	9	12	16	30
50-64	6141	7.4	34	1	2	7	9	13	17	28
65+	12947	7.8	40	2	2	7	10	14	18	33
GRAND TOTAL	**26331**	**7.3**	**37**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5578	2.3	2	<1	1	2	3	4	5	8
20-34	915	2.9	3	1	1	3	4	5	5	8
35-49	406	3.2	3	1	1	3	4	5	6	10
50-64	178	3.6	5	1	1	3	4	7	9	11
65+	104	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	745	1.5	1	<1	1	1	2	2	3	8
20-34	311	1.9	4	1	1	1	2	4	6	10
35-49	74	3.6	19	1	1	2	5	7	10	27
50-64	44	3.4	7	1	1	2	6	7	8	11
65+	13	2.2	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11999	3.0	5	1	1	3	4	5	7	11
20-34	2486	3.4	9	1	1	3	4	6	7	11
35-49	1567	4.0	6	1	2	3	5	7	9	13
50-64	1395	5.0	12	1	2	4	6	9	11	19
65+	2135	5.8	18	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	1052	2.9	26	1	1	1	2	7	10	31
20-34	513	3.8	23	1	1	2	5	8	11	18
35-49	273	5.4	33	1	1	4	7	10	16	35
50-64	262	6.3	51	1	1	5	8	13	17	33
65+	276	8.5	60	1	1	6	11	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7181	2.5	3	1	1	2	3	4	5	8
B. *Operated*	1187	1.8	4	<1	1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	19582	3.6	8	1	1	3	4	6	8	14
B. *Operated*	2376	4.4	37	1	1	2	6	10	15	33
1. SINGLE DX	8368	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	21958	3.7	11	1	1	3	4	7	9	16
A. NOT OPERATED	26763	3.3	7	1	1	3	4	6	8	13
B. OPERATED	3563	3.6	27	1	1	2	4	8	12	27
TOTAL 0-19 YRS	19374	2.8	5	1	1	2	3	5	6	10
20-34	4225	3.3	9	1	1	3	4	6	7	12
35-49	2320	4.0	10	1	1	3	5	7	9	14
50-64	1879	5.0	17	1	2	4	6	9	12	21
65+	2528	6.0	23	1	2	5	7	11	14	26
GRAND TOTAL	**30326**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8297	3.2	3	1	1	3	4	5	6	9
20-34	467	3.2	2	1	2	3	4	5	6	7
35-49	556	3.9	4	1	2	4	5	6	7	11
50-64	452	4.2	5	2	2	4	5	7	9	13
65+	478	4.7	6	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	29	5.2	18	1	1	3	7	13	14	16
20-34	10	4.1	10	<1	<1	3	7	9	10	10
35-49	13	7.6	99	1	1	5	6	25	33	35
50-64	16	4.9	10	<1	<1	4	7	10	11	11
65+	18	6.1	12	1	2	6	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13540	3.9	6	1	2	3	5	7	8	13
20-34	2068	4.3	9	1	2	4	5	8	10	17
35-49	3644	5.1	13	2	2	4	6	9	11	18
50-64	10140	6.3	19	2	3	5	8	11	14	22
65+	24098	7.0	23	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	130	9.6	121	1	2	7	11	21	32	92
20-34	126	6.8	28	1	2	5	8	14	17	27
35-49	292	8.2	42	2	3	6	10	18	22	41
50-64	842	10.5	87	2	3	8	13	21	27	76
65+	1811	12.0	101	3	4	9	15	23	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10250	3.3	4	1	1	3	4	6	7	10
B. *Operated*	86	5.6	26	1	1	5	7	11	14	31
2. MULTIPLE DX										
A. *Not Operated*	53490	5.9	19	2	2	5	7	10	13	22
B. *Operated*	3201	11.0	92	2	3	8	14	22	30	75
1. SINGLE DX	10336	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	56691	6.2	24	2	2	5	7	11	14	25
A. NOT OPERATED	63740	5.5	17	2	2	4	7	10	13	21
B. OPERATED	3287	10.8	91	2	3	8	14	21	30	72
TOTAL 0-19 YRS	21996	3.7	6	1	2	3	4	6	8	12
20-34	2671	4.2	9	1	2	4	5	7	10	17
35-49	4505	5.2	15	2	2	4	6	9	11	21
50-64	11450	6.5	25	2	3	5	8	11	15	26
65+	26405	7.3	30	2	3	6	9	13	16	29
GRAND TOTAL	**67027**	**5.7**	**22**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	50TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*										
0-19 YRS	743	1.4	1	<1	1	1	2	2	3	4
20-34	1751	1.4	1	<1	1	1	2	2	3	4
35-49	990	1.3	1	<1	1	1	2	2	3	4
50-64	456	1.4	1	<1	1	1	2	3	3	4
65+	103	1.3		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4	1	<1	<1	1	1	3	4	4
20-34	26	1.4	1	<1	<1	<1	1	3	3	4
35-49	26	1.3		<1	<1	1	1	3	3	3
50-64	15	1.2		<1	<1	<1	1	2	3	3
65+	8	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	1921	1.5	1	1	1	1	2	2	3	4
20-34	4925	1.5	1	1	1	1	2	3	3	5
35-49	3491	1.6	1	1	1	1	2	3	3	5
50-64	1900	1.7	2	1	1	1	2	3	4	6
65+	609	1.9	2	1	1	2	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	6	<1	<1	1	2	5	9	10
B. *Operated*	4043	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	92	1.4	1	<1	<1	1	1	3	3	4
B. *Operated*	12846	1.6	1	1	1	1	2	3	3	5
1. SINGLE DX	4056	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	12938	1.6	1	1	1	1	2	3	3	5
A. NOT OPERATED	105	1.5	1	<1	<1	1	1	3	3	7
B. OPERATED	16889	1.5	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	2683	1.4	1	1	1	1	2	2	3	4
20-34	6707	1.5	1	1	1	1	2	2	3	5
35-49	4509	1.5	1	1	1	1	2	3	3	5
50-64	2373	1.7	2	1	1	1	2	3	3	5
65+	722	1.8	2	1	1	1	2	3	4	6
GRAND TOTAL	**16994**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	44	1.5	1	<1	1	1	2	4	4	4
20-34	90	1.5	1	<1	<1	1	2	3	3	4
35-49	125	1.4	1	<1	<1	1	2	2	3	4
50-64	99	1.5	1	<1	<1	1	2	3	3	5
65+	67	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	2.1	3	<1	<1	1	3	5	6	6
35-49	9	3.7	12	<1	<1	2	6	9	10	10
50-64	12	3.2	7	1	1	3	4	7	10	10
65+	9	4.0	24	<1	<1	1	7	12	13	13
B. *Operated*										
0-19 YRS	161	2.0	4	<1	1	1	2	4	5	8
20-34	357	1.8	2	1	1	1	2	3	4	7
35-49	521	1.7	1	<1	1	1	2	3	4	6
50-64	565	2.0	3	1	1	2	2	3	4	9
65+	378	2.4	6	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	425	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	41	3.2	10	<1	<1	2	4	9	11	13
B. *Operated*	1982	2.0	3	1	1	1	2	3	5	9
1. SINGLE DX	432	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	2023	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	48	3.0	9	<1	<1	2	4	7	10	13
B. OPERATED	2407	1.9	3	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	208	1.9	3	<1	1	1	2	4	5	8
20-34	456	1.7	2	<1	1	1	2	3	4	6
35-49	657	1.7	1	<1	1	1	2	3	4	6
50-64	676	1.9	3	<1	1	1	2	3	4	9
65+	458	2.3	5	<1	1	2	3	4	6	12
GRAND TOTAL	**2455**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	1.6	1	<1	<1	1	2	3	4	5
20-34	87	1.5	1	1	1	1	2	3	3	5
35-49	7	2.4	2	1	1	2	4	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	26015	1.2	1	<1	1	1	1	2	2	3
20-34	6454	1.3	3	1	1	1	1	2	2	3
35-49	773	1.3		1	1	1	1	2	2	4
50-64	125	1.5	1	<1	1	1	2	3	3	5
65+	30	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	1.7	2	<1	<1	1	2	3	4	7
20-34	76	2.2	3	<1	<1	2	3	4	5	9
35-49	21	2.5	3	<1	<1	2	3	5	6	7
50-64	5	3.0	6	1	1	2	5	6	6	6
65+	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	17568	1.2	1	<1	1	1	1	2	2	4
20-34	1902	1.4	1	1	1	1	2	2	3	6
35-49	371	1.7	3	1	1	1	2	3	4	12
50-64	83	2.3	6	<1	1	1	2	5	7	13
65+	46	1.7	2	<1	1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	33397	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	495	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	19970	1.3	1	<1	1	1	1	2	2	4
1. SINGLE DX	33639	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX	20465	1.3	1	<1	1	1	1	2	2	5
A. NOT OPERATED	737	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	53367	1.2	1	<1	1	1	1	2	2	3
TOTAL 0-19 YRS	44119	1.2	1	<1	1	1	1	2	2	3
20-34	8519	1.3	2	1	1	1	1	2	2	4
35-49	1172	1.4	1	1	1	1	2	2	3	5
50-64	215	1.8	3	1	1	1	2	3	5	10
65+	79	1.6	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**54104**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1160	2.6	2	<1	1	2	3	5	6	8
20-34	784	2.7	2	1	1	3	3	4	5	7
35-49	322	2.8	3	1	1	2	3	5	6	9
50-64	129	2.8	3	<1	1	3	4	5	6	10
65+	69	3.9	11	1	1	3	5	7	10	22
B. *Operated*										
0-19 YRS	1406	2.2	3	<1	1	2	3	4	5	9
20-34	1664	2.0	2	<1	1	2	2	4	5	8
35-49	1312	1.8	3	<1	<1	1	2	3	4	9
50-64	1014	1.8	3	<1	<1	1	2	3	4	8
65+	515	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1412	3.3	7	1	1	3	4	6	7	12
20-34	792	3.5	8	1	1	3	4	6	7	14
35-49	576	4.1	10	<1	1	3	5	8	9	18
50-64	551	4.5	17	1	1	4	6	8	10	18
65+	455	4.6	12	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	1829	3.2	25	1	1	2	3	7	10	28
20-34	2495	2.5	9	1	1	2	3	5	7	16
35-49	2664	2.5	10	1	1	2	3	5	7	16
50-64	2419	3.0	18	1	1	2	3	6	10	20
65+	1639	4.2	36	1	1	2	4	9	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2464	2.7	3	1	1	2	3	5	6	8
B. *Operated*	5911	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	3786	3.8	10	1	1	3	5	7	9	15
B. *Operated*	11046	3.0	18	1	1	2	3	6	9	21
1. SINGLE DX	8375	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	14832	3.2	16	1	1	2	4	6	9	20
A. NOT OPERATED	6250	3.4	7	1	1	3	4	6	8	13
B. OPERATED	16957	2.6	13	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	5807	2.9	11	1	1	2	3	5	7	15
20-34	5735	2.5	6	1	1	2	3	5	6	12
35-49	4874	2.5	8	<1	1	2	3	5	7	13
50-64	4113	2.9	14	<1	1	2	3	6	9	18
65+	2678	3.8	26	<1	1	2	4	8	12	27
GRAND TOTAL	**23207**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

1492 Hospitals, United States, January-December 1986

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15586	3.7	4	1	2	3	5	6	7	10
20-34	3826	4.4	5	2	2	4	5	7	9	12
35-49	2903	4.8	6	2	2	4	6	8	9	12
50-64	2407	5.4	10	2	3	5	7	8	10	15
65+	3466	6.0	12	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	92	6.3	18	1	2	6	9	12	15	18
20-34	101	7.4	26	1	2	6	9	14	19	24
35-49	135	8.2	29	1	3	7	10	17	18	26
50-64	182	8.7	35	2	3	8	11	15	18	31
65+	182	9.4	25	2	4	9	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27755	4.5	10	1	2	4	5	8	10	16
20-34	6963	5.9	18	2	2	5	7	10	14	22
35-49	8851	6.3	18	2	3	5	8	11	14	22
50-64	18168	7.5	28	3	3	6	9	13	16	27
65+	71385	9.0	39	3	4	8	11	15	19	33
B. *Operated*										
0-19 YRS	719	13.1	161	2	3	10	16	28	39	81
20-34	814	12.5	112	3	4	10	16	24	31	73
35-49	1486	13.8	136	3	4	11	17	27	37	83
50-64	3167	14.8	136	4	5	12	18	29	40	70
65+	9503	16.8	165	5	6	13	21	32	45	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28188	4.3	7	1	2	4	5	7	9	13
B. *Operated*	692	8.3	29	1	2	7	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	133122	7.5	32	2	3	6	9	14	17	29
B. *Operated*	15689	15.7	155	4	5	12	19	30	42	86
1. SINGLE DX	28880	4.4	8	1	2	4	5	8	9	14
2. MULTIPLE DX	148811	8.4	51	2	3	7	10	15	20	39
A. NOT OPERATED	161310	6.9	29	2	2	6	9	13	16	27
B. OPERATED	16381	15.4	152	4	5	12	19	30	41	84
TOTAL 0-19 YRS	44152	4.3	12	1	2	4	5	7	10	17
20-34	11704	5.9	24	2	2	5	7	10	14	25
35-49	13375	6.9	35	2	3	5	8	12	16	32
50-64	23924	8.3	47	3	3	7	10	15	19	38
65+	84536	9.7	58	3	4	8	12	17	23	44
GRAND TOTAL	**177691**	**7.7**	**46**	**2**	**3**	**6**	**9**	**14**	**19**	**36**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	2.6	2	1	1	2	3	4	5	9
20-34	372	2.9	3	1	1	3	4	5	6	9
35-49	320	3.4	4	1	1	3	4	6	6	10
50-64	230	4.0	5	1	2	3	5	7	8	13
65+	239	4.4	7	1	2	4	6	7	9	13
B. *Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.7		3	3	4	4	4	4	4
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	6.3	44	2	2	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1304	3.2	4	1	1	3	4	5	7	11
20-34	1163	3.2	5	1	1	3	4	6	7	10
35-49	1192	3.9	6	1	2	3	5	7	8	12
50-64	1501	4.9	10	2	2	4	6	9	11	18
65+	3511	6.0	16	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	17	12.6	271	2	3	7	12	31	54	66
20-34	20	7.1	72	<1	1	4	7	17	28	37
35-49	40	6.6	20	2	2	5	8	14	15	23
50-64	70	10.3	91	2	3	8	12	19	25	59
65+	167	12.3	111	3	3	10	15	24	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1634	3.3	4	1	1	3	4	6	7	11
B. *Operated*	13	5.2	13	2	2	4	5	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	8671	4.7	12	1	2	4	6	9	11	18
B. *Operated*	314	10.8	104	2	3	8	14	22	30	64
1. SINGLE DX	1647	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	8985	4.9	16	1	2	4	6	9	12	20
A. NOT OPERATED	10305	4.5	11	1	2	4	6	8	11	17
B. OPERATED	327	10.6	102	2	3	8	14	21	29	64
TOTAL 0-19 YRS	1798	3.1	7	1	1	3	4	5	7	11
20-34	1557	3.2	5	1	1	3	4	5	7	10
35-49	1555	3.9	6	1	2	3	5	6	8	13
50-64	1802	5.0	14	2	2	4	6	9	11	19
65+	3920	6.2	21	2	2	5	8	11	14	23
GRAND TOTAL	**10632**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	965	2.9	3	1	1	2	4	5	6	9
20-34	132	3.3	5	1	1	3	4	6	7	12
35-49	178	4.1	7	1	2	4	5	7	9	13
50-64	349	5.0	20	1	2	4	6	8	10	18
65+	368	5.6	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	20	2.3	5	<1	<1	2	2	5	8	9
20-34	20	3.6	6	<1	<1	3	6	7	8	8
35-49	41	4.6	15	<1	<1	4	7	9	11	20
50-64	50	3.8	15	<1	<1	2	5	9	13	17
65+	36	3.6	8	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1872	3.5	5	1	1	3	4	6	8	12
20-34	478	4.3	9	1	2	3	5	8	10	15
35-49	895	4.9	17	1	2	4	6	8	10	19
50-64	2623	6.3	19	2	2	5	8	11	14	21
65+	5408	7.2	31	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	46	8.2	140	1	1	5	10	19	30	99+
20-34	76	5.5	16	1	2	5	7	11	13	80
35-49	164	7.1	43	1	2	6	9	14	16	36
50-64	434	8.6	71	1	2	7	10	16	22	58
65+	660	10.7	106	1	2	8	13	22	32	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1992	3.9	9	1	1	3	5	7	9	14
B. *Operated*	167	3.7	11	<1	<1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	11276	6.1	24	2	2	5	8	11	14	24
B. *Operated*	1380	9.3	86	1	2	7	12	18	26	71
1. SINGLE DX	2159	3.9	9	1	1	3	5	7	9	14
2. MULTIPLE DX	12656	6.4	32	2	2	5	8	12	15	28
A. NOT OPERATED	13268	5.7	22	1	2	5	7	11	14	22
B. OPERATED	1547	8.7	81	1	1	7	11	17	25	64
TOTAL 0-19 YRS	2903	3.4	7	1	1	3	4	6	7	12
20-34	706	4.2	9	1	1	3	5	8	10	16
35-49	1278	5.1	20	1	2	4	6	9	12	21
50-64	3456	6.4	26	2	2	5	8	12	15	24
65+	6472	7.5	39	2	3	6	9	13	17	33
GRAND TOTAL	**14815**	**6.1**	**29**	**1**	**2**	**5**	**7**	**11**	**15**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34	10	3.7	23	<1	<1	2	3	10	17	17
35-49	29	4.4	8	1	1	4	6	8	10	13
50-64	219	6.7	26	2	2	6	9	12	15	25
65+	300	6.1	17	2	2	5	8	10	12	26
B. *Operated*										
0-19 YRS	5	4.8	23	1	1	2	9	11	11	11
20-34	9	7.1	18	1	2	6	10	13	14	14
35-49	15	7.0	23	1	1	7	8	16	16	16
50-64	15	8.6	14	3	3	9	11	14	15	15
65+	9	3.2	12	<1	<1	2	4	9	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	91	1	2	4	5	18	34	35
20-34	16	4.4	6	2	2	4	6	7	10	11
35-49	230	7.1	70	1	2	5	8	12	18	46
50-64	1810	7.8	42	2	3	6	9	14	18	30
65+	4156	8.0	37	2	3	7	10	14	18	34
B. *Operated*										
0-19 YRS	16	13.6	78	3	4	13	20	25	29	31
20-34	41	12.4	109	4	5	11	15	20	22	69
35-49	83	13.4	170	2	3	10	16	28	38	96
50-64	270	15.0	192	3	4	10	21	38	60	99+
65+	467	16.6	221	2	5	13	20	35	53	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	6.2	20	2	2	5	8	11	14	26
B. *Operated*	53	6.6	20	1	1	6	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	6223	7.9	40	2	3	6	10	14	18	33
B. *Operated*	877	15.5	201	3	4	11	19	34	53	99+
1. SINGLE DX	614	6.2	20	1	2	5	8	11	14	26
2. MULTIPLE DX	7100	8.9	66	2	3	7	10	17	22	50
A. NOT OPERATED	6784	7.8	38	2	3	6	9	14	18	32
B. OPERATED	930	15.0	195	2	4	11	19	32	51	99+
TOTAL 0-19 YRS	35	9.6	82	1	2	5	15	24	29	35
20-34	76	8.9	79	1	2	7	12	17	20	57
35-49	357	8.4	94	1	2	6	10	17	24	64
50-64	2314	8.5	64	2	3	6	10	16	22	51
65+	4932	8.7	60	2	3	7	10	16	21	43
GRAND TOTAL	**7714**	**8.6**	**63**	**2**	**3**	**7**	**10**	**16**	**22**	**48**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20033	2.9	3	1	1	3	4	5	6	8
20-34	5503	3.4	4	1	1	3	4	6	7	10
35-49	4462	4.0	6	1	2	4	5	7	8	12
50-64	3351	4.5	8	1	2	4	6	8	9	13
65+	1948	4.9	9	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	75	3.7	6	1	1	3	5	8	9	10
20-34	28	3.8	5	1	1	3	5	7	8	9
35-49	41	5.3	13	<1	1	5	7	10	13	15
50-64	25	6.6	16	2	3	6	9	11	15	16
65+	14	6.9	12	1	2	7	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16980	3.4	5	1	1	3	4	6	7	11
20-34	6115	4.4	9	1	2	4	5	8	9	15
35-49	8053	5.1	11	2	2	4	6	9	11	16
50-64	12302	6.0	17	2	2	5	7	10	13	20
65+	15880	6.8	21	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	192	6.9	34	1	2	6	9	13	17	34
20-34	220	8.4	48	1	2	7	11	17	22	34
35-49	410	10.0	103	2	3	7	12	19	24	79
50-64	638	11.2	89	2	4	9	14	20	26	50
65+	813	12.9	113	3	4	10	16	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35297	3.4	5	1	1	3	4	6	7	11
B. *Operated*	183	4.7	10	1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	59330	5.2	15	1	2	4	6	9	12	19
B. *Operated*	2273	11.0	95	2	3	8	13	21	29	58
1. SINGLE DX	35480	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	61603	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	94627	4.5	12	1	2	4	6	8	10	17
B. OPERATED	2456	10.5	92	2	3	8	13	20	28	56
TOTAL 0-19 YRS	37280	3.1	4	1	1	3	4	5	6	10
20-34	11866	4.0	8	1	2	3	5	7	9	14
35-49	12966	4.9	13	1	2	4	6	9	11	17
50-64	16316	5.9	20	2	2	5	7	10	13	21
65+	18655	6.9	26	2	3	6	8	12	15	27
GRAND TOTAL	**97083**	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.5	5	1	2	3	4	5	8	13
20-34	41	3.3	8	1	1	3	3	7	10	14
35-49	212	4.8	6	1	2	5	6	8	8	12
50-64	1171	5.3	12	2	2	5	7	9	11	19
65+	1585	5.9	15	2	2	5	7	10	13	18
B. *Operated*										
0-19 YRS	15	5.3	19	<1	<1	4	8	13	14	15
20-34	9	7.2	36	2	2	5	10	17	20	20
35-49	17	4.6	11	2	2	3	6	10	13	14
50-64	50	6.8	24	1	2	6	9	14	18	21
65+	46	5.8	18	1	1	4	9	13	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	6.5	35	2	2	5	9	12	14	37
20-34	171	6.1	16	1	2	5	8	11	15	19
35-49	1162	6.4	26	2	2	5	8	11	14	25
50-64	8454	7.3	34	2	3	6	9	13	17	31
65+	18505	7.7	35	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	19	10.8	37	2	4	10	16	20	21	21
20-34	43	11.4	160	2	3	9	14	18	28	81
35-49	182	9.9	102	1	2	7	13	20	31	78
50-64	932	13.1	188	2	3	9	15	30	45	99+
65+	1853	14.3	178	3	4	11	17	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3044	5.5	14	2	2	5	7	10	12	17
B. *Operated*	137	6.0	21	1	2	5	8	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	28376	7.5	34	2	3	6	9	14	17	30
B. *Operated*	3029	13.6	177	2	4	10	16	29	45	99+
1. SINGLE DX	3181	5.5	14	2	2	5	7	10	12	18
2. MULTIPLE DX	31405	8.1	51	2	3	6	10	15	19	41
A. NOT OPERATED	31420	7.3	33	2	3	6	9	13	17	29
B. OPERATED	3166	13.3	172	2	3	10	16	28	44	99+
TOTAL 0-19 YRS	153	6.2	31	1	2	4	9	13	16	21
20-34	264	6.6	44	1	2	5	9	13	15	24
35-49	1573	6.6	33	2	2	5	8	12	15	31
50-64	10607	7.6	48	2	3	6	9	14	18	39
65+	21989	8.2	49	2	3	6	10	15	19	39
GRAND TOTAL	**34586**	**7.9**	**48**	**2**	**3**	**6**	**9**	**14**	**19**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.7	5	1	1	2	3	6	7	11
20-34	428	3.3	7	1	1	2	4	7	9	14
35-49	100	3.9	16	1	1	3	4	8	10	24
50-64	39	4.3	8	1	1	4	5	7	11	15
65+	20	4.8	9	1	1	4	6	10	11	12
B. *Operated*										
0-19 YRS	339	6.1	17	2	2	5	8	11	14	19
20-34	1628	5.5	12	2	2	5	7	10	12	19
35-49	534	6.5	20	2	3	5	8	12	16	23
50-64	174	6.7	19	2	3	5	8	12	16	22
65+	112	7.2	32	2	2	6	9	14	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.8	15	1	1	3	5	7	10	26
20-34	145	3.7	9	1	1	3	4	8	10	14
35-49	105	5.5	42	1	1	4	6	10	18	38
50-64	119	5.8	24	1	2	5	7	11	18	26
65+	240	6.6	24	1	2	6	9	12	15	26
B. *Operated*										
0-19 YRS	161	10.2	60	3	3	8	13	21	24	42
20-34	733	9.1	33	3	3	7	12	17	21	27
35-49	509	9.3	48	2	3	7	12	18	22	36
50-64	789	10.7	75	3	3	8	14	21	28	40
65+	1224	12.2	108	3	4	9	15	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	716	3.4	8	1	1	3	4	7	9	15
B. *Operated*	2787	5.9	16	2	2	5	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	668	5.4	24	1	1	4	7	10	14	26
B. *Operated*	3416	10.7	75	3	3	8	13	21	27	45
1. SINGLE DX	3503	5.4	15	1	2	4	7	10	13	20
2. MULTIPLE DX	4084	9.8	70	2	3	7	12	20	26	43
A. NOT OPERATED	1384	4.4	17	1	1	3	5	9	11	23
B. OPERATED	6203	8.5	54	2	3	6	10	17	22	37
TOTAL 0-19 YRS	688	6.2	31	1	2	5	8	13	17	30
20-34	2934	6.0	20	1	2	5	8	12	15	23
35-49	1248	7.4	36	2	2	6	9	15	19	30
50-64	1121	9.4	63	2	3	7	12	19	25	38
65+	1596	10.9	95	2	3	8	13	22	29	51
GRAND TOTAL	**7587**	**7.8**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1067	2.8	4	1	1	2	4	5	7	11
20-34	479	3.1	9	<1	1	2	4	6	8	17
35-49	438	3.4	9	1	1	3	4	7	9	15
50-64	389	3.7	11	1	1	3	5	7	9	18
65+	465	5.2	16	1	1	4	7	10	12	20
B. *Operated*										
0-19 YRS	217	4.1	31	<1	1	2	5	11	17	25
20-34	192	6.1	26	1	1	5	8	13	16	25
35-49	357	6.1	26	1	1	5	8	12	17	25
50-64	474	6.2	32	1	1	5	8	11	15	24
65+	363	6.1	37	<1	1	5	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2668	4.8	31	1	1	3	5	10	13	29
20-34	1426	5.3	31	1	1	4	6	11	14	30
35-49	2260	5.5	28	1	2	4	7	11	13	27
50-64	5211	6.5	33	1	2	5	8	12	16	29
65+	16411	8.2	43	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	690	10.8	187	1	1	6	15	27	40	99+
20-34	853	11.3	131	1	2	8	15	25	33	66
35-49	1584	10.8	125	1	2	8	14	23	32	68
50-64	3138	11.1	128	1	2	8	14	24	32	70
65+	6305	13.7	154	2	3	10	17	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2838	3.5	9	1	1	3	4	7	9	15
B. *Operated*	1603	5.9	31	1	1	5	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	27976	7.2	40	1	2	6	9	14	18	32
B. *Operated*	12570	12.4	146	1	2	9	16	26	36	73
1. SINGLE DX	4441	4.3	19	1	1	3	6	9	12	22
2. MULTIPLE DX	40546	8.8	79	1	2	6	11	18	24	49
A. NOT OPERATED	30814	6.9	38	1	2	5	9	13	18	31
B. OPERATED	14173	11.7	137	1	2	8	15	25	34	70
TOTAL 0-19 YRS	4642	5.2	54	1	1	3	6	11	17	39
20-34	2950	6.7	65	1	1	4	8	15	21	42
35-49	4639	7.2	67	1	1	5	8	15	21	43
50-64	9212	7.9	70	1	2	6	10	16	22	46
65+	23544	9.6	79	2	3	7	12	19	25	49
GRAND TOTAL	**44987**	**8.4**	**74**	**1**	**2**	**6**	**10**	**17**	**23**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.7	2	1	1	2	4	5	5	6
20-34	88	2.9	3	1	1	2	4	5	6	11
35-49	50	4.4	23	1	1	3	5	9	11	32
50-64	29	3.8	8	1	1	3	4	7	12	13
65+	8	2.5	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	2323	2.1	2	<1	<1	2	3	4	4	6
20-34	3129	2.5	2	<1	1	2	3	4	5	7
35-49	1506	2.6	3	1	1	2	3	4	5	8
50-64	618	2.3	3	1	1	2	3	4	5	8
65+	219	2.3	4	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	3.2	7	<1	1	3	4	6	6	12
20-34	334	3.1	6	<1	1	2	4	5	8	14
35-49	167	3.7	11	<1	1	3	5	7	9	21
50-64	137	4.4	19	<1	1	3	6	8	11	25
65+	158	4.6	24	1	1	3	6	9	11	32
B. *Operated*										
0-19 YRS	2682	2.6	5	<1	<1	2	3	4	5	9
20-34	2938	2.9	6	1	1	3	4	5	6	11
35-49	1792	3.0	6	1	1	2	4	5	7	12
50-64	1382	3.1	20	1	1	2	3	6	8	21
65+	1162	3.4	29	1	1	2	3	6	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	3.2	8	1	1	3	4	5	7	13
B. *Operated*	7795	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1107	3.6	12	<1	1	3	5	7	9	18
B. *Operated*	9956	2.9	10	<1	1	2	3	5	6	14
1. SINGLE DX	8044	2.4	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	11063	3.0	10	<1	1	2	4	5	7	15
A. NOT OPERATED	1356	3.5	11	<1	1	3	4	6	8	17
B. OPERATED	17751	2.7	7	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	5390	2.4	4	<1	<1	2	3	4	5	7
20-34	6489	2.7	4	<1	1	2	3	4	5	10
35-49	3515	2.9	5	1	1	2	3	5	6	11
50-64	2166	3.0	15	1	1	2	3	5	7	19
65+	1547	3.4	25	1	1	2	3	6	10	27
GRAND TOTAL	**19107**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	3.4	4	1	1	3	4	6	7	11
20-34	136	3.5	6	1	1	3	4	6	7	12
35-49	90	3.9	6	1	2	3	5	6	7	16
50-64	67	3.9	6	1	2	3	4	6	9	14
65+	48	4.3	4	2	2	4	5	7	8	10
B. *Operated*										
0-19 YRS	272	2.3	4	<1	<1	2	3	4	6	9
20-34	359	2.3	3	1	1	2	3	5	6	9
35-49	371	2.1	3	<1	1	2	3	4	5	10
50-64	334	2.2	3	1	1	2	3	4	5	11
65+	269	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	3.7	5	1	2	3	5	6	8	12
20-34	184	4.0	8	1	1	3	5	7	9	15
35-49	178	5.7	59	1	1	4	6	10	14	49
50-64	253	5.5	18	1	2	4	7	9	14	22
65+	472	7.0	22	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	285	3.5	8	1	1	3	4	7	9	14
20-34	349	3.5	12	1	1	3	4	8	10	15
35-49	422	3.5	13	1	1	2	4	8	10	18
50-64	594	3.7	26	1	1	2	4	8	11	23
65+	682	5.0	48	1	1	3	6	11	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	3.6	5	1	2	3	4	6	7	12
B. *Operated*	1605	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1648	5.2	20	1	2	4	6	10	13	21
B. *Operated*	2332	4.0	26	1	1	3	4	9	12	21
1. SINGLE DX	2156	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3980	4.5	24	1	1	3	5	9	12	21
A. NOT OPERATED	2199	4.8	17	1	2	4	6	9	12	20
B. OPERATED	3937	3.3	17	1	1	2	4	7	10	18
TOTAL 0-19 YRS	1328	3.3	5	<1	1	3	4	6	8	12
20-34	1028	3.2	8	1	1	2	4	6	8	13
35-49	1061	3.4	18	1	1	2	4	7	10	20
50-64	1248	3.7	18	1	1	3	4	8	10	19
65+	1471	5.1	33	1	1	3	7	11	14	25
GRAND TOTAL	**6136**	**3.8**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	797	2.7	4	1	1	2	3	5	6	11
20-34	323	2.6	3	<1	1	2	3	5	6	8
35-49	522	2.7	3	<1	1	2	3	5	6	8
50-64	443	2.9	5	<1	1	2	4	5	7	11
65+	251	2.7	4	<1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	259	4.9	35	1	1	3	6	10	14	36
20-34	172	4.2	9	<1	<1	4	6	8	10	14
35-49	237	4.8	16	<1	1	4	7	9	11	20
50-64	288	4.1	22	<1	<1	3	6	8	10	18
65+	321	4.7	39	<1	<1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1389	4.1	17	1	1	3	5	8	10	20
20-34	1357	3.6	7	1	1	3	4	7	8	13
35-49	2661	3.7	7	1	1	3	5	7	8	14
50-64	3575	4.0	11	1	1	3	5	7	9	15
65+	5208	4.9	16	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	764	11.0	143	1	1	8	14	25	36	70
20-34	677	6.8	46	1	2	5	8	12	17	36
35-49	1419	6.6	40	1	2	5	8	12	17	37
50-64	2273	7.1	46	1	2	5	9	14	19	37
65+	4279	8.3	72	1	2	6	10	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2336	2.7	4	<1	1	2	4	5	6	10
B. *Operated*	1277	4.6	26	<1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	14190	4.3	13	1	1	3	5	8	10	17
B. *Operated*	9412	7.9	66	1	2	6	9	16	22	46
1. SINGLE DX	3613	3.4	12	<1	1	2	4	7	8	14
2. MULTIPLE DX	23602	5.7	37	1	2	4	7	11	15	33
A. NOT OPERATED	16526	4.0	12	1	1	3	5	7	10	16
B. OPERATED	10689	7.5	63	1	2	6	9	15	21	44
TOTAL 0-19 YRS	3209	5.5	55	1	1	3	6	11	18	40
20-34	2529	4.4	19	1	1	3	5	8	11	22
35-49	4839	4.5	19	1	1	3	6	8	11	21
50-64	6579	5.0	26	1	1	4	6	9	13	27
65+	10059	6.3	43	1	2	5	7	12	17	34
GRAND TOTAL	**27215**	**5.4**	**34**	**1**	**1**	**4**	**6**	**10**	**15**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	3	<1	1	2	3	5	7	7
20-34	151	3.3	6	1	1	3	4	6	8	11
35-49	213	3.7	4	1	2	3	5	6	7	12
50-64	148	3.7	6	1	1	3	5	7	8	13
65+	97	4.6	10	1	2	4	6	8	9	21
B. *Operated*										
0-19 YRS	5	7.8	41	2	2	7	11	18	18	18
20-34	79	6.4	18	1	2	6	9	10	14	24
35-49	171	6.0	10	1	2	6	8	10	11	15
50-64	156	5.8	12	<1	2	5	8	10	11	18
65+	77	6.2	19	<1	1	6	8	12	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.6	3	1	2	3	4	6	7	9
20-34	313	4.4	8	1	2	4	5	8	11	14
35-49	647	4.7	8	1	2	4	6	8	10	15
50-64	869	5.0	18	2	2	4	6	8	10	22
65+	1436	5.8	15	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	14	7.3	42	2	3	5	7	18	23	24
20-34	215	6.6	20	1	2	6	9	13	16	21
35-49	599	6.9	24	2	2	6	9	12	16	22
50-64	921	7.3	32	1	3	6	9	13	17	27
65+	1467	8.4	45	2	3	7	10	15	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.7	6	1	1	3	5	7	8	12
B. *Operated*	488	6.0	14	<1	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3307	5.2	14	2	2	4	6	9	11	18
B. *Operated*	3216	7.7	36	2	3	6	9	14	18	31
1. SINGLE DX	1121	4.7	11	1	2	4	6	9	10	16
2. MULTIPLE DX	6523	6.4	26	2	2	5	8	12	15	25
A. NOT OPERATED	3940	5.0	13	1	2	4	6	9	11	17
B. OPERATED	3704	7.5	34	2	2	6	9	13	17	30
TOTAL 0-19 YRS	85	4.3	14	1	2	3	5	7	10	22
20-34	758	5.0	14	1	2	4	7	10	12	20
35-49	1630	5.5	15	1	2	4	7	10	12	19
50-64	2094	6.0	25	1	2	5	8	11	13	23
65+	3077	7.0	31	2	2	6	8	13	16	29
GRAND TOTAL	**7644**	**6.2**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

1492 Hospitals, United States, January-December 1986

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	3	1	1	3	5	5	5	5
20-34	104	3.4	2	1	2	3	4	5	6	8
35-49	219	3.8	4	2	2	3	5	6	8	10
50-64	268	4.3	6	2	2	4	5	7	9	14
65+	296	4.4	7	2	2	4	5	7	8	12
B. *Operated*										
0-19 YRS	9	4.9	6	2	2	5	7	8	8	8
20-34	71	6.8	11	3	3	7	9	11	13	18
35-49	157	6.8	54	2	3	6	8	10	13	19
50-64	208	6.7	15	2	3	6	8	11	13	24
65+	247	6.7	19	2	3	6	9	12	13	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.5	19	1	1	4	5	6	9	27
20-34	299	4.5	6	1	2	4	6	7	10	13
35-49	697	4.7	10	2	2	4	5	8	10	17
50-64	1590	5.4	13	2	2	5	6	9	11	18
65+	4218	6.6	20	2	3	6	8	11	14	25
B. *Operated*										
0-19 YRS	26	9.7	147	1	2	5	13	18	35	59
20-34	197	9.7	116	2	3	7	10	16	31	67
35-49	605	8.2	46	2	3	7	10	15	19	28
50-64	1526	9.6	80	2	3	7	11	17	26	50
65+	4621	10.9	97	3	4	8	13	21	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	898	4.1	5	2	2	4	5	7	8	11
B. *Operated*	692	6.7	25	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	6839	6.0	17	2	3	5	7	10	13	22
B. *Operated*	6975	10.3	90	3	3	8	12	19	27	56
1. SINGLE DX	1590	5.2	15	2	2	4	7	9	11	16
2. MULTIPLE DX	13814	8.2	59	2	3	6	10	15	21	43
A. NOT OPERATED	7737	5.8	16	2	2	5	7	10	13	22
B. OPERATED	7667	10.0	85	3	3	7	12	19	26	54
TOTAL 0-19 YRS	81	6.0	62	1	1	4	6	12	18	50
20-34	671	6.1	44	2	2	5	7	10	13	36
35-49	1678	6.0	29	2	2	5	7	11	15	22
50-64	3592	7.2	46	2	3	5	8	13	17	36
65+	9382	8.6	63	2	3	6	10	16	22	45
GRAND TOTAL	**15404**	**7.9**	**55**	**2**	**3**	**6**	**9**	**15**	**20**	**40**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.9	3	1	1	2	4	5	6	7
20-34	654	3.2	4	1	1	3	4	6	7	11
35-49	707	3.3	4	1	1	3	4	6	7	9
50-64	394	3.5	5	1	1	3	4	6	7	12
65+	179	3.8	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	12	4.7	5	2	2	4	6	8	9	9
20-34	111	7.2	10	2	3	7	9	11	13	16
35-49	153	7.4	13	2	3	7	9	12	14	18
50-64	97	7.5	14	2	3	7	10	12	14	19
65+	29	7.6	61	1	2	5	8	12	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.8	7	1	1	3	5	6	8	14
20-34	1164	3.9	5	1	2	3	5	7	8	12
35-49	1859	4.3	7	1	2	4	5	8	9	14
50-64	1923	4.6	8	2	2	4	6	8	10	16
65+	2675	5.5	18	2	2	5	7	9	12	20
B. *Operated*										
0-19 YRS	20	5.1	8	1	1	5	7	9	9	10
20-34	230	8.1	36	2	3	7	10	15	19	36
35-49	548	8.7	65	2	3	7	10	16	22	43
50-64	599	8.2	42	2	3	7	10	14	19	35
65+	688	9.6	74	2	3	8	11	17	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2085	3.3	4	1	1	3	4	6	7	11
B. *Operated*	402	7.3	15	2	3	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	7804	4.7	11	1	2	4	6	8	10	16
B. *Operated*	2085	8.7	58	2	3	7	10	16	22	44
1. SINGLE DX	2487	4.0	8	1	1	3	5	8	9	14
2. MULTIPLE DX	9889	5.6	24	2	2	4	7	10	13	24
A. NOT OPERATED	9889	4.4	10	1	2	4	5	8	10	16
B. OPERATED	2487	8.5	51	2	3	7	10	15	20	42
TOTAL 0-19 YRS	366	3.5	6	1	1	3	5	6	7	11
20-34	2159	4.3	11	1	2	3	5	8	10	15
35-49	3267	4.9	20	1	2	4	6	9	11	22
50-64	3013	5.3	17	1	2	4	6	9	12	20
65+	3571	6.2	32	2	2	5	7	11	15	30
GRAND TOTAL	**12376**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.4	4	1	1	3	4	6	7	10
20-34	443	3.5	3	1	2	3	4	6	7	9
35-49	572	3.7	3	1	2	3	5	6	7	9
50-64	567	4.1	6	1	2	4	5	7	8	10
65+	515	4.7	7	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	18	6.7	8	3	4	6	8	9	13	15
20-34	211	7.4	18	3	4	7	8	11	13	20
35-49	301	7.3	8	3	4	7	9	11	13	17
50-64	242	7.5	10	3	4	7	9	11	13	18
65+	213	9.6	28	3	4	9	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.0	6	1	2	4	5	7	8	13
20-34	733	4.2	5	2	2	4	5	7	8	11
35-49	1302	4.7	7	2	2	4	6	8	10	15
50-64	2282	5.2	14	2	2	4	6	8	11	16
65+	5708	6.7	25	2	3	6	8	11	15	25
B. *Operated*										
0-19 YRS	28	9.2	31	3	3	8	11	18	20	25
20-34	298	9.2	36	3	4	8	11	16	23	35
35-49	669	9.8	74	3	4	8	11	16	22	62
50-64	1214	11.0	92	3	4	9	13	20	28	63
65+	3114	13.6	132	3	4	10	16	26	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2174	4.0	5	1	2	4	5	7	8	10
B. *Operated*	985	7.8	16	3	4	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	10145	5.9	20	2	2	5	7	10	13	22
B. *Operated*	5323	12.3	112	3	4	9	14	23	32	67
1. SINGLE DX	3159	5.2	12	2	2	4	7	9	11	17
2. MULTIPLE DX	15468	8.1	61	2	3	6	9	15	21	44
A. NOT OPERATED	12319	5.5	18	2	2	5	7	9	12	21
B. OPERATED	6308	11.6	100	3	4	9	13	21	30	62
TOTAL 0-19 YRS	243	4.6	11	1	2	4	6	8	10	19
20-34	1685	5.3	16	2	2	4	6	9	12	23
35-49	2844	6.0	28	2	2	5	7	10	14	24
50-64	4305	6.8	42	2	2	5	8	12	16	35
65+	9550	8.9	70	2	3	7	10	17	23	48
GRAND TOTAL	**18627**	**7.6**	**53**	**2**	**3**	**6**	**9**	**14**	**19**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	39	5.1	11	2	2	4	7	10	10	16
35-49	48	4.5	5	1	2	4	6	7	8	12
50-64	50	5.3	12	1	2	4	7	9	12	17
65+	41	5.4	13	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	35	9.2	25	2	4	8	12	18	19	20
35-49	55	10.1	28	3	6	9	12	16	20	30
50-64	78	10.2	27	4	5	9	12	15	20	30
65+	73	10.3	29	3	5	9	13	17	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	7	2	2	4	6	9	9	9
20-34	67	5.3	15	1	2	4	6	9	13	21
35-49	112	5.6	12	1	2	5	7	9	12	20
50-64	196	5.5	12	2	2	5	7	9	13	19
65+	518	7.6	33	3	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	5	15.8	177	6	6	11	20	39	39	39
20-34	80	14.6	98	4	5	12	19	28	38	50
35-49	243	12.8	67	4	5	11	15	24	29	45
50-64	415	13.8	118	4	5	11	16	25	33	68
65+	806	15.7	155	4	5	13	20	31	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	5.0	10	1	2	4	7	9	11	17
B. *Operated*	242	10.0	27	3	5	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	900	6.7	26	2	3	5	8	12	16	27
B. *Operated*	1549	14.7	129	4	5	12	18	27	37	66
1. SINGLE DX	424	7.9	26	2	3	7	10	15	17	28
2. MULTIPLE DX	2449	11.8	106	3	4	9	15	23	32	57
A. NOT OPERATED	1082	6.4	23	2	3	5	8	11	15	25
B. OPERATED	1791	14.1	118	4	5	11	17	26	35	63
TOTAL 0-19 YRS	17	7.9	76	2	2	6	9	13	30	39
20-34	221	9.2	63	2	2	7	12	19	22	41
35-49	458	9.8	54	2	3	8	12	19	25	40
50-64	739	10.7	88	2	3	8	13	20	27	57
65+	1438	12.3	116	3	4	9	15	24	33	61
GRAND TOTAL	**2873**	**11.2**	**96**	**3**	**3**	**8**	**14**	**22**	**30**	**53**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	914	2.3	2	1	1	2	3	4	5	6
20-34	1431	2.6	3	1	1	2	3	5	6	8
35-49	1069	2.8	3	1	1	2	4	5	6	8
50-64	595	3.0	4	<1	1	2	4	5	6	10
65+	317	3.1	4	<1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	35	3.7	7	1	1	3	4	7	11	13
20-34	120	3.8	5	<1	1	3	5	7	8	10
35-49	158	4.8	20	<1	<1	4	6	10	13	26
50-64	119	4.8	19	<1	<1	4	7	9	12	26
65+	74	4.2	15	<1	<1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2495	2.7	3	1	1	2	3	5	6	10
20-34	4440	3.5	6	1	1	3	4	6	8	12
35-49	5316	4.1	9	1	2	3	5	7	9	14
50-64	5366	4.5	11	1	2	4	5	8	10	17
65+	7957	5.5	19	2	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	132	5.4	34	1	2	4	6	9	14	58
20-34	655	6.1	31	1	2	5	7	11	15	30
35-49	1141	7.2	50	1	2	5	8	13	18	36
50-64	1468	7.4	45	2	2	6	8	14	18	35
65+	2375	8.5	55	2	3	7	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4326	2.7	3	1	1	2	3	5	6	9
B. *Operated*	506	4.4	15	<1	<1	3	6	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	25574	4.4	12	1	2	4	5	8	10	17
B. *Operated*	5771	7.6	49	2	2	6	9	14	19	36
1. SINGLE DX	4832	2.8	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	31345	5.0	21	1	2	4	6	9	12	23
A. NOT OPERATED	29900	4.1	11	1	1	3	5	7	10	16
B. OPERATED	6277	7.4	47	1	2	6	9	14	19	35
TOTAL 0-19 YRS	3576	2.7	4	1	1	2	3	5	6	10
20-34	6646	3.6	9	1	1	3	4	7	8	14
35-49	7684	4.4	16	1	1	3	5	8	10	19
50-64	7548	4.9	19	1	2	4	6	9	12	21
65+	10723	6.1	29	1	2	5	7	11	15	26
GRAND TOTAL	**36177**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.6	3	<1	1	2	3	5	5	8
20-34	213	3.1	5	<1	1	2	4	6	7	11
35-49	237	3.8	11	1	1	3	5	7	9	18
50-64	147	3.3	7	1	1	2	4	6	8	14
65+	93	3.2	12	<1	1	2	4	7	10	20
B. *Operated*										
0-19 YRS	154	3.8	6	2	2	3	4	6	8	12
20-34	34	9.1	49	2	3	7	10	16	21	33
35-49	62	8.8	44	1	2	7	11	16	22	35
50-64	49	9.7	40	<1	2	9	12	18	23	32
65+	35	10.1	63	<1	2	9	14	18	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	3.6	39	1	1	2	4	6	8	23
20-34	724	4.2	16	1	1	3	5	8	10	21
35-49	906	4.5	15	1	1	4	5	8	10	20
50-64	1037	4.9	17	1	2	4	6	9	12	23
65+	1720	5.8	30	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	143	8.3	173	1	2	5	8	16	28	81
20-34	187	11.2	113	1	2	8	14	23	35	48
35-49	405	11.7	98	2	3	9	14	23	32	65
50-64	590	12.8	107	2	4	10	16	26	32	61
65+	983	14.1	158	2	3	11	18	30	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	3.2	7	<1	1	2	4	6	8	13
B. *Operated*	334	6.8	36	1	2	5	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	4898	4.9	24	1	1	4	6	9	12	23
B. *Operated*	2308	12.8	134	2	3	10	16	26	36	65
1. SINGLE DX	1210	4.2	18	1	1	3	5	8	12	22
2. MULTIPLE DX	7206	7.4	73	1	2	5	9	15	23	47
A. NOT OPERATED	5774	4.6	22	1	1	3	6	9	12	22
B. OPERATED	2642	12.0	125	2	3	9	15	25	34	64
TOTAL 0-19 YRS	994	4.1	49	1	1	3	4	7	9	33
20-34	1158	5.3	38	1	1	3	6	11	15	35
35-49	1610	6.4	46	1	1	4	8	13	19	37
50-64	1823	7.4	60	1	2	5	9	16	23	39
65+	2831	8.6	91	1	2	6	10	18	26	53
GRAND TOTAL	**8416**	**6.9**	**66**	**1**	**2**	**4**	**8**	**15**	**21**	**44**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.0	1	<1	1	2	3	3	4	7
20-34	94	2.2	2	<1	1	2	3	4	5	6
35-49	29	2.4	5	<1	1	2	3	6	7	10
50-64	17	3.4	7	1	1	3	4	7	10	11
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	13811	3.1	2	2	2	3	4	4	5	8
20-34	10370	3.3	2	2	2	3	4	5	6	8
35-49	3468	3.5	3	2	2	3	4	5	6	9
50-64	1209	4.1	4	2	2	4	5	6	8	11
65+	307	4.4	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.1	2	<1	1	2	3	4	5	9
20-34	60	2.9	7	<1	1	2	3	5	8	14
35-49	27	3.4	11	1	1	3	4	7	9	17
50-64	16	3.5	10	1	1	2	4	9	10	11
65+	25	5.9	34	1	2	5	6	11	20	29
B. *Operated*										
0-19 YRS	2721	4.2	8	2	2	4	5	7	9	16
20-34	2645	4.4	7	2	2	4	5	7	9	14
35-49	1267	5.1	9	2	3	4	6	9	11	16
50-64	755	6.2	15	2	3	5	8	11	14	20
65+	558	7.3	30	3	3	6	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.2	2	<1	1	2	3	4	5	9
B. *Operated*	29165	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	206	3.1	10	1	1	2	4	6	8	17
B. *Operated*	7946	4.8	11	2	2	4	6	8	11	18
1. SINGLE DX	29434	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	8152	4.8	11	2	2	4	6	8	11	17
A. NOT OPERATED	475	2.6	6	<1	1	2	3	5	6	13
B. OPERATED	37111	3.6	5	2	2	3	4	6	7	11
TOTAL 0-19 YRS	16737	3.2	3	1	2	3	4	5	6	9
20-34	13169	3.5	3	2	2	3	4	5	6	10
35-49	4791	4.0	5	2	2	3	5	6	8	13
50-64	1997	4.9	9	2	2	4	6	9	11	17
65+	892	6.3	23	2	3	5	7	11	14	22
GRAND TOTAL	**37586**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	6.8	11	1	2	7	9	11	12	14
20-34	29	6.4	17	2	3	6	7	15	16	17
35-49	32	6.8	15	<1	2	7	9	12	15	16
50-64	20	6.8	4	3	5	7	8	9	10	10
65+	13	7.5	15	2	3	7	9	14	15	15
B. *Operated*										
0-19 YRS	2880	6.2	8	2	3	6	8	10	11	15
20-34	1725	5.8	8	2	3	6	7	9	10	14
35-49	1177	6.6	9	3	3	6	8	10	12	16
50-64	734	7.3	11	3	4	7	9	11	13	18
65+	319	8.1	14	4	4	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.7	13	1	2	6	8	12	13	15
20-34	13	6.5	10	1	3	6	7	12	13	13
35-49	21	6.1	11	1	2	5	9	10	12	13
50-64	30	8.8	12	4	4	8	11	12	15	19
65+	51	10.1	51	3	4	8	13	16	18	50
B. *Operated*										
0-19 YRS	2152	8.8	27	3	4	8	10	15	19	29
20-34	1446	8.4	22	3	4	7	10	13	17	25
35-49	1285	9.3	29	4	5	8	11	15	18	28
50-64	1480	10.8	52	4	5	9	12	17	23	42
65+	1406	12.4	73	5	6	10	14	21	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.8	12	2	3	7	9	11	14	16
B. *Operated*	6835	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	137	8.3	28	2	4	7	11	13	16	23
B. *Operated*	7769	9.8	42	4	5	8	11	16	21	36
1. SINGLE DX	6967	6.4	9	2	3	6	8	10	11	16
2. MULTIPLE DX	7906	9.8	41	4	5	8	11	16	21	36
A. NOT OPERATED	269	7.6	21	2	3	7	9	13	15	19
B. OPERATED	14604	8.2	29	3	4	7	10	13	17	29
TOTAL 0-19 YRS	5092	7.3	18	3	3	7	9	12	15	24
20-34	3213	7.0	16	3	3	6	8	11	14	23
35-49	2515	8.0	21	3	4	7	10	13	16	23
50-64	2264	9.6	40	4	5	8	11	15	20	34
65+	1789	11.5	64	5	5	9	13	20	26	45
GRAND TOTAL	**14873**	**8.2**	**29**	**3**	**4**	**7**	**10**	**13**	**17**	**28**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.0	2	<1	1	2	2	4	5	8
20-34	101	2.2	3	<1	1	2	3	4	6	9
35-49	34	2.6	4	<1	1	2	3	6	7	8
50-64	19	2.9	3	1	1	3	4	5	7	8
65+	6	4.3	6	2	2	4	5	9	9	9
B. *Operated*										
0-19 YRS	922	3.2	2	1	2	3	4	5	6	9
20-34	712	3.6	3	2	2	3	4	6	7	10
35-49	215	3.7	3	1	2	3	5	6	7	11
50-64	72	4.5	6	1	2	4	5	8	9	13
65+	30	4.9	5	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	3	1	1	2	3	4	5	9
20-34	84	2.6	4	<1	1	2	3	5	7	9
35-49	28	3.2	5	1	1	3	4	6	7	12
50-64	24	4.5	12	1	1	4	5	11	12	13
65+	26	5.2	14	1	1	4	7	10	13	16
B. *Operated*										
0-19 YRS	554	4.3	11	2	2	4	5	7	8	15
20-34	562	4.8	10	2	2	4	5	8	10	15
35-49	203	5.6	9	2	3	5	7	10	12	16
50-64	91	6.8	24	2	3	6	8	11	13	29
65+	77	9.1	34	3	3	8	11	16	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	1951	3.5	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	262	2.9	6	1	1	2	3	6	8	12
B. *Operated*	1487	5.1	14	2	2	4	6	9	11	21
1. SINGLE DX	2263	3.3	3	1	2	3	4	5	7	10
2. MULTIPLE DX	1749	4.7	13	1	2	4	6	8	10	20
A. NOT OPERATED	574	2.6	4	<1	1	2	3	5	7	12
B. OPERATED	3438	4.2	8	2	2	4	5	7	9	15
TOTAL 0-19 YRS	1728	3.4	6	1	2	3	4	5	7	11
20-34	1459	3.9	7	1	2	3	5	7	8	12
35-49	480	4.4	7	1	2	4	5	8	10	13
50-64	206	5.4	16	1	2	4	7	9	12	24
65+	139	7.3	27	2	2	6	10	14	18	24
GRAND TOTAL	**4012**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.3	1	<1	<1	1	1	2	3	5
20-34	37	1.5	1	<1	<1	1	2	3	3	3
35-49	23	1.7	2	<1	1	1	2	4	6	6
50-64	50	2.3	3	<1	1	2	3	5	5	9
65+	46	2.4	3	<1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	3919	1.4	1	<1	<1	1	2	2	3	4
20-34	6434	2.0	1	1	1	2	3	3	4	5
35-49	6631	2.1	2	1	1	2	3	4	4	6
50-64	8480	2.3	2	1	1	2	3	4	5	6
65+	5856	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	1.4	1	<1	<1	1	1	2	3	7
20-34	80	1.6	2	<1	<1	1	2	3	5	9
35-49	74	2.4	7	<1	<1	1	3	6	7	14
50-64	144	2.2	5	<1	<1	1	3	4	6	14
65+	290	3.2	14	<1	<1	2	4	7	10	20
B. *Operated*										
0-19 YRS	2734	1.7	4	<1	<1	1	2	3	4	8
20-34	2539	2.4	3	1	1	2	3	4	5	8
35-49	4216	2.7	3	1	1	2	3	5	6	9
50-64	8691	3.0	5	1	1	3	4	5	7	11
65+	12877	3.7	10	1	1	3	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	31320	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	792	2.3	8	<1	<1	1	2	5	7	16
B. *Operated*	31057	3.1	7	1	1	3	4	6	7	13
1. SINGLE DX	31518	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	31849	3.1	7	1	1	3	4	6	7	13
A. NOT OPERATED	990	2.2	7	<1	<1	1	2	5	7	14
B. OPERATED	62377	2.6	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	6899	1.5	2	<1	<1	1	2	3	3	6
20-34	9090	2.1	2	1	1	2	3	4	4	6
35-49	10944	2.3	2	1	1	2	3	4	5	7
50-64	17365	2.7	4	1	1	2	3	5	6	9
65+	19069	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**63367**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.2		<1	<1	1	1	2	2	3
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64	14	1.9	2	<1	<1	1	2	4	5	6
65+	33	2.5	4	<1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	903	1.6	1	<1	1	1	2	3	4	6
20-34	383	2.5	2	1	1	2	3	4	5	6
35-49	317	2.5	2	1	1	2	3	4	5	7
50-64	486	3.0	3	1	1	3	4	5	6	8
65+	702	3.9	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.5	1	<1	<1	1	1	3	4	7
20-34	10	2.0	2	1	1	1	3	4	4	4
35-49	11	2.3	2	<1	<1	2	3	5	5	5
50-64	23	3.1	7	<1	<1	2	4	7	8	9
65+	134	4.6	31	1	1	3	6	10	14	26
B. *Operated*										
0-19 YRS	718	2.4	14	<1	1	2	3	4	6	11
20-34	244	3.4	6	1	1	3	4	6	8	14
35-49	268	4.4	32	1	1	3	5	7	10	27
50-64	688	4.9	19	1	2	4	6	10	14	22
65+	2730	7.0	44	2	2	5	9	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	2791	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	214	3.6	22	<1	1	2	4	8	11	20
B. *Operated*	4648	5.7	36	1	1	4	7	12	16	29
1. SINGLE DX	2874	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	4862	5.6	36	1	1	4	7	11	16	29
A. NOT OPERATED	297	3.2	17	<1	<1	2	4	7	10	18
B. OPERATED	7439	4.5	26	1	1	3	5	9	13	25
TOTAL 0-19 YRS	1682	2.0	7	<1	1	1	2	4	5	8
20-34	642	2.8	4	1	1	2	4	5	6	10
35-49	602	3.3	16	1	1	3	4	5	7	15
50-64	1211	4.1	13	1	1	3	5	7	11	18
65+	3599	6.3	38	1	2	5	8	12	17	30
GRAND TOTAL	**7736**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.1		<1	<1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	2.3	13	<1	<1	1	1	8	11	11
50-64	6	2.0		1	1	2	2	3	3	3
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	476	1.6	1	<1	<1	1	2	3	3	6
20-34	306	2.0	1	<1	<1	2	3	3	4	6
35-49	499	2.0	1	<1	1	2	3	4	4	6
50-64	387	2.2	2	<1	1	2	3	4	5	8
65+	151	2.7	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	3	<1	<1	1	2	2	6	10
20-34	15	3.0	9	<1	<1	1	4	9	10	10
35-49	30	1.8	2	<1	<1	1	2	4	5	5
50-64	28	2.5	5	<1	<1	1	3	7	8	8
65+	28	3.5	6	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	186	2.1	5	<1	<1	1	2	4	6	16
20-34	208	3.0	4	1	1	3	4	6	7	10
35-49	523	3.2	5	1	1	3	4	6	8	11
50-64	567	3.8	9	1	1	3	5	7	10	16
65+	420	4.2	14	1	1	3	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.6	3	<1	<1	1	2	3	3	11
B. *Operated*	1819	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	128	2.4	5	<1	<1	1	3	6	8	10
B. *Operated*	1904	3.5	9	1	1	3	4	7	9	14
1. SINGLE DX	1851	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	2032	3.4	8	1	1	3	4	7	9	14
A. NOT OPERATED	160	2.3	5	<1	<1	1	3	6	7	10
B. OPERATED	3723	2.7	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	703	1.7	2	<1	<1	1	2	3	4	9
20-34	530	2.4	3	<1	1	2	3	4	6	9
35-49	1060	2.6	4	<1	1	2	3	5	6	10
50-64	988	3.1	7	<1	1	2	4	6	8	14
65+	602	3.8	11	1	1	3	5	7	9	14
GRAND TOTAL	**3883**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

1492 Hospitals, United States, January-December 1986

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.3	2	1	1	2	4	4	4	4
35-49	20	2.3	2	<1	<1	2	3	4	5	5
50-64	25	4.0	24	<1	<1	3	4	10	14	24
65+	15	2.6	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	165	1.9	2	<1	<1	1	2	4	5	7
20-34	742	2.8	3	<1	1	2	4	5	6	8
35-49	1466	3.5	4	1	1	3	5	6	7	10
50-64	1567	3.7	4	1	1	3	5	6	8	10
65+	1091	4.2	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	3	5	6	6
20-34	27	1.7	2	<1	<1	1	2	3	6	7
35-49	73	2.9	7	<1	<1	2	3	6	8	14
50-64	116	2.9	5	<1	<1	2	4	6	7	10
65+	163	3.7	11	<1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	92	3.6	18	<1	1	3	4	7	13	25
20-34	635	4.3	9	1	1	4	5	7	9	16
35-49	1840	5.1	14	1	2	4	6	9	11	19
50-64	2761	5.4	14	1	2	5	7	9	12	21
65+	3189	6.2	22	2	2	5	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.0	11	<1	1	2	4	6	8	22
B. *Operated*	5031	3.5	5	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	388	3.1	8	<1	<1	2	4	7	8	14
B. *Operated*	8517	5.6	17	1	2	5	7	10	12	21
1. SINGLE DX	5097	3.5	5	1	1	3	5	6	7	10
2. MULTIPLE DX	8905	5.4	17	1	2	5	7	10	12	21
A. NOT OPERATED	454	3.1	8	<1	<1	2	4	7	8	14
B. OPERATED	13548	4.8	13	1	1	4	6	8	11	18
TOTAL 0-19 YRS	266	2.5	8	<1	<1	2	3	5	6	15
20-34	1410	3.5	7	1	1	3	5	6	8	11
35-49	3399	4.4	10	1	1	4	5	8	10	16
50-64	4469	4.7	11	1	1	4	6	8	10	18
65+	4458	5.6	18	1	2	5	7	10	12	20
GRAND TOTAL	**14002**	**4.8**	**13**	**1**	**1**	**4**	**6**	**8**	**11**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	40	2.7	2	<1	<1	2	4	5	6	6
35-49	101	2.8	3	<1	1	3	3	5	6	11
50-64	160	2.8	2	1	1	3	4	5	6	7
65+	76	3.4	4	1	1	3	4	6	8	9
B. *Operated*										
0-19 YRS	6	6.5	2	5	5	6	7	9	9	9
20-34	23	5.6	17	1	2	6	7	8	13	22
35-49	39	6.0	10	<1	1	6	8	10	13	14
50-64	57	6.0	11	1	2	6	8	10	13	15
65+	44	6.8	9	2	3	7	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	4	1	1	3	5	6	7	8
20-34	224	3.6	4	1	1	3	5	6	8	11
35-49	853	3.5	5	1	1	3	4	6	8	12
50-64	1425	3.9	5	1	2	3	5	7	8	11
65+	2291	4.7	10	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	46	10.4	70	3	4	7	11	22	29	41
20-34	155	7.3	14	3	4	7	9	11	14	27
35-49	523	7.2	13	2	3	7	9	11	14	19
50-64	778	7.5	18	2	3	7	9	12	15	22
65+	848	9.4	46	2	3	8	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	2.9	3	<1	1	3	4	5	6	8
B. *Operated*	169	6.2	11	1	2	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	4817	4.2	7	1	2	4	5	7	9	14
B. *Operated*	2350	8.1	29	2	3	7	10	14	18	28
1. SINGLE DX	548	3.9	7	1	1	3	5	8	9	13
2. MULTIPLE DX	7167	5.5	18	1	2	4	7	10	13	22
A. NOT OPERATED	5196	4.1	7	1	2	4	5	7	9	14
B. OPERATED	2519	8.0	28	2	3	7	9	14	17	28
TOTAL 0-19 YRS	78	7.8	53	2	2	6	9	16	23	39
20-34	442	4.9	12	1	2	4	7	9	10	17
35-49	1516	4.8	11	1	2	4	6	9	11	16
50-64	2420	5.0	12	1	2	4	7	9	11	17
65+	3259	5.9	23	1	2	5	7	11	15	25
GRAND TOTAL	**7715**	**5.4**	**17**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	2.7	6	<1	<1	2	4	7	7	7
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	6	3.3	4	2	2	3	4	7	7	7
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	23	2.5	4	<1	1	2	3	5	37	99+
20-34	148	2.4	3	<1	1	2	3	5	5	10
35-49	181	2.4	3	1	1	2	3	4	5	9
50-64	171	2.6	4	1	1	2	4	5	5	10
65+	159	3.0	6	1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	7	1	1	3	5	8	8	8
20-34	9	3.6	9	<1	<1	3	5	8	10	10
35-49	9	3.3	8	1	1	2	5	8	9	9
50-64	16	4.3	8	1	2	3	5	10	11	11
65+	34	5.6	22	1	1	4	6	14	16	16
B. *Operated*										
0-19 YRS	13	3.4	6	<1	<1	3	5	7	8	8
20-34	77	3.2	5	1	1	3	4	6	7	12
35-49	136	3.9	13	1	1	3	5	7	10	19
50-64	221	4.2	10	1	1	3	5	8	10	16
65+	402	5.0	19	1	1	4	6	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.9	4	<1	<1	2	3	7	7	7
B. *Operated*	682	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	73	4.6	15	1	1	4	6	10	14	16
B. *Operated*	849	4.4	15	1	1	3	5	8	12	20
1. SINGLE DX	703	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX	922	4.4	15	1	1	3	5	9	12	20
A. NOT OPERATED	94	4.2	13	<1	1	3	5	10	13	16
B. OPERATED	1531	3.6	11	1	1	3	4	7	9	18
TOTAL 0-19 YRS	43	2.9	5	<1	1	2	4	7	9	99+
20-34	240	2.7	4	<1	1	2	3	5	7	11
35-49	330	3.0	8	1	1	2	4	6	7	14
50-64	414	3.5	8	1	1	3	4	7	9	15
65+	598	4.5	16	1	1	3	5	9	13	21
GRAND TOTAL	**1625**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	10	1.8	2	<1	<1	1	2	4	5	5
35-49	16	1.7	1	<1	<1	1	2	3	4	4
50-64	28	3.2	7	1	1	2	4	8	9	10
65+	56	3.7	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	101	2.7	6	<1	1	2	3	7	8	14
20-34	360	2.8	4	1	1	2	4	5	7	10
35-49	637	3.3	5	1	1	3	4	6	8	11
50-64	696	3.8	6	1	1	3	5	7	9	11
65+	756	5.1	12	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	15	2.9	12	<1	1	1	4	8	12	13
35-49	48	3.5	9	1	1	3	5	6	8	19
50-64	101	4.3	7	1	1	4	6	8	9	14
65+	405	5.5	27	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	72	6.6	44	1	1	4	9	12	19	38
20-34	260	5.0	18	1	1	4	6	10	13	23
35-49	817	6.0	21	1	2	5	8	11	14	23
50-64	1500	7.8	56	2	2	6	9	15	19	44
65+	3334	9.9	65	2	3	8	12	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.0	5	<1	1	2	4	6	8	10
B. *Operated*	2550	3.9	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	578	5.0	22	1	1	4	6	9	12	19
B. *Operated*	5983	8.6	57	2	2	7	11	17	22	42
1. SINGLE DX	2668	3.8	8	1	1	3	5	8	9	14
2. MULTIPLE DX	6561	8.3	55	2	2	6	10	16	22	41
A. NOT OPERATED	696	4.6	19	1	1	4	6	9	11	18
B. OPERATED	8533	7.2	47	1	2	5	9	14	19	36
TOTAL 0-19 YRS	190	4.0	24	<1	1	2	4	9	12	26
20-34	645	3.7	11	1	1	3	4	8	10	18
35-49	1518	4.7	16	1	1	4	6	9	12	20
50-64	2325	6.4	42	1	2	5	8	12	16	36
65+	4551	8.6	56	2	2	7	11	17	22	42
GRAND TOTAL	**9229**	**7.0**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	2.5	4	<1	1	2	3	5	6	10
20-34	734	3.5	5	1	1	3	4	6	8	12
35-49	1069	3.8	6	1	1	3	5	7	8	14
50-64	1260	4.0	7	1	1	3	5	7	9	13
65+	1497	4.3	9	1	1	4	5	8	10	15
B. *Operated*										
0-19 YRS	434	5.9	17	2	3	5	7	10	12	15
20-34	468	8.0	16	3	4	7	9	13	16	25
35-49	615	9.2	26	4	5	8	11	15	20	28
50-64	618	9.9	25	5	6	9	12	15	18	28
65+	560	11.1	31	5	6	10	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	3.8	16	1	1	3	5	7	9	18
20-34	1108	4.7	14	1	2	4	6	8	11	18
35-49	2118	5.2	15	1	2	4	7	9	12	19
50-64	3859	5.7	19	1	2	5	7	10	13	23
65+	11353	6.7	28	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	580	10.2	113	3	4	7	11	18	27	63
20-34	946	12.2	103	4	5	9	14	21	31	63
35-49	1663	13.2	97	5	6	10	15	24	30	57
50-64	2744	14.7	117	5	6	12	17	27	35	63
65+	7007	15.9	118	6	7	13	19	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5088	3.8	7	1	1	3	5	7	9	13
B. *Operated*	2695	9.0	26	3	4	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	18932	6.1	24	2	2	5	8	11	14	25
B. *Operated*	12940	14.8	116	5	6	12	18	27	35	64
1. SINGLE DX	7783	5.6	20	1	2	4	7	11	14	22
2. MULTIPLE DX	31872	9.6	80	2	3	7	12	19	26	48
A. NOT OPERATED	24020	5.6	21	1	2	5	7	10	13	23
B. OPERATED	15635	13.8	105	4	6	11	16	25	33	60
TOTAL 0-19 YRS	2036	5.7	50	1	1	4	7	11	15	42
20-34	3256	7.1	51	1	2	5	9	14	17	38
35-49	5465	7.8	54	1	2	6	10	15	21	37
50-64	8481	8.7	69	2	2	6	11	17	23	46
65+	20417	9.8	78	2	3	7	12	19	26	46
GRAND TOTAL	**39655**	**8.9**	**70**	**2**	**2**	**7**	**11**	**17**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7901	2.2	2	1	1	2	3	4	5	7
20-34	4145	2.3	2	1	1	2	3	4	5	8
35-49	1896	2.6	3	1	1	2	3	5	6	9
50-64	1133	2.8	3	1	1	2	4	5	6	8
65+	783	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	234	3.8	8	1	2	3	4	6	8	21
20-34	352	4.1	7	1	2	4	5	7	8	16
35-49	189	4.4	6	<1	1	4	6	8	9	13
50-64	116	5.1	12	<1	1	4	7	9	13	16
65+	50	7.1	23	2	2	6	10	15	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20262	2.9	4	1	1	2	3	5	6	9
20-34	6992	2.9	4	1	1	2	4	5	7	10
35-49	5306	3.5	6	1	1	3	4	6	8	12
50-64	5636	4.2	9	1	2	3	5	8	9	15
65+	11793	5.2	21	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	436	6.9	82	2	2	4	7	12	21	53
20-34	650	6.1	30	2	2	5	8	11	15	26
35-49	724	7.3	41	2	2	5	9	14	19	32
50-64	867	8.9	71	2	3	7	11	17	24	46
65+	1563	11.1	95	2	3	8	14	21	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15858	2.4	3	1	1	2	3	4	5	8
B. *Operated*	941	4.4	9	1	2	4	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	49989	3.6	10	1	1	3	4	7	8	15
B. *Operated*	4240	8.8	73	2	3	6	10	17	24	48
1. SINGLE DX	16799	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	54229	4.0	17	1	1	3	5	7	10	20
A. NOT OPERATED	65847	3.3	8	1	1	3	4	6	8	14
B. OPERATED	5181	8.0	65	2	2	6	9	16	22	45
TOTAL 0-19 YRS	28833	2.8	5	1	1	2	3	5	6	9
20-34	12139	2.9	6	1	1	2	4	5	7	12
35-49	8115	3.7	10	1	1	3	5	7	8	16
50-64	7752	4.5	18	1	1	3	5	8	11	21
65+	14189	5.7	32	1	2	4	7	11	15	29
GRAND TOTAL	**71028**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	15	4	4	6	10	12	12	12
20-34	200	4.8	8	2	2	4	6	8	9	15
35-49	1231	4.5	5	2	2	4	6	7	9	11
50-64	1963	4.7	6	1	2	4	6	8	9	13
65+	1640	4.7	7	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	6	5.2	11	1	1	5	6	10	11	11
20-34	105	7.1	9	3	4	7	8	11	13	16
35-49	366	8.4	11	4	5	8	10	12	15	20
50-64	550	9.1	12	5	6	9	10	13	15	21
65+	364	10.3	19	3	6	10	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.5	40	2	3	5	12	20	22	22
20-34	159	4.9	7	1	2	4	7	8	10	14
35-49	1303	5.3	9	2	2	5	7	9	10	15
50-64	4211	5.5	11	2	2	5	7	9	11	16
65+	13220	6.3	20	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	22	7.9	20	2	3	7	12	14	15	17
20-34	247	9.8	31	4	5	8	12	16	20	36
35-49	1191	11.3	46	5	6	10	13	19	23	36
50-64	3037	12.1	61	4	5	10	14	20	26	42
65+	6346	13.9	101	4	5	11	17	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5038	4.7	6	1	2	4	6	8	9	13
B. *Operated*	1391	9.1	14	4	5	9	11	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	18910	6.0	17	2	2	5	7	10	13	21
B. *Operated*	10843	13.0	83	4	5	11	15	23	30	52
1. SINGLE DX	6429	5.6	11	2	2	5	7	10	12	17
2. MULTIPLE DX	29753	8.6	53	2	3	7	10	16	21	38
A. NOT OPERATED	23948	5.8	15	2	2	5	7	10	12	19
B. OPERATED	12234	12.6	77	4	5	10	15	22	28	50
TOTAL 0-19 YRS	49	7.7	25	2	3	6	11	14	17	22
20-34	711	6.9	21	2	2	6	8	12	15	26
35-49	4091	7.1	27	2	3	6	9	13	16	26
50-64	9761	7.6	35	2	3	6	9	14	18	31
65+	21570	8.5	56	2	3	7	10	16	22	40
GRAND TOTAL	**36182**	**8.1**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**36**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.2	2	<1	1	2	3	4	6	6
20-34	85	2.8	3	<1	1	2	4	5	6	9
35-49	69	2.9	5	<1	1	2	4	6	6	11
50-64	40	3.0	3	1	1	2	4	6	7	7
65+	21	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	323	2.4	6	<1	1	2	3	4	7	12
20-34	2208	2.4	2	1	1	2	3	4	5	8
35-49	2210	2.4	3	1	1	2	3	4	5	9
50-64	1103	2.6	4	1	1	2	3	5	6	9
65+	351	2.9	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.9	25	<1	1	2	4	8	12	30
20-34	101	3.7	6	<1	1	3	5	7	9	11
35-49	144	4.3	13	<1	1	3	5	8	12	17
50-64	159	5.2	23	1	2	4	7	9	11	34
65+	189	6.8	43	1	2	5	8	14	18	48
B. *Operated*										
0-19 YRS	237	3.7	18	1	1	3	4	7	9	19
20-34	2172	3.4	12	1	1	3	4	6	9	16
35-49	3014	3.4	14	1	1	3	4	6	8	18
50-64	2469	4.1	25	1	1	3	5	8	11	25
65+	1655	5.7	46	1	1	4	6	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.8	3	<1	1	2	4	5	6	10
B. *Operated*	6195	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	667	5.1	25	1	1	4	6	10	13	31
B. *Operated*	9547	4.0	23	1	1	3	4	8	11	24
1. SINGLE DX	6446	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	10214	4.1	23	1	1	3	5	8	11	24
A. NOT OPERATED	918	4.4	20	1	1	3	5	8	11	28
B. OPERATED	15742	3.4	16	1	1	3	4	6	9	20
TOTAL 0-19 YRS	670	3.0	12	<1	1	2	3	6	8	19
20-34	4566	2.9	7	1	1	2	4	5	7	12
35-49	5437	3.0	10	1	1	2	4	5	7	13
50-64	3771	3.7	19	1	1	3	4	7	9	21
65+	2216	5.3	40	1	1	3	6	11	16	33
GRAND TOTAL	**16660**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1053	3.0	7	1	1	2	4	6	8	14
20-34	1707	4.4	13	1	1	4	6	8	11	19
35-49	1207	4.3	10	1	1	4	6	8	10	16
50-64	680	4.1	12	<1	1	3	5	8	10	20
65+	727	3.6	10	<1	1	3	5	7	9	13
B. Operated										
0-19 YRS	476	5.8	31	1	1	4	8	12	16	29
20-34	1228	7.0	33	1	2	6	9	13	18	28
35-49	924	7.0	34	<1	1	6	9	13	18	29
50-64	681	6.6	30	1	1	5	9	14	17	24
65+	590	6.7	33	<1	1	6	9	13	15	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1703	4.1	17	1	1	3	5	8	12	20
20-34	3282	5.1	20	1	2	4	6	9	12	22
35-49	3551	5.2	17	1	2	4	6	10	13	23
50-64	4003	5.5	26	1	2	4	7	10	14	24
65+	10355	6.2	33	1	2	5	8	12	16	28
B. Operated										
0-19 YRS	1048	10.1	115	1	2	7	12	24	31	55
20-34	3372	9.8	83	1	2	7	12	20	27	48
35-49	3808	10.4	99	2	3	8	13	21	29	53
50-64	4325	11.5	121	2	3	8	14	24	34	66
65+	8302	13.0	145	2	3	10	16	26	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5374	4.0	11	1	1	3	5	8	10	17
B. Operated	3899	6.8	33	1	1	5	9	13	17	28
2. MULTIPLE DX										
A. Not Operated	22894	5.6	27	1	2	4	7	11	14	25
B. Operated	20855	11.5	122	2	3	9	14	24	33	63
1. SINGLE DX	9273	5.1	22	1	1	4	7	10	14	23
2. MULTIPLE DX	43749	8.4	81	1	2	6	10	18	25	50
A. NOT OPERATED	28268	5.3	24	1	1	4	7	10	14	23
B. OPERATED	24754	10.8	111	1	2	8	13	22	31	59
TOTAL 0-19 YRS	4280	5.5	48	1	1	3	6	12	18	36
20-34	9589	6.9	48	1	2	5	8	14	19	36
35-49	9490	7.3	58	1	2	5	9	15	20	40
50-64	9689	8.2	77	1	2	6	10	17	24	49
65+	19974	9.0	90	1	2	6	11	18	26	53
GRAND TOTAL	**53022**	**7.9**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	61	5.5	20	1	2	5	7	10	13	28
35-49	67	6.3	27	1	2	4	8	14	19	25
50-64	53	6.9	39	2	2	5	7	16	21	33
65+	21	8.1	98	1	1	6	8	17	35	44
B. Operated										
0-19 YRS										
20-34	13	5.3	39	<1	<1	1	9	13	20	22
35-49	52	5.1	17	1	1	4	7	10	15	18
50-64	55	3.2	10	<1	1	2	5	7	8	18
65+	29	3.7	10	1	1	2	6	8	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.5	9	3	3	8	10	11	11	11
20-34	532	7.7	48	2	2	6	9	15	20	34
35-49	1610	8.8	60	2	3	6	10	17	24	43
50-64	1961	9.4	60	2	3	7	11	19	25	38
65+	1037	9.9	57	2	3	8	13	19	24	38
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	173	12.9	188	1	3	9	15	33	51	99+
35-49	628	12.6	144	1	2	9	15	28	39	55
50-64	844	11.9	157	1	2	9	14	25	35	75
65+	478	12.4	126	1	2	9	16	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	203	6.4	36	1	2	5	7	13	19	31
B. Operated	149	4.1	15	<1	1	2	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	5146	9.1	59	2	3	7	11	18	24	38
B. Operated	2124	12.3	149	1	2	9	15	27	37	70
1. SINGLE DX	352	5.5	28	1	1	4	7	11	16	27
2. MULTIPLE DX	7270	10.1	87	2	3	7	12	20	28	50
A. NOT OPERATED	5349	9.0	58	2	3	7	11	18	23	38
B. OPERATED	2273	11.8	144	1	2	8	15	26	36	69
TOTAL 0-19 YRS	8	7.6	21	1	2	8	10	14	15	15
20-34	779	8.6	82	1	2	6	10	17	27	55
35-49	2357	9.6	84	2	2	7	11	20	28	48
50-64	2913	10.0	89	2	2	7	12	20	28	47
65+	1565	10.5	80	2	3	8	14	20	27	50
GRAND TOTAL	**7622**	**9.8**	**85**	**2**	**2**	**7**	**12**	**20**	**28**	**49**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	14	<1	<1	2	3	6	13	15
20-34	29	4.7	37	<1	1	3	5	10	14	32
35-49	41	4.1	11	<1	1	4	6	8	11	15
50-64	52	3.6	12	<1	<1	2	5	9	11	15
65+	22	6.3	141	<1	<1	3	6	12	31	57
B. *Operated*										
0-19 YRS	39	1.7	1	1	1	1	2	3	5	6
20-34	147	2.2	32	<1	1	1	2	4	6	15
35-49	209	1.8	4	<1	1	1	2	4	6	9
50-64	232	2.7	11	<1	1	1	3	7	9	15
65+	124	3.6	38	<1	1	1	3	9	13	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.0	14	<1	1	3	6	7	11	21
20-34	148	6.4	30	1	1	5	8	13	20	27
35-49	339	6.7	28	1	2	5	8	12	17	28
50-64	738	8.1	45	1	2	7	10	15	20	35
65+	1080	9.3	54	2	3	8	12	18	22	36
B. *Operated*										
0-19 YRS	87	8.5	289	1	1	3	8	17	40	92
20-34	203	5.9	73	1	1	3	7	15	21	47
35-49	486	7.0	85	1	1	4	9	16	22	47
50-64	864	8.2	93	1	1	5	11	19	26	41
65+	1020	9.8	85	1	1	8	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.3	34	<1	1	3	5	9	12	31
B. *Operated*	751	2.5	17	<1	1	1	2	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	2365	8.3	46	1	2	7	10	16	21	34
B. *Operated*	2660	8.4	95	1	1	6	12	19	25	45
1. SINGLE DX	908	2.8	21	<1	1	1	3	6	9	19
2. MULTIPLE DX	5025	8.4	72	1	1	6	11	18	23	40
A. NOT OPERATED	2522	8.0	47	1	2	6	10	15	20	34
B. OPERATED	3411	7.1	84	1	1	4	10	18	24	43
TOTAL 0-19 YRS	199	5.5	139	1	1	2	5	11	17	81
20-34	527	5.0	50	1	1	2	6	11	17	33
35-49	1075	5.8	52	1	1	4	8	13	18	36
50-64	1886	7.4	65	1	1	5	9	16	22	39
65+	2246	9.2	70	1	1	7	12	19	24	40
GRAND TOTAL	**5933**	**7.5**	**68**	**1**	**1**	**5**	**10**	**17**	**22**	**39**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.4	4	1	1	3	4	6	7	10
20-34	279	4.6	11	1	2	4	6	8	11	19
35-49	158	4.5	11	1	2	4	5	8	11	19
50-64	100	4.8	12	1	2	4	6	10	12	17
65+	57	5.1	14	1	1	4	7	10	12	19
B. *Operated*										
0-19 YRS	31	5.4	29	1	1	4	8	10	17	26
20-34	81	5.0	37	<1	1	2	7	11	19	28
35-49	73	6.1	47	1	1	4	8	14	18	38
50-64	83	5.2	53	<1	1	2	6	15	24	33
65+	70	4.1	20	<1	1	2	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.6	19	1	2	4	5	7	11	24
20-34	531	6.1	26	1	2	5	7	12	16	29
35-49	854	7.7	47	2	2	6	9	16	21	38
50-64	1468	8.0	47	2	3	6	10	15	21	35
65+	1782	8.9	61	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	93	9.6	165	1	1	5	11	27	41	87
20-34	201	10.8	152	1	1	7	14	23	31	68
35-49	377	12.8	203	1	1	8	16	29	45	81
50-64	610	12.1	142	1	1	9	16	28	35	63
65+	678	13.5	128	1	2	10	18	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	698	4.5	10	1	2	4	6	8	11	18
B. *Operated*	338	5.2	39	1	1	3	7	12	19	29
2. MULTIPLE DX										
A. *Not Operated*	4812	7.9	50	2	2	6	10	15	21	38
B. *Operated*	1959	12.5	152	1	2	9	17	28	36	67
1. SINGLE DX	1036	4.7	20	1	1	4	6	9	13	24
2. MULTIPLE DX	6771	9.3	84	2	2	7	11	19	26	50
A. NOT OPERATED	5510	7.5	46	2	2	6	9	15	20	35
B. OPERATED	2297	11.4	142	1	1	8	15	26	34	64
TOTAL 0-19 YRS	405	5.5	54	1	1	4	6	10	17	45
20-34	1092	6.5	50	1	1	5	7	14	18	33
35-49	1462	8.6	90	1	2	6	10	19	24	53
50-64	2261	8.9	76	1	2	6	11	19	26	46
65+	2587	9.9	82	2	3	7	12	20	27	50
GRAND TOTAL	**7807**	**8.6**	**77**	**1**	**2**	**6**	**11**	**18**	**25**	**48**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.3	1	<1	1	2	3	4	5	6
20-34	845	2.3	2	<1	1	2	3	4	5	7
35-49	915	2.4	3	<1	1	2	3	5	5	8
50-64	749	2.8	4	1	1	2	4	5	6	10
65+	578	3.5	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	830	5.0	4	2	3	5	6	7	9	11
20-34	9639	4.9	3	3	3	5	6	7	8	11
35-49	9062	5.2	4	3	3	5	6	8	9	12
50-64	7012	5.6	4	3	3	5	6	8	9	13
65+	3490	6.6	7	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	3.0	4	<1	1	2	4	6	8	10
20-34	996	3.1	7	<1	1	2	4	6	7	12
35-49	1292	3.5	7	1	1	3	5	6	8	13
50-64	2286	4.2	9	1	1	3	5	8	10	14
65+	5407	5.8	20	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	741	6.6	13	3	3	6	8	11	13	19
20-34	9271	6.2	11	3	3	6	7	10	12	18
35-49	12412	6.6	14	3	4	6	8	10	13	20
50-64	16237	7.7	22	3	4	7	9	12	15	25
65+	20845	10.1	41	4	5	8	12	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3183	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	30033	5.3	5	3	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	10124	4.8	16	1	1	4	6	9	11	19
B. *Operated*	59506	8.1	28	3	4	7	9	13	17	28
1. SINGLE DX	33216	5.1	5	2	3	5	6	8	9	12
2. MULTIPLE DX	69630	7.6	27	2	3	6	9	13	16	28
A. NOT OPERATED	13307	4.3	14	1	1	3	6	8	11	17
B. OPERATED	89539	7.2	22	3	4	6	8	12	15	25
TOTAL 0-19 YRS	1810	5.3	10	2	2	5	6	9	11	15
20-34	20751	5.3	8	2	3	5	6	8	10	15
35-49	23681	5.7	11	2	3	5	7	9	11	17
50-64	26284	6.7	18	2	3	6	8	11	13	21
65+	30320	8.8	37	3	4	7	11	15	19	32
GRAND TOTAL	**102846**	**6.8**	**22**	**2**	**3**	**6**	**8**	**11**	**14**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.3	4	1	1	3	5	6	8	10
20-34	490	2.8	4	1	1	2	4	5	7	10
35-49	438	3.0	3	1	1	3	4	5	7	9
50-64	310	3.1	5	<1	1	3	4	6	7	11
65+	223	3.7	7	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	79	4.8	6	1	3	4	6	7	8	16
20-34	791	5.2	6	3	3	5	6	8	10	15
35-49	803	5.5	5	3	3	5	7	8	10	13
50-64	514	6.1	7	3	3	6	7	9	11	16
65+	227	7.3	16	3	4	7	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.4	9	1	1	3	4	7	8	18
20-34	558	3.8	7	1	1	3	5	7	9	14
35-49	654	4.1	7	1	1	4	5	7	9	13
50-64	933	4.8	11	1	2	4	6	8	11	18
65+	1685	6.4	18	2	2	6	8	12	14	22
B. *Operated*										
0-19 YRS	92	6.5	13	2	3	6	8	10	12	22
20-34	1230	6.7	14	3	3	6	8	11	14	21
35-49	1791	7.2	22	3	4	6	8	12	15	24
50-64	1630	9.1	50	3	4	7	11	15	20	37
65+	2066	11.7	61	4	5	10	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1525	3.1	5	1	1	3	4	6	7	10
B. *Operated*	2414	5.7	7	3	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	3907	5.2	14	1	2	4	7	10	12	19
B. *Operated*	6809	8.9	43	3	4	7	11	15	20	35
1. SINGLE DX	3939	4.7	8	1	2	4	6	8	10	13
2. MULTIPLE DX	10716	7.6	36	2	3	6	9	14	17	30
A. NOT OPERATED	5432	4.6	12	1	1	4	6	9	11	18
B. OPERATED	9223	8.1	36	3	4	6	10	14	18	32
TOTAL 0-19 YRS	312	4.6	10	1	1	4	6	8	10	19
20-34	3069	5.2	11	1	2	5	6	9	12	18
35-49	3686	5.8	16	1	2	5	7	10	12	20
50-64	3387	6.9	34	2	2	6	8	12	16	29
65+	4201	8.9	47	2	3	7	11	16	21	36
GRAND TOTAL	**14655**	**6.8**	**30**	**1**	**2**	**6**	**8**	**12**	**16**	**27**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.7	1	2	2	3	3	4	4	4
20-34	67	2.8	4	<1	1	2	4	6	7	10
35-49	53	3.4	21	<1	<1	2	4	5	7	30
50-64	59	3.1	5	1	1	3	4	6	8	11
65+	75	4.4	13	1	1	4	5	7	9	23
B. Operated										
0-19 YRS	40	6.9	10	1	3	7	9	10	12	14
20-34	296	6.1	12	1	2	6	8	10	13	19
35-49	288	6.4	13	1	2	6	8	11	14	18
50-64	300	6.5	23	1	1	6	9	12	14	26
65+	419	7.5	33	1	1	7	11	15	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.3	15	2	2	4	7	12	14	14
20-34	71	3.7	5	1	1	3	5	7	8	11
35-49	104	4.2	14	1	1	3	6	8	10	21
50-64	202	4.4	8	1	1	4	6	8	9	16
65+	653	6.1	17	2	2	5	8	11	14	20
B. Operated										
0-19 YRS	61	10.2	46	5	6	9	11	16	23	94
20-34	429	8.7	49	3	4	7	10	14	18	44
35-49	518	9.4	57	2	4	8	11	16	22	40
50-64	965	10.3	54	3	4	9	12	18	22	45
65+	3118	12.6	75	3	5	11	15	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	3.4	10	<1	1	3	4	7	8	18
B. Operated	1343	6.7	21	1	1	6	9	12	15	21
2. MULTIPLE DX										
A. Not Operated	1039	5.4	15	1	2	5	7	10	13	19
B. Operated	5091	11.5	69	3	4	10	14	20	25	49
1. SINGLE DX	1608	6.2	21	1	1	5	8	12	14	21
2. MULTIPLE DX	6130	10.5	65	2	3	9	13	19	24	44
A. NOT OPERATED	1304	5.0	14	1	1	4	6	9	12	19
B. OPERATED	6434	10.5	63	2	3	9	13	19	23	44
TOTAL 0-19 YRS	121	8.1	33	2	3	7	10	14	16	65
20-34	863	6.9	33	1	2	6	8	12	14	28
35-49	963	7.6	42	1	2	6	9	13	18	32
50-64	1526	8.5	46	1	2	7	11	15	20	38
65+	4265	11.0	68	2	3	10	14	19	24	44
GRAND TOTAL	**7738**	**9.6**	**59**	**1**	**2**	**8**	**12**	**18**	**22**	**40**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	7.5	37	<1	2	6	8	20	21	21
20-34	53	3.3	3	1	1	3	5	6	6	8
35-49	80	4.0	7	1	1	4	5	7	8	15
50-64	86	4.2	9	1	1	3	6	8	11	14
65+	86	4.2	7	1	1	4	5	7	9	16
B. Operated										
0-19 YRS	8	7.9	73	2	2	5	10	22	27	27
20-34	43	5.0	20	1	1	4	6	10	13	23
35-49	89	5.0	24	1	1	3	8	12	16	21
50-64	72	6.7	32	1	1	5	10	15	17	24
65+	69	7.5	42	1	1	5	11	18	21	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	7.7	44	2	2	6	10	15	18	36
20-34	103	4.9	14	1	2	4	6	9	12	22
35-49	181	5.5	14	1	2	5	7	10	13	18
50-64	361	6.0	14	1	2	5	8	11	14	18
65+	950	6.9	23	2	2	6	9	12	15	24
B. Operated										
0-19 YRS	46	17.1	267	2	4	12	17	42	60	62
20-34	131	10.3	98	1	2	8	12	22	29	72
35-49	324	11.0	114	2	2	8	13	22	28	56
50-64	513	11.5	110	1	2	9	15	23	30	64
65+	1238	13.1	92	2	3	11	17	24	30	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	4.3	10	1	1	4	6	7	9	20
B. Operated	281	6.1	32	1	1	4	9	14	18	25
2. MULTIPLE DX										
A. Not Operated	1681	6.5	21	2	2	5	8	12	15	23
B. Operated	2252	12.3	104	2	3	10	16	23	30	58
1. SINGLE DX	610	5.1	21	1	1	4	7	11	15	22
2. MULTIPLE DX	3933	9.8	77	2	2	8	12	19	25	49
A. NOT OPERATED	2010	6.1	20	1	2	5	8	11	14	22
B. OPERATED	2533	11.6	100	1	2	10	15	23	29	56
TOTAL 0-19 YRS	164	10.3	124	2	2	7	12	21	33	61
20-34	330	6.8	54	1	2	5	8	13	21	45
35-49	674	7.9	72	1	1	6	10	16	22	45
50-64	1032	8.6	71	1	2	7	11	18	23	46
65+	2343	10.1	70	2	2	8	13	20	25	44
GRAND TOTAL	**4543**	**9.2**	**72**	**1**	**2**	**7**	**12**	**19**	**24**	**45**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	4.4	9	1	2	4	6	7	9	14
20-34	1140	4.6	9	1	2	4	6	8	10	14
35-49	1174	5.3	19	1	2	4	6	9	12	18
50-64	720	5.1	9	1	2	5	7	9	11	15
65+	477	5.4	13	2	2	5	7	9	11	19
B. *Operated*										
0-19 YRS	36	9.0	43	1	1	8	13	17	21	31
20-34	134	8.8	62	1	1	7	11	18	24	44
35-49	165	9.2	100	1	1	7	11	18	23	69
50-64	126	8.0	80	1	1	7	10	13	21	59
65+	87	6.9	31	<1	1	6	9	16	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	5.7	23	1	2	5	7	9	15	26
20-34	3438	6.1	20	2	2	5	7	11	14	21
35-49	5392	6.7	25	2	3	5	8	12	15	27
50-64	3805	6.6	20	2	3	6	8	12	14	25
65+	4552	7.4	29	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	72	16.9	260	1	3	12	21	37	46	80
20-34	737	15.8	194	3	4	11	20	34	45	76
35-49	1385	15.6	178	3	4	12	19	34	44	81
50-64	1458	15.9	211	3	4	12	18	35	49	91
65+	1765	15.4	169	3	5	12	19	30	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3719	5.0	13	1	2	4	6	9	11	16
B. *Operated*	548	8.4	71	1	1	7	11	17	22	44
2. MULTIPLE DX										
A. *Not Operated*	17485	6.7	24	2	3	6	8	12	15	26
B. *Operated*	5417	15.6	187	3	4	12	19	33	45	83
1. SINGLE DX	4267	5.5	21	1	2	4	7	10	12	22
2. MULTIPLE DX	22902	8.8	77	2	3	6	10	17	24	51
A. NOT OPERATED	21204	6.4	23	2	2	5	8	11	14	25
B. OPERATED	5965	15.0	181	2	4	11	18	32	44	80
TOTAL 0-19 YRS	614	6.8	62	1	2	5	7	13	21	39
20-34	5449	7.2	55	2	2	5	8	13	19	42
35-49	8116	8.1	64	2	3	6	9	15	22	44
50-64	6109	8.6	82	2	3	6	10	16	24	53
65+	6881	9.3	77	2	3	7	11	18	25	53
GRAND TOTAL	**27169**	**8.3**	**70**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	2.5	2	<1	1	2	3	5	6	8
20-34	279	2.6	3	<1	1	2	4	5	6	8
35-49	274	3.2	5	1	1	3	4	5	7	14
50-64	387	3.4	9	1	1	3	4	6	7	12
65+	528	4.0	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	12	2.7	3	1	1	2	4	5	6	6
20-34	27	5.2	16	1	1	5	7	11	13	16
35-49	35	5.5	14	1	2	4	7	12	14	14
50-64	57	5.7	31	<1	1	4	7	13	23	94
65+	79	5.8	18	1	1	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	3.6	17	1	1	3	4	6	8	19
20-34	1432	3.7	11	1	1	3	5	7	9	15
35-49	2156	4.4	11	1	2	4	5	8	10	19
50-64	4125	5.0	16	1	2	4	6	9	11	18
65+	15177	6.3	27	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	88	8.8	150	1	2	5	9	15	51	60
20-34	305	7.1	51	2	2	5	9	14	21	40
35-49	596	7.8	66	2	2	6	9	15	20	46
50-64	1478	8.3	57	2	3	6	10	16	21	40
65+	4620	9.9	86	2	3	7	12	19	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1689	3.3	6	1	1	3	4	6	7	11
B. *Operated*	210	5.5	20	1	1	4	7	11	13	28
2. MULTIPLE DX										
A. *Not Operated*	23441	5.7	23	1	2	5	7	10	13	23
B. *Operated*	7087	9.3	78	2	3	7	11	18	25	51
1. SINGLE DX	1899	3.6	8	1	1	3	4	7	8	14
2. MULTIPLE DX	30528	6.5	38	2	2	5	8	12	16	32
A. NOT OPERATED	25130	5.5	23	1	2	4	7	10	13	23
B. OPERATED	7297	9.1	77	2	3	7	11	18	25	51
TOTAL 0-19 YRS	872	3.8	29	1	1	3	4	7	10	23
20-34	2043	4.1	18	1	1	3	5	7	10	21
35-49	3061	5.0	23	1	2	4	6	9	13	24
50-64	6047	5.7	28	1	2	4	7	10	14	28
65+	20404	7.1	42	2	2	5	8	13	17	34
GRAND TOTAL	**32427**	**6.3**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	3	<1	1	3	4	6	7	9
20-34	10	3.9	13	1	1	3	5	9	13	13
35-49	7	3.7	7	1	1	3	6	8	8	8
50-64	9	4.9	9	<1	1	4	7	9	10	10
65+	10	5.2	8	1	2	4	8	9	9	9
B. *Operated*										
0-19 YRS	11	10.2	110	1	1	6	17	27	32	33
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	21	7.4	53	1	2	6	8	16	27	31
50-64	11	7.2	18	2	2	6	11	13	14	14
65+	6	7.8	37	3	3	5	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	5.4	54	1	1	3	6	12	20	92
20-34	42	6.4	24	1	2	5	8	11	19	23
35-49	103	7.2	47	1	2	6	9	15	19	70
50-64	99	9.9	101	2	2	7	12	20	29	53
65+	170	8.9	97	2	3	6	10	18	22	47
B. *Operated*										
0-19 YRS	52	14.4	305	1	2	9	20	52	95	99+
20-34	45	10.4	77	1	2	7	13	25	32	36
35-49	95	15.0	170	2	4	11	19	27	40	70
50-64	100	16.0	247	2	3	11	19	38	47	77
65+	143	15.7	179	4	5	11	19	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.5	5	1	1	3	4	7	8	10
B. *Operated*	53	7.6	52	<1	2	5	9	17	24	33
2. MULTIPLE DX										
A. *Not Operated*	688	7.2	71	1	2	5	8	16	21	53
B. *Operated*	435	14.9	198	2	3	10	18	34	48	99+
1. SINGLE DX	192	4.6	21	1	1	3	6	9	13	28
2. MULTIPLE DX	1123	10.2	134	1	2	7	12	22	37	80
A. NOT OPERATED	827	6.6	62	1	2	4	8	14	20	49
B. OPERATED	488	14.1	187	2	3	10	18	31	45	92
TOTAL 0-19 YRS	440	6.0	83	1	1	3	6	15	25	99+
20-34	101	7.8	52	1	2	6	9	18	24	35
35-49	226	10.4	113	2	2	7	13	23	30	68
50-64	219	12.4	172	2	3	9	15	24	40	74
65+	329	11.7	141	2	3	8	14	25	34	83
GRAND TOTAL	**1315**	**9.4**	**122**	**1**	**2**	**6**	**11**	**21**	**32**	**76**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	4.5	12	1	1	3	6	9	11	15
20-34	40	3.8	8	<1	1	3	5	7	9	14
35-49	22	3.9	10	1	1	3	6	9	11	11
50-64	18	5.1	22	1	1	2	3	11	15	18
65+	14	6.3	19	1	2	4	11	12	14	15
B. *Operated*										
0-19 YRS	201	3.0	11	1	1	2	3	6	10	20
20-34	129	2.4	5	1	1	2	3	5	7	11
35-49	78	2.9	11	1	1	2	3	4	9	21
50-64	74	2.5	4	1	1	2	3	4	7	11
65+	45	4.7	35	1	1	2	4	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	5.1	15	1	2	4	7	10	13	21
20-34	116	5.6	25	1	2	4	6	10	15	29
35-49	122	5.2	14	1	2	4	7	10	13	18
50-64	163	7.1	24	1	2	6	10	14	16	26
65+	271	9.1	56	2	3	7	11	17	22	32
B. *Operated*										
0-19 YRS	203	6.3	48	1	1	4	8	14	17	50
20-34	259	5.7	51	1	1	3	7	14	19	30
35-49	296	5.9	56	1	1	3	8	14	19	35
50-64	321	7.6	104	1	1	4	10	17	26	49
65+	347	10.6	142	1	2	7	14	25	35	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.5	12	1	1	3	6	10	11	15
B. *Operated*	527	2.9	11	1	1	2	3	5	9	20
2. MULTIPLE DX										
A. *Not Operated*	1011	6.5	31	1	2	5	8	13	16	26
B. *Operated*	1426	7.5	89	1	1	4	10	18	25	50
1. SINGLE DX	864	3.5	12	1	1	2	4	7	11	19
2. MULTIPLE DX	2437	7.1	65	1	1	5	9	15	21	40
A. NOT OPERATED	1348	6.0	27	1	2	5	8	12	15	25
B. OPERATED	1953	6.2	72	1	1	3	8	15	22	45
TOTAL 0-19 YRS	986	4.7	21	1	1	3	6	10	14	22
20-34	544	4.7	33	1	1	3	6	10	15	28
35-49	518	5.2	38	1	1	3	7	12	15	31
50-64	576	6.7	69	1	1	4	9	15	20	39
65+	677	9.5	100	1	2	7	12	21	28	50
GRAND TOTAL	**3301**	**6.1**	**54**	**1**	**1**	**4**	**8**	**14**	**19**	**35**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.3	5	1	2	4	6	8	8	11
20-34	13	3.5	5	1	1	3	5	7	8	8
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	15	5.5	28	1	1	3	8	16	17	17
20-34	14	3.9	15	1	1	3	4	12	13	13
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.9	8	1	2	4	6	9	10	13
20-34	46	5.3	13	1	2	4	6	10	13	19
35-49	43	6.1	13	2	2	5	8	10	13	18
50-64	52	7.6	30	3	3	6	9	15	19	31
65+	125	8.8	47	3	3	7	11	14	23	38
B. *Operated*										
0-19 YRS	33	9.8	108	1	1	6	14	26	34	42
20-34	46	8.0	58	1	1	6	11	15	25	35
35-49	34	9.7	55	2	2	7	14	20	27	30
50-64	60	11.1	71	1	2	9	18	23	26	42
65+	79	14.3	90	2	4	13	18	28	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	5	1	2	4	6	8	8	11
B. *Operated*	36	4.4	19	1	1	3	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	407	6.6	27	2	2	5	8	12	14	30
B. *Operated*	252	11.2	81	1	2	9	15	24	29	42
1. SINGLE DX	134	4.2	9	1	1	4	6	8	9	16
2. MULTIPLE DX	659	8.4	52	2	2	6	11	18	24	35
A. NOT OPERATED	505	6.1	23	2	2	5	8	11	13	27
B. OPERATED	288	10.3	78	1	2	8	14	22	28	41
TOTAL 0-19 YRS	271	5.4	23	1	2	4	7	10	12	30
20-34	119	6.0	32	1	1	4	8	13	15	32
35-49	81	7.5	33	2	2	6	10	15	18	29
50-64	115	9.3	54	2	2	7	12	20	24	36
65+	207	10.8	71	2	3	9	14	21	29	42
GRAND TOTAL	**793**	**7.7**	**47**	**1**	**2**	**6**	**10**	**16**	**21**	**35**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	<1	<1	2	4	5	6	6
20-34	8	1.9	1	<1	<1	2	3	4	4	4
35-49	15	2.1	10	<1	<1	1	2	3	11	13
50-64	10	1.9	2	<1	<1	1	2	4	5	5
65+	8	6.4	29	2	2	5	9	15	17	17
B. *Operated*										
0-19 YRS	40	6.0	27	<1	1	4	7	15	17	23
20-34	76	7.0	60	<1	1	3	10	18	23	35
35-49	91	5.4	41	<1	1	3	7	13	21	32
50-64	130	4.2	16	1	1	3	5	10	13	20
65+	118	3.8	27	1	1	2	4	8	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.7	52	1	1	2	5	9	16	50
20-34	133	4.0	9	<1	1	3	5	8	10	14
35-49	224	4.5	19	<1	1	3	6	9	12	22
50-64	377	6.9	33	1	2	5	9	14	19	28
65+	1131	9.2	78	2	2	7	11	17	25	49
B. *Operated*										
0-19 YRS	319	13.0	145	2	3	9	18	30	39	99+
20-34	868	9.7	100	1	2	7	13	23	31	46
35-49	1150	9.6	95	1	2	6	13	22	29	50
50-64	1536	9.3	101	1	2	6	12	20	28	54
65+	1663	11.9	139	1	2	9	16	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.8	10	<1	<1	2	3	6	11	17
B. *Operated*	455	5.0	33	1	1	3	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	2003	7.6	60	1	2	6	9	15	21	42
B. *Operated*	5536	10.4	115	1	2	7	14	23	31	57
1. SINGLE DX	507	4.7	31	<1	1	3	6	12	16	24
2. MULTIPLE DX	7539	9.7	102	1	2	7	13	22	29	54
A. NOT OPERATED	2055	7.4	60	1	1	5	9	15	21	42
B. OPERATED	5991	10.0	111	1	2	7	14	23	30	56
TOTAL 0-19 YRS	508	9.9	123	1	1	6	14	25	35	72
20-34	1085	8.8	89	1	1	6	11	21	28	44
35-49	1480	8.5	84	1	1	5	11	20	26	47
50-64	2053	8.5	85	1	2	5	11	19	25	49
65+	2920	10.5	114	1	2	7	14	23	31	61
GRAND TOTAL	**8046**	**9.4**	**99**	**1**	**2**	**6**	**12**	**21**	**28**	**53**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	25	<1	<1	2	3	12	17	17
20-34	10	4.1	6	<1	1	4	6	7	8	8
35-49	9	3.4	9	<1	<1	2	5	8	9	9
50-64	8	7.3	27	<1	1	5	12	15	15	15
65+	32	7.8	135	1	2	5	8	17	19	66
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	10	3.7	8	1	1	3	6	8	9	9
35-49	6	5.0	12	<1	<1	5	8	9	9	9
50-64	15	4.3	22	<1	<1	2	5	14	15	16
65+	21	7.2	52	1	1	5	7	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	35	1	1	4	6	8	11	41
20-34	101	7.3	44	1	1	5	9	14	22	33
35-49	172	7.3	33	1	2	6	10	15	19	28
50-64	495	8.2	37	2	2	7	11	16	20	32
65+	2915	9.9	51	3	4	8	12	18	23	39
B. *Operated*										
0-19 YRS	48	14.5	115	3	3	12	20	30	40	43
20-34	163	11.7	123	2	3	9	15	22	28	67
35-49	253	12.7	151	2	3	9	15	28	34	72
50-64	542	14.8	155	2	4	12	19	29	38	75
65+	1589	17.6	170	4	6	14	22	34	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.1	74	<1	1	4	7	13	17	57
B. *Operated*	56	5.2	30	<1	1	3	7	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	3738	9.4	49	2	3	8	12	17	22	36
B. *Operated*	2595	16.1	165	3	4	13	21	32	42	76
1. SINGLE DX	124	5.7	54	<1	1	4	7	14	17	36
2. MULTIPLE DX	6333	12.2	107	2	3	9	15	24	32	59
A. NOT OPERATED	3806	9.4	50	2	3	8	12	17	22	36
B. OPERATED	2651	15.9	164	3	4	13	21	32	41	76
TOTAL 0-19 YRS	116	8.7	89	1	1	5	11	22	30	42
20-34	284	9.6	93	1	2	7	12	20	26	39
35-49	440	10.3	108	1	2	7	13	21	30	65
50-64	1060	11.5	108	2	3	9	15	23	31	54
65+	4557	12.6	107	3	4	10	16	24	33	60
GRAND TOTAL	**6457**	**12.0**	**107**	**2**	**3**	**9**	**15**	**24**	**32**	**58**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	945	3.6	3	1	2	3	4	6	7	10
20-34	1389	3.7	3	1	2	3	4	6	7	9
35-49	445	3.8	3	2	2	4	5	6	7	10
50-64	227	4.2	4	2	2	4	5	7	8	9
65+	161	4.7	6	2	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	27	4.6	4	1	2	4	5	7	9	10
20-34	46	5.7	6	3	3	5	7	10	11	11
35-49	25	6.0	8	2	3	5	7	10	11	14
50-64	10	6.9	8	3	3	7	8	11	12	12
65+	7	9.7	11	4	5	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1877	4.3	6	2	2	4	5	7	9	12
20-34	3523	4.5	6	2	2	4	5	7	9	12
35-49	1719	5.4	10	2	2	5	7	9	11	17
50-64	1846	6.0	13	2	3	5	7	10	12	19
65+	4176	7.2	25	3	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	192	6.8	17	3	3	6	8	11	14	23
20-34	410	7.6	39	3	3	6	9	12	17	32
35-49	288	8.9	49	3	3	7	10	16	21	36
50-64	387	11.0	83	4	5	9	12	18	26	56
65+	775	12.4	93	4	5	10	15	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3167	3.8	3	1	2	3	5	6	7	10
B. *Operated*	115	5.8	7	2	3	5	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	13141	5.7	15	2	2	5	7	10	12	19
B. *Operated*	2052	10.2	72	3	4	8	12	18	23	44
1. SINGLE DX	3282	3.8	3	2	2	4	5	6	7	10
2. MULTIPLE DX	15193	6.3	25	2	3	5	7	11	14	24
A. NOT OPERATED	16308	5.3	13	2	2	4	6	9	11	18
B. OPERATED	2167	10.0	69	3	4	8	12	18	23	43
TOTAL 0-19 YRS	3041	4.3	6	2	2	4	5	7	9	13
20-34	5368	4.5	8	2	2	4	5	7	9	14
35-49	2477	5.5	15	2	2	5	7	9	12	21
50-64	2470	6.6	27	2	3	5	8	11	14	26
65+	5119	7.9	38	3	3	7	9	14	18	31
GRAND TOTAL	**18475**	**5.8**	**22**	**2**	**2**	**5**	**7**	**10**	**13**	**23**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.5	3	1	2	3	4	6	7	9
20-34	960	3.6	3	2	2	3	4	6	7	10
35-49	339	4.0	4	2	2	4	5	6	7	12
50-64	146	4.7	7	2	2	4	6	8	10	13
65+	93	5.1	9	1	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	51	5.6	11	1	2	5	8	10	13	14
20-34	78	5.5	12	1	2	5	6	9	12	21
35-49	45	5.6	15	1	1	5	8	10	14	16
50-64	33	6.8	20	1	2	6	8	12	16	22
65+	20	7.6	42	1	2	6	9	14	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1197	4.2	6	1	2	4	5	7	9	12
20-34	2039	4.6	9	2	2	4	5	8	9	14
35-49	973	5.2	10	2	2	5	6	9	10	17
50-64	1002	6.0	16	2	3	5	7	10	13	21
65+	1887	7.1	21	3	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	232	7.5	27	2	3	6	9	14	17	25
20-34	327	8.8	53	2	3	7	11	18	22	39
35-49	303	10.4	81	3	4	8	13	19	24	49
50-64	373	11.8	101	3	4	9	14	22	29	66
65+	606	13.6	129	3	5	10	17	24	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2191	3.3	4	1	2	3	5	6	7	11
B. *Operated*	227	5.9	16	1	2	5	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	7098	5.5	14	2	2	5	7	9	12	19
B. *Operated*	1841	11.1	94	3	4	8	14	21	28	57
1. SINGLE DX	2418	4.0	5	1	2	4	5	7	8	12
2. MULTIPLE DX	8939	6.6	36	2	2	5	8	12	17	30
A. NOT OPERATED	9289	5.1	12	2	2	4	6	9	11	18
B. OPERATED	2068	10.5	88	2	3	8	13	20	26	54
TOTAL 0-19 YRS	2133	4.4	9	1	2	4	5	8	10	15
20-34	3404	4.7	14	2	2	4	6	8	10	19
35-49	1660	5.9	27	2	2	5	7	10	14	26
50-64	1554	7.3	42	2	3	6	9	13	18	33
65+	2606	8.6	54	3	3	7	10	16	20	40
GRAND TOTAL	**11357**	**6.1**	**30**	**2**	**2**	**5**	**7**	**11**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.0	1	<1	1	2	3	4	4	6
20-34	1263	1.9	2	<1	1	2	2	3	4	6
35-49	1864	1.8	1	<1	1	1	2	3	4	6
50-64	1134	1.9	2	1	1	2	2	3	4	7
65+	408	2.3	4	1	1	2	3	4	6	10
B. *Operated*										
0-19 YRS	59	4.5	14	1	1	4	6	9	12	19
20-34	667	4.2	11	1	1	3	6	8	10	15
35-49	1058	3.7	9	1	1	3	5	8	10	13
50-64	897	4.0	11	1	1	3	5	8	10	16
65+	444	4.3	11	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	2.4	3	1	1	2	3	5	6	8
20-34	1090	2.6	4	1	1	2	3	5	6	11
35-49	1554	2.6	6	1	1	2	3	5	6	11
50-64	1408	2.9	7	1	1	2	4	5	7	12
65+	1126	3.7	11	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	77	6.0	20	1	2	5	8	12	14	22
20-34	704	6.5	29	1	2	5	8	12	16	24
35-49	1197	6.8	40	1	2	5	8	13	19	29
50-64	1460	6.8	39	1	2	5	9	13	17	26
65+	1560	8.4	60	1	2	7	11	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4830	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	3125	4.0	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	5346	2.9	7	1	1	2	4	6	7	12
B. *Operated*	4998	7.2	45	1	2	6	9	14	19	32
1. SINGLE DX	7955	2.7	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	10344	5.0	30	1	1	3	6	11	14	25
A. NOT OPERATED	10176	2.4	5	<1	1	2	3	5	6	11
B. OPERATED	8123	6.0	34	1	1	5	8	12	16	26
TOTAL 0-19 YRS	465	3.1	9	1	1	2	4	6	9	14
20-34	3724	3.3	12	1	1	2	4	7	10	17
35-49	5673	3.4	16	<1	1	2	4	7	10	20
50-64	4899	4.1	20	1	1	3	5	9	11	20
65+	3538	5.7	38	1	1	4	7	12	16	28
GRAND TOTAL	**18299**	**4.0**	**21**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	542	1.9	1	1	1	2	2	3	4	6
20-34	4772	1.7	1	<1	1	1	2	3	4	5
35-49	6404	1.7	1	<1	1	1	2	3	4	6
50-64	3469	1.9	1	<1	1	2	2	3	4	6
65+	964	2.0	2	<1	1	2	2	4	4	6
B. *Operated*										
0-19 YRS	303	3.7	6	1	1	3	5	7	8	12
20-34	3001	3.6	6	1	1	3	5	7	8	12
35-49	4401	3.6	6	1	1	3	5	7	8	12
50-64	2879	3.9	8	1	1	3	5	8	9	14
65+	961	4.4	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	2.2	2	1	1	2	3	4	5	6
20-34	2149	2.2	3	1	1	2	3	4	5	7
35-49	3419	2.2	3	1	1	2	3	4	5	7
50-64	2900	2.5	3	1	1	2	3	5	6	9
65+	1918	2.9	4	1	1	2	4	6	7	10
B. *Operated*										
0-19 YRS	179	4.3	9	1	1	4	6	8	9	14
20-34	1764	4.8	13	1	1	4	6	9	11	18
35-49	3113	5.1	14	1	2	4	7	10	12	19
50-64	3365	5.9	22	1	2	5	8	11	14	23
65+	3026	7.2	38	1	2	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16151	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	11545	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	10650	2.4	3	1	1	2	3	4	6	8
B. *Operated*	11447	5.8	23	1	2	5	7	11	14	24
1. SINGLE DX	27696	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	22097	4.2	17	1	1	3	5	9	11	20
A. NOT OPERATED	26801	2.0	2	<1	1	2	2	4	5	7
B. OPERATED	22992	4.8	16	1	1	4	6	9	12	20
TOTAL 0-19 YRS	1288	2.7	5	1	1	2	3	5	7	11
20-34	11686	2.7	6	1	1	2	3	6	7	11
35-49	17337	2.9	7	1	1	2	4	6	8	12
50-64	12613	3.6	12	1	1	2	5	7	10	16
65+	6869	4.9	24	1	1	3	6	10	14	23
GRAND TOTAL	**49793**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.8	10	1	1	2	4	5	7	21
20-34	116	1.9	1	<1	1	2	2	3	4	7
35-49	110	2.3	5	1	1	2	3	5	6	14
50-64	60	2.5	3	<1	<1	2	3	5	6	10
65+	48	2.9	4	1	1	2	4	7	7	8
B. *Operated*										
0-19 YRS	834	5.6	6	1	2	5	7	9	10	13
20-34	385	5.4	12	1	1	5	7	10	11	16
35-49	354	5.1	15	1	1	4	7	10	13	18
50-64	303	4.9	14	1	1	4	7	10	12	15
65+	231	4.4	14	<1	1	3	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	3.7	13	<1	1	2	4	8	11	19
20-34	275	3.5	9	1	1	3	4	7	9	16
35-49	275	4.1	16	1	1	3	5	9	12	21
50-64	368	5.1	32	1	1	4	6	10	13	29
65+	818	6.2	23	1	2	5	8	12	16	23
B. *Operated*										
0-19 YRS	1228	6.9	24	1	2	6	9	12	14	23
20-34	921	7.2	35	1	2	7	9	13	16	26
35-49	1101	7.4	33	1	2	6	10	14	18	29
50-64	1474	8.0	47	1	2	7	11	16	20	36
65+	2235	8.9	63	1	2	7	12	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	2.4	5	<1	1	2	3	5	6	10
B. *Operated*	2107	5.2	11	1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1977	5.0	22	1	1	4	7	10	13	22
B. *Operated*	6959	7.9	45	1	2	7	10	15	20	33
1. SINGLE DX	2525	4.8	11	1	1	4	7	9	11	15
2. MULTIPLE DX	8936	7.3	41	1	2	6	9	14	19	30
A. NOT OPERATED	2395	4.6	20	1	1	3	6	9	13	22
B. OPERATED	9066	7.3	38	1	2	6	9	14	18	30
TOTAL 0-19 YRS	2387	6.0	18	1	1	6	8	10	12	19
20-34	1697	5.8	26	1	1	5	8	11	14	21
35-49	1840	6.2	28	1	1	5	8	12	16	27
50-64	2205	7.0	41	1	1	5	9	14	19	33
65+	3332	7.8	51	1	2	6	10	16	21	34
GRAND TOTAL	**11461**	**6.7**	**36**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.3	3	<1	1	2	2	6	7	7
20-34	168	1.8	2	<1	1	2	2	3	4	6
35-49	227	1.9	2	<1	<1	1	2	4	5	7
50-64	132	1.8	2	<1	1	1	2	3	4	6
65+	38	1.9	2	1	1	2	2	4	5	7
B. *Operated*										
0-19 YRS	16	2.6	3	<1	<1	2	4	5	6	7
20-34	93	3.2	5	1	1	3	4	6	8	12
35-49	112	4.0	9	1	1	3	5	8	10	16
50-64	134	3.3	6	1	1	3	4	7	8	11
65+	118	3.1	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	1	2	3	4	5	6
20-34	139	2.6	5	1	1	2	3	5	7	11
35-49	207	2.3	3	1	1	2	3	4	5	10
50-64	151	2.6	4	<1	1	2	3	5	7	11
65+	132	3.9	9	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	35	5.9	31	1	1	3	9	13	18	23
20-34	152	5.6	25	1	1	5	7	11	14	28
35-49	174	5.2	22	1	1	4	7	11	14	18
50-64	388	5.2	24	1	1	4	7	12	16	23
65+	1100	6.1	32	1	1	5	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	473	3.4	7	<1	1	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	645	2.8	5	1	1	2	3	6	7	12
B. *Operated*	1849	5.8	29	1	1	4	7	12	15	27
1. SINGLE DX	1060	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2494	5.0	25	1	1	3	7	11	14	24
A. NOT OPERATED	1232	2.4	4	<1	1	2	3	4	6	10
B. OPERATED	2322	5.3	26	1	1	4	7	11	14	25
TOTAL 0-19 YRS	89	3.7	17	<1	1	2	4	9	12	21
20-34	552	3.3	12	1	1	2	4	7	9	17
35-49	720	3.1	10	<1	1	2	4	7	9	15
50-64	805	3.9	16	1	1	3	5	8	12	21
65+	1388	5.5	29	1	1	4	7	11	14	25
GRAND TOTAL	**3554**	**4.3**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.3	2	1	1	2	3	4	5	7
20-34	87	2.6	3	1	1	2	3	4	6	10
35-49	63	2.8	4	<1	1	2	4	5	7	10
50-64	35	3.3	8	1	1	3	4	5	7	17
65+	34	3.1	6	1	1	3	4	5	8	13
B. *Operated*										
0-19 YRS	55	2.3	2	<1	<1	2	3	4	5	6
20-34	154	2.5	5	<1	<1	2	3	5	6	10
35-49	197	2.5	10	<1	<1	2	3	5	7	16
50-64	178	2.4	4	<1	<1	2	3	5	6	12
65+	272	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.3	6	1	1	3	4	6	7	14
20-34	306	3.7	9	1	1	3	4	7	8	16
35-49	239	4.1	7	1	1	3	6	7	9	13
50-64	340	5.2	16	1	2	4	6	9	12	20
65+	1139	6.4	26	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	152	3.6	6	<1	1	3	5	7	8	11
20-34	374	5.1	32	1	1	4	6	9	13	30
35-49	534	4.7	17	1	1	4	6	9	11	19
50-64	815	5.6	43	1	1	4	7	11	16	34
65+	2415	6.7	52	1	1	5	8	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	2.7	4	1	1	2	3	4	6	10
B. *Operated*	856	2.5	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	2243	5.3	20	1	2	4	7	10	12	20
B. *Operated*	4290	6.0	43	1	1	4	7	12	15	32
1. SINGLE DX	1179	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	6533	5.7	35	1	1	4	7	11	14	28
A. NOT OPERATED	2566	5.0	18	1	1	4	6	9	12	20
B. OPERATED	5146	5.4	39	1	1	4	7	11	14	30
TOTAL 0-19 YRS	530	3.1	5	<1	1	3	4	6	7	11
20-34	921	4.0	18	1	1	3	5	8	10	20
35-49	1033	4.0	13	1	1	3	5	8	10	16
50-64	1368	5.0	31	1	1	3	6	10	14	30
65+	3860	6.2	42	1	1	5	8	12	15	29
GRAND TOTAL	**7712**	**5.2**	**32**	**1**	**1**	**4**	**7**	**10**	**14**	**26**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	6	2.8	5	<1	<1	2	5	6	6	6
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	4	9.3	92	<1	<1	8	17	19	19	19
65+	8	5.1	43	1	1	2	7	17	19	19
B. *Operated*										
0-19 YRS	375	1.6	3	<1	<1	1	2	3	4	8
20-34	366	2.2	6	<1	<1	2	3	4	5	14
35-49	280	2.1	3	<1	<1	1	2	4	6	9
50-64	232	2.2	4	<1	<1	1	3	4	6	11
65+	340	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3	1	<1	<1	<1	1	2	3	4
20-34	17	1.9	3	<1	<1	1	2	5	6	7
35-49	22	3.3	5	1	1	3	4	6	9	10
50-64	27	2.9	3	<1	1	3	4	5	6	9
65+	113	4.5	18	1	1	3	5	8	12	24
B. *Operated*										
0-19 YRS	378	2.3	6	<1	<1	1	3	5	8	11
20-34	476	3.0	13	<1	1	2	3	6	9	18
35-49	533	3.5	12	1	1	2	4	7	10	19
50-64	782	3.9	16	1	1	3	5	8	11	19
65+	2047	4.6	18	1	1	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.7	28	<1	<1	1	3	13	19	19
B. *Operated*	1593	2.1	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	195	3.6	13	<1	<1	3	4	7	10	17
B. *Operated*	4216	3.9	16	<1	1	3	5	8	11	20
1. SINGLE DX	1623	2.1	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX	4411	3.9	15	<1	1	3	5	8	11	20
A. NOT OPERATED	225	3.7	15	<1	<1	3	4	8	10	19
B. OPERATED	5809	3.4	13	<1	1	2	4	7	10	18
TOTAL 0-19 YRS	774	1.9	4	<1	<1	1	2	4	6	10
20-34	865	2.7	10	<1	1	2	3	5	7	16
35-49	842	3.0	9	<1	1	2	4	6	9	16
50-64	1045	3.5	14	<1	1	2	4	7	10	17
65+	2508	4.3	16	1	1	3	5	9	11	21
GRAND TOTAL	**6034**	**3.4**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	994	2.7	3	1	1	2	3	5	6	8
20-34	535	2.9	5	<1	1	2	4	5	6	9
35-49	312	3.1	6	1	1	3	4	6	6	10
50-64	274	3.5	9	1	1	3	4	6	8	18
65+	501	4.3	12	1	1	3	6	8	10	16
B. *Operated*										
0-19 YRS	417	2.4	5	<1	<1	2	3	5	7	11
20-34	354	2.7	4	<1	<1	2	3	5	7	10
35-49	406	3.0	8	<1	<1	2	4	6	8	15
50-64	556	2.9	7	<1	<1	2	4	6	8	13
65+	786	3.1	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3704	3.9	7	1	1	3	5	7	9	13
20-34	2907	4.4	13	1	1	4	5	8	10	17
35-49	2410	5.4	17	1	2	4	7	10	13	20
50-64	4351	6.1	23	2	2	5	8	11	14	24
65+	22511	7.7	36	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	989	5.1	30	<1	<1	4	7	10	14	25
20-34	1100	6.5	71	1	1	4	8	13	20	45
35-49	1442	6.5	51	<1	1	4	8	13	18	42
50-64	2902	6.9	50	1	1	5	9	14	19	40
65+	9925	9.2	90	1	2	7	12	19	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2616	3.2	6	1	1	3	4	6	7	11
B. *Operated*	2519	2.9	6	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	35883	6.7	30	2	2	5	8	12	16	28
B. *Operated*	16358	8.1	76	1	1	6	10	17	23	49
1. SINGLE DX	5135	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	52241	7.2	45	1	2	6	9	13	18	36
A. NOT OPERATED	38499	6.5	29	1	2	5	8	12	15	27
B. OPERATED	18877	7.4	70	1	1	5	9	16	22	47
TOTAL 0-19 YRS	6104	3.8	10	1	1	3	5	7	9	15
20-34	4896	4.6	26	1	1	3	6	9	12	25
35-49	4570	5.4	27	1	1	4	7	11	14	26
50-64	8083	6.1	33	1	2	5	8	11	15	30
65+	33723	8.0	52	2	2	6	10	15	20	40
GRAND TOTAL	**57376**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**35**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	19	2.4	2	<1	<1	2	4	5	5	5
65+	42	4.3	23	<1	1	2	5	10	14	26
B. *Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	15	2.1	2	<1	<1	1	3	4	5	5
35-49	166	3.0	3	<1	<1	3	4	5	6	9
50-64	3754	4.2	4	1	2	4	5	6	8	11
65+	6474	4.5	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	5	<1	<1	4	5	6	6	6
20-34	6	3.3	3	2	2	3	4	6	6	6
35-49	27	4.4	17	1	2	3	5	11	29	99+
50-64	297	3.3	9	<1	<1	2	4	7	9	15
65+	1159	4.7	25	<1	1	3	6	10	13	25
B. *Operated*										
0-19 YRS	33	5.2	8	2	2	5	6	9	11	14
20-34	21	5.0	16	<1	1	3	7	11	13	16
35-49	386	4.6	8	1	2	4	6	8	11	14
50-64	10745	5.2	10	2	2	5	6	9	11	16
65+	35834	6.3	20	2	3	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.7	17	<1	1	2	4	8	12	24
B. *Operated*	10413	4.4	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1495	4.4	22	<1	1	3	6	9	12	24
B. *Operated*	47019	6.0	18	2	3	5	7	10	13	22
1. SINGLE DX	10477	4.4	5	1	2	4	5	7	8	11
2. MULTIPLE DX	48514	6.0	18	2	3	5	7	10	13	22
A. NOT OPERATED	1559	4.3	22	<1	1	3	6	9	12	24
B. OPERATED	57432	5.7	16	2	3	5	7	10	12	20
TOTAL 0-19 YRS	43	4.8	7	1	2	4	6	8	10	14
20-34	43	3.7	10	<1	1	3	5	8	11	16
35-49	581	4.1	8	1	1	4	5	7	10	14
50-64	14815	4.9	9	1	2	4	6	8	10	15
65+	43509	6.0	18	2	3	5	7	10	13	22
GRAND TOTAL	**58991**	**5.7**	**16**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	2	1	1	2	3	5	6	6
20-34	124	3.2	2	1	1	3	4	5	6	8
35-49	138	3.5	3	1	2	3	4	5	7	11
50-64	122	4.0	3	1	2	4	5	6	7	9
65+	48	3.6	3	1	1	4	4	6	7	7
B. *Operated*										
0-19 YRS	7	2.7	2	1	1	3	4	5	5	5
20-34	62	2.9	7	<1	<1	2	3	6	9	15
35-49	77	3.0	7	<1	<1	2	4	7	9	11
50-64	97	3.1	7	<1	1	2	4	7	9	14
65+	63	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	3	1	2	3	5	6	7	8
20-34	211	3.5	4	1	1	3	4	6	7	10
35-49	379	4.3	5	2	2	4	5	7	8	11
50-64	639	4.7	6	2	2	4	6	8	9	13
65+	560	5.1	10	2	2	5	6	8	10	16
B. *Operated*										
0-19 YRS	14	4.8	19	<1	1	3	5	13	15	16
20-34	118	4.2	9	<1	1	4	6	9	10	14
35-49	250	4.4	13	<1	1	4	6	8	9	20
50-64	503	5.4	23	1	1	4	7	10	14	19
65+	767	6.3	29	1	2	5	8	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	3.6	3	1	2	3	4	6	7	10
B. *Operated*	306	2.9	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1812	4.6	7	2	2	4	6	8	9	14
B. *Operated*	1652	5.6	24	1	1	4	7	11	14	26
1. SINGLE DX	755	3.3	4	<1	1	3	4	6	7	11
2. MULTIPLE DX	3464	5.1	15	1	2	4	6	9	12	20
A. NOT OPERATED	2261	4.4	6	1	2	4	5	7	9	13
B. OPERATED	1958	5.2	22	<1	1	4	7	10	14	25
TOTAL 0-19 YRS	61	3.5	7	1	1	3	4	6	7	16
20-34	515	3.5	5	1	1	3	4	6	8	11
35-49	844	4.1	7	1	1	4	5	7	9	12
50-64	1361	4.8	12	1	2	4	6	8	10	17
65+	1438	5.6	21	1	2	4	7	10	14	25
GRAND TOTAL	**4219**	**4.8**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	4	7.3	30	2	2	7	12	12	12	12
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	378	1.5	3	<1	<1	1	2	2	3	5
20-34	202	2.1	2	<1	1	2	2	4	4	8
35-49	253	1.8	1	<1	1	1	2	3	4	6
50-64	424	1.8	1	<1	1	1	2	3	4	5
65+	261	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.4	1	<1	<1	1	2	3	3	4
20-34	6	2.8	3	<1	<1	3	4	5	5	5
35-49	10	3.5	28	<1	<1	2	3	11	18	18
50-64	17	3.8	44	<1	<1	2	3	6	21	29
65+	15	4.6	13	1	2	2	7	10	11	12
B. *Operated*										
0-19 YRS	323	1.6	1	<1	<1	1	2	3	4	7
20-34	137	2.3	4	1	1	2	3	4	5	11
35-49	230	2.4	4	1	1	2	3	5	6	10
50-64	456	2.8	8	1	1	2	3	5	7	15
65+	592	3.4	15	1	1	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.3	8	<1	<1	1	2	4	12	12
B. *Operated*	1518	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	76	2.9	17	<1	<1	2	3	6	10	26
B. *Operated*	1738	2.7	9	<1	1	2	3	5	7	13
1. SINGLE DX	1547	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1814	2.7	9	<1	1	2	3	5	7	14
A. NOT OPERATED	105	2.8	15	<1	<1	2	3	6	10	23
B. OPERATED	3256	2.3	6	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	745	1.5	2	<1	<1	1	2	2	3	6
20-34	347	2.2	3	<1	1	2	3	4	5	10
35-49	496	2.1	3	<1	1	2	3	4	5	9
50-64	901	2.4	6	<1	1	2	3	4	6	11
65+	872	3.0	11	1	1	2	3	5	8	15
GRAND TOTAL	**3361**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	3.7	6	1	1	3	5	7	8	11
20-34	534	3.7	4	1	2	3	5	6	7	9
35-49	334	4.4	5	1	2	4	6	7	9	12
50-64	174	4.7	5	2	2	4	6	8	9	11
65+	121	5.4	9	2	2	5	6	9	11	17
B. *Operated*										
0-19 YRS	107	2.5	4	1	1	2	3	5	6	11
20-34	148	3.0	6	1	1	2	4	6	8	11
35-49	151	2.9	7	<1	1	2	3	7	8	13
50-64	93	3.7	9	1	1	3	5	7	9	15
65+	63	4.2	12	<1	1	3	5	8	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.9	6	1	1	3	5	7	9	11
20-34	311	4.9	11	1	2	4	6	8	11	16
35-49	338	5.2	7	2	2	5	6	9	10	14
50-64	428	5.9	9	2	3	5	7	10	11	15
65+	694	6.3	18	2	3	5	8	10	13	18
B. *Operated*										
0-19 YRS	72	4.1	10	1	1	3	6	8	11	14
20-34	176	4.7	29	1	1	3	6	10	13	18
35-49	186	5.0	24	1	1	3	7	11	15	27
50-64	250	5.6	16	1	1	5	8	10	13	21
65+	484	7.5	34	1	2	6	10	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	4.1	5	1	2	4	5	7	8	11
B. *Operated*	562	3.1	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1887	5.6	13	2	2	5	7	9	11	16
B. *Operated*	1168	6.1	28	1	1	5	8	12	15	25
1. SINGLE DX	1987	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	3055	5.8	19	1	2	5	7	10	13	19
A. NOT OPERATED	3312	5.0	10	1	2	4	6	8	10	15
B. OPERATED	1730	5.1	23	1	1	4	7	11	13	22
TOTAL 0-19 YRS	557	3.6	6	1	1	3	5	7	9	12
20-34	1169	4.1	10	1	1	3	5	7	9	15
35-49	1009	4.6	10	1	1	4	6	8	10	15
50-64	945	5.4	11	1	2	5	7	10	11	16
65+	1362	6.5	24	2	2	5	8	11	14	24
GRAND TOTAL	**5042**	**5.0**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.7	21	<1	<1	1	7	9	9	9
B. *Operated*										
0-19 YRS	623	1.1		<1	<1	<1	1	2	2	3
20-34	130	1.4	1	<1	<1	1	1	2	2	7
35-49	100	1.2		<1	<1	1	1	2	2	3
50-64	67	1.2		<1	<1	1	1	2	2	4
65+	49	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.4	1	<1	<1	1	1	3	4	5
20-34	6	1.3	1	<1	<1	1	1	3	3	3
35-49	6	4.0	21	<1	<1	1	7	11	12	12
50-64	7	2.6	9	<1	<1	1	3	8	9	9
65+	13	3.7	12	<1	1	3	4	10	12	12
B. *Operated*										
0-19 YRS	226	1.5	1	<1	<1	1	1	3	4	5
20-34	93	1.6	5	<1	<1	1	1	3	4	14
35-49	158	1.9	2	<1	<1	1	2	4	6	8
50-64	201	2.1	8	<1	<1	1	2	4	6	16
65+	215	2.8	6	<1	1	2	3	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.7	3	<1	<1	1	1	3	6	9
B. *Operated*	969	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	64	2.2	6	<1	<1	1	2	4	9	12
B. *Operated*	893	2.0	5	<1	<1	1	2	4	6	10
1. SINGLE DX	991	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	957	2.0	5	<1	<1	1	2	4	6	11
A. NOT OPERATED	86	2.1	6	<1	<1	1	2	4	9	12
B. OPERATED	1862	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	895	1.2		<1	<1	<1	1	2	2	5
20-34	231	1.5	2	<1	<1	1	1	2	3	7
35-49	266	1.7	2	<1	<1	1	2	3	4	8
50-64	276	1.9	6	<1	<1	1	2	4	5	9
65+	280	2.6	6	<1	<1	2	3	6	8	12
GRAND TOTAL	**1948**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	1.9	2	<1	1	1	2	4	5	8
20-34	69	2.7	5	<1	<1	2	4	5	6	13
35-49	47	2.6	3	<1	<1	2	4	5	6	6
50-64	41	1.8	2	<1	<1	1	2	4	5	9
65+	26	2.8	5	<1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	1670	1.5	1	<1	<1	1	2	2	3	6
20-34	789	1.9	7	<1	<1	1	2	3	5	8
35-49	591	2.3	3	<1	1	2	3	5	6	10
50-64	801	2.6	4	1	1	2	3	5	6	10
65+	400	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.9	5	<1	1	2	4	5	7	11
20-34	116	4.1	9	<1	1	4	6	8	10	15
35-49	124	4.1	14	<1	1	3	5	8	11	18
50-64	141	3.7	10	<1	<1	3	5	8	11	14
65+	142	6.0	27	<1	1	5	9	12	17	27
B. *Operated*										
0-19 YRS	678	2.1	4	<1	1	1	2	4	5	10
20-34	628	3.4	20	<1	1	2	4	8	10	16
35-49	929	3.9	26	1	1	3	5	7	10	21
50-64	1687	4.0	31	1	1	3	4	7	10	22
65+	1243	4.7	42	1	1	3	5	9	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	4251	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	628	4.2	15	<1	1	3	5	9	12	19
B. *Operated*	5165	3.8	28	1	1	3	4	7	10	23
1. SINGLE DX	4546	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	5793	3.9	27	1	1	3	4	7	10	22
A. NOT OPERATED	923	3.6	12	<1	1	2	5	8	10	17
B. OPERATED	9416	3.0	18	<1	1	2	3	6	8	18
TOTAL 0-19 YRS	2565	1.7	2	<1	1	1	2	3	4	8
20-34	1602	2.7	13	<1	1	2	3	5	8	14
35-49	1691	3.3	17	<1	1	2	4	6	9	18
50-64	2670	3.5	22	1	1	3	4	6	9	17
65+	1811	4.3	32	1	1	3	5	9	14	26
GRAND TOTAL	**10339**	**3.1**	**17**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	12	2.2	2	<1	<1	1	3	4	5	5
50-64	17	1.1		<1	<1	<1	1	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	60	1.6	1	<1	<1	1	2	3	4	6
20-34	488	2.0	2	<1	<1	1	2	4	5	7
35-49	1627	1.9	2	<1	<1	1	2	4	5	7
50-64	1112	1.7	2	<1	<1	1	2	3	4	6
65+	468	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	13	3.7	18	<1	<1	1	6	9	14	15
35-49	20	2.6	6	<1	<1	2	3	4	8	12
50-64	19	3.8	22	<1	<1	2	5	10	15	19
65+	12	3.7	11	<1	<1	2	5	8	11	12
B. *Operated*										
0-19 YRS	19	1.7	2	<1	<1	1	2	2	5	7
20-34	410	2.8	4	<1	<1	2	4	5	6	11
35-49	1586	2.7	4	<1	<1	2	4	5	6	9
50-64	1429	2.6	5	<1	<1	2	3	5	7	11
65+	965	2.7	13	<1	<1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	3755	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	66	3.3	14	<1	<1	2	4	8	12	18
B. *Operated*	4409	2.7	6	<1	<1	2	3	5	6	11
1. SINGLE DX	3790	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	4475	2.7	6	<1	<1	2	3	5	7	11
A. NOT OPERATED	101	2.7	10	<1	<1	1	3	6	9	17
B. OPERATED	8164	2.3	4	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	81	1.6	1	<1	<1	1	2	3	4	7
20-34	915	2.4	3	<1	<1	2	3	4	6	9
35-49	3245	2.3	3	<1	<1	2	3	5	6	8
50-64	2577	2.2	4	<1	<1	2	3	4	6	10
65+	1447	2.4	9	<1	<1	2	3	4	6	11
GRAND TOTAL	**8265**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.0	9	1	1	3	6	7	11	14
20-34	133	3.2	4	1	1	3	4	5	6	11
35-49	53	3.5	5	<1	1	3	4	6	9	10
50-64	39	3.6	5	<1	<1	3	5	7	8	9
65+	14	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS	890	2.2	1	1	1	2	3	4	4	5
20-34	1639	2.5	2	1	1	2	3	4	5	7
35-49	1039	2.6	3	<1	1	2	3	4	6	9
50-64	733	2.3	2	<1	<1	2	3	4	5	7
65+	289	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.6	4	<1	<1	2	3	6	7	9
20-34	92	3.5	5	1	1	3	4	6	8	13
35-49	109	3.7	8	<1	<1	3	5	7	9	13
50-64	97	3.9	11	<1	<1	3	5	8	11	15
65+	103	5.3	20	<1	<1	4	7	11	14	21
B. *Operated*										
0-19 YRS	281	2.8	4	1	1	3	3	4	6	12
20-34	915	2.9	3	1	1	3	4	5	6	10
35-49	1412	3.2	6	1	1	3	4	5	7	11
50-64	1047	3.4	8	1	1	3	4	6	7	14
65+	599	3.4	12	1	1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.4	5	1	1	3	4	6	7	12
B. *Operated*	4590	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	442	4.0	11	<1	<1	3	5	8	10	17
B. *Operated*	4254	3.2	7	1	1	3	4	5	7	13
1. SINGLE DX	4878	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4696	3.2	7	1	1	3	4	6	7	14
A. NOT OPERATED	730	3.7	9	<1	1	3	5	7	9	15
B. OPERATED	8844	2.8	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	1261	2.4	2	1	1	2	3	4	5	8
20-34	2779	2.7	3	1	1	2	3	4	5	8
35-49	2613	3.0	5	<1	1	3	4	5	7	10
50-64	1916	3.0	6	<1	1	3	4	5	7	12
65+	1005	3.2	10	<1	1	2	4	6	9	15
GRAND TOTAL	**9574**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	942	2.1	1	1	1	2	3	4	4	6
20-34	1620	2.1	2	<1	1	2	3	4	4	7
35-49	389	2.2	3	1	1	2	3	4	5	8
50-64	11	1.8	2	<1	<1	1	3	4	5	5
65+	9	2.9	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	1042	3.4	3	1	1	3	4	6	7	9
20-34	3380	3.5	4	<1	1	3	5	6	7	9
35-49	915	4.3	4	1	2	4	5	7	8	12
50-64	164	5.3	4	2	3	5	6	7	8	12
65+	66	5.9	6	2	3	6	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	637	2.4	2	1	1	2	3	4	6	7
20-34	1256	2.6	3	1	1	2	3	5	6	9
35-49	385	2.8	4	1	1	2	3	5	7	10
50-64	33	3.8	6	<1	<1	4	6	7	8	10
65+	34	5.4	25	1	1	4	7	12	15	25
B. *Operated*										
0-19 YRS	1173	4.1	4	1	2	4	5	7	8	11
20-34	7625	4.6	6	1	2	4	6	7	9	13
35-49	4255	5.5	9	2	3	5	6	8	10	16
50-64	669	6.3	10	3	4	6	7	9	12	19
65+	454	8.1	31	4	4	7	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2971	2.1	2	1	1	2	3	4	4	7
B. *Operated*	5567	3.7	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2345	2.6	3	1	1	2	3	5	6	9
B. *Operated*	14176	5.0	8	1	2	5	6	8	9	15
1. SINGLE DX	8538	3.2	4	1	1	3	4	6	6	9
2. MULTIPLE DX	16521	4.7	8	1	2	4	6	8	9	14
A. NOT OPERATED	5316	2.3	3	1	1	2	3	4	5	8
B. OPERATED	19743	4.7	7	1	2	4	6	7	9	14
TOTAL 0-19 YRS	3794	3.1	4	1	1	3	4	6	7	9
20-34	13881	3.9	5	1	1	4	5	6	8	11
35-49	5944	4.9	8	1	2	5	6	8	9	15
50-64	877	6.0	9	2	3	6	7	9	11	18
65+	563	7.6	28	3	4	6	9	12	16	25
GRAND TOTAL	**25059**	**4.2**	**7**	**1**	**1**	**4**	**5**	**7**	**8**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2262	3.8	4	1	2	3	5	6	7	10
20-34	5531	3.9	5	1	2	4	5	6	7	10
35-49	746	4.5	7	2	2	4	6	7	9	13
50-64	37	5.4	16	1	2	4	7	12	14	16
65+	9	3.8	2	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	398	4.4	6	<1	2	4	6	7	9	11
20-34	1974	4.3	7	<1	1	4	5	7	9	13
35-49	687	4.9	9	<1	1	5	6	8	10	15
50-64	96	4.9	7	<1	1	5	6	8	10	14
65+	13	7.3	63	<1	<1	6	8	14	29	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1806	4.4	6	1	2	4	5	7	9	14
20-34	5049	4.4	6	2	2	4	5	7	9	12
35-49	989	5.2	9	2	2	5	6	9	11	15
50-64	114	5.7	11	2	2	5	7	11	13	15
65+	66	7.5	20	2	3	7	10	13	17	23
B. *Operated*										
0-19 YRS	936	5.6	11	1	2	5	7	10	12	18
20-34	9434	5.1	10	1	2	5	6	8	10	16
35-49	4280	5.9	14	1	3	5	7	9	12	20
50-64	496	7.3	28	2	3	6	8	13	16	30
65+	200	10.2	87	3	4	7	12	18	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8585	3.9	5	1	2	4	5	6	7	11
B. *Operated*	3168	4.5	8	<1	1	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	8024	4.5	6	2	2	4	6	7	9	14
B. *Operated*	15346	5.5	13	1	2	5	6	9	11	18
1. SINGLE DX	11753	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	23370	5.2	11	1	2	5	6	8	11	17
A. NOT OPERATED	16609	4.2	6	1	2	4	5	7	8	12
B. OPERATED	18514	5.3	12	1	2	5	6	9	11	18
TOTAL 0-19 YRS	5402	4.3	7	1	2	4	5	7	9	14
20-34	21988	4.6	8	1	2	4	6	7	9	14
35-49	6702	5.5	12	1	2	5	7	9	11	18
50-64	743	6.7	23	2	3	6	8	12	15	25
65+	288	9.3	70	2	3	7	11	17	22	57
GRAND TOTAL	**35123**	**4.8**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.9	2	1	1	3	4	5	6	7
20-34	100	2.6	3	1	1	2	4	5	6	7
35-49	44	2.7	3	<1	1	2	4	6	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	98	3.2	4	<1	<1	3	4	5	6	11
20-34	1644	3.9	4	<1	1	4	5	6	7	9
35-49	1141	4.8	6	1	3	5	6	7	7	9
50-64	91	5.3	2	3	4	5	6	7	8	9
65+	12	5.4	8	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.1	4	1	1	3	4	5	7	9
20-34	218	3.1	5	1	1	3	4	5	7	12
35-49	96	3.2	5	<1	<1	3	5	6	7	10
50-64	5	3.6	4	1	1	3	5	6	6	6
65+										
B. Operated										
0-19 YRS	185	3.9	6	<1	1	4	5	7	8	12
20-34	9534	4.8	4	1	3	5	6	7	8	12
35-49	12707	5.3	4	3	4	5	6	7	8	12
50-64	1324	5.8	5	3	4	6	7	8	9	14
65+	148	6.9	15	3	4	6	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	2.7	3	1	1	2	4	5	6	7
B. Operated	2986	4.3	5	<1	1	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	340	3.2	5	<1	1	3	4	6	7	12
B. Operated	23898	5.1	4	2	3	5	6	7	8	12
1. SINGLE DX	3165	4.2	5	<1	1	4	5	6	7	9
2. MULTIPLE DX	24238	5.1	4	2	3	5	6	7	8	12
A. NOT OPERATED	519	3.0	4	<1	1	3	4	6	6	11
B. OPERATED	26884	5.0	4	2	3	5	6	7	8	12
TOTAL 0-19 YRS	335	3.6	5	<1	<1	3	5	6	8	12
20-34	11496	4.6	4	1	2	5	6	7	8	11
35-49	13988	5.3	4	3	3	5	6	7	8	12
50-64	1423	5.8	5	3	4	5	7	8	9	13
65+	161	6.8	14	3	4	6	8	10	13	19
GRAND TOTAL	**27403**	**5.0**	**5**	**1**	**3**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	5	2.6	2	<1	<1	3	4	4	4	4
20-34	63	2.7	4	<1	<1	2	5	6	7	8
35-49	69	2.1	3	<1	<1	1	3	5	6	6
50-64	28	2.2	3	<1	<1	1	3	6	6	7
65+	7	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.4	1	1	1	2	3	4	4	4
20-34	42	3.2	3	<1	1	3	4	6	7	8
35-49	9	3.4	7	1	1	3	5	7	9	9
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	6	2.0	1	<1	<1	2	3	3	3	3
B. Operated										
0-19 YRS	9	3.2	2	1	1	3	4	5	5	5
20-34	714	4.7	6	<1	1	5	6	7	8	13
35-49	832	4.6	5	<1	1	5	6	7	8	11
50-64	167	4.2	10	<1	<1	4	6	7	10	15
65+	59	4.4	9	<1	1	4	7	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.4	7	<1	<1	3	4	8	9	9
B. Operated	172	2.3	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	73	3.0	3	1	1	3	4	6	7	9
B. Operated	1781	4.6	6	<1	1	5	6	7	8	12
1. SINGLE DX	182	2.4	4	<1	<1	1	3	6	6	8
2. MULTIPLE DX	1854	4.5	6	<1	1	5	6	7	8	12
A. NOT OPERATED	83	3.0	4	<1	1	3	4	6	7	9
B. OPERATED	1953	4.4	6	<1	<1	5	6	7	8	12
TOTAL 0-19 YRS	28	2.8	2	<1	1	3	4	4	5	5
20-34	823	4.5	6	<1	1	5	6	7	8	12
35-49	912	4.4	5	<1	<1	5	6	7	8	11
50-64	200	3.9	9	<1	<1	3	6	7	10	14
65+	73	3.9	9	<1	1	3	6	8	9	14
GRAND TOTAL	**2036**	**4.3**	**6**	**<1**	**<1**	**4**	**6**	**7**	**8**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.1	3	1	1	3	4	5	6	10
20-34	265	3.2	3	1	1	3	4	5	7	10
35-49	77	3.5	3	1	1	3	4	6	7	8
50-64	11	3.7	3	1	1	4	5	6	6	6
65+	12	4.6	4	2	2	4	6	7	9	9
B. *Operated*										
0-19 YRS	114	2.0	2	<1	<1	1	2	4	5	7
20-34	643	1.9	3	<1	<1	1	2	4	5	8
35-49	288	1.6	1	<1	<1	1	2	3	4	6
50-64	84	2.4	6	<1	<1	1	3	5	7	14
65+	27	2.9	9	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.9	7	1	1	4	5	6	7	13
20-34	450	3.9	4	1	2	4	5	6	7	11
35-49	164	4.7	9	1	2	4	6	8	10	15
50-64	63	5.2	14	1	2	4	6	8	12	22
65+	66	8.2	61	1	2	7	10	14	16	52
B. *Operated*										
0-19 YRS	102	3.9	14	1	1	3	5	8	12	20
20-34	632	3.8	8	<1	1	3	5	7	8	15
35-49	452	4.0	9	<1	1	3	6	8	9	15
50-64	174	5.3	37	<1	1	3	6	14	19	31
65+	159	8.5	82	1	1	6	11	19	26	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	3.3	3	1	1	3	4	5	7	9
B. *Operated*	1156	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	910	4.4	11	1	2	4	5	7	9	15
B. *Operated*	1519	4.5	22	<1	1	4	6	8	13	24
1. SINGLE DX	1613	2.3	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2429	4.5	18	1	1	4	6	8	11	22
A. NOT OPERATED	1367	4.0	9	1	2	3	5	7	9	14
B. OPERATED	2675	3.4	15	<1	<1	2	4	7	10	19
TOTAL 0-19 YRS	475	3.3	7	<1	1	3	4	6	7	14
20-34	1990	3.1	6	<1	1	3	4	6	7	12
35-49	981	3.4	7	<1	1	3	5	7	8	14
50-64	332	4.5	25	<1	1	3	5	9	16	27
65+	264	7.7	69	1	1	5	10	16	22	55
GRAND TOTAL	**4042**	**3.6**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	8	3.8	7	<1	<1	4	6	7	8	8
65+	12	5.7	30	1	2	4	7	13	20	21
B. *Operated*										
0-19 YRS	7	5.6	5	2	2	6	7	8	8	8
20-34	622	4.6	4	2	2	4	6	7	8	10
35-49	1345	5.0	4	2	3	5	6	7	8	10
50-64	2176	5.3	4	2	3	5	6	8	8	11
65+	2019	5.6	4	3	3	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	1.4	1	<1	<1	1	1	3	4	5
35-49	79	2.6	6	<1	<1	1	4	7	8	12
50-64	101	2.0	6	<1	<1	1	2	5	6	14
65+	183	3.2	13	<1	<1	2	4	7	9	23
B. *Operated*										
0-19 YRS	26	5.4	3	2	3	6	7	8	22	99+
20-34	3248	5.1	3	3	3	5	6	7	8	11
35-49	7541	5.6	4	3	3	5	6	8	9	12
50-64	6859	6.0	5	3	4	6	7	9	10	14
65+	7791	6.7	10	3	4	6	8	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.5	19	<1	<1	3	6	8	13	21
B. *Operated*	6169	5.2	4	2	3	5	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	393	2.7	9	<1	<1	1	3	6	8	15
B. *Operated*	25465	6.0	7	3	4	6	7	9	10	15
1. SINGLE DX	6193	5.2	4	2	3	5	6	8	8	11
2. MULTIPLE DX	25858	5.9	7	3	3	6	7	9	10	15
A. NOT OPERATED	417	2.8	10	<1	<1	1	3	6	8	16
B. OPERATED	31634	5.8	6	3	3	6	7	8	10	14
TOTAL 0-19 YRS	34	5.5	3	2	3	6	7	8	8	99+
20-34	3901	5.0	3	2	3	5	6	7	8	11
35-49	8967	5.4	4	3	3	5	6	8	9	12
50-64	9144	5.8	5	3	3	6	7	8	10	13
65+	10005	6.4	9	3	4	6	7	9	11	17
GRAND TOTAL	**32051**	**5.8**	**6**	**3**	**3**	**5**	**7**	**8**	**10**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		1	1	1	1	2	2	2
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	1	4	6	6
20-34	67	1.7	2	<1	<1	1	2	4	5	6
35-49	72	2.2	3	<1	<1	1	3	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
20-34	27	2.4	3	<1	1	2	3	5	6	7
35-49	19	2.8	5	<1	<1	2	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.2	5	<1	<1	2	5	7	7	7
20-34	193	3.4	5	<1	<1	4	5	6	7	10
35-49	344	3.9	5	<1	<1	4	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.5	1	1	1	1	2	3	3	4
B. *Operated*	149	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	53	2.4	4	<1	<1	1	3	5	7	8
B. *Operated*	543	3.8	5	<1	<1	4	5	7	7	10
1. SINGLE DX	170	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	596	3.6	5	<1	<1	4	5	6	7	10
A. NOT OPERATED	74	2.1	3	<1	1	1	3	5	6	8
B. OPERATED	692	3.4	5	<1	<1	3	5	6	7	10
TOTAL 0-19 YRS	31	1.7	2	<1	<1	1	2	4	6	7
20-34	296	2.9	4	<1	<1	2	4	6	7	9
35-49	439	3.6	6	<1	<1	4	5	7	7	10
50-64										
65+										
GRAND TOTAL	**766**	**3.2**	**5**	**<1**	**<1**	**3**	**5**	**6**	**7**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	1.8	1	<1	<1	1	2	3	4	6
20-34	272	1.5	1	<1	<1	1	2	3	3	5
35-49	105	1.7	2	<1	<1	1	2	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	163	1.6	1	<1	<1	1	2	3	4	5
20-34	1782	2.3	3	<1	<1	1	3	5	6	7
35-49	2349	2.3	4	<1	<1	1	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	2.5	2	1	1	2	3	4	5	8
20-34	520	2.2	4	<1	<1	2	3	4	6	9
35-49	470	2.2	4	<1	<1	1	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	280	2.6	3	<1	1	2	3	5	7	9
20-34	6510	4.2	5	<1	1	4	6	7	8	11
35-49	12919	4.5	6	<1	1	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	4294	2.3	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1218	2.3	3	<1	<1	2	3	4	6	9
B. *Operated*	19709	4.4	6	<1	1	4	6	7	8	11
1. SINGLE DX	4802	2.2	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX	20927	4.2	6	<1	1	4	6	7	8	11
A. NOT OPERATED	1726	2.1	3	<1	<1	1	3	4	5	8
B. OPERATED	24003	4.0	6	<1	<1	4	5	7	8	11
TOTAL 0-19 YRS	802	2.2	2	<1	<1	2	3	4	5	8
20-34	9084	3.6	5	<1	<1	4	5	6	7	10
35-49	15843	4.1	6	<1	<1	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**25729**	**3.9**	**6**	**<1**	**<1**	**4**	**5**	**7**	**7**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.0	2	1	1	3	4	5	5	5
50-64	11	1.7	1	<1	<1	1	2	3	4	4
65+	12	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34	11	3.1	3	<1	<1	4	5	5	5	5
35-49	164	1.5	1	<1	<1	1	1	3	4	6
50-64	590	1.5	1	<1	<1	<1	2	2	4	6
65+	233	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	2.6	3	<1	<1	2	4	5	5	5
35-49	37	3.2	5	<1	1	2	5	7	7	9
50-64	67	2.6	5	<1	<1	2	3	6	7	10
65+	101	4.3	15	<1	1	3	6	9	12	19
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	62	4.4	5	1	2	4	5	6	7	14
35-49	497	3.6	6	<1	<1	4	5	7	7	11
50-64	1716	3.3	9	<1	<1	2	5	7	8	13
65+	1129	3.6	15	<1	1	2	5	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.9	1	<1	<1	2	3	3	4	5
B. *Operated*	998	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	212	3.5	10	<1	<1	2	5	7	9	17
B. *Operated*	3405	3.5	11	<1	<1	2	5	7	8	15
1. SINGLE DX	1027	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3617	3.5	11	<1	<1	2	5	7	9	15
A. NOT OPERATED	241	3.3	10	<1	<1	2	4	7	9	17
B. OPERATED	4403	3.0	9	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	79	4.1	5	<1	1	4	5	6	6	14
35-49	703	3.1	6	<1	<1	2	5	6	7	10
50-64	2384	2.8	8	<1	<1	2	4	6	8	11
65+	1475	3.3	14	<1	<1	2	4	7	9	19
GRAND TOTAL	**4644**	**3.0**	**9**	**<1**	**<1**	**2**	**4**	**7**	**8**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.0	1	<1	1	2	3	4	5	6
20-34	155	2.0	2	<1	1	1	2	4	5	7
35-49	63	2.1	3	<1	<1	1	2	4	6	10
50-64	8	2.1	8	1	1	1	2	7	9	9
65+	8	3.0	5	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	229	2.9	4	<1	<1	2	4	6	7	9
20-34	2042	2.8	4	<1	<1	2	4	5	6	8
35-49	1231	3.1	5	<1	<1	3	5	6	7	10
50-64	614	3.4	9	<1	<1	2	5	6	8	14
65+	210	3.4	6	<1	<1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	2.4	4	<1	1	2	3	4	5	12
20-34	259	2.5	4	<1	<1	2	3	5	7	9
35-49	163	3.3	9	<1	<1	2	4	8	9	15
50-64	92	4.4	28	<1	<1	3	5	10	11	30
65+	185	5.7	25	1	1	4	7	12	15	30
B. *Operated*										
0-19 YRS	318	4.1	10	1	1	4	5	7	9	15
20-34	4098	4.1	6	<1	1	4	5	6	8	12
35-49	5863	4.7	8	<1	1	5	6	7	8	15
50-64	3018	5.2	17	<1	1	5	6	8	10	23
65+	1730	6.9	50	1	1	5	8	14	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	2.1	2	<1	1	2	3	4	5	9
B. *Operated*	4326	3.0	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	795	3.6	14	<1	<1	2	5	8	10	21
B. *Operated*	15027	4.9	15	<1	1	5	6	8	10	20
1. SINGLE DX	4665	2.9	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	15822	4.8	15	<1	1	5	6	8	10	20
A. NOT OPERATED	1134	3.2	11	<1	1	2	4	7	9	18
B. OPERATED	19353	4.5	13	<1	1	4	6	7	9	18
TOTAL 0-19 YRS	748	3.2	7	<1	1	3	4	6	7	11
20-34	6554	3.6	6	<1	1	4	5	6	7	11
35-49	7320	4.4	8	<1	1	4	6	7	8	13
50-64	3732	4.9	17	<1	1	5	6	8	10	21
65+	2133	6.4	44	<1	1	5	8	13	18	35
GRAND TOTAL	**20487**	**4.4**	**13**	**<1**	**1**	**4**	**6**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	1.7	1	<1	1	1	2	3	4	5
20-34	553	2.0	2	<1	1	1	2	4	5	8
35-49	117	2.2	2	<1	1	2	3	4	5	8
50-64	11	1.9	1	<1	<1	2	3	4	4	4
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	169	2.3	3	<1	<1	2	3	5	6	8
20-34	1754	3.0	4	<1	<1	3	5	6	7	8
35-49	1648	4.5	5	<1	1	4	6	7	8	10
50-64	1075	5.4	5	2	3	5	7	8	9	11
65+	492	5.7	6	2	3	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	2.3	7	<1	1	2	3	4	5	7
20-34	893	2.3	4	<1	<1	2	3	4	6	9
35-49	290	3.0	19	<1	<1	2	3	6	7	21
50-64	60	3.2	9	<1	<1	2	5	6	8	17
65+	71	5.0	32	<1	1	3	7	11	16	31
B. *Operated*										
0-19 YRS	207	3.3	6	<1	1	3	4	6	7	12
20-34	6685	4.3	5	<1	1	4	5	7	7	10
35-49	5722	5.2	6	1	3	5	6	8	9	13
50-64	2119	6.2	8	3	3	6	7	9	10	15
65+	1408	6.7	12	3	3	6	8	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	1.9	2	<1	1	1	2	3	4	6
B. *Operated*	5138	4.2	6	<1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1656	2.6	9	<1	<1	2	3	5	6	13
B. *Operated*	16141	5.1	7	1	2	5	6	8	9	14
1. SINGLE DX	6265	3.8	6	<1	1	4	5	7	8	10
2. MULTIPLE DX	17797	4.8	8	1	1	5	6	8	9	14
A. NOT OPERATED	2783	2.3	6	<1	1	2	3	4	6	10
B. OPERATED	21279	4.9	7	<1	1	5	6	8	9	13
TOTAL 0-19 YRS	1160	2.2	4	<1	1	2	3	4	5	8
20-34	9885	3.8	5	<1	1	4	5	6	7	10
35-49	7777	4.9	7	1	2	5	6	7	9	12
50-64	3265	5.8	7	2	3	6	7	9	10	14
65+	1975	6.4	12	2	3	6	8	10	12	19
GRAND TOTAL	**24062**	**4.6**	**7**	**<1**	**1**	**4**	**6**	**7**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	2	4	4	5
20-34	136	1.8	2	<1	<1	1	2	4	4	7
35-49	16	2.1	3	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	437	3.8	2	2	2	4	5	5	6	7
20-34	5951	3.9	2	2	2	4	5	5	6	8
35-49	732	4.1	2	2	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4		<1	<1	1	2	2	2	2
20-34	87	2.1	2	<1	<1	2	3	4	5	6
35-49	10	2.0	3	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	425	4.4	4	2	3	4	5	6	7	11
20-34	6735	4.3	3	2	3	4	5	6	7	10
35-49	1194	4.5	3	2	3	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	7120	3.9	2	2	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	111	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	8354	4.3	3	2	3	4	5	6	7	10
1. SINGLE DX	7292	3.8	2	2	2	4	5	5	6	8
2. MULTIPLE DX	8465	4.3	3	2	3	4	5	6	7	10
A. NOT OPERATED	283	1.9	2	<1	<1	1	2	4	5	7
B. OPERATED	15474	4.1	2	2	3	4	5	6	6	9
TOTAL 0-19 YRS	896	4.0	3	1	2	4	5	6	6	9
20-34	12909	4.1	2	2	3	4	5	6	6	9
35-49	1952	4.3	3	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**15757**	**4.1**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	4	5
20-34	106	1.5	1	<1	<1	1	2	3	3	5
35-49	21	1.5	2	<1	<1	1	2	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	720	1.5	2	<1	<1	1	2	2	3	5
20-34	1816	1.3	1	<1	<1	1	1	2	2	4
35-49	256	1.3		<1	<1	<1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	2	<1	1	2	4	5	6	6
20-34	134	1.8	2	<1	<1	1	2	3	4	8
35-49	54	2.0	3	<1	1	2	2	3	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	781	1.4	3	<1	<1	<1	<1	2	3	7
20-34	2466	1.6	4	<1	<1	<1	1	3	5	10
35-49	458	1.7	2	<1	<1	1	2	3	4	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	2792	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	224	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*	3705	1.6	3	<1	<1	<1	1	3	4	9
1. SINGLE DX	2958	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	3929	1.6	3	<1	<1	<1	1	3	4	9
A. NOT OPERATED	390	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	6497	1.5	2	<1	<1	<1	1	2	4	8
TOTAL 0-19 YRS	1576	1.4	2	<1	<1	<1	1	2	3	6
20-34	4522	1.5	2	<1	<1	<1	1	2	4	8
35-49	789	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**6887**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	6	2.8	1	<1	<1	3	4	4	4	4
1. SINGLE DX	5	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX	8	3.3	2	<1	1	3	4	5	5	5
A. NOT OPERATED	3	4.0	1	3	3	4	5	5	5	5
B. OPERATED	10	2.9	1	<1	1	3	4	5	5	5
TOTAL 0-19 YRS	4	4.5		4	4	4	5	5	5	5
20-34	9	2.6	1	<1	1	3	3	4	4	4
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**3.2**	**1**	**<1**	**1**	**3**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	530	1.4	1	<1	<1	1	2	2	3	5
20-34	1689	1.4	1	<1	<1	1	1	2	3	5
35-49	200	1.4	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3393	1.3	1	<1	<1	1	1	2	3	4
20-34	18277	1.2	1	<1	<1	1	1	2	2	4
35-49	2940	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	1.9	2	<1	1	1	2	3	5	9
20-34	518	1.9	2	<1	<1	1	2	4	5	8
35-49	69	1.9	3	<1	<1	1	2	3	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	703	2.0	3	<1	<1	1	2	4	5	9
20-34	3911	2.0	3	<1	<1	1	2	4	5	9
35-49	982	1.8	3	<1	<1	1	2	3	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2419	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	24610	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	759	1.9	2	<1	<1	1	2	3	5	9
B. *Operated*	5596	1.9	3	<1	<1	1	2	4	5	9
1. SINGLE DX	27029	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	6355	1.9	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	3178	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	30206	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	4798	1.4	1	<1	<1	1	2	2	3	6
20-34	24395	1.4	1	<1	<1	1	1	2	3	6
35-49	4191	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**33384**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.4	2	<1	1	2	3	4	5	7
20-34	747	2.0	2	<1	<1	1	2	4	5	7
35-49	95	1.7	1	<1	<1	1	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	439	1.6	1	<1	<1	1	2	3	4	6
20-34	3649	1.3	1	<1	<1	1	1	2	3	5
35-49	547	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	4	1	1	2	4	5	6	11
20-34	366	2.8	4	1	1	2	4	5	7	9
35-49	46	2.1	2	<1	<1	2	3	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	216	2.7	8	<1	1	2	3	6	7	9
20-34	1380	2.4	9	<1	<1	1	3	5	6	13
35-49	290	2.3	8	<1	<1	1	3	5	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	2.0	2	<1	<1	1	3	4	5	7
B. *Operated*	4635	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	502	2.7	4	<1	1	2	4	5	7	9
B. *Operated*	1886	2.4	9	<1	<1	1	3	5	6	13
1. SINGLE DX	5651	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	2388	2.5	8	<1	<1	2	3	5	7	12
A. NOT OPERATED	1518	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	6521	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	919	2.1	4	<1	<1	2	3	4	5	8
20-34	6142	1.7	3	<1	<1	1	2	3	5	8
35-49	978	1.6	3	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**8039**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	484	1.6	1	<1	<1	1	2	3	3	5
20-34	2566	1.8	2	<1	<1	1	2	3	4	6
35-49	205	2.0	3	<1	1	1	2	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.0	2	<1	<1	2	2	4	5	6
20-34	89	1.5	1	<1	<1	1	2	3	3	4
35-49	14	1.7	2	<1	<1	1	2	3	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.2	3	<1	1	2	3	4	5	9
20-34	866	2.7	22	<1	1	2	3	5	6	12
35-49	90	2.7	4	<1	1	2	3	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.5	6	1	1	1	3	7	8	9
20-34	88	2.3	3	<1	1	2	3	5	5	10
35-49	10	9.5	355	2	2	4	5	34	63	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3255	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	123	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1095	2.7	18	<1	1	2	3	5	6	11
B. *Operated*	114	2.9	36	<1	1	2	3	5	6	30
1. SINGLE DX	3378	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1209	2.7	20	<1	1	2	3	5	6	11
A. NOT OPERATED	4350	2.0	6	<1	1	2	2	4	4	8
B. OPERATED	237	2.2	18	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	659	1.8	1	<1	<1	1	2	3	4	6
20-34	3609	2.1	7	<1	1	2	2	4	5	8
35-49	319	2.4	15	<1	1	2	3	4	6	10
50-64										
65+										
GRAND TOTAL	**4587**	**2.0**	**6**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	2	<1	<1	1	2	3	5	7
20-34	270	2.1	4	<1	<1	1	3	4	5	12
35-49	16	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	8	2.0	2	<1	<1	1	3	4	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6		<1	<1	1	2	3	3	3
20-34	121	2.4	4	<1	1	2	3	5	6	10
35-49	12	3.1	7	1	1	2	4	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	2.5	5	<1	1	2	3	4	8	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.0	3	<1	<1	1	2	4	5	11
B. *Operated*	8	2.0	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	152	2.4	4	<1	1	2	3	4	6	9
B. *Operated*	18	2.3	4	<1	1	2	2	4	8	10
1. SINGLE DX	337	2.0	3	<1	<1	1	3	4	5	11
2. MULTIPLE DX	170	2.3	4	<1	1	2	3	4	6	10
A. NOT OPERATED	481	2.1	4	<1	<1	2	3	4	5	11
B. OPERATED	26	2.2	4	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	64	1.6	1	<1	<1	1	2	3	4	7
20-34	414	2.2	4	<1	<1	2	3	4	5	11
35-49	29	2.3	4	<1	1	2	3	5	7	9
50-64										
65+										
GRAND TOTAL	**507**	**2.1**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	740	2.8	5	<1	1	2	3	5	7	10
20-34	3606	2.7	4	1	1	2	3	5	6	10
35-49	383	3.0	5	1	1	2	3	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	64	3.3	9	<1	1	2	4	8	10	15
20-34	385	2.9	6	<1	<1	2	3	6	7	11
35-49	51	2.6	2	<1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	3.0	7	<1	1	2	4	5	7	12
20-34	1383	3.1	9	<1	1	2	4	6	7	13
35-49	216	3.7	8	<1	1	3	5	7	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.6	12	<1	<1	2	4	8	9	19
20-34	376	2.9	8	<1	<1	2	4	7	10	13
35-49	48	3.6	12	<1	<1	2	5	9	11	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4729	2.7	4	1	1	2	3	5	6	10
B. *Operated*	500	2.9	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1853	3.2	8	<1	1	3	4	6	8	13
B. *Operated*	477	3.1	9	<1	<1	2	4	7	10	14
1. SINGLE DX	5229	2.8	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	2330	3.2	9	<1	<1	2	4	6	8	14
A. NOT OPERATED	6582	2.9	5	<1	1	2	3	5	7	11
B. OPERATED	977	3.0	7	<1	<1	2	4	6	8	14
TOTAL 0-19 YRS	1111	2.9	6	<1	1	2	3	5	7	12
20-34	5750	2.8	5	<1	1	2	3	5	7	12
35-49	698	3.2	6	<1	1	3	4	6	8	13
50-64										
65+										
GRAND TOTAL	**7559**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	924	3.0	4	1	1	3	4	5	7	9
20-34	5482	3.4	5	1	2	3	4	6	7	11
35-49	227	4.3	13	1	2	3	5	7	11	20
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	3	1	1	5	5	6	6	6
20-34	39	6.3	69	<1	<1	4	6	18	25	39
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	3.1	5	1	1	3	4	5	7	12
20-34	3296	3.8	9	1	1	3	5	7	9	15
35-49	161	4.1	6	1	2	4	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.0	4	1	1	4	5	7	8	8
20-34	116	8.9	83	1	1	6	12	19	30	44
35-49	7	10.1	108	1	1	7	17	27	29	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6633	3.4	5	1	1	3	4	6	7	11
B. *Operated*	49	5.9	56	<1	<1	4	6	14	24	39
2. MULTIPLE DX										
A. *Not Operated*	4062	3.7	8	1	1	3	4	7	8	14
B. *Operated*	144	8.2	75	1	1	5	11	19	29	42
1. SINGLE DX	6682	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	4206	3.8	11	1	1	3	5	7	9	17
A. NOT OPERATED	10695	3.5	6	1	1	3	4	6	8	12
B. OPERATED	193	7.7	71	1	1	5	10	18	25	41
TOTAL 0-19 YRS	1558	3.1	4	1	1	3	4	5	7	10
20-34	8933	3.6	8	1	1	3	4	6	8	14
35-49	397	4.3	12	1	2	4	5	7	10	19
50-64										
65+										
GRAND TOTAL	**10888**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3079	1.1		<1	<1	<1	1	1	2	3
20-34	12231	1.1		<1	<1	<1	1	1	2	3
35-49	733	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	425	1.1		<1	<1	<1	1	1	2	4
20-34	1679	1.1	1	<1	<1	<1	1	1	2	5
35-49	85	1.1		<1	<1	<1	1	1	1	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	1.5	2	<1	<1	1	1	3	4	6
20-34	1694	1.5	3	<1	<1	1	1	2	3	7
35-49	117	1.4	2	<1	<1	1	1	2	3	9
50-64										
65+										
B. *Operated*										
0-19 YRS	60	1.8	5	<1	<1	1	2	4	5	15
20-34	308	1.6	9	<1	<1	1	1	3	4	7
35-49	21	2.3	6	<1	<1	1	3	5	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16043	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	2189	1.1	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	2213	1.5	3	<1	<1	1	1	2	3	7
B. *Operated*	389	1.7	8	<1	<1	1	1	3	4	9
1. SINGLE DX	18232	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	2602	1.5	3	<1	<1	1	1	2	3	7
A. NOT OPERATED	18256	1.1	1	<1	<1	<1	1	1	2	4
B. OPERATED	2578	1.2	2	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	3966	1.1	1	<1	<1	<1	1	1	2	4
20-34	15912	1.1	1	<1	<1	<1	1	1	2	4
35-49	956	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**20834**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.3	3	<1	<1	2	3	5	6	8
20-34	1283	3.1	16	<1	1	2	3	6	8	20
35-49	184	3.4	18	<1	1	2	4	7	14	22
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	30	<1	<1	2	3	13	17	17
20-34	127	4.1	26	<1	1	3	5	7	15	26
35-49	16	2.1	2	<1	1	2	2	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.4	66	1	1	3	4	6	8	54
20-34	518	4.3	37	1	1	3	4	8	14	34
35-49	80	4.2	37	<1	1	3	5	6	10	38
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.8	4	2	2	5	6	6	6	6
20-34	80	4.8	33	<1	1	3	5	9	15	32
35-49	14	6.6	102	1	1	3	7	13	34	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1548	3.1	15	<1	1	2	3	6	8	20
B. *Operated*	151	3.9	24	<1	1	2	4	7	15	22
2. MULTIPLE DX										
A. *Not Operated*	640	4.3	38	1	1	3	4	8	13	35
B. *Operated*	98	5.0	41	<1	1	3	5	10	16	37
1. SINGLE DX	1699	3.2	16	<1	1	2	3	6	8	21
2. MULTIPLE DX	738	4.4	39	1	1	3	4	8	13	35
A. NOT OPERATED	2188	3.4	22	<1	1	2	4	6	10	27
B. OPERATED	249	4.3	31	<1	1	3	5	8	15	34
TOTAL 0-19 YRS	135	3.1	24	<1	<1	2	4	6	7	23
20-34	2008	3.5	23	<1	1	2	4	7	10	28
35-49	294	3.7	26	<1	1	2	4	7	12	27
50-64										
65+										
GRAND TOTAL	**2437**	**3.5**	**23**	**<1**	**1**	**2**	**4**	**6**	**10**	**27**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	1.7	1	<1	<1	1	2	3	4	6
20-34	1786	2.0	7	<1	<1	1	2	4	5	11
35-49	155	1.8	5	<1	<1	1	2	3	4	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.9	5	<1	<1	1	2	4	6	12
20-34	197	2.3	10	<1	<1	1	2	4	7	16
35-49	9	2.8	21	<1	<1	1	2	10	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.0	3	<1	<1	1	2	4	5	9
20-34	786	2.9	21	<1	<1	2	3	5	8	24
35-49	73	3.5	16	<1	<1	2	4	6	12	25
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.1	2	<1	<1	2	3	4	4	4
20-34	116	3.2	17	<1	<1	2	4	6	10	22
35-49	8	3.8	9	<1	<1	2	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2260	1.9	6	<1	<1	1	2	3	5	10
B. *Operated*	233	2.3	10	<1	<1	1	2	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	1028	2.8	18	<1	<1	2	3	5	7	23
B. *Operated*	134	3.1	15	<1	<1	2	4	7	9	19
1. SINGLE DX	2493	2.0	6	<1	<1	1	2	3	5	11
2. MULTIPLE DX	1162	2.9	18	<1	<1	2	3	5	8	23
A. NOT OPERATED	3288	2.2	10	<1	<1	1	2	4	5	13
B. OPERATED	367	2.6	12	<1	<1	1	3	5	8	16
TOTAL 0-19 YRS	525	1.8	2	<1	<1	1	2	4	5	7
20-34	2885	2.3	11	<1	<1	1	3	4	6	16
35-49	245	2.4	10	<1	<1	1	2	4	6	16
50-64										
65+										
GRAND TOTAL	**3655**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**15**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	573	2.9	3	<1	<1	3	4	5	6	8
20-34	1270	2.7	2	<1	1	3	4	5	6	7
35-49	41	2.6	2	<1	<1	2	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.3	3	<1	<1	2	3	5	6	8
20-34	109	2.5	3	<1	<1	2	4	5	6	7
35-49	4	2.3	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1638	3.2	4	<1	1	3	4	5	6	9
20-34	3479	3.1	3	<1	1	3	4	5	6	9
35-49	119	3.3	5	<1	1	3	4	6	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	82	3.7	7	1	1	3	5	7	8	15
20-34	233	3.9	13	<1	1	3	5	7	9	13
35-49	12	5.4	14	<1	1	5	7	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	2.8	2	<1	1	3	4	5	6	8
B. *Operated*	165	2.4	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	5236	3.1	4	<1	1	3	4	5	6	9
B. *Operated*	327	3.9	12	<1	1	3	5	7	9	13
1. SINGLE DX	2049	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	5563	3.2	4	<1	1	3	4	5	6	10
A. NOT OPERATED	7120	3.0	3	<1	1	3	4	5	6	9
B. OPERATED	492	3.4	9	<1	<1	3	5	7	8	12
TOTAL 0-19 YRS	2345	3.1	4	<1	1	3	4	5	6	9
20-34	5091	3.0	4	<1	1	3	4	5	6	9
35-49	176	3.3	5	<1	1	3	4	6	8	12
50-64										
65+										
GRAND TOTAL	**7612**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.9	10	<1	1	2	3	5	7	13
20-34	1696	3.3	6	<1	1	3	4	6	8	13
35-49	299	3.7	14	1	1	3	4	7	9	24
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.3	3	<1	<1	2	3	5	6	8
20-34	139	3.2	6	<1	<1	2	4	7	8	11
35-49	23	2.7	4	<1	<1	2	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1433	2.9	12	<1	<1	2	4	5	7	14
20-34	7574	3.3	9	<1	1	2	4	6	8	15
35-49	819	3.9	13	<1	1	3	5	8	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	164	3.5	11	1	1	3	4	7	10	15
20-34	1012	4.6	24	<1	1	3	6	9	13	27
35-49	104	5.2	31	1	1	3	7	12	14	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2212	3.3	8	<1	1	3	4	6	8	13
B. *Operated*	182	3.1	6	<1	<1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	9826	3.3	10	<1	1	2	4	6	8	15
B. *Operated*	1280	4.5	23	<1	1	3	6	9	13	28
1. SINGLE DX	2394	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	11106	3.4	12	<1	1	2	4	7	9	17
A. NOT OPERATED	12038	3.3	10	<1	1	2	4	6	8	15
B. OPERATED	1462	4.3	21	<1	1	3	5	8	12	27
TOTAL 0-19 YRS	1834	3.0	11	<1	<1	2	4	6	8	14
20-34	10421	3.4	10	<1	1	3	4	7	9	16
35-49	1245	4.0	14	<1	1	3	5	8	11	22
50-64										
65+										
GRAND TOTAL	**13500**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3120	2.0	5	<1	<1	1	2	4	5	10
20-34	13251	2.0	6	<1	<1	1	2	4	5	11
35-49	899	2.2	8	<1	<1	1	2	5	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	782	2.4	9	<1	<1	1	3	5	7	17
20-34	5010	2.1	7	<1	<1	1	2	4	6	11
35-49	471	2.1	5	<1	<1	1	2	4	5	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1645	2.9	12	<1	<1	2	3	5	8	17
20-34	7636	3.1	21	<1	<1	2	3	6	9	22
35-49	596	3.9	35	<1	<1	2	4	8	13	32
50-64										
65+										
B. *Operated*										
0-19 YRS	522	3.1	22	<1	<1	2	4	6	8	18
20-34	3289	3.2	21	<1	<1	2	4	6	10	22
35-49	340	4.1	63	<1	<1	2	4	8	12	50
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17270	2.0	6	<1	<1	1	2	4	5	11
B. *Operated*	6263	2.1	7	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	9877	3.1	20	<1	<1	2	3	6	9	22
B. *Operated*	4151	3.2	25	<1	<1	2	4	6	10	24
1. SINGLE DX	23533	2.1	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	14028	3.1	22	<1	<1	2	3	6	9	22
A. NOT OPERATED	27147	2.4	11	<1	<1	1	3	5	7	15
B. OPERATED	10414	2.6	14	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	6069	2.4	9	<1	<1	1	3	4	6	15
20-34	29186	2.5	12	<1	<1	1	3	5	7	16
35-49	2306	2.9	23	<1	<1	1	3	6	9	21
50-64										
65+										
GRAND TOTAL	**37561**	**2.5**	**12**	**<1**	**<1**	**1**	**3**	**5**	**7**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	2.4	1	1	1	2	3	3	4	5
20-34	1926	2.4	1	1	1	2	3	3	4	5
35-49	197	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	161	3.2	7	1	2	3	4	5	6	10
20-34	1245	3.3	5	1	2	3	4	5	5	10
35-49	128	3.4	5	1	2	3	4	6	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	635	2.7	2	1	2	2	3	4	4	7
20-34	3329	2.7	2	1	1	3	3	4	4	7
35-49	327	2.7	5	1	1	3	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	833	4.0	17	1	2	3	4	7	9	20
20-34	7980	4.3	21	2	2	3	5	6	8	23
35-49	1128	4.6	24	2	2	4	5	7	10	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2459	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1534	3.3	5	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4291	2.7	3	1	1	3	3	4	4	8
B. *Operated*	9941	4.3	21	2	2	3	5	6	8	23
1. SINGLE DX	3993	2.7	3	1	1	3	3	4	5	7
2. MULTIPLE DX	14232	3.8	16	1	2	3	4	6	7	18
A. NOT OPERATED	6750	2.6	2	1	1	2	3	4	4	7
B. OPERATED	11475	4.1	19	1	2	3	5	6	8	22
TOTAL 0-19 YRS	1965	3.2	9	1	2	3	4	5	6	13
20-34	14480	3.6	13	1	2	3	4	5	7	16
35-49	1780	4.0	17	1	2	3	5	6	8	22
50-64										
65+										
GRAND TOTAL	**18225**	**3.6**	**13**	**1**	**2**	**3**	**4**	**5**	**7**	**16**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17621	2.2	1	1	1	2	3	3	4	4
20-34	109099	2.3	1	1	1	2	3	3	4	4
35-49	6998	2.3	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4938	2.2	1	1	1	2	3	3	3	4
20-34	30276	2.3	1	1	1	2	3	3	4	4
35-49	1819	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	725	2.5	2	1	1	2	3	4	4	6
20-34	3641	2.5	1	1	1	3	3	4	4	6
35-49	277	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	501	2.7	3	1	1	2	3	4	5	9
20-34	15626	2.8	1	1	2	3	3	4	4	5
35-49	2034	2.9	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133718	2.3	1	1	1	2	3	3	4	4
B. *Operated*	37033	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	4643	2.5	1	1	1	2	3	4	4	6
B. *Operated*	18161	2.8	1	1	2	3	3	4	4	5
1. SINGLE DX	170751	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	22804	2.8	1	1	2	3	3	4	4	6
A. NOT OPERATED	138361	2.3	1	1	1	2	3	3	4	4
B. OPERATED	55194	2.5	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	23785	2.3	1	1	1	2	3	3	4	4
20-34	158642	2.3	1	1	1	2	3	3	4	5
35-49	11128	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**193555**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	74	2.8	6	<1	1	2	3	4	7	16
35-49	6	5.5	66	1	1	2	3	20	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	30	4.4	2	2	3	4	5	6	7	9
20-34	500	6.0	43	2	3	5	5	8	19	31
35-49	83	6.3	34	3	3	5	6	9	16	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	2	1	1	2	3	5	6	6
20-34	86	3.4	9	1	1	3	3	5	10	19
35-49	6	10.0	234	2	2	4	7	38	41	41
50-64										
65+										
B. *Operated*										
0-19 YRS	84	6.6	60	2	2	5	6	13	21	48
20-34	1456	7.8	86	2	3	5	7	17	27	49
35-49	327	8.9	114	3	3	5	7	20	34	57
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.9	10	<1	1	2	3	4	8	20
B. *Operated*	613	5.9	40	2	3	5	5	8	18	30
2. MULTIPLE DX										
A. *Not Operated*	103	3.7	22	1	1	3	4	6	10	30
B. *Operated*	1867	8.0	90	2	3	5	7	18	27	50
1. SINGLE DX	697	5.6	37	2	2	4	5	7	17	29
2. MULTIPLE DX	1970	7.8	87	2	3	5	7	17	27	50
A. NOT OPERATED	187	3.3	16	1	1	3	3	5	10	22
B. OPERATED	2480	7.5	78	2	3	5	6	15	25	49
TOTAL 0-19 YRS	129	5.6	42	2	2	4	5	8	19	33
20-34	2116	7.0	72	2	3	5	6	14	24	48
35-49	422	8.4	100	3	3	5	7	18	30	51
50-64										
65+										
GRAND TOTAL	**2667**	**7.2**	**75**	**2**	**3**	**5**	**6**	**14**	**25**	**48**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.2	1	1	1	2	3	3	4	5
20-34	459	2.4	3	1	1	2	3	3	4	6
35-49	44	2.6	2	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	92	3.5	2	1	1	3	5	5	6	6
20-34	673	3.7	3	1	2	4	5	5	6	9
35-49	63	3.3	2	1	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.4	2	<1	1	2	3	4	5	7
20-34	558	3.0	8	1	1	2	3	5	7	16
35-49	46	2.4	2	1	1	2	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	331	4.5	14	2	2	4	5	7	10	16
20-34	2526	4.5	12	2	2	4	5	6	8	21
35-49	289	5.1	37	2	2	4	5	8	12	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	2.4	3	1	1	2	3	3	4	6
B. *Operated*	828	3.6	3	1	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	709	2.9	7	1	1	2	3	5	6	15
B. *Operated*	3146	4.5	15	2	2	4	5	7	9	20
1. SINGLE DX	1395	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	3855	4.2	14	1	2	4	5	6	8	19
A. NOT OPERATED	1276	2.6	5	1	1	2	3	4	5	12
B. OPERATED	3974	4.3	12	1	2	4	5	6	8	17
TOTAL 0-19 YRS	592	3.7	10	1	1	3	4	6	7	14
20-34	4216	3.9	10	1	2	3	5	6	7	16
35-49	442	4.3	26	1	2	4	5	6	9	17
50-64										
65+										
GRAND TOTAL	**5250**	**3.9**	**11**	**1**	**2**	**3**	**5**	**6**	**7**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	1	1	2	2	3	3	3
20-34	133	2.1	1	1	1	2	3	3	4	5
35-49	10	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	172	2.2	1	1	1	2	3	4	4	5
20-34	1443	2.3	1	1	1	2	3	3	4	5
35-49	126	3.3	69	1	1	3	3	4	4	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.5	1	1	2	2	3	4	4	4
20-34	60	2.6	1	1	1	2	3	4	5	7
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	155	2.6	2	1	1	2	3	4	4	8
20-34	1310	2.8	2	1	1	3	3	4	5	7
35-49	150	3.4	9	1	2	3	4	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.1	1	1	1	2	3	3	4	4
B. *Operated*	1741	2.3	6	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	81	2.6	1	1	1	2	3	4	4	7
B. *Operated*	1615	2.8	3	1	1	3	3	4	5	8
1. SINGLE DX	1901	2.3	6	1	1	2	3	3	4	5
2. MULTIPLE DX	1696	2.8	3	1	1	3	3	4	5	8
A. NOT OPERATED	241	2.3	1	1	1	2	3	3	4	5
B. OPERATED	3356	2.6	4	1	1	2	3	4	4	7
TOTAL 0-19 YRS	362	2.4	1	1	1	2	3	4	4	6
20-34	2946	2.5	1	1	1	2	3	4	4	7
35-49	289	3.3	35	1	1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**3597**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.4	1	1	1	2	3	4	4	5
20-34	703	2.3	1	1	1	2	3	3	4	5
35-49	27	3.0	3	1	1	3	4	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	69	2.5	1	1	1	2	3	4	4	7
20-34	390	2.5	1	1	1	2	3	4	4	5
35-49	29	2.6	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	2.5	1	1	1	2	3	4	5	6
20-34	490	2.6	1	1	1	2	3	4	4	6
35-49	45	2.6	2	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	123	2.6	2	1	1	2	3	4	5	8
20-34	751	2.8	2	1	1	3	3	4	5	8
35-49	76	3.1	6	1	1	3	4	4	6	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	2.4	1	1	1	2	3	4	4	5
B. *Operated*	488	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	632	2.6	1	1	1	2	3	4	4	6
B. *Operated*	950	2.8	2	1	1	3	3	4	5	8
1. SINGLE DX	1353	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	1582	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	1497	2.5	1	1	1	2	3	4	4	6
B. OPERATED	1438	2.7	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	424	2.5	1	1	1	2	3	4	4	6
20-34	2334	2.6	1	1	1	2	3	4	4	6
35-49	177	2.9	4	1	1	3	3	4	6	9
50-64										
65+										
GRAND TOTAL	**2935**	**2.6**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.9	2	1	1	3	4	4	6	7
20-34	234	3.0	4	1	2	3	3	4	5	6
35-49	28	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.8	4	1	1	3	5	6	8	10
20-34	279	3.8	2	2	2	4	5	6	6	8
35-49	26	4.3	3	1	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.8	21	1	1	2	4	5	15	23
20-34	323	3.7	17	1	2	3	4	5	7	24
35-49	31	3.3	4	1	1	3	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	209	6.2	53	2	2	5	6	10	14	47
20-34	2693	5.3	28	2	3	5	6	7	10	24
35-49	279	5.7	28	2	3	5	6	8	11	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	3.0	3	1	2	3	3	4	5	7
B. *Operated*	324	3.8	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	379	3.7	17	1	1	3	4	5	7	23
B. *Operated*	3181	5.4	30	2	3	5	6	7	10	27
1. SINGLE DX	617	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	3560	5.2	29	2	2	4	6	7	10	27
A. NOT OPERATED	672	3.4	11	1	2	3	4	5	6	20
B. OPERATED	3505	5.2	28	2	2	5	6	7	10	25
TOTAL 0-19 YRS	284	5.5	42	1	2	4	6	9	13	42
20-34	3529	4.9	24	2	2	4	5	7	9	22
35-49	364	5.2	23	2	2	5	6	7	10	26
50-64										
65+										
GRAND TOTAL	**4177**	**4.9**	**25**	**2**	**2**	**4**	**5**	**7**	**9**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	1	1	1	2	3	3	4	4
20-34	335	2.3	1	1	1	2	3	3	4	5
35-49	33	2.3	1	<1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	679	4.1	1	2	3	4	5	5	6	7
20-34	5324	4.1	1	2	3	4	5	5	6	7
35-49	357	4.1	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	5	1	1	2	4	6	8	11
20-34	165	2.5	2	1	1	2	3	4	5	7
35-49	28	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	847	4.8	5	2	3	4	5	7	8	13
20-34	7708	4.6	4	2	3	4	5	6	7	11
35-49	928	4.8	8	2	3	4	5	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.3	1	1	1	2	3	3	4	5
B. *Operated*	6360	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	226	2.6	2	1	1	2	3	4	5	9
B. *Operated*	9483	4.6	4	2	3	4	5	6	7	11
1. SINGLE DX	6765	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	9709	4.5	4	2	3	4	5	6	7	11
A. NOT OPERATED	631	2.4	1	1	1	2	3	4	4	6
B. OPERATED	15843	4.4	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	1596	4.4	3	2	3	4	5	6	7	11
20-34	13532	4.3	3	2	3	4	5	6	6	9
35-49	1346	4.5	6	2	3	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**16474**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	2.2	1	1	1	2	3	3	4	5
20-34	1534	2.3	1	1	1	2	3	3	4	5
35-49	108	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	342	3.1	2	1	2	3	4	5	6	7
20-34	2800	3.3	2	1	2	3	4	5	6	7
35-49	238	3.4	2	1	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.3	1	1	1	2	3	4	4	4
20-34	1205	2.4	1	1	1	2	3	4	4	6
35-49	99	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1500	3.8	3	1	2	4	5	6	6	10
20-34	12329	3.9	3	2	2	4	5	6	6	9
35-49	1339	4.2	4	2	2	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1795	2.3	1	1	1	2	3	3	4	5
B. *Operated*	3380	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1451	2.4	1	1	1	2	3	4	4	6
B. *Operated*	15168	3.9	3	2	2	4	5	6	6	10
1. SINGLE DX	5175	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX	16619	3.8	3	1	2	4	5	6	6	9
A. NOT OPERATED	3246	2.4	1	1	1	2	3	3	4	5
B. OPERATED	18548	3.8	3	1	2	4	5	6	6	9
TOTAL 0-19 YRS	2142	3.5	3	1	2	3	4	5	6	9
20-34	17868	3.5	3	1	2	3	4	5	6	8
35-49	1784	3.9	4	1	2	4	5	6	6	10
50-64										
65+										
GRAND TOTAL	**21794**	**3.6**	**3**	**1**	**2**	**3**	**5**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	1	1	1	3	3	4	5	5
20-34	81	2.7	1	1	1	3	3	4	5	6
35-49	6	3.7	4	1	1	3	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1053	4.6	2	3	3	4	5	6	7	8
20-34	5762	4.6	1	3	3	5	5	6	6	7
35-49	296	4.7	1	3	3	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.1	3	2	2	4	5	6	7	7
20-34	95	3.3	2	1	1	3	4	5	6	8
35-49	5	2.8	4	1	1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3148	5.0	4	3	3	5	6	7	8	12
20-34	19215	4.8	2	3	3	5	5	6	7	9
35-49	1598	5.0	2	3	4	5	6	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.8	2	1	1	3	3	4	5	6
B. *Operated*	7111	4.6	1	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	114	3.4	2	1	1	3	5	5	6	8
B. *Operated*	23961	4.8	3	3	3	5	5	6	7	10
1. SINGLE DX	7207	4.6	1	3	3	5	5	6	6	7
2. MULTIPLE DX	24075	4.8	3	3	3	5	5	6	7	10
A. NOT OPERATED	210	3.1	2	1	1	3	4	5	6	7
B. OPERATED	31072	4.8	2	3	3	5	5	6	7	10
TOTAL 0-19 YRS	4224	4.9	3	3	3	5	5	7	8	11
20-34	25153	4.7	2	3	3	5	5	6	7	9
35-49	1905	4.9	2	3	3	5	6	6	7	10
50-64										
65+										
GRAND TOTAL	**31282**	**4.8**	**2**	**3**	**3**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	2.5	1	1	1	2	3	4	4	5
20-34	2283	2.5	1	1	1	3	3	4	4	5
35-49	135	2.6	2	1	1	3	3	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	663	3.6	2	1	2	4	5	5	6	8
20-34	4775	3.5	2	1	2	3	5	5	6	7
35-49	320	3.6	2	1	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	2.6	2	1	1	3	3	4	4	6
20-34	1784	2.7	3	1	1	3	3	4	4	6
35-49	138	2.6	1	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1942	4.1	4	2	2	4	5	6	7	11
20-34	13930	4.0	4	2	2	4	5	6	7	9
35-49	1219	4.2	3	2	2	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2801	2.5	1	1	1	3	3	4	4	5
B. *Operated*	5758	3.6	2	1	2	3	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	2251	2.7	3	1	1	3	3	4	4	6
B. *Operated*	17091	4.0	4	2	2	4	5	6	7	9
1. SINGLE DX	8559	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	19342	3.9	4	1	2	4	5	6	7	9
A. NOT OPERATED	5052	2.6	2	1	1	3	3	4	4	5
B. OPERATED	22849	3.9	3	2	2	4	5	6	6	9
TOTAL 0-19 YRS	3317	3.7	4	1	2	3	5	6	7	10
20-34	22772	3.7	3	1	2	3	5	6	6	8
35-49	1812	3.9	3	1	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**27901**	**3.7**	**3**	**1**	**2**	**3**	**5**	**6**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	1	<1	1	2	3	4	4	5
20-34	349	2.4	1	1	1	2	3	3	4	4
35-49	43	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.0	3	1	2	4	5	6	7	9
20-34	1194	3.7	3	1	2	4	5	6	6	8
35-49	108	3.6	2	2	2	3	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	3	<1	1	2	3	4	6	10
20-34	298	3.0	20	1	1	3	3	4	5	15
35-49	41	2.8	2	1	1	3	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	423	4.7	4	2	3	4	5	7	8	13
20-34	3594	4.5	15	2	2	4	5	6	7	14
35-49	500	4.7	10	2	2	4	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	2.3	1	1	1	2	3	3	4	5
B. *Operated*	1436	3.8	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	375	3.0	16	1	1	3	3	4	5	11
B. *Operated*	4517	4.5	13	2	2	4	5	6	7	14
1. SINGLE DX	1874	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	4892	4.4	14	2	2	4	5	6	7	14
A. NOT OPERATED	813	2.6	8	1	1	2	3	4	4	8
B. OPERATED	5953	4.3	11	2	2	4	5	6	7	13
TOTAL 0-19 YRS	639	4.2	4	1	2	4	5	6	8	12
20-34	5435	4.1	12	1	2	4	5	6	7	12
35-49	692	4.3	8	2	2	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**6766**	**4.1**	**11**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.1	1	1	1	2	3	3	4	5
20-34	778	2.4	2	1	1	2	3	3	4	6
35-49	72	2.4	1	1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1078	4.2	1	3	3	4	5	6	6	7
20-34	20814	4.3	1	3	3	4	5	6	6	7
35-49	1651	4.6	1	3	3	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	3	1	1	2	4	5	7	9
20-34	425	2.5	2	1	1	2	3	4	5	6
35-49	40	2.5	1	<1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	985	4.7	2	3	3	4	5	6	7	10
20-34	31265	4.6	3	3	3	4	5	6	7	9
35-49	4163	4.8	3	3	3	5	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	2.3	2	1	1	2	3	3	4	6
B. *Operated*	23543	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	485	2.5	2	1	1	2	3	4	5	7
B. *Operated*	36413	4.6	3	3	3	4	5	6	7	9
1. SINGLE DX	24435	4.3	1	2	3	4	5	6	6	7
2. MULTIPLE DX	36898	4.6	3	3	3	4	5	6	7	9
A. NOT OPERATED	1377	2.4	2	1	1	2	3	4	4	6
B. OPERATED	59956	4.5	2	3	3	4	5	6	7	8
TOTAL 0-19 YRS	2125	4.4	2	2	3	4	5	6	6	8
20-34	53282	4.4	2	3	3	4	5	6	6	8
35-49	5926	4.7	2	3	3	5	5	6	7	9
50-64										
65+										
GRAND TOTAL	**61333**	**4.5**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	2.6	2	1	1	3	3	4	4	7
20-34	3780	2.7	3	1	1	3	3	4	4	6
35-49	294	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	433	2.8	2	1	1	3	3	4	5	7
20-34	3039	2.9	3	1	2	3	3	4	5	7
35-49	228	3.0	2	1	1	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	566	3.3	10	1	1	3	4	5	6	15
20-34	3302	3.1	5	1	1	3	3	5	6	13
35-49	292	3.1	3	1	2	3	3	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1558	4.1	11	1	2	3	5	7	8	16
20-34	12516	4.0	8	1	2	3	5	6	7	14
35-49	1326	4.2	12	1	2	4	5	6	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4646	2.7	3	1	1	3	3	4	4	6
B. *Operated*	3700	2.9	3	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4160	3.1	5	1	1	3	4	5	6	13
B. *Operated*	15400	4.0	9	1	2	3	5	6	7	14
1. SINGLE DX	8346	2.8	3	1	1	3	3	4	5	7
2. MULTIPLE DX	19560	3.8	8	1	2	3	5	6	7	14
A. NOT OPERATED	8806	2.9	4	1	1	3	3	4	5	10
B. OPERATED	19100	3.8	8	1	2	3	5	6	7	13
TOTAL 0-19 YRS	3129	3.5	8	1	2	3	4	6	7	14
20-34	22637	3.5	7	1	2	3	4	5	6	12
35-49	2140	3.7	8	1	2	3	4	6	7	13
50-64										
65+										
GRAND TOTAL	**27906**	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1876	2.2	1	1	1	2	3	3	3	4
20-34	15231	2.3	1	1	1	2	3	3	4	4
35-49	1095	2.3	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1054	2.2	1	1	1	2	3	3	4	5
20-34	8294	2.4	1	1	1	2	3	3	4	5
35-49	523	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	620	2.3	1	1	1	2	3	3	4	5
20-34	4578	2.4	1	1	1	2	3	3	4	5
35-49	384	2.6	4	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1268	2.6	2	1	1	2	3	4	5	8
20-34	12265	2.7	2	1	1	3	3	4	5	6
35-49	1202	2.9	2	1	1	3	3	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18202	2.3	1	1	1	2	3	3	4	4
B. *Operated*	9871	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	5582	2.4	1	1	1	2	3	3	4	5
B. *Operated*	14735	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	28073	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	20317	2.6	2	1	1	3	3	4	5	6
A. NOT OPERATED	23784	2.3	1	1	1	2	3	3	4	4
B. OPERATED	24606	2.6	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	4818	2.3	1	1	1	2	3	3	4	5
20-34	40368	2.4	1	1	1	2	3	4	4	5
35-49	3204	2.6	2	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**48390**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	2.2	2	1	1	2	3	3	3	4
20-34	2684	2.1	1	1	1	2	3	3	3	4
35-49	213	2.1	1	<1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3648	2.1	1	1	1	2	3	3	3	4
20-34	29145	2.1	1	1	1	2	3	3	3	4
35-49	2644	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	2.7	12	1	1	2	3	4	4	8
20-34	1194	2.4	4	1	1	2	3	3	4	6
35-49	93	2.2	2	<1	1	2	3	3	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2189	2.5	3	1	1	2	3	4	4	7
20-34	21035	2.5	1	1	1	2	3	4	4	6
35-49	2482	2.6	2	1	1	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3349	2.1	1	1	1	2	3	3	3	4
B. *Operated*	35437	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1561	2.4	6	1	1	2	3	3	4	6
B. *Operated*	25706	2.5	2	1	1	2	3	4	4	6
1. SINGLE DX	38786	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	27267	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	4910	2.2	3	1	1	2	3	3	4	5
B. OPERATED	61143	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	6563	2.3	2	1	1	2	3	3	4	5
20-34	54058	2.3	1	1	1	2	3	3	4	5
35-49	5432	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**66053**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	2.3	1	1	1	2	3	3	4	5
20-34	819	2.3	1	1	1	2	3	3	4	5
35-49	32	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2847	2.4	1	1	1	2	3	3	4	4
20-34	12652	2.5	1	1	1	3	3	4	4	5
35-49	554	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.9	3	1	2	3	3	5	6	10
20-34	350	2.7	2	1	2	3	3	4	4	7
35-49	23	2.7	1	<1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2242	2.8	3	1	2	3	3	4	5	7
20-34	11423	2.8	2	1	2	3	3	4	4	6
35-49	700	2.8	2	1	1	3	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	2.3	1	1	1	2	3	3	4	5
B. *Operated*	16053	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	480	2.7	2	1	2	3	3	4	5	9
B. *Operated*	14365	2.8	2	1	2	3	3	4	4	6
1. SINGLE DX	17083	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX	14845	2.8	2	1	2	3	3	4	4	7
A. NOT OPERATED	1510	2.4	1	1	1	2	3	4	4	6
B. OPERATED	30418	2.6	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	5375	2.6	2	1	1	2	3	4	4	6
20-34	25244	2.6	1	1	2	3	3	4	4	6
35-49	1309	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**31928**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.1	1	1	1	2	3	3	3	4
20-34	1023	2.2	1	1	1	2	3	3	3	5
35-49	33	2.4	1	1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1022	2.3	1	1	1	2	3	3	4	5
20-34	5187	2.3	1	1	1	2	3	3	4	5
35-49	245	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	2.7	3	1	1	2	3	4	6	11
20-34	499	2.3	1	1	1	2	3	3	4	5
35-49	21	2.7	1	1	2	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	901	2.7	2	1	1	2	3	4	5	7
20-34	5307	2.7	2	1	1	3	3	4	4	7
35-49	347	3.0	2	1	1	3	3	5	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1263	2.2	1	1	1	2	3	3	3	5
B. *Operated*	6454	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	649	2.4	1	1	1	2	3	3	4	7
B. *Operated*	6555	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	7717	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	7204	2.7	2	1	1	2	3	4	5	7
A. NOT OPERATED	1912	2.3	1	1	1	2	3	3	4	5
B. OPERATED	13009	2.5	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2259	2.4	1	1	1	2	3	4	4	6
20-34	12016	2.5	1	1	1	2	3	4	4	6
35-49	646	2.7	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**14921**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3793	2.4	2	1	1	2	3	4	4	7
20-34	19936	2.3	2	1	1	2	3	3	4	6
35-49	1575	2.4	2	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6745	2.8	2	1	1	3	3	5	5	8
20-34	38094	2.9	3	1	1	3	3	4	5	7
35-49	2499	3.0	3	1	1	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2936	2.8	6	1	1	2	3	4	5	10
20-34	14923	2.6	5	1	1	2	3	4	5	9
35-49	1325	2.7	3	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	12644	3.8	8	1	2	3	5	6	8	14
20-34	78243	3.8	9	1	2	3	5	6	7	14
35-49	8020	4.2	12	1	2	4	5	7	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25304	2.4	2	1	1	2	3	3	4	6
B. *Operated*	47338	2.9	3	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	19184	2.7	5	1	1	2	3	4	5	9
B. *Operated*	98907	3.8	9	1	2	3	5	6	8	14
1. SINGLE DX	72642	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX	118091	3.6	8	1	2	3	4	6	7	14
A. NOT OPERATED	44488	2.5	3	1	1	2	3	4	4	7
B. OPERATED	146245	3.5	7	1	2	3	4	6	7	13
TOTAL 0-19 YRS	26118	3.2	6	1	1	3	4	5	7	12
20-34	151196	3.2	6	1	1	3	4	5	6	11
35-49	13419	3.6	9	1	2	3	4	6	7	14
50-64										
65+										
GRAND TOTAL	**190733**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	3.2	2	1	2	3	4	5	6	8
20-34	633	3.4	3	1	2	3	4	5	6	9
35-49	34	3.4	2	2	2	3	4	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.8	5	<1	<1	3	4	5	8	9
20-34	48	4.0	9	<1	<1	3	5	8	10	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.8	5	1	2	3	4	6	8	13
20-34	381	3.8	3	2	2	3	5	6	7	9
35-49	26	4.2	8	2	2	3	5	9	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.6	16	1	1	4	7	11	15	16
20-34	126	6.2	34	1	1	4	8	12	15	31
35-49	5	7.2	27	3	3	5	11	15	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	3.3	2	1	2	3	4	5	6	8
B. *Operated*	62	3.8	8	<1	<1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	508	3.8	4	2	2	3	5	6	8	11
B. *Operated*	152	6.1	31	1	1	4	8	12	15	26
1. SINGLE DX	919	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	660	4.4	11	1	2	4	5	8	10	16
A. NOT OPERATED	1365	3.5	3	2	2	3	4	6	7	9
B. OPERATED	214	5.4	25	<1	1	4	7	11	15	24
TOTAL 0-19 YRS	325	3.5	4	1	2	3	4	6	8	13
20-34	1188	3.8	7	1	2	3	4	6	8	13
35-49	66	4.0	7	2	2	3	5	7	9	15
50-64										
65+										
GRAND TOTAL	**1579**	**3.8**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
20-34	191	1.5	1	<1	<1	1	2	2	3	5
35-49	16	1.7	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	74	1.5	1	<1	<1	1	2	2	3	5
20-34	589	1.4	1	<1	<1	1	2	3	3	5
35-49	40	1.9	3	<1	<1	1	2	4	5	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.0	1	1	1	2	3	4	4	5
20-34	137	1.9	1	<1	1	2	2	3	4	6
35-49	12	1.8	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	74	2.2	2	1	1	2	3	4	5	9
20-34	506	2.3	4	<1	1	2	3	5	6	9
35-49	42	2.6	4	<1	1	2	4	6	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	703	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	169	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	622	2.3	4	<1	1	2	3	5	6	10
1. SINGLE DX	941	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	791	2.2	3	<1	1	2	3	5	6	9
A. NOT OPERATED	407	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	1325	1.9	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	199	1.8	1	<1	1	1	2	3	4	6
20-34	1423	1.8	2	<1	<1	1	2	3	5	7
35-49	110	2.1	3	<1	1	1	2	5	6	10
50-64										
65+										
GRAND TOTAL	**1732**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	9	1	1	3	4	8	10	15
20-34	349	3.5	6	1	1	3	4	7	9	11
35-49	39	3.9	6	<1	1	3	5	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	76	3.1	13	1	1	2	3	6	8	25
20-34	500	3.0	7	1	1	2	3	5	9	16
35-49	48	3.6	10	1	1	2	5	8	11	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.3	13	1	1	3	4	10	14	16
20-34	322	4.7	21	1	1	3	6	9	11	18
35-49	42	5.8	15	1	1	5	9	11	13	15
50-64										
65+										
B. *Operated*										
0-19 YRS	79	3.9	14	1	1	3	4	8	14	19
20-34	404	4.4	20	1	1	3	5	10	13	23
35-49	55	6.7	40	1	2	5	8	14	18	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	3.6	6	1	1	3	4	8	9	11
B. *Operated*	624	3.1	8	1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	418	4.7	19	1	1	3	6	10	12	17
B. *Operated*	538	4.6	21	1	1	3	5	10	14	27
1. SINGLE DX	1056	3.3	7	1	1	3	4	7	9	13
2. MULTIPLE DX	956	4.7	21	1	1	3	6	10	13	20
A. NOT OPERATED	850	4.2	13	1	1	3	5	9	10	16
B. OPERATED	1162	3.8	15	1	1	3	4	8	12	19
TOTAL 0-19 YRS	253	3.7	13	1	1	3	4	8	12	17
20-34	1575	3.8	13	1	1	3	4	8	10	18
35-49	184	5.1	21	1	1	3	7	11	13	24
50-64										
65+										
GRAND TOTAL	**2012**	**3.9**	**14**	**1**	**1**	**3**	**4**	**8**	**11**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1962	3.5	5	1	2	3	4	6	7	11
20-34	1936	3.9	5	1	2	3	5	7	8	12
35-49	1422	4.4	7	2	2	4	5	8	9	14
50-64	922	4.8	9	2	2	4	6	8	10	15
65+	726	5.7	12	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	792	4.3	8	1	1	4	6	8	10	14
20-34	991	4.8	13	1	1	4	6	9	11	19
35-49	651	4.9	13	1	1	4	7	10	12	18
50-64	361	6.2	42	1	2	5	8	11	15	26
65+	224	7.0	27	1	2	6	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2816	4.2	7	2	2	4	5	7	9	14
20-34	3572	5.1	14	2	2	4	6	9	11	19
35-49	4158	6.1	18	2	2	5	7	11	14	22
50-64	5371	6.9	24	2	3	6	8	12	15	26
65+	10229	8.2	37	3	3	7	10	14	18	33
B. *Operated*										
0-19 YRS	1167	6.2	29	1	2	5	8	12	15	29
20-34	2379	7.8	54	2	2	6	9	15	21	41
35-49	2595	9.4	73	2	3	7	11	19	25	48
50-64	2903	11.4	111	2	3	8	14	23	32	59
65+	4185	13.2	124	3	4	10	16	27	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6968	4.2	7	1	2	4	5	7	9	14
B. *Operated*	3019	5.1	17	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	26146	6.8	27	2	3	6	8	12	15	26
B. *Operated*	13229	10.5	96	2	3	8	13	21	30	54
1. SINGLE DX	9987	4.5	10	1	2	4	5	8	10	15
2. MULTIPLE DX	39375	8.0	53	2	3	6	9	15	21	41
A. NOT OPERATED	33114	6.2	24	2	2	5	8	11	14	24
B. OPERATED	16248	9.5	86	2	2	7	11	19	27	50
TOTAL 0-19 YRS	6737	4.4	11	1	2	4	5	8	10	16
20-34	8878	5.6	25	2	2	4	7	10	13	26
35-49	8826	6.7	35	2	2	5	8	13	17	31
50-64	9557	8.1	55	2	3	6	9	15	20	42
65+	15364	9.4	65	3	3	7	11	17	24	46
GRAND TOTAL	**49362**	**7.3**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**38**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	587	3.8	5	1	2	3	5	7	8	10
20-34	329	3.7	4	1	2	3	5	7	8	11
35-49	179	3.9	8	1	2	3	5	7	7	18
50-64	99	4.6	8	2	2	4	6	9	11	12
65+	67	4.6	9	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	326	4.0	14	<1	1	3	5	8	9	18
20-34	304	4.0	9	<1	1	3	5	8	10	13
35-49	196	4.5	17	<1	1	3	6	9	11	21
50-64	108	5.0	17	<1	1	4	7	10	14	18
65+	64	5.0	27	<1	<1	3	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	933	4.1	6	1	2	3	5	7	9	13
20-34	556	4.9	28	2	2	4	6	9	13	23
35-49	494	5.6	21	2	2	4	7	10	13	19
50-64	604	6.7	23	2	2	5	8	12	15	26
65+	908	7.3	24	2	3	6	9	12	16	26
B. *Operated*										
0-19 YRS	424	5.9	23	1	2	5	7	12	15	25
20-34	525	6.0	45	1	2	4	7	12	15	30
35-49	535	8.1	66	1	2	6	10	16	23	53
50-64	658	8.7	54	1	2	7	11	18	24	40
65+	783	10.0	64	2	3	8	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1261	3.9	6	1	2	3	5	7	8	12
B. *Operated*	998	4.2	14	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	3495	5.7	21	2	2	5	7	10	13	23
B. *Operated*	2925	8.1	55	1	2	6	10	17	22	40
1. SINGLE DX	2259	4.1	10	1	1	3	5	8	9	16
2. MULTIPLE DX	6420	6.8	38	2	2	5	8	13	18	31
A. NOT OPERATED	4756	5.2	17	2	2	4	6	9	12	20
B. OPERATED	3923	7.1	48	1	1	5	9	15	20	35
TOTAL 0-19 YRS	2270	4.3	11	1	2	4	5	8	10	17
20-34	1714	4.9	26	1	2	4	6	9	12	23
35-49	1404	6.2	38	1	2	4	7	12	16	32
50-64	1469	7.3	37	2	2	6	9	14	19	35
65+	1822	8.3	43	2	3	7	10	16	21	32
GRAND TOTAL	**8679**	**6.1**	**32**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	11	<1	<1	2	4	7	11	14
20-34	22	2.7	2	<1	1	2	4	5	6	6
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	1601	2.3	2	1	1	2	3	4	5	8
20-34	2811	2.3	2	1	1	2	3	4	5	8
35-49	507	2.3	3	<1	1	2	3	4	6	8
50-64	108	2.6	3	1	1	2	3	5	5	9
65+	16	3.1	6	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	3	<1	<1	1	3	4	6	7
20-34	36	2.1	2	<1	<1	1	3	4	5	5
35-49	9	4.0	13	<1	<1	4	5	10	12	12
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	8	6.6	19	1	2	5	10	13	14	14
B. *Operated*										
0-19 YRS	255	3.2	13	1	1	3	4	5	7	14
20-34	548	3.0	7	1	1	2	4	5	7	14
35-49	178	3.7	10	1	1	3	4	7	11	16
50-64	85	4.7	39	1	1	3	5	8	13	41
65+	40	5.6	105	1	1	3	5	9	18	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.2	8	<1	1	2	4	7	9	14
B. *Operated*	5043	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	76	2.8	7	<1	<1	2	4	6	9	13
B. *Operated*	1106	3.4	15	1	1	3	4	6	9	16
1. SINGLE DX	5090	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1182	3.3	14	1	1	3	4	6	9	16
A. NOT OPERATED	123	3.0	7	<1	<1	2	4	6	9	14
B. OPERATED	6149	2.5	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	1896	2.4	4	1	1	2	3	4	5	9
20-34	3417	2.4	3	1	1	2	3	4	5	9
35-49	697	2.7	5	1	1	2	3	5	7	13
50-64	197	3.5	19	1	1	2	4	6	8	25
65+	65	5.2	69	<1	1	3	6	10	12	57
GRAND TOTAL	**6272**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	141	1.3	1	<1	<1	1	1	2	3	5
20-34	188	1.5	1	<1	<1	<1	1	3	4	6
35-49	177	1.5	3	<1	<1	<1	1	3	4	11
50-64	132	1.6	2	<1	<1	<1	2	3	4	7
65+	57	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	8	<1	<1	3	5	8	9	9
20-34	4	2.0	4	<1	<1	1	3	5	5	5
35-49	10	3.3	6	1	1	3	5	7	8	8
50-64	6	3.7	5	1	1	3	5	7	7	7
65+	6	6.8	51	1	1	5	6	19	21	21
B. *Operated*										
0-19 YRS	36	2.7	27	<1	<1	1	2	4	6	32
20-34	81	2.7	5	<1	<1	2	4	6	7	12
35-49	95	3.4	13	<1	<1	2	5	7	9	20
50-64	102	3.6	22	<1	<1	2	4	6	9	28
65+	87	3.7	10	<1	<1	3	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	2	<1	<1	1	2	4	4	4
B. *Operated*	695	1.5	2	<1	<1	<1	1	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	34	3.9	14	<1	<1	3	5	7	9	21
B. *Operated*	401	3.3	14	<1	<1	2	4	7	9	24
1. SINGLE DX	704	1.5	2	<1	<1	<1	1	3	4	7
2. MULTIPLE DX	435	3.4	14	<1	<1	2	4	7	9	24
A. NOT OPERATED	43	3.4	12	<1	<1	3	5	7	8	21
B. OPERATED	1096	2.2	7	<1	<1	1	2	5	6	14
TOTAL 0-19 YRS	189	1.7	6	<1	<1	1	2	3	4	8
20-34	274	1.8	3	<1	<1	1	2	4	5	8
35-49	283	2.2	7	<1	<1	1	2	5	7	15
50-64	242	2.5	11	<1	<1	1	3	5	7	25
65+	151	2.9	10	<1	<1	1	4	7	9	14
GRAND TOTAL	**1139**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**5**	**7**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	764	4.1	22	1	1	3	5	8	14	25
20-34	476	6.2	55	1	1	3	6	17	22	38
35-49	359	6.6	61	1	1	4	7	18	24	38
50-64	245	7.0	57	1	1	4	8	19	26	34
65+	199	7.1	40	1	2	5	9	15	19	32
B. *Operated*										
0-19 YRS	675	2.9	18	<1	<1	1	3	6	10	17
20-34	964	4.3	39	<1	<1	2	5	9	14	30
35-49	845	3.8	24	<1	<1	2	4	9	14	27
50-64	710	4.0	34	<1	<1	2	4	9	15	32
65+	570	6.1	64	<1	<1	3	8	16	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1256	4.4	21	1	1	3	5	8	12	26
20-34	1141	6.5	57	1	1	4	8	14	19	35
35-49	1290	7.9	67	1	2	5	10	17	25	40
50-64	1696	8.7	67	1	2	6	11	19	25	43
65+	4539	10.3	86	2	3	8	12	20	28	53
B. *Operated*										
0-19 YRS	850	7.6	129	<1	1	3	8	20	37	69
20-34	1840	13.6	265	1	1	7	20	39	52	99+
35-49	2256	12.1	222	1	1	6	16	31	44	89
50-64	2985	12.2	204	1	1	7	17	31	44	91
65+	6113	16.8	232	2	3	13	22	38	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2043	5.7	44	1	1	3	6	14	20	34
B. *Operated*	3764	4.1	36	<1	<1	2	4	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	9922	8.5	73	1	2	6	11	18	24	46
B. *Operated*	14044	14.1	230	1	1	9	19	35	50	99+
1. SINGLE DX	5807	4.7	39	<1	<1	2	5	11	17	31
2. MULTIPLE DX	23966	11.8	172	1	2	8	15	28	41	84
A. NOT OPERATED	11965	8.0	69	1	2	6	10	17	24	43
B. OPERATED	17808	12.0	205	1	1	7	16	31	44	91
TOTAL 0-19 YRS	3545	4.8	49	<1	1	3	5	10	16	41
20-34	4421	8.9	155	<1	1	4	10	24	37	75
35-49	4750	9.1	143	1	1	5	11	23	33	71
50-64	5636	9.9	143	1	1	6	13	25	35	75
65+	11421	13.5	176	1	3	10	17	30	43	90
GRAND TOTAL	**29773**	**10.4**	**154**	**1**	**1**	**6**	**14**	**25**	**37**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.2	11	1	1	3	6	9	10	18
20-34	104	3.6	8	1	1	3	5	8	9	14
35-49	97	6.4	46	1	2	5	7	11	17	37
50-64	46	6.3	46	1	1	5	8	11	14	45
65+	21	6.4	21	2	2	6	7	10	16	23
B. *Operated*										
0-19 YRS	60	5.5	56	<1	1	3	7	11	14	50
20-34	66	4.5	58	<1	1	2	5	8	13	52
35-49	57	4.8	19	1	1	3	6	12	15	19
50-64	34	8.3	52	1	1	6	13	21	22	23
65+	9	14.8	605	<1	<1	7	10	55	79	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	5.9	36	1	1	4	8	12	17	34
20-34	630	6.2	41	1	2	4	8	11	15	32
35-49	503	6.4	27	2	2	5	8	12	16	30
50-64	481	8.2	63	2	2	6	10	17	24	39
65+	506	8.4	47	2	3	7	11	16	21	60
B. *Operated*										
0-19 YRS	100	14.8	381	2	2	8	18	42	73	99+
20-34	301	11.5	131	1	2	8	15	27	37	61
35-49	325	12.3	141	1	2	9	15	28	36	63
50-64	281	13.0	168	2	3	9	16	29	42	67
65+	288	15.2	180	3	4	12	19	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	5.1	27	1	1	4	6	10	12	34
B. *Operated*	226	5.8	70	1	1	3	7	13	19	54
2. MULTIPLE DX										
A. *Not Operated*	2324	7.1	44	1	2	5	9	14	18	37
B. *Operated*	1295	13.1	173	1	2	10	16	29	41	78
1. SINGLE DX	562	5.4	44	1	1	4	6	10	14	34
2. MULTIPLE DX	3619	9.3	98	1	2	6	11	19	29	61
A. NOT OPERATED	2660	6.9	42	1	2	5	8	13	18	36
B. OPERATED	1521	12.0	164	1	2	8	15	27	38	73
TOTAL 0-19 YRS	432	7.6	130	1	1	4	9	15	26	80
20-34	1101	7.3	70	1	2	5	9	15	21	49
35-49	982	8.2	74	1	2	6	10	17	25	53
50-64	842	9.7	102	2	2	7	12	21	29	57
65+	824	10.8	109	2	3	8	13	21	31	79
GRAND TOTAL	**4181**	**8.7**	**93**	**1**	**2**	**6**	**11**	**18**	**27**	**57**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	5.0	18	1	2	4	6	10	12	25
20-34	88	5.2	12	1	2	4	6	10	12	17
35-49	152	5.5	12	2	2	5	7	9	12	17
50-64	234	5.5	12	2	2	5	7	10	13	18
65+	179	5.9	28	2	2	5	7	9	11	36
B. *Operated*										
0-19 YRS	50	6.4	48	<1	<1	4	9	13	20	33
20-34	163	5.7	15	1	1	5	8	11	13	16
35-49	424	5.5	20	1	1	4	8	11	14	20
50-64	857	6.4	21	1	1	5	9	12	15	20
65+	595	7.0	23	1	2	6	10	14	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	7.6	64	1	2	5	9	17	24	41
20-34	159	7.0	48	2	2	5	8	13	18	42
35-49	366	5.7	14	1	2	5	7	11	12	18
50-64	862	7.1	30	1	2	6	9	13	16	30
65+	1405	7.5	37	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	61	9.5	156	1	1	5	14	18	24	72
20-34	233	8.0	108	1	1	5	10	15	25	59
35-49	612	6.6	43	1	2	5	9	13	17	35
50-64	1702	8.4	58	1	2	7	11	16	20	39
65+	1795	10.3	69	2	2	9	13	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	5.4	17	2	2	5	7	10	12	20
B. *Operated*	2089	6.3	22	1	1	5	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	3034	7.2	35	1	2	6	9	13	17	31
B. *Operated*	4403	8.9	66	1	2	7	12	17	23	42
1. SINGLE DX	2935	6.1	20	1	2	5	9	12	14	20
2. MULTIPLE DX	7437	8.2	54	1	2	6	11	16	20	39
A. NOT OPERATED	3880	6.8	32	1	2	5	8	13	16	29
B. OPERATED	6492	8.1	53	1	2	6	11	15	20	37
TOTAL 0-19 YRS	546	6.8	58	1	1	4	8	14	20	37
20-34	643	6.8	57	1	2	5	8	13	17	41
35-49	1554	6.0	27	1	1	5	8	11	14	24
50-64	3655	7.4	41	1	2	6	10	14	17	31
65+	3974	8.6	51	2	2	7	11	16	20	38
GRAND TOTAL	**10372**	**7.6**	**45**	**1**	**2**	**6**	**10**	**15**	**18**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	13	3.1	5	1	1	3	4	7	9	9
35-49	34	3.3	8	<1	<1	2	5	7	10	11
50-64	82	4.6	10	1	1	4	7	9	11	14
65+	185	5.2	18	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	42	4.3	17	<1	1	2	6	10	13	17
20-34	448	3.9	11	1	1	3	5	9	11	15
35-49	1189	5.0	17	<1	1	4	7	10	12	19
50-64	4367	8.0	21	1	2	8	11	13	15	20
65+	6727	10.4	16	3	6	10	13	15	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.8	35	1	1	4	7	13	22	23
20-34	32	5.1	19	1	1	4	7	10	14	20
35-49	137	5.3	17	<1	1	4	7	11	14	19
50-64	560	4.9	22	<1	1	4	7	10	11	20
65+	2392	6.2	44	1	1	5	8	12	16	34
B. *Operated*										
0-19 YRS	38	6.8	30	1	1	6	10	15	18	23
20-34	466	5.2	23	<1	1	4	8	11	14	23
35-49	1463	6.3	33	1	1	5	9	13	15	25
50-64	6737	9.5	35	1	2	9	12	16	19	29
65+	18294	12.4	43	4	7	11	15	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	4.7	14	1	1	4	7	10	11	19
B. *Operated*	12773	8.8	22	1	2	9	12	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	3133	5.9	39	1	1	4	8	11	15	30
B. *Operated*	26998	11.2	44	2	3	11	14	17	21	34
1. SINGLE DX	13092	8.7	22	1	2	9	12	14	16	21
2. MULTIPLE DX	30131	10.6	46	1	3	10	14	17	21	34
A. NOT OPERATED	3452	5.8	36	1	1	4	8	11	15	28
B. OPERATED	39771	10.4	38	1	3	10	13	16	19	30
TOTAL 0-19 YRS	97	5.4	24	1	1	3	8	12	16	23
20-34	959	4.6	17	1	1	3	6	10	13	20
35-49	2823	5.6	25	<1	1	4	8	12	14	23
50-64	11746	8.7	30	1	2	9	11	15	17	26
65+	27598	11.3	40	2	4	11	14	17	21	33
GRAND TOTAL	**43223**	**10.0**	**39**	**1**	**2**	**10**	**13**	**16**	**19**	**30**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	6.4	28	1	2	4	9	13	16	22
20-34	205	5.1	15	1	2	4	6	10	13	21
35-49	138	4.7	14	1	1	4	6	9	12	21
50-64	77	6.2	21	1	1	5	9	13	17	20
65+	97	4.6	15	1	1	4	6	8	10	23
B. *Operated*										
0-19 YRS	211	9.2	43	1	2	8	13	18	21	33
20-34	547	4.7	25	1	1	3	6	10	13	29
35-49	589	4.8	24	1	1	3	6	10	12	30
50-64	607	5.4	25	1	1	4	8	12	14	24
65+	290	8.6	33	1	2	9	11	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	7.8	44	2	2	6	11	16	21	29
20-34	287	5.9	24	1	2	4	8	12	16	24
35-49	344	6.5	30	1	2	5	8	13	17	29
50-64	428	7.1	34	1	2	6	9	14	21	29
65+	948	8.1	51	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	367	12.7	65	3	4	11	17	23	28	40
20-34	680	8.3	76	1	1	5	10	18	28	44
35-49	753	8.0	95	1	1	5	10	19	28	50
50-64	962	10.5	110	1	2	7	14	24	31	49
65+	1149	14.6	137	2	3	12	18	29	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	788	5.5	20	1	2	4	7	11	14	21
B. *Operated*	2244	5.9	30	1	1	4	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	2355	7.4	41	1	2	6	9	15	20	33
B. *Operated*	3911	11.0	112	1	2	8	15	24	32	51
1. SINGLE DX	3032	5.8	28	1	1	4	8	12	15	26
2. MULTIPLE DX	6266	9.7	89	1	2	7	13	21	28	47
A. NOT OPERATED	3143	6.9	37	1	2	5	9	14	19	29
B. OPERATED	6155	9.2	89	1	1	6	12	20	28	46
TOTAL 0-19 YRS	1197	9.2	52	1	2	7	13	20	23	31
20-34	1719	6.4	47	1	1	4	8	13	19	38
35-49	1824	6.4	56	1	1	4	8	13	20	39
50-64	2074	8.2	71	1	1	6	10	17	25	42
65+	2484	11.0	99	2	2	9	14	22	30	51
GRAND TOTAL	**9298**	**8.4**	**72**	**1**	**2**	**6**	**11**	**18**	**25**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	2	<1	<1	2	3	4	5	5
20-34	28	2.8	4	<1	<1	2	4	6	7	8
35-49	18	3.8	15	<1	<1	3	5	8	13	16
50-64	7	2.7	3	1	1	3	4	5	5	5
65+	11	2.1	3	<1	<1	1	3	5	7	7
B. *Operated*										
0-19 YRS	929	2.2	2	<1	<1	2	3	4	5	7
20-34	1942	2.4	4	<1	<1	2	3	5	5	9
35-49	1081	2.1	3	<1	<1	2	3	4	5	9
50-64	421	2.0	3	<1	<1	1	2	4	5	9
65+	150	2.5	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	<1	<1	1	2	3	5	6
20-34	59	2.3	5	<1	<1	1	3	5	8	12
35-49	55	3.1	22	<1	<1	1	3	7	14	26
50-64	43	4.6	109	<1	<1	1	3	8	18	66
65+	33	3.8	10	<1	1	3	4	7	12	14
B. *Operated*										
0-19 YRS	896	2.6	4	<1	<1	2	3	5	6	10
20-34	2572	2.7	5	<1	<1	2	4	5	6	10
35-49	1638	2.5	6	<1	<1	2	3	5	7	13
50-64	1284	2.4	6	<1	<1	2	3	5	7	12
65+	758	3.0	15	<1	<1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	6	<1	<1	2	4	6	7	14
B. *Operated*	4523	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	206	3.2	32	<1	<1	1	3	7	10	23
B. *Operated*	7148	2.6	6	<1	<1	2	3	5	7	12
1. SINGLE DX	4600	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	7354	2.7	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	283	3.1	25	<1	<1	2	3	6	8	20
B. OPERATED	11671	2.5	5	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	1854	2.4	3	<1	<1	2	3	5	5	8
20-34	4601	2.6	4	<1	<1	2	3	5	6	10
35-49	2792	2.4	5	<1	<1	2	3	5	6	12
50-64	1755	2.4	8	<1	<1	1	3	5	7	13
65+	952	3.0	13	<1	<1	2	3	6	9	16
GRAND TOTAL	**11954**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.2	15	1	1	2	4	6	7	12
20-34	164	3.2	5	<1	1	3	4	7	8	10
35-49	97	3.6	7	1	1	3	5	7	9	13
50-64	101	3.6	7	1	1	3	4	7	10	14
65+	96	3.9	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	2490	2.4	3	<1	1	2	3	4	5	9
20-34	4226	2.6	3	1	1	2	3	4	5	8
35-49	1399	2.8	4	<1	1	2	4	5	7	10
50-64	443	3.1	11	<1	1	2	4	5	10	17
65+	233	4.5	18	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	4.0	33	<1	1	2	4	8	10	32
20-34	356	4.0	41	<1	<1	3	5	7	10	25
35-49	366	4.2	18	<1	1	3	5	9	11	19
50-64	400	5.1	24	1	1	3	6	11	14	25
65+	1098	7.1	74	1	2	5	8	13	20	52
B. *Operated*										
0-19 YRS	1677	3.7	19	1	1	3	4	7	10	23
20-34	2474	3.4	13	1	1	3	4	6	8	17
35-49	1493	4.0	29	1	1	3	5	8	11	23
50-64	972	4.9	32	1	1	3	6	11	15	28
65+	855	7.9	75	1	1	5	10	17	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	746	3.4	10	1	1	3	4	7	8	12
B. *Operated*	8791	2.7	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2586	5.5	50	1	1	4	7	11	16	39
B. *Operated*	7471	4.3	29	1	1	3	5	9	13	27
1. SINGLE DX	9537	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	10057	4.6	35	1	1	3	5	9	13	30
A. NOT OPERATED	3332	5.0	42	1	1	3	6	10	13	35
B. OPERATED	16262	3.4	16	1	1	2	4	6	9	20
TOTAL 0-19 YRS	4821	3.1	12	<1	1	2	4	5	7	17
20-34	7220	3.0	9	1	1	2	4	5	7	13
35-49	3355	3.5	17	<1	1	2	4	7	9	17
50-64	1916	4.4	25	1	1	3	5	10	13	25
65+	2282	7.0	67	1	1	5	8	14	20	49
GRAND TOTAL	**19594**	**3.7**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

302: Ankylosing spondylitis (720.0)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.5	14	2	2	4	8	12	12	12
35-49	8	4.6	7	2	2	4	6	9	9	9
50-64	6	4.3	5	2	2	4	6	7	7	7
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	7	9.6	56	1	1	9	14	21	22	22
35-49	6	7.7	41	1	1	7	11	17	18	18
50-64	6	7.8	9	2	3	9	9	10	10	10
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	23	5.0	12	2	2	4	7	12	13	14
35-49	37	6.8	29	1	2	5	8	13	21	24
50-64	38	7.9	59	1	2	6	10	14	20	44
65+	42	7.6	77	2	2	6	9	15	18	56
B. *Operated*										
0-19 YRS										
20-34	17	6.8	11	2	2	7	9	11	11	11
35-49	25	11.8	72	1	2	10	16	22	31	37
50-64	40	11.3	68	2	3	9	16	19	26	43
65+	25	15.6	99	4	5	16	20	27	38	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.7	7	2	2	4	6	8	10	12
B. *Operated*	20	8.1	34	1	1	8	10	16	20	22
2. MULTIPLE DX										
A. *Not Operated*	141	7.1	49	2	2	5	9	13	18	45
B. *Operated*	107	11.7	73	2	3	10	16	21	30	43
1. SINGLE DX	43	6.2	22	1	2	5	9	12	16	22
2. MULTIPLE DX	248	9.1	64	2	2	7	12	18	22	43
A. NOT OPERATED	164	6.8	44	2	2	5	8	12	17	41
B. OPERATED	127	11.1	68	1	2	9	16	20	27	43
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	53	6.3	19	2	2	5	9	12	14	22
35-49	76	8.3	47	1	2	6	11	18	23	35
50-64	90	9.2	60	2	2	7	12	18	19	44
65+	71	10.2	97	2	2	7	14	20	27	53
GRAND TOTAL	**291**	**8.7**	**59**	**2**	**2**	**7**	**11**	**18**	**22**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	16	1	1	3	8	11	11	11
20-34	58	6.1	30	1	1	5	8	11	14	33
35-49	224	4.4	12	1	1	4	6	9	11	14
50-64	283	5.0	14	1	1	4	7	10	12	19
65+	261	5.3	12	1	1	5	7	10	12	19
B. *Operated*										
0-19 YRS	13	5.5	11	1	1	6	8	10	11	11
20-34	283	4.0	14	1	1	3	6	8	11	17
35-49	1230	4.2	13	1	1	3	6	9	11	16
50-64	1388	4.5	16	1	1	3	7	9	12	18
65+	732	5.3	27	1	1	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.8	173	<1	<1	3	7	16	44	52
20-34	115	6.1	34	1	1	5	8	11	16	34
35-49	541	5.7	16	1	2	5	7	11	13	20
50-64	1360	6.1	20	1	2	5	8	11	14	21
65+	3184	7.0	31	2	2	6	9	13	16	29
B. *Operated*										
0-19 YRS	9	10.6	170	2	2	7	10	31	44	44
20-34	330	5.6	34	1	1	5	8	11	14	24
35-49	1515	5.9	26	1	1	5	8	12	15	26
50-64	2774	6.7	44	1	1	5	9	13	17	33
65+	2572	9.2	74	1	1	7	12	19	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	5.0	14	1	1	4	7	10	12	20
B. *Operated*	3646	4.5	17	1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	5214	6.6	27	1	2	5	8	12	15	27
B. *Operated*	7200	7.4	53	1	1	6	10	15	20	36
1. SINGLE DX	4479	4.6	17	1	1	4	7	10	12	19
2. MULTIPLE DX	12414	7.1	42	1	1	6	9	14	18	33
A. NOT OPERATED	6047	6.4	26	1	2	5	8	12	15	25
B. OPERATED	10846	6.4	42	1	1	5	9	13	17	31
TOTAL 0-19 YRS	43	7.2	96	<1	1	5	9	11	23	52
20-34	786	5.1	27	1	1	4	7	10	13	25
35-49	3510	5.2	20	1	1	4	7	10	13	21
50-64	5805	5.9	31	1	1	5	8	12	15	26
65+	6749	7.6	48	1	1	6	10	15	20	36
GRAND TOTAL	**16893**	**6.4**	**36**	**1**	**1**	**5**	**8**	**13**	**16**	**30**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	5.4	16	1	1	5	8	11	13	20
20-34	2370	5.6	16	1	1	5	7	10	13	19
35-49	3639	5.9	16	1	1	5	8	11	13	19
50-64	1696	6.1	16	1	1	6	8	11	13	19
65+	491	6.1	14	1	2	6	8	10	13	19
B. *Operated*										
0-19 YRS	458	4.6	13	1	1	4	6	9	12	19
20-34	12727	5.1	14	1	1	4	7	10	12	18
35-49	17794	5.5	17	1	1	5	7	10	13	20
50-64	7482	5.6	18	1	1	5	8	11	14	20
65+	1653	6.3	24	1	1	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	14	<1	1	5	8	10	14	14
20-34	1543	6.4	22	1	1	6	8	12	15	22
35-49	3156	7.1	25	1	2	6	9	13	16	25
50-64	3001	7.5	26	1	2	7	9	13	16	24
65+	2910	7.8	27	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	138	6.7	38	1	1	5	7	14	20	32
20-34	4339	7.2	31	1	1	6	9	14	17	27
35-49	8880	7.7	35	1	2	7	10	14	18	30
50-64	7099	8.1	41	1	2	7	10	15	19	31
65+	4116	9.9	57	1	2	8	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8313	5.9	16	1	1	5	8	11	13	19
B. *Operated*	40114	5.4	17	1	1	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	10644	7.3	25	1	2	6	9	13	16	25
B. *Operated*	24572	8.1	41	1	2	7	10	15	20	32
1. SINGLE DX	48427	5.5	17	1	1	5	7	10	13	19
2. MULTIPLE DX	35216	7.9	36	1	2	7	10	15	19	30
A. NOT OPERATED	18957	6.7	22	1	2	6	9	12	15	23
B. OPERATED	64686	6.4	28	1	1	5	8	12	16	25
TOTAL 0-19 YRS	747	5.1	19	1	1	4	7	10	13	21
20-34	20979	5.7	19	1	1	5	8	11	14	21
35-49	33469	6.2	23	1	1	5	8	12	15	23
50-64	19278	6.9	29	1	1	6	9	13	16	26
65+	9170	8.4	41	1	2	7	11	16	20	32
GRAND TOTAL	**83643**	**6.5**	**26**	**1**	**1**	**6**	**8**	**12**	**16**	**25**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	20	1	1	3	6	8	11	24
20-34	268	4.5	12	1	1	4	6	9	12	16
35-49	574	4.7	13	1	1	4	7	9	12	16
50-64	261	5.3	17	1	1	4	7	10	13	18
65+	64	5.6	15	1	1	5	8	10	14	18
B. *Operated*										
0-19 YRS	16	7.5	102	1	1	5	7	16	34	42
20-34	1219	4.5	13	1	1	4	6	9	11	17
35-49	3353	4.6	12	1	1	4	6	9	11	17
50-64	1453	4.9	14	1	1	4	6	10	12	19
65+	207	5.1	15	1	1	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.2	49	3	5	8	13	16	25	34
20-34	184	5.7	19	1	1	5	8	11	14	20
35-49	607	6.0	18	1	1	5	8	11	14	21
50-64	584	6.1	15	1	2	6	8	11	13	18
65+	479	6.8	24	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	13	6.4	19	1	2	5	9	13	15	15
20-34	532	5.6	24	1	1	5	7	11	15	23
35-49	2181	6.3	32	1	1	5	8	12	16	27
50-64	1687	6.9	35	1	1	6	9	13	17	30
65+	465	9.1	67	1	1	7	12	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	4.8	14	1	1	4	7	10	12	17
B. *Operated*	6248	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1874	6.2	20	1	2	5	8	11	14	21
B. *Operated*	4878	6.7	36	1	1	5	8	13	17	30
1. SINGLE DX	7442	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX	6752	6.6	32	1	1	5	8	13	16	28
A. NOT OPERATED	3068	5.7	18	1	1	5	8	11	14	20
B. OPERATED	11126	5.6	24	1	1	5	7	11	14	24
TOTAL 0-19 YRS	76	7.0	48	1	1	5	8	15	16	40
20-34	2203	4.9	16	1	1	4	7	9	12	19
35-49	6715	5.3	20	1	1	4	7	10	13	22
50-64	3985	5.9	24	1	1	5	8	11	14	25
65+	1215	7.3	41	1	2	6	9	15	19	33
GRAND TOTAL	**14194**	**5.6**	**23**	**1**	**1**	**5**	**7**	**11**	**14**	**23**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	36	1	1	3	8	15	18	19
20-34	146	4.9	12	1	1	4	6	9	11	17
35-49	195	5.8	19	1	1	5	7	11	13	20
50-64	102	5.5	14	1	1	5	7	12	14	16
65+	19	5.6	14	<1	1	5	7	11	14	15
B. *Operated*										
0-19 YRS	13	5.8	43	<1	<1	4	9	15	21	23
20-34	232	3.8	17	1	1	2	6	9	11	18
35-49	297	3.7	12	1	1	2	5	9	11	14
50-64	71	3.5	12	1	1	2	5	8	12	15
65+	7	3.0	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.6	30	1	2	7	10	16	19	23
20-34	226	6.1	14	2	2	5	8	11	13	20
35-49	335	6.7	20	1	2	6	8	12	15	22
50-64	224	7.0	15	2	3	7	9	13	14	20
65+	151	7.5	36	2	2	6	9	13	16	30
B. *Operated*										
0-19 YRS	7	9.1	168	1	1	5	8	32	38	38
20-34	221	6.6	22	1	1	6	9	12	15	22
35-49	340	6.8	27	1	1	6	10	13	15	28
50-64	139	7.7	43	1	1	6	10	15	23	32
65+	43	10.3	76	1	1	8	15	23	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	5.4	16	1	1	5	7	10	13	18
B. *Operated*	620	3.7	14	1	1	2	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	963	6.8	20	2	2	6	9	12	14	23
B. *Operated*	750	7.1	33	1	1	6	10	14	16	31
1. SINGLE DX	1094	4.5	16	1	1	3	7	9	12	16
2. MULTIPLE DX	1713	6.9	26	1	2	6	9	13	15	27
A. NOT OPERATED	1437	6.3	19	1	2	5	8	12	14	22
B. OPERATED	1370	5.6	27	1	1	4	8	12	15	27
TOTAL 0-19 YRS	59	7.0	48	1	1	5	9	16	21	37
20-34	825	5.4	18	1	1	5	8	11	13	21
35-49	1167	5.8	21	1	1	5	8	12	14	21
50-64	536	6.4	24	1	1	6	8	13	15	25
65+	220	7.7	43	1	2	6	10	15	20	32
GRAND TOTAL	**2807**	**6.0**	**23**	**1**	**1**	**5**	**8**	**12**	**14**	**24**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	11	<1	<1	4	6	10	11	11
20-34	169	5.0	10	1	1	4	8	9	11	14
35-49	284	5.9	13	1	2	5	8	11	13	18
50-64	203	5.9	14	1	2	5	8	11	13	18
65+	85	6.2	26	1	2	5	8	10	13	32
B. *Operated*										
0-19 YRS	6	4.5	26	1	1	2	10	12	12	12
20-34	197	3.1	12	1	1	2	3	7	11	16
35-49	260	4.1	23	1	1	2	5	11	15	22
50-64	130	3.6	14	1	1	2	5	8	12	18
65+	29	3.1	13	1	1	2	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	30	1	1	5	8	15	18	18
20-34	219	6.1	21	1	2	5	8	11	14	25
35-49	368	6.9	24	1	2	6	9	12	15	29
50-64	455	6.7	18	2	2	6	9	12	14	22
65+	693	7.5	23	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	6	4.2	26	1	1	2	5	13	14	14
20-34	133	5.6	23	1	1	5	8	12	14	27
35-49	192	6.8	42	1	1	6	9	15	19	43
50-64	154	6.6	24	1	1	6	10	14	16	22
65+	156	9.2	50	1	2	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	748	5.7	14	1	2	5	8	10	13	18
B. *Operated*	622	3.6	17	1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	1743	7.0	22	2	2	6	9	12	15	25
B. *Operated*	641	7.1	37	1	1	6	10	14	18	30
1. SINGLE DX	1370	4.8	17	1	1	4	7	10	13	18
2. MULTIPLE DX	2384	7.0	26	1	2	6	9	13	16	27
A. NOT OPERATED	2491	6.6	20	1	2	6	8	12	14	23
B. OPERATED	1263	5.4	30	1	1	3	8	13	16	26
TOTAL 0-19 YRS	27	5.0	21	<1	1	4	7	12	15	18
20-34	718	4.9	18	1	1	4	7	10	13	20
35-49	1104	6.0	25	1	1	5	8	12	15	26
50-64	942	6.1	19	1	1	5	8	11	14	21
65+	963	7.5	28	2	2	6	9	13	17	29
GRAND TOTAL	**3754**	**6.2**	**24**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	3.2	7	<1	1	2	4	7	8	12
20-34	2215	4.7	15	1	1	4	6	9	11	19
35-49	3037	5.0	15	1	1	4	7	10	12	19
50-64	1460	5.0	15	1	1	4	7	10	12	19
65+	593	4.6	14	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	158	2.8	9	1	1	2	3	6	9	15
20-34	2812	3.1	11	1	1	2	4	7	9	15
35-49	4247	3.4	11	1	1	2	5	8	10	16
50-64	2777	4.3	15	1	1	3	6	9	12	18
65+	1622	5.6	20	1	1	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	4.0	20	<1	1	3	5	7	9	20
20-34	2777	5.8	26	1	1	4	7	12	16	25
35-49	4781	6.4	29	1	1	5	8	12	16	26
50-64	3897	6.3	23	1	2	5	8	12	15	25
65+	4398	6.8	28	1	2	6	9	12	15	25
B. *Operated*										
0-19 YRS	128	5.3	34	1	1	3	7	11	16	32
20-34	2456	5.0	28	1	1	3	7	11	15	25
35-49	4426	5.5	35	1	1	4	8	12	16	29
50-64	4492	6.9	39	1	1	6	9	14	18	29
65+	4824	9.4	60	1	1	8	12	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7531	4.8	15	1	1	4	7	9	12	19
B. *Operated*	11616	3.8	14	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	16184	6.3	27	1	2	5	8	12	16	25
B. *Operated*	16326	7.0	45	1	1	5	9	15	19	32
1. SINGLE DX	19147	4.2	15	1	1	3	6	9	11	18
2. MULTIPLE DX	32510	6.7	36	1	1	5	9	13	17	29
A. NOT OPERATED	23715	5.9	24	1	1	5	8	11	14	24
B. OPERATED	27942	5.7	35	1	1	4	8	12	16	28
TOTAL 0-19 YRS	843	3.8	17	<1	1	3	5	8	10	20
20-34	10260	4.7	21	1	1	3	6	10	13	23
35-49	16491	5.1	25	1	1	4	7	11	14	24
50-64	12626	5.9	27	1	1	5	8	12	15	25
65+	11437	7.6	42	1	1	6	10	15	19	32
GRAND TOTAL	**51657**	**5.8**	**30**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	488	3.0	4	1	1	3	4	5	7	10
20-34	217	3.5	5	1	1	3	5	6	7	10
35-49	290	3.6	6	1	1	3	5	7	8	11
50-64	186	4.1	10	1	1	3	5	8	10	16
65+	92	4.0	9	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	462	2.2	4	<1	<1	2	3	4	6	11
20-34	1540	2.2	5	<1	<1	2	3	4	6	10
35-49	2413	2.3	4	<1	<1	2	3	4	5	9
50-64	1792	2.4	4	<1	<1	2	3	5	6	9
65+	480	2.7	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	3.7	6	1	1	3	5	7	8	12
20-34	316	4.5	11	1	2	4	6	8	11	18
35-49	431	4.6	11	1	1	4	6	9	11	16
50-64	618	4.9	12	1	1	4	6	9	12	18
65+	773	5.6	14	1	2	5	7	11	14	18
B. *Operated*										
0-19 YRS	280	3.0	9	<1	<1	2	4	7	9	15
20-34	1198	3.3	12	<1	1	2	4	7	10	18
35-49	2278	3.2	10	<1	1	2	4	6	9	15
50-64	2299	3.6	13	1	1	3	4	7	10	18
65+	1207	5.0	27	<1	1	3	6	10	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1273	3.5	6	1	1	3	5	7	8	12
B. *Operated*	6687	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2399	4.9	12	1	2	4	6	9	12	18
B. *Operated*	7262	3.6	15	<1	1	3	4	7	10	20
1. SINGLE DX	7960	2.5	5	<1	<1	2	3	5	6	10
2. MULTIPLE DX	9661	3.9	14	1	1	3	5	8	11	19
A. NOT OPERATED	3672	4.4	10	1	1	4	6	8	11	17
B. OPERATED	13949	3.0	10	<1	<1	2	4	6	8	16
TOTAL 0-19 YRS	1491	2.9	5	<1	1	2	4	6	7	12
20-34	3271	2.9	9	<1	<1	2	3	6	8	14
35-49	5412	2.9	8	<1	1	2	4	6	8	14
50-64	4895	3.3	10	<1	1	3	4	6	9	16
65+	2552	4.7	20	<1	1	3	6	10	13	22
GRAND TOTAL	**17621**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49	8	2.4	3	<1	<1	2	3	5	6	6
50-64	8	2.1	1	<1	<1	2	3	4	4	4
65+	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	506	2.1	3	<1	1	2	3	4	4	6
20-34	992	2.1	2	<1	1	2	3	4	4	6
35-49	1309	2.3	3	<1	1	2	3	4	5	7
50-64	1313	2.3	2	<1	1	2	3	4	5	7
65+	560	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	5	<1	<1	1	1	5	7	7
20-34	20	2.1	7	<1	<1	<1	1	5	9	12
35-49	37	1.9	5	<1	<1	1	2	4	4	14
50-64	63	1.6	2	<1	<1	1	2	3	4	10
65+	43	2.7	6	<1	<1	2	3	7	8	11
B. *Operated*										
0-19 YRS	604	2.3	2	1	1	2	3	4	5	6
20-34	1664	2.5	3	1	1	2	3	4	5	7
35-49	2795	2.6	2	1	1	2	3	5	5	8
50-64	4547	2.7	3	1	1	2	4	5	6	8
65+	3302	3.2	8	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	4680	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	171	2.0	5	<1	<1	1	2	4	7	12
B. *Operated*	12912	2.8	4	1	1	2	4	5	6	8
1. SINGLE DX	4708	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	13083	2.8	4	1	1	2	4	5	6	8
A. NOT OPERATED	199	2.0	4	<1	<1	1	2	4	6	12
B. OPERATED	17592	2.6	4	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	1120	2.2	2	<1	1	2	3	4	4	6
20-34	2683	2.3	2	<1	1	2	3	4	5	7
35-49	4149	2.5	3	<1	1	2	3	4	5	8
50-64	5931	2.6	3	1	1	2	3	5	5	8
65+	3908	3.1	7	1	1	3	4	5	7	11
GRAND TOTAL	**17791**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	2.9	3	1	1	3	4	6	6	6
35-49	7	1.9		<1	<1	2	2	3	3	3
50-64	14	2.6	7	<1	<1	1	3	8	9	9
65+	8	3.8	8	<1	<1	3	6	8	8	8
B. *Operated*										
0-19 YRS	274	1.4	1	<1	<1	<1	1	2	3	6
20-34	565	1.4	1	<1	<1	<1	1	2	3	4
35-49	443	1.6	2	<1	<1	1	2	3	4	6
50-64	317	1.8	1	<1	<1	1	2	3	4	7
65+	135	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	15	2.2	6	<1	<1	1	3	4	8	10
35-49	22	3.6	9	<1	<1	3	4	9	10	10
50-64	36	3.8	7	<1	1	3	5	8	9	10
65+	39	5.1	19	1	1	3	8	12	15	18
B. *Operated*										
0-19 YRS	59	1.4	1	<1	<1	1	2	3	3	5
20-34	171	1.9	2	<1	<1	1	2	4	4	8
35-49	261	2.8	11	<1	<1	2	3	5	8	15
50-64	334	3.2	11	<1	1	2	4	6	8	21
65+	285	3.7	13	<1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.6	5	<1	<1	2	3	7	8	9
B. *Operated*	1734	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	115	3.9	12	<1	<1	3	5	9	11	16
B. *Operated*	1110	2.9	10	<1	<1	2	4	6	8	15
1. SINGLE DX	1774	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1225	3.0	10	<1	<1	2	4	6	8	15
A. NOT OPERATED	155	3.6	10	<1	<1	3	5	9	10	15
B. OPERATED	2844	2.1	5	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	340	1.4	1	<1	<1	1	1	2	3	5
20-34	758	1.5	1	<1	<1	1	2	3	4	6
35-49	733	2.1	6	<1	<1	1	2	4	5	12
50-64	701	2.6	7	<1	<1	2	3	5	7	12
65+	467	3.4	11	<1	<1	2	4	7	9	15
GRAND TOTAL	**2999**	**2.2**	**6**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	10.3	58	1	2	9	14	21	24	36
20-34	90	7.3	45	1	1	6	9	13	21	36
35-49	83	8.1	48	1	2	7	11	15	19	40
50-64	62	9.6	73	1	2	7	14	18	22	53
65+	47	11.0	144	1	2	7	14	21	26	78
B. *Operated*										
0-19 YRS	248	11.1	94	1	2	9	14	25	32	43
20-34	251	9.3	79	1	2	7	12	20	27	43
35-49	213	9.5	116	1	2	7	12	21	30	93
50-64	177	11.5	101	1	2	9	16	27	32	44
65+	156	10.4	123	1	2	7	14	21	27	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	13.1	83	3	4	11	19	27	31	42
20-34	191	10.2	93	2	2	7	13	23	32	44
35-49	298	11.9	90	2	3	9	15	24	31	49
50-64	427	13.5	123	2	3	10	18	29	38	47
65+	662	14.4	121	3	5	11	18	29	38	57
B. *Operated*										
0-19 YRS	459	18.5	251	3	5	14	23	41	48	84
20-34	775	17.0	238	2	4	12	22	41	53	78
35-49	1006	17.4	224	2	4	13	23	41	51	70
50-64	1458	17.7	233	3	4	13	24	40	48	81
65+	1844	18.6	215	3	5	14	24	41	48	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	9.4	65	1	2	7	12	19	23	38
B. *Operated*	1045	10.3	101	1	2	7	14	23	31	52
2. MULTIPLE DX										
A. *Not Operated*	1881	13.2	109	2	4	10	17	28	35	48
B. *Operated*	5542	17.9	227	3	4	13	24	41	49	80
1. SINGLE DX	1566	10.0	89	1	2	7	13	21	29	46
2. MULTIPLE DX	7423	16.7	202	3	4	12	22	37	46	73
A. NOT OPERATED	2402	12.4	102	2	3	10	16	26	33	48
B. OPERATED	6587	16.7	215	2	3	12	22	38	47	77
TOTAL 0-19 YRS	1249	14.1	154	2	3	11	18	29	40	65
20-34	1307	13.8	187	2	2	9	17	33	43	63
35-49	1600	14.8	187	2	3	10	19	34	46	65
50-64	2124	16.1	201	2	4	11	21	35	45	74
65+	2709	17.0	192	3	4	13	22	37	46	76
GRAND TOTAL	**8989**	**15.5**	**189**	**2**	**3**	**11**	**20**	**34**	**44**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	4.8	22	<1	<1	3	7	10	14	26
20-34	223	2.9	6	<1	1	2	3	6	8	13
35-49	355	2.9	10	1	1	2	3	5	6	12
50-64	264	3.9	20	1	1	3	5	7	9	15
65+	433	5.7	22	1	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	2282	3.7	11	<1	1	3	5	7	10	17
20-34	2246	3.4	8	1	1	3	4	7	9	13
35-49	1420	4.2	12	1	1	3	5	9	11	15
50-64	949	5.3	17	1	1	4	8	11	13	19
65+	599	7.8	31	1	2	7	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	6.1	77	<1	1	4	7	13	21	91
20-34	535	3.7	22	<1	1	3	4	7	10	31
35-49	1110	4.4	28	1	1	3	5	8	12	31
50-64	1958	6.0	29	1	2	4	8	12	16	28
65+	9219	8.4	45	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	1140	5.5	54	1	1	3	6	11	17	39
20-34	2032	5.3	39	1	1	4	7	11	15	30
35-49	1959	7.1	68	1	1	5	9	14	21	43
50-64	2457	9.8	88	1	2	8	12	19	26	56
65+	4300	13.1	96	2	4	11	16	24	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1577	4.2	18	1	1	3	5	9	11	20
B. *Operated*	7496	4.2	14	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	13111	7.5	43	1	2	6	10	14	19	33
B. *Operated*	11888	9.4	86	1	2	7	12	19	26	52
1. SINGLE DX	9073	4.2	15	1	1	3	5	9	11	18
2. MULTIPLE DX	24999	8.4	64	1	2	6	11	17	22	43
A. NOT OPERATED	14688	7.1	41	1	2	6	9	14	18	32
B. OPERATED	19384	7.4	65	1	1	5	10	16	22	42
TOTAL 0-19 YRS	4013	4.5	30	<1	1	3	5	9	13	29
20-34	5036	4.2	23	1	1	3	5	8	11	23
35-49	4844	5.4	41	1	1	3	7	11	15	33
50-64	5628	7.5	57	1	2	5	10	15	20	42
65+	14551	9.7	64	2	3	8	12	18	23	44
GRAND TOTAL	**34072**	**7.3**	**55**	**1**	**1**	**5**	**10**	**15**	**20**	**37**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	7.1	230	1	1	3	5	20	50	55
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64	3	4.3	24	<1	<1	2	8	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	505	3.2	8	<1	1	3	4	6	7	12
20-34	224	3.1	6	<1	<1	2	4	6	8	12
35-49	160	2.9	5	<1	<1	2	3	6	8	10
50-64	111	2.9	4	<1	<1	3	4	6	7	10
65+	47	5.4	21	1	1	4	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.3	31	<1	<1	1	3	6	11	33
20-34	19	5.2	85	<1	<1	1	6	10	27	41
35-49	17	8.1	99	<1	<1	5	10	28	33	33
50-64	24	6.8	56	<1	<1	4	11	22	44	99+
65+	59	18.7	378	1	2	12	23	46	65	84
B. *Operated*										
0-19 YRS	1128	4.5	32	1	1	3	5	8	11	34
20-34	493	4.6	31	1	1	3	6	9	13	25
35-49	341	4.2	14	1	1	3	5	8	10	19
50-64	447	5.2	27	1	1	4	6	10	13	22
65+	273	6.2	27	1	1	4	8	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	129	<1	<1	3	5	9	28	55
B. *Operated*	1047	3.2	7	<1	<1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	175	9.6	205	<1	<1	4	12	27	41	82
B. *Operated*	2682	4.8	28	1	1	4	6	9	12	25
1. SINGLE DX	1069	3.3	10	<1	<1	3	4	6	8	13
2. MULTIPLE DX	2857	5.1	41	1	1	4	6	10	14	33
A. NOT OPERATED	197	9.2	198	<1	<1	4	11	25	41	80
B. OPERATED	3729	4.3	23	<1	1	3	5	8	11	23
TOTAL 0-19 YRS	1701	4.1	26	1	1	3	5	7	10	28
20-34	738	4.2	25	<1	1	3	5	8	10	24
35-49	522	3.9	15	<1	1	3	5	8	10	20
50-64	585	4.8	25	<1	1	4	6	10	13	23
65+	380	8.0	101	1	1	5	9	16	23	63
GRAND TOTAL	**3926**	**4.6**	**33**	**<1**	**1**	**3**	**5**	**9**	**12**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	36	4.5	24	<1	1	3	6	10	12	26
35-49	57	4.7	55	<1	1	2	6	10	14	50
50-64	35	4.7	7	1	2	4	6	8	9	14
65+	17	3.9	11	<1	1	2	5	10	11	11
B. *Operated*										
0-19 YRS	5	4.0	10	1	1	3	6	9	9	9
20-34	46	3.0	14	<1	1	2	3	7	11	18
35-49	67	2.7	6	1	1	2	4	6	8	11
50-64	45	3.6	6	1	1	3	5	7	9	9
65+	13	5.6	61	1	1	3	6	14	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	11	1	1	2	3	9	10	10
20-34	45	5.6	8	1	2	6	8	9	11	12
35-49	104	6.3	29	1	2	5	8	12	18	30
50-64	128	5.6	15	1	2	4	7	11	13	20
65+	163	6.4	28	1	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	36	4.9	16	1	1	4	7	10	14	18
35-49	64	6.8	46	1	1	3	10	15	23	27
50-64	62	6.2	40	1	1	5	9	12	17	37
65+	42	10.1	91	1	2	6	14	23	34	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.5	30	<1	1	3	6	9	11	27
B. *Operated*	176	3.3	12	1	1	2	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	446	6.0	22	1	2	5	8	11	14	25
B. *Operated*	207	6.9	50	1	1	5	9	15	20	37
1. SINGLE DX	324	3.8	21	1	1	2	5	8	10	20
2. MULTIPLE DX	653	6.3	31	1	2	5	8	12	15	29
A. NOT OPERATED	594	5.6	24	1	1	5	7	11	13	25
B. OPERATED	383	5.2	36	1	1	3	7	12	16	33
TOTAL 0-19 YRS	17	3.9	8	<1	1	3	5	9	10	10
20-34	163	4.5	16	1	1	3	7	9	11	18
35-49	292	5.3	35	1	1	3	7	12	15	28
50-64	270	5.3	19	1	1	4	7	10	13	20
65+	235	6.8	42	1	2	5	8	13	18	36
GRAND TOTAL	**977**	**5.5**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	2.3	7	<1	<1	1	3	4	6	14
20-34	510	3.8	13	1	1	3	5	8	10	17
35-49	554	4.0	15	1	1	3	5	8	10	21
50-64	328	3.7	11	1	1	3	5	8	9	17
65+	165	4.1	9	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	1275	5.4	16	<1	1	6	8	10	11	16
20-34	1481	3.7	15	<1	1	2	5	9	11	18
35-49	1387	3.4	13	<1	1	2	4	8	10	17
50-64	1225	2.9	11	<1	1	2	3	6	9	16
65+	689	3.0	11	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	3.9	50	<1	1	2	4	8	11	18
20-34	1033	4.7	20	1	1	3	6	9	12	20
35-49	1490	4.9	18	1	1	4	6	9	12	24
50-64	1473	4.9	21	1	1	4	6	10	13	22
65+	1915	5.8	30	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	1928	6.3	72	1	1	3	9	13	21	43
20-34	2313	4.7	39	1	1	3	6	10	15	31
35-49	2416	5.0	39	1	1	3	6	11	16	31
50-64	2282	5.6	46	1	1	3	7	12	18	33
65+	1919	6.7	65	1	1	4	8	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1917	3.6	12	<1	1	3	5	7	9	17
B. *Operated*	6057	3.7	14	<1	1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	6370	5.1	25	1	1	4	6	10	13	23
B. *Operated*	10858	5.6	52	1	1	3	7	12	18	37
1. SINGLE DX	7974	3.7	13	<1	1	2	5	9	10	17
2. MULTIPLE DX	17228	5.4	42	1	1	3	7	11	16	32
A. NOT OPERATED	8287	4.7	23	1	1	3	6	9	12	22
B. OPERATED	16915	4.9	39	1	1	3	7	11	15	31
TOTAL 0-19 YRS	4022	5.4	47	<1	1	3	8	11	14	35
20-34	5337	4.3	26	<1	1	3	5	9	13	26
35-49	5847	4.5	26	1	1	3	6	9	13	25
50-64	5308	4.7	30	1	1	3	6	10	14	26
65+	4688	5.7	42	1	1	4	7	12	16	33
GRAND TOTAL	**25202**	**4.9**	**34**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	4.3	14	1	1	3	7	10	13	13
35-49	22	4.7	18	<1	1	5	6	8	15	19
50-64	5	5.0	6	2	2	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	17	1.9	2	<1	1	1	2	5	5	5
35-49	10	2.7	6	1	1	2	3	7	9	9
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	4	1	1	4	5	44	95	99+
20-34	84	5.2	9	1	2	5	7	10	11	14
35-49	138	4.8	9	1	2	4	6	8	12	14
50-64	58	4.0	4	2	2	3	5	7	9	9
65+	33	4.9	7	2	2	4	6	9	10	11
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	24	5.0	21	1	1	4	6	12	17	18
35-49	23	4.6	29	<1	1	2	5	12	17	24
50-64	14	4.9	35	1	1	3	5	10	21	24
65+	4	10.8	43	5	5	9	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.6	14	<1	1	4	6	7	13	19
B. *Operated*	32	2.3	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	323	4.7	8	1	2	4	6	9	10	14
B. *Operated*	66	5.3	29	1	1	4	6	13	18	24
1. SINGLE DX	70	3.6	11	1	1	2	5	7	9	18
2. MULTIPLE DX	389	4.8	11	1	2	4	6	9	12	19
A. NOT OPERATED	361	4.7	9	1	2	4	6	9	11	14
B. OPERATED	98	4.3	23	1	1	2	5	10	15	24
TOTAL 0-19 YRS	15	3.8	9	1	1	4	6	11	74	99+
20-34	135	4.7	11	1	1	4	6	9	12	16
35-49	193	4.7	12	1	1	4	6	8	12	18
50-64	79	4.2	9	1	2	3	5	8	9	20
65+	37	5.5	13	2	2	4	7	10	12	19
GRAND TOTAL	**459**	**4.6**	**11**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	4	<1	<1	1	2	4	6	12
20-34	9	4.7	10	1	1	3	7	9	10	10
35-49	6	3.3	3	1	1	3	5	6	6	6
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	6	2.8	3	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	244	4.9	11	1	1	4	6	9	11	18
20-34	37	5.5	12	2	2	5	7	10	13	17
35-49	33	8.0	31	1	1	7	11	17	19	23
50-64	12	4.8	10	1	1	4	7	9	10	10
65+	7	10.4	49	2	3	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	4.8	70	<1	1	3	5	13	29	99+
20-34	34	4.4	13	<1	1	4	5	10	11	14
35-49	19	5.4	35	1	1	4	6	9	19	28
50-64	9	14.2	651	<1	<1	6	12	54	81	81
65+	24	8.4	131	1	1	4	11	16	34	54
B. *Operated*										
0-19 YRS	514	9.5	112	1	2	6	11	22	29	62
20-34	78	10.6	109	1	1	8	13	23	38	88
35-49	62	9.6	76	1	2	7	13	16	25	51
50-64	44	9.7	74	1	2	10	13	16	19	53
65+	27	8.2	39	2	2	6	11	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.5	5	<1	<1	2	3	5	8	11
B. *Operated*	333	5.4	15	1	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	417	5.2	80	<1	1	3	5	13	26	99+
B. *Operated*	725	9.6	103	1	2	7	12	20	29	60
1. SINGLE DX	438	4.7	14	1	1	4	6	9	12	19
2. MULTIPLE DX	1142	8.0	99	1	1	5	10	18	28	99+
A. NOT OPERATED	522	4.7	66	<1	1	2	5	11	22	99+
B. OPERATED	1058	8.3	79	1	2	6	10	17	24	58
TOTAL 0-19 YRS	1170	6.7	78	1	1	4	8	16	25	99+
20-34	158	7.7	67	1	1	5	10	16	23	57
35-49	120	8.2	56	1	2	6	11	16	20	40
50-64	68	9.2	135	1	1	6	12	16	18	76
65+	64	8.0	72	1	2	5	11	17	23	50
GRAND TOTAL	**1580**	**7.1**	**78**	**1**	**1**	**5**	**9**	**16**	**24**	**92**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.5	4	<1	<1	<1	1	2	3	14
20-34	8	3.9	14	1	1	2	6	10	11	11
35-49	7	4.7	6	<1	1	5	6	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	927	1.7	2	<1	<1	1	2	3	5	7
20-34	260	1.8	2	<1	<1	1	2	3	5	8
35-49	112	1.9	5	<1	<1	1	2	3	4	13
50-64	73	1.9	3	<1	1	2	2	4	5	10
65+	34	1.9	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	2.0	5	<1	<1	1	2	4	7	12
20-34	11	3.7	8	<1	<1	2	6	7	9	9
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	4	3.8	5	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	455	2.3	6	<1	1	2	2	5	7	11
20-34	118	2.3	3	<1	1	2	3	5	6	8
35-49	69	2.3	2	1	1	2	3	4	5	7
50-64	72	2.5	7	<1	<1	2	3	5	7	15
65+	66	2.3	12	<1	1	2	2	3	4	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	1.9	6	<1	<1	<1	1	4	7	14
B. *Operated*	1406	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	94	2.2	5	<1	<1	1	2	6	7	11
B. *Operated*	780	2.3	6	<1	1	2	3	4	6	11
1. SINGLE DX	1513	1.8	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	874	2.3	5	<1	<1	2	3	5	6	11
A. NOT OPERATED	201	2.0	5	<1	<1	1	2	5	7	12
B. OPERATED	2186	2.0	3	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	1546	1.9	3	<1	<1	1	2	4	5	9
20-34	397	2.1	3	<1	1	2	2	4	6	9
35-49	190	2.2	4	<1	1	2	3	4	5	9
50-64	150	2.2	5	<1	<1	2	2	4	5	12
65+	104	2.2	8	<1	1	2	2	4	5	17
GRAND TOTAL	**2387**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.8	11	<1	1	2	3	6	8	19
20-34	14	2.9	4	<1	<1	2	4	6	8	8
35-49	7	1.9		<1	<1	2	2	3	3	3
50-64	11	3.9	6	<1	1	4	6	7	8	8
65+	7	5.1	12	1	1	4	7	10	11	11
B. *Operated*										
0-19 YRS	1697	4.1	11	1	1	2	6	8	10	15
20-34	244	4.6	20	1	1	2	7	9	11	22
35-49	155	4.7	22	1	1	2	7	10	14	19
50-64	85	3.9	15	1	1	2	7	9	11	17
65+	21	5.2	28	1	1	3	7	13	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	702	4.1	37	<1	<1	2	5	8	13	33
20-34	104	3.6	18	1	1	3	4	7	9	26
35-49	67	4.5	25	1	1	3	6	8	11	33
50-64	85	4.3	11	1	1	3	6	7	11	18
65+	141	5.7	15	1	2	5	7	11	14	17
B. *Operated*										
0-19 YRS	4331	7.1	92	1	1	5	9	15	22	62
20-34	451	6.7	60	1	1	4	9	14	19	43
35-49	328	7.6	68	1	1	6	10	15	22	44
50-64	337	8.2	83	1	1	7	10	16	23	65
65+	264	9.7	86	1	2	8	13	20	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.0	10	<1	1	2	3	6	8	13
B. *Operated*	2202	4.2	13	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1099	4.3	30	<1	1	3	5	9	13	28
B. *Operated*	5711	7.3	88	1	1	5	9	15	22	56
1. SINGLE DX	2352	4.1	13	1	1	2	6	9	10	17
2. MULTIPLE DX	6810	6.8	79	1	1	4	9	15	20	54
A. NOT OPERATED	1249	4.1	27	<1	1	3	5	8	12	27
B. OPERATED	7913	6.4	69	1	1	4	8	13	19	48
TOTAL 0-19 YRS	6841	6.0	67	1	1	4	8	12	18	50
20-34	813	5.6	43	1	1	3	8	11	16	33
35-49	557	6.3	51	1	1	4	8	13	17	40
50-64	518	6.7	62	1	1	5	9	14	18	46
65+	433	8.1	63	1	1	6	11	16	22	39
GRAND TOTAL	**9162**	**6.1**	**64**	**1**	**1**	**4**	**8**	**13**	**18**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	6	<1	<1	2	3	6	9	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1301	3.0	3	1	1	3	4	5	6	8
20-34	21	2.1	2	1	1	2	3	4	5	6
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	1.5	3	<1	<1	1	1	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1309	3.4	6	1	1	3	4	6	7	11
20-34	38	2.6	3	1	1	2	3	5	6	8
35-49	21	2.9	2	1	1	3	4	5	6	6
50-64	5	3.0	3	1	1	3	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	6	<1	<1	2	3	6	9	10
B. *Operated*	1331	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	122	1.5	3	<1	<1	1	1	3	4	11
B. *Operated*	1374	3.4	6	1	1	3	4	6	7	11
1. SINGLE DX	1343	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1496	3.2	6	1	1	3	4	5	6	11
A. NOT OPERATED	134	1.6	3	<1	<1	1	1	3	4	11
B. OPERATED	2705	3.2	4	1	1	3	4	5	6	9
TOTAL 0-19 YRS	2744	3.1	4	1	1	3	4	5	6	9
20-34	59	2.4	2	1	1	2	3	4	6	8
35-49	29	2.8	2	1	1	3	4	5	5	6
50-64	6	2.7	3	1	1	2	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**2839**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.2	2	<1	1	2	3	4	4	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1316	3.2	2	1	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	3	1	1	2	3	5	6	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	510	4.8	18	2	2	4	5	7	9	22
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.2	2	<1	1	2	3	4	4	8
B. *Operated*	1316	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	50	2.6	3	1	1	2	3	5	6	10
B. *Operated*	510	4.8	18	2	2	4	5	7	9	22
1. SINGLE DX	1385	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX	560	4.6	17	2	2	4	5	7	9	21
A. NOT OPERATED	119	2.3	3	<1	1	2	3	4	5	9
B. OPERATED	1826	3.6	7	2	2	3	4	6	7	12
TOTAL 0-19 YRS	1945	3.6	7	1	2	3	4	6	7	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1945**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.0	39	<1	<1	2	3	6	9	64
20-34	7	3.9	6	<1	<1	4	6	7	7	7
35-49	12	3.1	5	<1	<1	3	4	6	8	8
50-64	8	1.9	2	<1	<1	<1	3	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	748	5.0	29	<1	1	3	7	11	15	26
20-34	108	4.1	8	1	1	4	6	8	9	14
35-49	65	4.8	11	1	1	5	7	9	11	13
50-64	34	5.3	13	1	1	6	7	10	12	14
65+	16	6.4	20	<1	1	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	5.9	114	<1	1	3	6	12	21	78
20-34	28	5.1	14	1	2	4	7	12	13	14
35-49	29	5.0	16	<1	1	4	7	11	15	16
50-64	37	4.7	8	1	2	4	6	10	11	12
65+	80	5.5	19	1	2	4	6	10	14	25
B. *Operated*										
0-19 YRS	1267	9.2	144	1	1	6	11	20	32	80
20-34	208	6.5	34	1	1	6	8	11	15	22
35-49	163	7.5	39	1	1	6	9	15	19	33
50-64	115	8.9	48	1	2	8	11	16	23	34
65+	142	10.5	70	1	3	8	13	20	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	3.0	34	<1	<1	2	3	6	8	46
B. *Operated*	971	4.9	25	<1	1	4	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	580	5.7	84	<1	1	3	6	11	18	57
B. *Operated*	1895	8.8	112	1	1	6	10	18	28	72
1. SINGLE DX	1170	4.6	27	<1	1	3	6	10	13	25
2. MULTIPLE DX	2475	8.1	107	1	1	5	9	17	26	69
A. NOT OPERATED	779	5.0	73	<1	1	3	5	10	16	57
B. OPERATED	2866	7.5	86	1	1	5	9	16	23	58
TOTAL 0-19 YRS	2592	7.0	104	1	1	4	8	16	24	70
20-34	351	5.6	25	1	1	5	7	10	13	21
35-49	269	6.4	30	1	1	5	8	13	18	23
50-64	194	7.2	37	1	1	6	10	15	17	33
65+	239	8.5	56	1	2	6	11	17	21	40
GRAND TOTAL	**3645**	**7.0**	**84**	**1**	**1**	**4**	**8**	**15**	**21**	**58**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	2	3	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1157	1.5	1	<1	<1	1	2	3	3	5
20-34	85	2.0	2	<1	1	2	2	3	4	8
35-49	29	2.0	1	<1	<1	2	3	3	4	4
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.1		<1	<1	<1	1	2	2	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	1093	1.8	2	<1	<1	1	2	3	4	7
20-34	110	2.6	4	1	1	2	3	5	6	10
35-49	54	2.3	2	1	1	2	3	4	5	5
50-64	13	2.5	1	1	1	2	3	4	5	5
65+	9	1.7	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	1278	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	60	1.1		<1	<1	<1	1	2	2	4
B. *Operated*	1279	1.9	2	<1	<1	1	2	3	4	7
1. SINGLE DX	1297	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1339	1.8	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	79	1.2		<1	<1	1	1	2	3	4
B. OPERATED	2557	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	2323	1.6	1	<1	<1	1	2	3	4	6
20-34	199	2.3	3	<1	1	2	3	5	6	10
35-49	84	2.1	1	<1	1	2	3	4	4	5
50-64	18	2.2	1	<1	1	2	3	4	5	5
65+	12	1.5	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**2636**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.1	4	<1	<1	1	2	3	5	12
20-34	45	2.8	3	1	1	2	3	5	7	9
35-49	27	3.1	4	1	1	2	4	6	7	9
50-64	11	3.4	4	1	1	2	4	7	8	8
65+	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1711	3.9	11	<1	1	3	6	8	10	15
20-34	325	3.6	7	<1	1	3	5	7	9	12
35-49	108	3.9	5	1	1	4	5	7	8	10
50-64	64	5.4	15	1	1	5	7	10	13	19
65+	24	4.1	7	<1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	2.4	5	<1	<1	2	3	6	7	12
20-34	73	3.7	5	<1	1	3	5	8	9	10
35-49	93	3.4	6	1	1	3	4	6	9	11
50-64	75	4.8	15	1	1	4	6	9	13	20
65+	46	5.1	11	1	2	4	7	9	12	15
B. *Operated*										
0-19 YRS	1335	5.9	37	1	1	4	8	12	16	29
20-34	529	5.1	13	1	1	5	6	10	12	19
35-49	326	5.9	19	1	2	5	7	11	14	23
50-64	198	7.5	74	1	2	5	9	14	19	49
65+	156	8.3	47	1	2	7	10	17	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	2232	3.9	10	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	416	3.6	9	<1	1	3	5	7	9	14
B. *Operated*	2544	6.0	34	1	1	5	7	12	16	28
1. SINGLE DX	2365	3.9	10	<1	1	3	5	8	10	14
2. MULTIPLE DX	2960	5.7	31	1	1	4	7	11	15	27
A. NOT OPERATED	549	3.4	8	<1	1	2	4	7	9	13
B. OPERATED	4776	5.0	24	<1	1	4	7	10	13	23
TOTAL 0-19 YRS	3219	4.7	23	<1	1	3	6	10	13	21
20-34	972	4.4	10	<1	1	4	5	8	10	16
35-49	554	5.0	15	1	1	4	6	9	11	21
50-64	348	6.4	50	1	1	5	8	12	17	28
65+	232	7.1	37	1	2	6	9	14	19	30
GRAND TOTAL	**5325**	**4.9**	**22**	**<1**	**1**	**4**	**6**	**10**	**13**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	39	1	1	1	3	13	21	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1100	2.8	4	1	1	2	3	5	6	11
20-34	42	3.1	3	1	1	3	4	6	7	8
35-49	27	3.4	5	1	1	3	5	6	8	10
50-64	24	2.7	2	1	1	3	4	4	5	7
65+	11	3.7	16	<1	<1	2	4	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	1.7	5	<1	<1	1	1	3	5	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	759	3.5	10	1	1	3	4	6	8	14
20-34	150	3.1	5	1	1	3	4	5	6	9
35-49	141	3.0	4	1	1	3	4	5	7	10
50-64	144	3.0	3	1	1	3	4	6	7	8
65+	73	3.4	4	<1	1	3	4	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	36	1	1	1	3	11	20	21
B. *Operated*	1204	2.8	4	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	80	1.7	5	<1	<1	1	1	3	5	13
B. *Operated*	1267	3.3	7	1	1	3	4	6	8	13
1. SINGLE DX	1215	2.8	4	1	1	2	4	5	6	11
2. MULTIPLE DX	1347	3.2	7	1	1	3	4	6	8	13
A. NOT OPERATED	91	1.9	8	<1	<1	1	1	3	5	18
B. OPERATED	2471	3.1	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	1946	3.0	6	1	1	3	4	5	7	13
20-34	194	3.1	5	1	1	3	4	5	6	9
35-49	169	3.1	4	1	1	3	4	5	7	10
50-64	169	2.9	3	1	1	3	4	5	6	8
65+	84	3.4	6	<1	1	3	4	7	8	13
GRAND TOTAL	**2562**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	2.8	19	<1	<1	1	3	6	9	22
20-34	66	5.1	28	1	1	4	6	10	15	28
35-49	42	4.4	14	<1	1	3	6	9	13	18
50-64	35	4.4	11	<1	1	4	7	10	11	12
65+	16	3.8	6	1	2	3	4	6	10	12
B. *Operated*										
0-19 YRS	3278	3.6	14	<1	1	2	5	7	9	19
20-34	843	3.4	22	<1	1	2	4	8	10	14
35-49	484	3.7	13	<1	1	2	5	9	11	17
50-64	228	3.7	12	1	1	2	5	8	10	17
65+	70	4.6	27	1	1	3	6	9	10	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	691	4.8	45	<1	1	3	5	11	18	42
20-34	145	5.8	31	1	1	4	7	11	17	41
35-49	151	5.9	23	1	1	5	8	11	14	32
50-64	117	6.1	29	1	2	5	7	11	15	34
65+	150	6.9	30	2	2	6	8	12	20	26
B. *Operated*										
0-19 YRS	2323	6.1	74	1	1	4	7	12	20	59
20-34	701	5.6	43	1	1	4	8	12	15	28
35-49	597	5.8	26	1	1	5	9	11	13	22
50-64	468	7.3	55	1	1	6	10	14	19	37
65+	231	8.5	47	1	2	7	12	18	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.4	20	<1	<1	2	4	7	11	23
B. *Operated*	4903	3.6	16	<1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1254	5.4	38	<1	1	4	7	11	16	37
B. *Operated*	4320	6.2	59	1	1	4	8	13	18	38
1. SINGLE DX	5398	3.6	16	<1	1	2	5	8	10	18
2. MULTIPLE DX	5574	6.1	55	1	1	4	8	12	18	38
A. NOT OPERATED	1749	4.8	34	<1	1	3	6	10	15	36
B. OPERATED	9223	4.8	38	1	1	3	6	10	14	29
TOTAL 0-19 YRS	6628	4.6	40	<1	1	3	5	9	14	33
20-34	1755	4.5	33	1	1	3	6	10	13	25
35-49	1274	4.9	22	1	1	3	7	11	13	19
50-64	848	6.1	40	1	1	4	8	12	16	33
65+	467	7.2	39	1	2	6	9	15	20	30
GRAND TOTAL	**10972**	**4.8**	**37**	**<1**	**1**	**3**	**6**	**10**	**14**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8030	2.9	11	1	1	2	3	5	7	18
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	170	5.6	49	<1	1	3	7	13	17	45
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5733	8.5	126	1	2	4	10	22	31	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	615	18.8	419	1	2	11	28	69	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8030	2.9	11	1	1	2	3	5	7	18
B. *Operated*	170	5.6	49	<1	1	3	7	13	17	45
2. MULTIPLE DX										
A. *Not Operated*	5733	8.5	126	1	2	4	10	22	31	59
B. *Operated*	615	18.8	419	1	2	11	28	69	99+	99+
1. SINGLE DX	8200	2.9	11	1	1	2	3	5	8	19
2. MULTIPLE DX	6348	9.5	163	1	2	4	11	25	38	85
A. NOT OPERATED	13763	5.2	66	1	1	3	5	12	20	43
B. OPERATED	785	16.0	368	1	2	9	23	61	92	99+
TOTAL 0-19 YRS	14548	5.8	88	1	1	3	5	14	24	59
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**14548**	**5.8**	**88**	**1**	**1**	**3**	**5**	**14**	**24**	**59**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4204	2.3	4	1	1	2	3	4	5	8
20-34	1517	2.6	5	<1	1	2	3	5	6	10
35-49	845	2.7	3	1	1	2	3	5	6	9
50-64	483	2.9	4	1	1	2	4	5	7	11
65+	394	3.5	9	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	37	3.5	7	1	1	2	5	6	10	12
20-34	31	3.1	4	1	1	3	5	6	6	10
35-49	32	3.8	8	1	1	3	5	7	9	14
50-64	20	4.1	8	<1	1	4	6	9	10	10
65+	18	3.6	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8285	2.8	7	1	1	2	3	5	6	12
20-34	2682	3.7	11	1	1	3	5	7	9	16
35-49	2775	4.4	18	1	1	3	5	8	11	21
50-64	3228	5.0	20	1	1	4	6	9	12	23
65+	5869	6.1	31	1	2	5	7	11	15	28
B. *Operated*										
0-19 YRS	189	6.4	49	1	1	4	7	13	22	40
20-34	205	7.7	130	1	1	4	9	14	20	69
35-49	222	7.8	62	1	2	6	9	16	25	39
50-64	338	11.3	178	2	2	7	13	24	33	92
65+	511	11.4	127	2	3	8	14	23	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7443	2.5	4	1	1	2	3	5	6	10
B. *Operated*	138	3.6	6	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	22839	4.2	18	1	1	3	5	8	11	21
B. *Operated*	1465	9.7	123	1	2	6	12	20	29	82
1. SINGLE DX	7581	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	24304	4.6	26	1	1	3	5	9	12	25
A. NOT OPERATED	30282	3.8	15	1	1	3	5	7	10	19
B. OPERATED	1603	9.2	116	1	2	8	11	19	28	78
TOTAL 0-19 YRS	12715	2.7	7	1	1	2	3	5	6	12
20-34	4435	3.5	15	1	1	3	4	7	9	16
35-49	3874	4.2	19	1	1	3	5	8	10	22
50-64	4069	5.2	35	1	1	4	6	10	14	29
65+	6792	6.3	39	1	2	5	8	12	16	34
GRAND TOTAL	**31885**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1501	2.7	2	1	1	2	3	4	5	8
20-34	226	3.7	5	1	2	3	5	7	9	12
35-49	167	4.2	7	1	2	4	5	8	9	16
50-64	150	4.4	8	1	2	3	5	8	10	15
65+	164	4.7	10	1	2	4	6	8	11	15
B. *Operated*										
0-19 YRS	28	5.4	22	1	1	4	7	11	15	22
20-34	18	7.5	26	2	2	6	10	17	20	20
35-49	14	4.8	9	<1	1	4	7	9	10	10
50-64	15	6.9	17	2	3	6	9	11	16	18
65+	16	9.4	44	1	2	8	11	18	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3674	3.3	8	1	1	3	4	6	7	13
20-34	983	4.5	11	1	2	4	6	8	11	16
35-49	1009	5.3	23	2	2	4	6	9	12	23
50-64	1483	5.7	15	2	2	5	7	10	13	21
65+	3200	6.6	27	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	138	7.3	54	1	1	5	10	16	21	55
20-34	207	9.4	61	2	2	7	12	19	24	42
35-49	190	9.9	50	2	3	8	13	18	24	33
50-64	377	11.1	82	3	3	9	14	22	27	44
65+	590	13.1	97	3	4	11	16	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2208	3.2	4	1	1	3	4	6	7	11
B. *Operated*	91	6.7	25	1	2	6	9	11	19	26
2. MULTIPLE DX										
A. *Not Operated*	10349	4.9	19	1	2	4	6	9	12	21
B. *Operated*	1502	11.2	82	2	3	9	15	22	28	50
1. SINGLE DX	2299	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	11851	5.7	31	1	2	4	7	11	15	28
A. NOT OPERATED	12557	4.6	17	1	2	4	6	9	12	20
B. OPERATED	1593	10.9	80	2	3	9	14	22	27	50
TOTAL 0-19 YRS	5341	3.2	8	1	1	3	4	5	7	14
20-34	1434	5.1	20	1	2	4	6	10	13	23
35-49	1380	5.8	28	1	2	4	7	10	14	26
50-64	2025	6.6	32	2	2	5	8	12	17	28
65+	3970	7.5	43	2	2	6	9	14	19	33
GRAND TOTAL	**14150**	**5.3**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	2.3	2	<1	1	2	3	4	5	7
20-34	826	2.9	5	1	1	2	4	5	7	10
35-49	520	3.1	6	1	1	2	4	6	7	13
50-64	194	2.8	5	1	1	2	4	5	7	13
65+	55	3.4	5	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	15	2.0	2	<1	1	2	2	3	6	7
20-34	127	2.8	5	1	1	2	4	5	8	12
35-49	93	3.4	11	1	1	2	4	6	9	21
50-64	57	2.9	5	1	1	2	4	6	8	10
65+	19	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	608	2.8	5	1	1	2	3	5	7	11
20-34	1591	4.0	10	1	1	3	5	8	10	17
35-49	1466	4.2	12	1	1	3	5	8	10	18
50-64	957	4.4	14	1	1	3	5	8	11	18
65+	812	4.3	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	30	3.6	9	1	1	3	5	6	7	16
20-34	194	5.0	16	1	1	4	7	10	13	19
35-49	235	5.2	19	1	1	4	7	10	15	19
50-64	177	5.9	19	1	2	5	7	13	14	19
65+	157	6.7	39	1	1	6	8	12	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1905	2.9	5	1	1	2	4	5	7	10
B. *Operated*	311	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	5434	4.0	11	1	1	3	5	8	10	16
B. *Operated*	793	5.5	22	1	1	4	7	11	15	20
1. SINGLE DX	2216	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	6227	4.2	13	1	1	3	5	8	11	18
A. NOT OPERATED	7339	3.7	10	1	1	3	5	7	9	16
B. OPERATED	1104	4.8	19	1	1	4	6	10	13	19
TOTAL 0-19 YRS	963	2.6	4	1	1	2	3	5	6	11
20-34	2738	3.7	9	1	1	3	5	7	9	16
35-49	2314	4.0	11	1	1	3	5	8	10	18
50-64	1385	4.3	14	1	1	3	5	8	11	18
65+	1043	4.6	16	1	1	4	6	9	11	18
GRAND TOTAL	**8443**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.8	1	<1	1	1	2	3	4	8
20-34	94	2.7	2	<1	1	2	4	5	5	8
35-49	139	2.8	2	<1	1	3	4	5	6	6
50-64	243	2.9	3	<1	1	3	4	6	6	7
65+	262	2.8	3	1	1	2	4	5	7	9
B. *Operated*										
0-19 YRS	46	3.1	9	<1	<1	1	6	8	9	12
20-34	121	4.1	7	1	1	4	5	7	9	13
35-49	231	3.6	4	1	1	3	5	6	7	10
50-64	314	4.1	6	1	1	4	5	6	8	13
65+	276	4.0	7	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.4	3	<1	1	2	3	5	6	9
20-34	109	3.0	5	1	1	2	4	6	7	11
35-49	268	3.4	5	1	1	3	4	6	8	10
50-64	718	3.7	8	1	1	3	5	6	8	14
65+	1334	3.7	12	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	52	3.3	11	<1	1	2	4	9	10	17
20-34	135	4.3	10	1	1	4	6	7	8	15
35-49	297	4.6	11	1	1	4	6	8	10	18
50-64	696	5.2	13	1	2	4	6	9	12	19
65+	1181	5.2	20	1	1	4	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	2.8	3	<1	1	2	4	5	6	8
B. *Operated*	988	3.9	6	1	1	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	2542	3.6	9	1	1	3	5	6	8	14
B. *Operated*	2361	5.0	16	1	1	4	6	9	12	21
1. SINGLE DX	1782	3.4	5	1	1	3	5	6	7	10
2. MULTIPLE DX	4903	4.3	13	1	1	4	5	8	10	18
A. NOT OPERATED	3336	3.4	8	1	1	3	4	6	8	12
B. OPERATED	3349	4.7	13	1	1	4	6	8	11	19
TOTAL 0-19 YRS	267	2.6	6	<1	1	2	3	6	8	11
20-34	459	3.6	7	1	1	3	5	7	8	12
35-49	935	3.7	6	1	1	3	5	7	8	13
50-64	1971	4.2	9	1	1	4	5	7	9	15
65+	3053	4.2	14	1	1	3	5	8	10	19
GRAND TOTAL	**6685**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.0	5	1	1	2	4	6	8	13
20-34	69	2.6	4	1	1	2	3	5	6	11
35-49	52	2.5	2	1	1	2	3	5	6	7
50-64	43	2.8	5	1	1	2	3	6	7	11
65+	34	2.2	3	<1	1	2	2	4	7	9
B. *Operated*										
0-19 YRS	200	1.7	2	<1	<1	1	2	3	4	10
20-34	270	1.8	3	<1	<1	1	2	3	5	11
35-49	175	1.7	1	<1	<1	1	2	3	4	7
50-64	126	2.1	3	<1	<1	1	2	4	6	10
65+	54	2.3	6	<1	<1	2	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.9	16	<1	1	3	5	8	10	25
20-34	201	3.2	7	1	1	2	4	6	8	15
35-49	282	4.0	22	1	1	3	5	8	11	29
50-64	473	5.3	36	1	1	4	6	12	16	31
65+	995	6.9	46	1	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	105	4.3	22	1	1	3	5	9	13	25
20-34	212	4.2	38	<1	<1	2	5	9	12	37
35-49	216	5.7	53	1	1	3	8	14	18	49
50-64	289	8.6	161	<1	1	4	10	19	41	73
65+	360	11.0	151	1	1	7	15	24	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.7	4	1	1	2	3	5	7	10
B. *Operated*	825	1.9	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	2099	5.6	36	1	1	4	7	12	17	30
B. *Operated*	1182	7.6	111	<1	1	4	9	18	28	60
1. SINGLE DX	1101	2.1	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX	3281	6.3	64	1	1	4	8	14	20	45
A. NOT OPERATED	2375	5.3	33	1	1	3	6	11	16	29
B. OPERATED	2007	5.3	74	<1	<1	2	6	13	20	49
TOTAL 0-19 YRS	531	3.0	12	<1	<1	2	4	6	9	20
20-34	752	2.9	15	<1	<1	2	3	6	8	15
35-49	725	3.9	27	<1	1	2	4	8	13	30
50-64	931	5.8	74	<1	1	3	7	12	18	56
65+	1443	7.6	74	1	1	5	10	17	23	46
GRAND TOTAL	**4382**	**5.3**	**52**	**<1**	**1**	**3**	**6**	**12**	**17**	**41**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	10.0	161	<1	<1	7	14	32	32	32
35-49	3	14.0	39	7	7	16	18	19	19	19
50-64	5	7.8	74	1	1	3	14	21	21	21
65+	16	10.9	176	1	1	6	12	26	44	52
B. *Operated*										
0-19 YRS	16	5.1	15	<1	1	4	8	10	12	13
20-34	47	5.5	40	<1	1	3	6	12	18	32
35-49	56	6.9	54	<1	1	5	9	15	24	38
50-64	72	8.7	45	1	2	7	12	16	23	36
65+	163	10.2	80	1	3	8	13	20	24	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.8	25	1	2	8	12	16	17	17
20-34	10	5.7	7	2	2	5	6	10	11	11
35-49	37	6.9	27	1	2	6	9	13	19	25
50-64	102	7.3	25	2	2	6	10	13	18	26
65+	390	8.6	53	1	2	7	11	16	22	36
B. *Operated*										
0-19 YRS	49	11.7	255	<1	1	6	14	29	46	91
20-34	142	12.3	257	1	1	8	14	26	50	83
35-49	330	13.9	165	2	3	10	18	29	35	75
50-64	878	16.8	202	2	4	13	22	36	46	79
65+	3063	16.3	166	3	5	13	20	32	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.8	126	1	1	6	13	25	31	52
B. *Operated*	354	8.5	63	1	1	7	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	547	8.2	45	1	2	7	10	16	20	32
B. *Operated*	4462	16.1	178	3	4	13	20	32	43	79
1. SINGLE DX	386	8.6	68	1	1	7	11	18	24	38
2. MULTIPLE DX	5009	15.2	169	2	4	12	19	31	41	76
A. NOT OPERATED	579	8.3	49	1	2	7	10	16	21	34
B. OPERATED	4816	15.5	173	2	4	12	20	31	42	77
TOTAL 0-19 YRS	76	9.7	178	<1	1	6	12	19	32	80
20-34	204	10.3	200	1	1	6	12	21	42	80
35-49	426	12.3	146	1	2	9	16	27	34	70
50-64	1057	15.3	185	2	3	12	19	33	43	76
65+	3632	15.2	157	3	4	12	19	30	40	72
GRAND TOTAL	**5395**	**14.7**	**165**	**2**	**3**	**11**	**19**	**30**	**41**	**75**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.1	2	<1	1	2	3	4	5	8
20-34	1918	2.2	2	<1	1	2	3	4	5	7
35-49	6136	2.2	2	1	1	2	3	4	5	7
50-64	4556	2.4	3	1	1	2	3	4	5	7
65+	1748	2.6	5	1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	12	2.2	1	<1	1	2	3	4	4	4
20-34	241	2.3	3	<1	1	2	3	5	6	9
35-49	1715	2.2	5	<1	1	2	2	4	5	9
50-64	2095	2.1	4	1	1	2	2	4	5	8
65+	640	2.0	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	2.6	3	1	1	2	3	5	6	9
20-34	3834	2.8	4	1	1	2	3	5	6	10
35-49	15583	2.9	4	1	1	2	4	5	6	10
50-64	20201	3.2	5	1	1	3	4	6	7	11
65+	17363	3.6	9	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	29	4.7	8	1	2	4	6	9	11	12
20-34	461	3.6	9	1	1	2	5	7	9	18
35-49	3674	3.4	8	1	1	2	4	7	9	14
50-64	6163	3.4	11	1	1	2	4	7	9	16
65+	3468	4.3	18	1	1	3	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14534	2.3	3	1	1	2	3	4	5	7
B. *Operated*	4703	2.1	4	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	57333	3.2	6	1	1	3	4	6	7	11
B. *Operated*	13795	3.7	12	1	1	2	5	8	10	16
1. SINGLE DX	19237	2.3	3	1	1	2	3	4	5	7
2. MULTIPLE DX	71128	3.3	7	1	1	3	4	6	8	13
A. NOT OPERATED	71867	3.0	5	1	1	3	4	5	7	11
B. OPERATED	18498	3.3	10	1	1	2	4	7	9	15
TOTAL 0-19 YRS	569	2.5	3	1	1	2	3	5	6	10
20-34	6454	2.6	4	1	1	2	3	5	6	9
35-49	27108	2.8	4	1	1	2	3	5	6	10
50-64	33015	3.1	6	1	1	2	4	6	7	11
65+	23219	3.6	10	1	1	3	4	7	9	15
GRAND TOTAL	**90365**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1206	2.7	5	1	1	2	3	5	6	11
20-34	63	2.1	3	<1	<1	1	3	5	6	8
35-49	89	2.1	2	<1	1	2	3	4	5	7
50-64	99	2.8	10	<1	<1	2	3	6	7	20
65+	115	3.2	8	<1	1	2	4	7	10	14
B. *Operated*										
0-19 YRS	49	2.9	10	<1	1	2	3	5	8	20
20-34	70	3.0	6	<1	1	2	4	7	8	9
35-49	160	2.9	7	<1	1	2	4	6	8	14
50-64	208	2.9	7	<1	1	2	4	6	8	12
65+	117	3.1	7	<1	<1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2194	3.9	20	1	1	3	5	7	10	24
20-34	374	3.5	12	<1	1	2	4	7	10	17
35-49	649	3.9	14	1	1	3	5	8	10	18
50-64	1367	5.0	24	1	1	4	6	10	12	24
65+	2727	5.5	22	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	233	7.2	120	1	1	3	8	18	28	84
20-34	171	4.9	42	1	1	3	6	9	13	44
35-49	396	4.8	22	1	1	3	6	11	14	21
50-64	875	5.6	32	1	1	4	7	12	18	30
65+	1043	6.5	41	1	1	4	8	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1572	2.7	6	<1	1	2	3	5	6	12
B. *Operated*	604	3.0	7	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	7311	4.7	21	1	1	3	6	9	12	24
B. *Operated*	2718	5.9	43	1	1	4	8	13	18	34
1. SINGLE DX	2176	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	10029	5.0	27	1	1	4	6	10	14	27
A. NOT OPERATED	8883	4.3	19	1	1	3	5	9	12	22
B. OPERATED	3322	5.4	38	1	1	3	7	12	17	33
TOTAL 0-19 YRS	3682	3.7	23	1	1	3	4	7	10	25
20-34	678	3.6	19	<1	1	2	4	8	10	19
35-49	1294	3.9	15	1	1	3	5	8	11	20
50-64	2549	5.0	25	1	1	4	6	10	13	27
65+	4002	5.6	27	1	1	4	7	11	15	28
GRAND TOTAL	**12205**	**4.6**	**24**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.0	4	<1	1	2	2	3	4	35
20-34	636	1.9	2	<1	1	2	2	3	4	6
35-49	859	1.8	1	<1	1	1	2	3	4	6
50-64	468	1.8	1	<1	1	2	2	3	4	6
65+	196	2.4	6	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	98	2.6	8	<1	<1	2	3	4	8	17
20-34	122	3.8	10	<1	1	3	5	7	10	17
35-49	142	3.8	6	<1	1	3	5	7	9	11
50-64	116	4.2	8	1	1	3	6	8	9	14
65+	90	4.5	8	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	6	<1	1	2	3	5	7	13
20-34	750	2.6	4	<1	1	2	3	5	6	10
35-49	974	2.6	5	1	1	2	3	5	6	11
50-64	974	3.2	9	1	1	2	4	6	8	15
65+	1821	4.7	22	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	189	4.9	29	<1	<1	3	7	12	16	27
20-34	280	5.2	30	1	1	4	6	9	13	24
35-49	401	5.1	13	1	1	4	6	9	13	18
50-64	583	5.7	16	1	1	5	7	11	13	21
65+	1577	7.6	40	1	2	6	9	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2286	1.9	2	<1	1	2	2	3	4	6
B. *Operated*	568	3.8	8	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	4689	3.5	13	1	1	3	4	7	9	16
B. *Operated*	3030	6.5	31	1	1	5	8	13	16	27
1. SINGLE DX	2854	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	7719	4.7	22	1	1	3	6	10	13	22
A. NOT OPERATED	6975	3.0	10	<1	1	2	4	6	8	14
B. OPERATED	3598	6.1	29	1	1	5	8	12	15	26
TOTAL 0-19 YRS	584	3.2	14	<1	<1	2	4	7	11	20
20-34	1788	2.8	9	<1	1	2	3	5	7	14
35-49	2376	2.8	6	<1	1	2	4	6	7	13
50-64	2141	3.6	11	1	1	3	5	8	10	16
65+	3684	5.8	31	1	1	4	7	12	15	26
GRAND TOTAL	**10573**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4799	1.9	2	<1	1	1	2	3	4	7
20-34	4852	2.3	4	<1	1	2	3	4	5	9
35-49	2720	2.6	4	<1	1	2	3	5	6	10
50-64	1352	2.8	4	<1	1	2	4	5	7	10
65+	761	3.2	9	<1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	646	3.3	4	1	1	3	4	5	7	11
20-34	943	3.5	5	1	1	3	4	6	8	12
35-49	388	3.9	9	<1	1	3	5	8	10	15
50-64	153	3.8	9	1	1	3	5	7	10	16
65+	83	3.8	12	<1	1	2	6	8	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3893	2.3	3	1	1	2	3	4	5	9
20-34	6109	3.0	7	1	1	2	4	6	7	12
35-49	4611	3.7	8	1	1	3	5	7	9	14
50-64	4301	4.0	8	1	1	3	5	7	9	15
65+	6439	4.7	17	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	601	4.0	10	1	1	3	5	7	9	13
20-34	1398	5.1	19	1	1	4	6	10	13	23
35-49	1109	6.0	24	1	2	5	8	11	14	24
50-64	842	6.9	29	1	2	6	9	13	17	29
65+	1113	8.0	56	1	2	6	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14484	2.3	4	<1	1	2	3	4	6	9
B. *Operated*	2213	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	25353	3.6	10	1	1	3	5	7	9	15
B. *Operated*	5063	6.1	30	1	2	5	8	12	15	27
1. SINGLE DX	16697	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	30416	4.0	14	1	1	3	5	8	10	18
A. NOT OPERATED	39837	3.2	8	1	1	2	4	6	8	13
B. OPERATED	7276	5.3	24	1	1	4	7	11	14	24
TOTAL 0-19 YRS	9939	2.3	3	<1	1	2	3	4	5	9
20-34	13302	3.0	7	1	1	2	4	6	8	13
35-49	8828	3.7	10	1	1	3	5	7	9	15
50-64	6648	4.1	11	1	1	3	5	8	10	17
65+	8396	5.0	23	1	1	4	6	9	13	24
GRAND TOTAL	**47113**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	2.4	4	<1	1	2	3	4	5	9
20-34	226	2.5	4	<1	1	2	3	5	7	10
35-49	169	2.7	6	<1	1	2	4	5	7	12
50-64	116	3.2	17	<1	1	2	4	7	8	24
65+	141	3.2	6	<1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	33	3.7	15	<1	1	2	5	9	14	16
20-34	88	4.4	10	1	1	4	6	8	10	16
35-49	77	3.7	9	<1	1	3	5	7	9	14
50-64	97	3.9	10	<1	1	3	6	8	10	16
65+	54	3.8	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1655	2.9	7	1	1	2	3	5	7	13
20-34	988	3.7	14	1	1	3	5	7	9	18
35-49	1113	4.2	19	1	1	3	5	8	11	19
50-64	1801	5.0	19	1	1	4	6	10	13	21
65+	3614	5.3	21	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	284	3.7	57	1	1	1	4	8	13	33
20-34	539	3.9	24	1	1	2	5	9	12	27
35-49	608	5.0	35	1	1	3	7	11	16	33
50-64	656	7.0	67	1	1	5	9	16	24	39
65+	1216	8.1	73	1	1	6	11	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1113	2.6	6	<1	1	2	3	5	7	11
B. *Operated*	349	4.0	10	<1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	9171	4.5	18	1	1	3	6	9	12	20
B. *Operated*	3303	6.3	58	1	1	4	8	14	20	38
1. SINGLE DX	1462	3.0	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	12474	5.0	29	1	1	3	6	10	14	27
A. NOT OPERATED	10284	4.3	17	1	1	3	5	9	11	20
B. OPERATED	3652	6.0	54	1	1	4	8	14	19	36
TOTAL 0-19 YRS	2433	2.9	13	1	1	2	3	5	7	15
20-34	1841	3.6	16	1	1	2	5	7	10	18
35-49	1967	4.3	23	1	1	3	5	9	12	22
50-64	2670	5.4	31	1	1	4	7	11	15	28
65+	5025	5.9	35	1	1	4	7	12	16	29
GRAND TOTAL	**13936**	**4.8**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2697	2.9	9	1	1	2	4	5	7	14
20-34	1187	2.8	9	<1	1	2	3	5	7	16
35-49	1297	2.7	8	1	1	2	3	5	7	12
50-64	1535	2.8	8	1	1	2	3	5	7	13
65+	1769	3.3	9	1	1	2	4	6	9	15
B. *Operated*										
0-19 YRS	215	2.4	6	<1	<1	2	3	4	7	15
20-34	367	2.1	7	<1	1	1	2	4	6	8
35-49	467	2.2	4	<1	1	2	3	4	6	12
50-64	460	2.5	12	<1	1	2	3	5	7	12
65+	234	3.5	11	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5688	4.4	25	1	1	3	5	9	13	27
20-34	3769	3.8	25	1	1	3	4	7	9	24
35-49	5524	3.9	16	1	1	3	5	7	10	20
50-64	11608	4.9	26	1	1	4	6	10	13	23
65+	30815	5.7	28	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	588	8.6	167	1	1	4	10	23	40	96
20-34	820	4.8	57	1	1	2	6	11	15	54
35-49	1284	5.6	69	1	1	3	6	12	19	52
50-64	2476	8.4	137	1	1	5	10	21	33	94
65+	4741	10.1	127	1	2	7	12	22	33	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8485	2.9	9	1	1	2	4	5	7	14
B. *Operated*	1743	2.5	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	57404	5.1	26	1	1	4	6	10	14	26
B. *Operated*	9909	8.5	122	1	1	5	10	19	31	78
1. SINGLE DX	10228	2.9	8	1	1	2	3	5	7	14
2. MULTIPLE DX	67313	5.6	42	1	1	4	7	11	16	35
A. NOT OPERATED	65889	4.8	25	1	1	3	6	9	13	25
B. OPERATED	11652	7.6	110	1	1	4	9	18	28	68
TOTAL 0-19 YRS	9188	4.2	31	1	1	3	5	8	12	28
20-34	6143	3.6	25	1	1	2	4	7	10	24
35-49	8572	3.9	23	1	1	3	5	7	10	25
50-64	16079	5.2	43	1	1	3	6	10	15	34
65+	37559	6.1	42	1	2	4	7	12	16	35
GRAND TOTAL	**77541**	**5.2**	**38**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1085	1.9	3	1	1	1	2	3	5	8
20-34	87	3.9	31	<1	<1	2	4	8	10	34
35-49	38	4.2	19	1	1	3	5	9	11	24
50-64	13	3.7	18	1	1	3	4	8	15	17
65+	16	4.8	13	<1	1	4	6	11	12	12
B. *Operated*										
0-19 YRS	215	4.6	16	1	2	4	5	8	10	25
20-34	76	6.3	68	1	1	5	7	10	17	56
35-49	27	5.9	14	1	1	6	9	11	13	13
50-64	15	7.5	30	<1	1	7	9	17	18	18
65+	4	5.8	21	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	921	3.6	22	1	1	2	4	7	11	57
20-34	259	5.6	34	1	1	4	8	12	16	22
35-49	120	6.6	92	<1	1	4	8	12	18	55
50-64	86	6.2	36	1	1	4	9	16	22	73
65+	79	10.0	76	1	1	9	12	24	28	41
B. *Operated*										
0-19 YRS	456	11.4	203	1	2	6	14	30	44	81
20-34	452	15.0	297	2	2	9	19	42	64	99+
35-49	180	13.9	268	2	2	8	16	36	50	98
50-64	101	15.2	199	2	2	10	22	40	51	99+
65+	87	18.2	342	1	2	12	29	44	63	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	2.1	6	1	1	1	2	4	6	11
B. *Operated*	337	5.2	29	1	1	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	1465	4.7	36	1	1	3	6	11	15	46
B. *Operated*	1276	13.8	258	1	2	8	17	37	53	99+
1. SINGLE DX	1576	2.8	12	1	1	2	3	6	8	17
2. MULTIPLE DX	2741	8.9	160	1	1	4	10	23	39	94
A. NOT OPERATED	2704	3.5	24	1	1	2	4	8	11	26
B. OPERATED	1613	12.0	222	1	2	7	14	32	47	99
TOTAL 0-19 YRS	2677	4.3	56	1	1	2	4	9	15	53
20-34	874	10.3	196	1	1	6	11	25	44	98
35-49	365	9.9	181	1	1	6	11	24	40	82
50-64	215	10.4	132	1	1	7	14	27	40	99+
65+	186	13.3	216	1	2	9	17	34	43	85
GRAND TOTAL	**4317**	**6.7**	**115**	**1**	**1**	**3**	**7**	**16**	**29**	**76**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	592	2.6	8	<1	1	2	3	5	7	12
20-34	153	3.8	10	1	1	3	5	7	10	15
35-49	45	3.6	10	<1	1	3	4	9	11	14
50-64	35	4.8	16	1	1	3	7	12	14	15
65+	19	9.5	307	1	1	3	9	22	55	77
B. *Operated*										
0-19 YRS	56	4.8	9	1	1	4	7	9	10	13
20-34	61	6.6	108	1	1	5	8	11	14	73
35-49	19	6.2	45	<1	1	3	10	12	21	28
50-64	6	3.2	2	2	2	3	5	5	5	5
65+	3	5.7	52	1	1	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	835	4.3	21	1	1	3	5	10	13	24
20-34	534	5.3	25	1	1	4	7	11	15	24
35-49	209	6.2	37	1	1	4	8	13	19	31
50-64	147	8.4	112	1	2	5	10	16	24	89
65+	200	10.5	119	2	2	8	12	21	30	73
B. *Operated*										
0-19 YRS	393	12.8	215	1	2	8	17	34	51	99+
20-34	514	13.8	246	1	2	9	18	36	53	94
35-49	216	15.6	257	1	2	11	20	38	59	99+
50-64	102	18.5	494	2	3	10	23	59	89	99+
65+	127	16.0	309	1	2	10	20	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	3.1	16	1	1	2	3	6	9	15
B. *Operated*	145	5.7	56	1	1	4	7	11	13	30
2. MULTIPLE DX										
A. *Not Operated*	1925	5.8	44	1	1	4	7	13	17	35
B. *Operated*	1352	14.4	265	1	2	9	19	38	57	99+
1. SINGLE DX	989	3.5	23	1	1	2	4	7	10	16
2. MULTIPLE DX	3277	9.3	153	1	1	5	11	22	35	88
A. NOT OPERATED	2769	4.9	37	1	1	3	6	11	15	31
B. OPERATED	1497	13.5	251	1	2	8	17	34	54	99+
TOTAL 0-19 YRS	1876	5.6	71	1	1	3	6	12	20	56
20-34	1262	8.7	136	1	1	5	10	20	31	76
35-49	489	10.1	156	1	1	6	12	25	35	79
50-64	290	11.4	260	1	2	6	13	26	56	98
65+	349	12.4	204	1	2	8	16	29	46	89
GRAND TOTAL	**4266**	**8.0**	**129**	**1**	**1**	**4**	**9**	**19**	**30**	**79**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.1	5	<1	<1	1	2	4	8	13
20-34	125	1.8	2	<1	<1	1	2	4	5	9
35-49	50	1.8	3	<1	<1	1	2	4	5	12
50-64	10	3.3	9	<1	<1	2	5	8	10	10
65+	7	1.9	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS	1319	1.8	3	<1	<1	1	2	3	4	7
20-34	2239	2.2	3	<1	1	2	3	4	5	10
35-49	623	2.2	4	<1	1	2	3	4	6	10
50-64	175	2.2	4	<1	1	2	3	4	5	12
65+	79	3.5	15	1	1	2	4	7	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	2.3	15	<1	<1	1	2	4	5	11
20-34	516	2.4	4	<1	<1	2	3	5	6	10
35-49	214	2.7	4	<1	1	2	3	6	7	10
50-64	128	3.2	7	<1	1	3	4	7	7	14
65+	267	5.5	38	1	1	4	7	12	15	33
B. *Operated*										
0-19 YRS	1997	3.4	16	1	1	2	4	7	10	20
20-34	4002	4.1	27	1	1	3	5	8	11	24
35-49	1471	4.8	27	1	1	3	6	10	14	25
50-64	555	5.3	51	1	1	3	6	11	15	34
65+	516	6.9	70	1	1	5	9	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.0	3	<1	<1	1	2	4	5	10
B. *Operated*	4435	2.1	4	<1	1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1414	3.1	14	<1	1	2	4	6	8	15
B. *Operated*	8541	4.3	29	1	1	3	5	9	12	25
1. SINGLE DX	4704	2.1	4	<1	1	1	3	4	5	9
2. MULTIPLE DX	9955	4.1	27	1	1	3	5	9	12	24
A. NOT OPERATED	1683	2.9	13	<1	<1	2	3	6	8	15
B. OPERATED	12976	3.6	21	1	1	2	4	7	10	21
TOTAL 0-19 YRS	3682	2.7	11	<1	1	2	3	5	8	15
20-34	6882	3.3	18	1	1	2	4	7	9	18
35-49	2358	3.9	20	1	1	2	5	8	11	22
50-64	868	4.4	36	1	1	3	5	9	12	28
65+	869	6.1	56	1	1	4	8	13	17	34
GRAND TOTAL	**14659**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	3.5	7	1	1	3	5	7	8	12
20-34	1118	4.3	18	1	1	3	5	8	10	16
35-49	622	4.7	15	1	1	4	6	8	11	17
50-64	505	5.4	15	1	1	5	7	10	13	20
65+	693	6.3	17	2	2	5	8	12	14	21
B. *Operated*										
0-19 YRS	110	10.1	42	2	3	9	14	18	24	31
20-34	247	8.9	43	2	3	8	12	16	22	32
35-49	105	9.1	31	2	2	9	13	17	20	25
50-64	51	9.3	61	1	1	8	12	20	21	43
65+	34	9.4	54	1	2	7	14	18	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	633	4.7	16	1	1	3	6	10	12	20
20-34	1592	5.3	20	1	1	4	7	10	12	22
35-49	1072	6.0	22	1	2	5	8	11	14	22
50-64	1436	7.3	28	2	2	6	9	13	16	26
65+	6647	8.8	42	2	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	312	10.1	78	1	2	8	13	20	28	59
20-34	841	11.7	139	2	3	9	14	24	34	65
35-49	410	11.5	91	2	3	9	16	22	30	48
50-64	365	14.0	188	2	3	10	17	29	41	77
65+	811	15.4	150	3	5	12	19	29	40	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3510	4.8	16	1	1	4	6	9	11	18
B. *Operated*	547	9.3	43	2	2	8	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	11380	7.6	36	2	2	6	10	14	18	29
B. *Operated*	2739	12.9	138	2	3	10	16	26	35	73
1. SINGLE DX	4057	5.4	22	1	1	4	7	11	14	24
2. MULTIPLE DX	14119	8.6	60	2	2	7	11	16	21	40
A. NOT OPERATED	14890	7.0	33	1	2	6	9	13	17	27
B. OPERATED	3286	12.3	124	2	3	9	15	24	33	66
TOTAL 0-19 YRS	1627	5.7	33	1	1	4	7	12	16	31
20-34	3798	6.7	56	1	1	5	8	13	18	38
35-49	2209	6.8	39	1	2	5	8	14	18	32
50-64	2357	8.0	58	1	2	6	10	15	20	39
65+	8185	9.2	55	2	3	8	11	17	22	38
GRAND TOTAL	**18176**	**7.9**	**53**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	5	1	1	4	6	7	8	8
20-34	32	3.7	16	1	1	3	4	7	8	23
35-49	17	6.6	29	1	1	6	8	14	19	21
50-64	6	4.8	8	2	2	4	6	10	10	10
65+	5	8.6	19	3	3	9	11	15	15	15
B. *Operated*										
0-19 YRS	18	13.3	58	2	2	12	16	26	27	27
20-34	59	16.5	159	2	5	13	20	32	48	59
35-49	19	17.1	77	7	9	15	20	26	37	45
50-64	8	19.4	202	1	1	24	31	35	36	36
65+	4	12.0	24	8	8	11	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	15.8	434	1	2	6	21	46	57	91
20-34	51	11.6	158	1	2	7	15	32	51	99
35-49	30	10.6	251	1	2	7	12	17	33	86
50-64	24	13.0	182	1	1	8	17	32	48	52
65+	71	9.6	37	2	3	8	12	17	21	33
B. *Operated*										
0-19 YRS	112	26.2	419	6	9	21	40	87	99+	99+
20-34	283	26.6	356	6	9	23	40	79	99+	99+
35-49	96	27.7	372	8	11	22	38	67	99+	99+
50-64	56	27.6	382	5	10	25	53	99+	99+	99+
65+	51	24.2	218	7	11	22	33	53	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.8	18	1	1	4	6	9	14	23
B. *Operated*	108	16.1	126	2	5	13	20	30	39	56
2. MULTIPLE DX										
A. *Not Operated*	202	11.5	167	1	2	8	13	24	41	88
B. *Operated*	598	26.6	360	6	9	22	41	78	99+	99+
1. SINGLE DX	182	11.5	113	1	2	9	15	26	31	53
2. MULTIPLE DX	800	22.8	354	3	5	18	35	68	99+	99+
A. NOT OPERATED	276	9.7	136	1	1	7	11	21	32	77
B. OPERATED	706	25.0	338	6	8	21	37	72	99+	99+
TOTAL 0-19 YRS	170	21.4	399	2	3	17	31	71	99+	99+
20-34	425	21.7	335	2	4	18	34	66	99+	99+
35-49	162	21.1	347	2	3	16	28	57	87	99+
50-64	94	21.7	346	2	3	19	35	71	99+	99+
65+	131	15.4	156	3	4	12	20	35	50	99+
GRAND TOTAL	**982**	**20.7**	**328**	**2**	**4**	**16**	**31**	**62**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.6	1	<1	1	1	2	2	3	8
20-34	157	2.1	2	<1	1	2	3	4	5	7
35-49	242	2.6	3	<1	1	2	3	5	6	10
50-64	221	3.1	5	1	1	3	4	6	7	11
65+	229	3.4	9	1	1	3	4	7	9	14
B. *Operated*										
0-19 YRS	6	4.8	16	1	1	4	8	10	10	10
20-34	9	4.7	5	2	2	5	6	8	9	9
35-49	15	5.0	16	1	1	4	7	9	14	16
50-64	9	5.3	25	1	1	3	8	14	16	16
65+	5	4.4	6	2	2	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	3.2	10	1	1	2	4	6	7	13
20-34	1044	3.3	12	1	1	3	4	6	8	11
35-49	1309	4.2	12	1	1	3	5	8	11	16
50-64	1589	5.2	15	1	1	4	7	10	13	19
65+	3613	6.9	41	1	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	105	6.9	35	1	2	5	9	14	16	32
20-34	446	7.3	69	1	1	5	9	13	21	47
35-49	434	8.2	79	1	2	6	10	15	26	52
50-64	442	10.0	94	1	2	7	12	21	29	47
65+	595	12.7	127	2	3	10	15	26	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	903	2.8	5	1	1	2	3	5	7	11
B. *Operated*	44	4.9	13	1	1	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	7784	5.5	28	1	1	4	7	11	14	25
B. *Operated*	2022	9.6	97	1	2	7	11	20	28	55
1. SINGLE DX	947	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	9806	6.3	45	1	1	5	8	12	17	35
A. NOT OPERATED	8687	5.2	26	1	1	4	7	10	13	23
B. OPERATED	2066	9.5	95	1	2	7	11	20	28	54
TOTAL 0-19 YRS	394	4.0	19	1	1	3	5	8	12	24
20-34	1656	4.3	30	1	1	3	5	8	11	24
35-49	2000	4.9	29	1	1	3	6	10	13	29
50-64	2261	5.9	34	1	1	4	7	11	16	32
65+	4442	7.5	55	1	2	5	9	14	20	44
GRAND TOTAL	**10753**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	4.6	22	1	1	3	5	8	12	30
20-34	258	5.9	34	1	1	4	7	11	15	27
35-49	165	6.5	20	2	2	6	8	11	14	28
50-64	175	7.7	46	2	3	7	9	14	20	29
65+	747	7.2	28	2	2	6	9	13	17	25
B. *Operated*										
0-19 YRS	32	10.5	88	2	2	7	14	26	32	35
20-34	42	15.9	168	2	3	12	23	31	48	53
35-49	26	16.5	248	4	4	10	20	36	50	75
50-64	14	16.5	92	5	6	13	23	34	35	35
65+	10	24.1	309	3	5	24	35	49	60	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	540	6.6	40	1	2	5	8	13	17	37
20-34	698	9.1	68	2	2	7	11	17	27	44
35-49	470	10.3	92	2	3	8	12	19	28	55
50-64	619	10.4	72	2	3	8	13	19	26	43
65+	5044	10.6	74	3	4	9	13	19	25	51
B. *Operated*										
0-19 YRS	298	13.8	170	2	3	9	17	31	41	62
20-34	574	19.3	268	3	5	14	25	44	54	84
35-49	274	21.5	296	4	5	15	32	48	58	99+
50-64	248	25.6	346	5	7	20	37	53	63	81
65+	640	20.3	246	4	6	16	26	44	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	6.6	30	1	2	5	8	12	16	26
B. *Operated*	124	15.4	174	2	3	11	22	32	40	64
2. MULTIPLE DX										
A. *Not Operated*	7371	10.2	73	2	3	8	12	19	25	49
B. *Operated*	2034	19.9	270	3	5	14	27	45	57	89
1. SINGLE DX	1711	7.2	46	1	2	6	9	14	19	34
2. MULTIPLE DX	9405	12.3	132	3	3	9	14	25	37	66
A. NOT OPERATED	8958	9.5	67	2	3	7	12	18	23	47
B. OPERATED	2158	19.6	265	3	5	14	26	45	56	89
TOTAL 0-19 YRS	1112	8.2	85	1	2	5	9	18	27	48
20-34	1572	12.5	168	2	3	8	15	29	43	67
35-49	935	13.1	175	2	3	9	15	32	45	72
50-64	1056	13.6	178	2	3	9	15	29	44	66
65+	6441	11.2	97	3	4	9	13	21	29	63
GRAND TOTAL	**11116**	**11.5**	**122**	**2**	**3**	**8**	**14**	**23**	**34**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	354	2.7	18	<1	1	1	2	6	14	20
20-34	99	2.9	8	<1	<1	2	4	6	8	16
35-49	67	2.6	7	<1	1	2	3	5	7	18
50-64	115	2.6	5	<1	1	2	3	5	6	12
65+	379	3.3	8	1	1	3	4	6	8	15
B. *Operated*										
0-19 YRS	3620	2.7	13	1	1	2	3	5	10	20
20-34	471	3.3	13	1	1	2	4	6	9	16
35-49	335	3.3	5	1	1	3	4	6	7	11
50 64	423	3.8	10	1	1	3	5	7	9	17
65+	654	4.5	17	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	3.4	17	1	1	2	4	8	13	20
20-34	147	4.4	47	1	1	2	5	8	13	45
35-49	146	4.6	34	1	1	3	5	10	13	25
50-64	378	5.8	63	1	1	4	6	12	16	35
65+	2035	6.9	58	1	2	5	8	14	19	46
B. *Operated*										
0-19 YRS	1070	4.8	42	1	1	3	5	11	18	34
20-34	643	8.5	110	1	2	5	9	18	30	52
35-49	480	7.7	80	1	2	5	9	18	27	45
50-64	794	8.0	86	1	2	5	9	16	24	51
65+	2142	9.1	97	1	2	6	11	18	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	2.9	11	<1	1	2	3	6	8	18
B. *Operated*	5503	3.1	13	1	1	2	3	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	2897	6.3	55	1	1	4	7	13	18	44
B. *Operated*	5129	7.9	86	1	1	5	9	17	24	50
1. SINGLE DX	6517	3.1	13	1	1	2	3	6	10	19
2. MULTIPLE DX	8026	7.3	76	1	1	5	9	15	22	48
A. NOT OPERATED	3911	5.4	46	1	1	4	6	11	16	36
B. OPERATED	10632	5.4	54	1	1	3	6	12	18	37
TOTAL 0-19 YRS	5235	3.2	20	1	1	2	3	6	13	21
20-34	1360	5.9	68	1	1	3	6	13	19	45
35-49	1028	5.5	49	1	1	3	6	12	18	38
50-64	1710	6.1	60	1	1	4	7	13	18	43
65+	5210	7.3	69	1	2	5	9	14	20	47
GRAND TOTAL	**14543**	**5.4**	**52**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	1.5	2	<1	1	1	2	2	3	6
20-34	85	2.0	3	<1	<1	2	3	3	4	10
35-49	45	1.9	2	<1	1	1	2	4	5	8
50-64	44	2.2	2	<1	<1	2	3	4	5	6
65+	48	3.3	50	<1	1	1	3	6	11	48
B. *Operated*										
0-19 YRS	5327	1.6	2	<1	1	1	2	3	4	6
20-34	1825	2.4	3	1	1	2	3	4	6	9
35-49	1295	2.4	3	1	1	2	3	4	6	9
50-64	1321	2.3	3	1	1	2	3	4	6	9
65+	1222	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	2.2	4	<1	<1	2	3	5	6	13
20-34	178	3.1	7	1	1	2	4	7	9	13
35-49	122	3.4	19	1	1	2	4	6	9	23
50-64	132	4.5	17	1	1	3	6	9	12	21
65+	439	6.2	45	1	1	4	7	13	18	34
B. *Operated*										
0-19 YRS	1495	3.4	24	1	1	2	4	7	11	22
20-34	1627	5.3	33	1	1	4	6	11	15	28
35-49	1113	4.9	30	1	1	3	6	10	15	29
50-64	1222	4.7	24	1	1	3	6	10	14	22
65+	2377	5.9	53	1	1	4	7	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	1.9	8	<1	<1	1	2	3	5	12
B. *Operated*	10990	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1050	4.4	28	1	1	3	5	9	13	28
B. *Operated*	7834	5.0	36	1	1	3	6	11	15	30
1. SINGLE DX	11382	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	8884	4.9	35	1	1	3	6	10	15	30
A. NOT OPERATED	1442	3.8	23	<1	1	2	4	8	12	27
B. OPERATED	18824	3.2	19	1	1	2	4	6	10	21
TOTAL 0-19 YRS	7171	2.0	7	<1	1	1	2	4	5	12
20-34	3715	3.7	18	1	1	2	4	8	11	21
35-49	2575	3.5	17	1	1	2	4	7	10	23
50-64	2719	3.5	14	1	1	2	4	7	10	19
65+	4086	4.9	40	1	1	3	6	10	14	34
GRAND TOTAL	**20266**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	9	<1	1	2	4	7	11	12
20-34	88	2.7	3	<1	1	2	4	6	6	9
35-49	47	2.2	3	<1	1	2	3	4	6	8
50-64	23	2.1	1	1	1	2	3	4	5	5
65+	11	1.8	1	1	1	1	2	4	4	4
B. *Operated*										
0-19 YRS	1000	1.5	1	<1	<1	1	2	3	4	7
20-34	1542	1.7	2	<1	<1	1	2	3	4	6
35-49	655	1.7	1	<1	<1	1	2	3	4	7
50-64	305	2.2	3	<1	<1	2	3	4	5	10
65+	137	2.5	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	2.7	22	1	1	2	3	4	5	31
20-34	133	2.8	13	<1	<1	2	3	5	7	15
35-49	68	2.8	5	1	1	2	4	5	7	12
50-64	59	4.1	14	1	1	3	5	9	14	18
65+	73	6.8	106	1	1	4	6	13	24	59
B. *Operated*										
0-19 YRS	627	2.9	10	<1	1	2	3	6	9	17
20-34	1443	3.0	9	1	1	2	4	6	8	14
35-49	758	3.3	17	1	1	2	4	7	9	24
50-64	485	3.1	9	1	1	2	4	6	9	14
65+	343	4.0	25	1	1	3	5	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.5	4	<1	1	2	3	5	7	11
B. *Operated*	3639	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	422	3.6	32	<1	1	2	4	7	10	38
B. *Operated*	3656	3.2	12	1	1	2	4	6	9	17
1. SINGLE DX	3854	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	4078	3.2	14	1	1	2	4	6	9	17
A. NOT OPERATED	637	3.3	23	<1	1	2	4	6	8	23
B. OPERATED	7295	2.4	8	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	1762	2.1	6	<1	<1	1	2	4	6	12
20-34	3206	2.4	6	<1	<1	2	3	5	6	11
35-49	1528	2.5	10	<1	<1	2	3	5	7	14
50-64	872	2.8	7	<1	1	2	3	6	8	14
65+	564	4.0	32	1	1	2	5	9	11	25
GRAND TOTAL	**7932**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	12.7	227	1	1	6	20	30	43	72
20-34	22	4.5	37	<1	1	2	5	9	18	29
35-49	27	4.3	14	1	1	3	6	11	13	15
50-64	69	8.1	110	<1	1	5	9	16	19	70
65+	373	8.3	66	1	1	6	10	18	24	40
B. *Operated*										
0-19 YRS	327	8.2	57	2	2	6	10	16	25	41
20-34	178	8.8	46	3	4	7	10	14	20	42
35-49	327	7.9	19	3	4	7	9	12	14	30
50-64	1087	9.6	25	4	5	9	11	14	17	25
65+	5850	11.6	29	5	6	11	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	12.5	189	1	1	6	21	26	41	67
20-34	42	10.2	231	<1	1	4	10	30	52	69
35-49	75	10.9	240	1	1	5	10	27	56	67
50-64	230	9.8	95	1	2	7	12	21	34	66
65+	2456	10.9	122	2	3	8	13	21	31	78
B. *Operated*										
0-19 YRS	346	14.5	149	3	3	11	19	32	38	74
20-34	507	14.1	111	4	5	11	16	28	37	51
35-49	678	13.8	109	5	6	11	16	25	36	65
50-64	2955	13.7	79	6	7	12	16	23	30	65
65+	35351	15.1	91	6	8	13	17	25	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	8.7	98	1	1	6	11	20	28	51
B. *Operated*	7769	10.9	31	4	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2891	10.8	126	1	2	8	13	22	32	75
B. *Operated*	39837	15.0	91	6	7	13	17	25	33	68
1. SINGLE DX	8357	10.8	36	4	5	10	13	17	20	32
2. MULTIPLE DX	42728	14.7	95	5	7	13	17	25	33	69
A. NOT OPERATED	3479	10.5	122	1	2	7	13	21	31	70
B. OPERATED	47606	14.3	84	6	7	12	16	24	31	63
TOTAL 0-19 YRS	858	11.7	134	2	2	8	15	26	35	61
20-34	749	12.3	107	2	4	9	15	24	34	52
35-49	1107	11.7	97	3	4	9	14	21	32	60
50-64	4341	12.3	71	4	6	11	14	21	27	57
65+	44030	14.4	87	6	7	12	17	24	31	65
GRAND TOTAL	**51085**	**14.1**	**87**	**5**	**6**	**12**	**16**	**23**	**31**	**63**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1108	16.3	154	1	1	16	24	32	39	53
20-34	40	15.0	273	1	1	7	28	43	48	55
35-49	37	18.1	287	2	2	10	32	42	53	63
50-64	34	17.5	338	2	3	8	31	46	54	63
65+	148	9.9	149	1	1	6	11	22	33	65
B. *Operated*										
0-19 YRS	1432	10.4	114	1	1	6	16	25	31	48
20-34	450	10.2	69	2	4	9	12	17	23	49
35-49	167	11.5	140	3	4	9	12	20	29	78
50-64	107	9.9	49	2	4	9	13	16	21	44
65+	268	12.7	76	3	5	11	15	20	25	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	587	17.8	208	1	2	17	25	35	43	77
20-34	116	15.3	432	1	1	5	17	48	59	92
35-49	71	16.3	370	1	2	7	26	43	60	81
50-64	149	17.6	378	1	2	9	27	48	59	91
65+	890	14.9	265	2	3	9	17	40	56	99+
B. *Operated*										
0-19 YRS	1650	16.9	183	2	3	13	23	34	45	70
20-34	1449	17.5	215	4	6	13	21	38	53	87
35-49	514	19.1	298	3	5	13	23	46	60	95
50-64	526	20.2	271	5	6	15	25	48	62	99+
65+	2110	18.4	200	6	7	14	22	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	15.7	169	1	1	14	23	32	41	55
B. *Operated*	2424	10.7	100	1	2	8	14	23	30	49
2. MULTIPLE DX										
A. *Not Operated*	1813	16.1	272	1	2	10	23	40	53	91
B. *Operated*	6249	18.0	214	3	5	14	22	38	52	92
1. SINGLE DX	3791	12.5	131	1	2	9	18	27	34	53
2. MULTIPLE DX	8062	17.6	227	2	4	13	22	38	52	92
A. NOT OPERATED	3180	15.9	227	1	2	12	23	36	47	79
B. OPERATED	8673	15.9	193	2	3	12	20	33	47	84
TOTAL 0-19 YRS	4777	14.9	167	1	2	12	22	31	39	59
20-34	2055	15.7	205	2	4	11	19	34	49	82
35-49	789	17.2	279	2	4	11	21	41	56	90
50-64	816	18.3	275	3	5	13	23	45	59	94
65+	3416	16.7	211	3	5	13	20	36	51	99
GRAND TOTAL	**11853**	**15.9**	**202**	**2**	**3**	**12**	**21**	**34**	**47**	**83**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	670	2.1	2	<1	1	2	3	4	4	7
20-34	341	3.0	28	1	1	2	3	5	6	13
35-49	234	3.4	10	1	1	3	4	6	8	18
50-64	190	4.2	29	1	1	3	5	7	9	29
65+	240	5.3	12	1	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	2470	3.3	9	1	1	3	4	6	8	14
20-34	1945	4.9	15	1	1	4	6	9	11	21
35-49	1274	5.3	18	1	2	4	6	10	13	22
50-64	816	6.2	31	1	2	5	8	11	14	23
65+	350	7.3	21	2	2	6	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	3.9	36	1	1	3	5	7	9	21
20-34	330	4.5	32	1	1	3	5	9	12	24
35-49	296	6.1	45	1	1	4	7	12	19	38
50-64	342	6.8	39	1	2	5	9	13	17	33
65+	951	8.2	57	2	3	6	10	15	21	43
B. *Operated*										
0-19 YRS	1333	7.7	78	1	1	5	9	17	24	48
20-34	1998	10.2	110	2	2	7	12	22	32	62
35-49	1370	10.1	118	2	3	7	12	20	28	75
50-64	1142	11.8	138	2	3	9	14	23	34	72
65+	1333	12.5	116	2	3	10	16	25	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	3.1	14	1	1	2	4	6	8	15
B. *Operated*	6855	4.7	17	1	1	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	2199	5.6	49	1	1	5	8	13	18	38
B. *Operated*	7176	10.4	114	2	2	7	13	22	31	65
1. SINGLE DX	8530	4.4	17	1	1	3	5	9	11	19
2. MULTIPLE DX	9375	9.5	101	1	2	7	12	20	28	60
A. NOT OPERATED	3874	5.1	37	1	1	3	6	10	14	29
B. OPERATED	14031	7.6	75	1	2	5	9	16	23	52
TOTAL 0-19 YRS	4753	4.4	34	1	1	3	5	9	13	30
20-34	4614	7.0	66	1	1	5	8	14	22	47
35-49	3174	7.3	69	1	2	5	9	15	21	49
50-64	2490	8.7	89	1	2	6	10	17	24	59
65+	2874	9.9	83	2	3	7	12	19	28	55
GRAND TOTAL	**17905**	**7.1**	**68**	**1**	**1**	**5**	**8**	**15**	**21**	**48**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	2.1	2	1	1	2	3	4	5	8
20-34	422	2.9	9	<1	1	2	4	5	7	12
35-49	309	3.1	11	1	1	3	4	6	7	10
50-64	241	3.3	6	1	1	3	4	6	8	12
65+	244	3.9	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	2994	2.7	4	1	1	2	3	5	6	10
20-34	4817	3.5	6	1	1	3	4	6	7	13
35-49	3633	4.0	8	1	1	3	5	7	8	14
50-64	2815	4.5	7	1	2	4	6	8	9	14
65+	1544	5.5	18	2	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	2.9	5	<1	1	2	4	6	7	13
20-34	475	3.9	13	1	1	3	5	7	10	18
35-49	410	4.6	29	1	1	3	6	9	11	25
50-64	496	5.4	35	1	1	4	6	10	14	27
65+	1045	6.8	53	1	2	5	8	12	18	44
B. *Operated*										
0-19 YRS	1598	5.0	33	1	1	4	6	9	14	31
20-34	3698	5.8	39	1	2	4	7	11	15	34
35-49	2747	5.9	31	1	2	5	7	11	14	28
50-64	2987	6.8	37	2	3	5	8	12	16	34
65+	3521	8.6	61	2	3	7	10	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1519	3.0	8	1	1	2	4	6	7	12
B. *Operated*	15803	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2671	5.3	36	1	1	4	6	10	14	32
B. *Operated*	14551	6.6	43	1	2	5	8	12	17	34
1. SINGLE DX	17322	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX	17222	6.4	42	1	2	5	8	12	16	34
A. NOT OPERATED	4190	4.5	27	1	1	3	5	9	12	25
B. OPERATED	30354	5.2	27	1	1	4	6	9	13	26
TOTAL 0-19 YRS	5140	3.4	14	1	1	2	4	6	8	20
20-34	9412	4.4	21	1	1	3	5	8	11	23
35-49	7099	4.7	19	1	1	4	6	9	11	22
50-64	6539	5.6	24	1	2	5	7	10	13	24
65+	6354	7.4	49	2	2	6	9	13	18	38
GRAND TOTAL	**34544**	**5.1**	**27**	**1**	**1**	**4**	**6**	**9**	**13**	**26**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.6	1	<1	<1	1	2	3	3	4
20-34	50	1.8	1	<1	<1	1	2	3	4	4
35-49	33	2.5	6	1	1	2	3	5	6	13
50-64	22	2.1	2	<1	<1	2	3	4	5	6
65+	11	3.4	7	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	107	1.9	2	<1	1	1	2	3	4	10
20-34	149	2.3	2	1	1	2	3	4	5	7
35-49	51	2.2	2	1	1	2	3	4	6	7
50-64	24	3.0	4	1	1	3	4	6	7	7
65+	10	2.8	4	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	2.9	9	1	1	2	3	6	8	18
20-34	424	3.0	6	1	1	2	4	6	7	12
35-49	262	3.8	11	1	1	3	5	8	11	18
50-64	213	4.9	17	1	1	3	7	10	12	20
65+	397	6.7	35	1	2	5	9	13	16	34
B. *Operated*										
0-19 YRS	129	4.9	64	<1	1	3	5	9	19	49
20-34	247	5.2	61	1	1	3	6	10	14	50
35-49	122	6.4	48	1	1	4	9	13	19	42
50-64	93	7.1	69	1	2	5	8	15	21	49
65+	101	7.9	74	1	1	5	11	15	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.0	2	<1	1	1	2	4	5	8
B. *Operated*	341	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1555	4.3	19	1	1	3	5	10	12	21
B. *Operated*	692	6.0	63	1	1	4	7	12	19	47
1. SINGLE DX	508	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	2247	4.8	33	1	1	3	6	10	14	27
A. NOT OPERATED	1722	4.1	17	1	1	3	5	9	12	20
B. OPERATED	1033	4.8	46	1	1	3	5	10	14	37
TOTAL 0-19 YRS	546	3.1	21	<1	1	2	3	6	8	22
20-34	870	3.4	22	1	1	2	4	7	10	19
35-49	468	4.2	21	1	1	3	5	10	12	21
50-64	352	5.2	31	1	1	4	6	11	15	24
65+	519	6.8	42	1	1	5	9	13	17	37
GRAND TOTAL	**2755**	**4.3**	**28**	**1**	**1**	**3**	**5**	**10**	**13**	**24**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	7	1	1	2	4	5	9	12
20-34	7	4.3	4	2	2	4	5	7	8	8
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	5	4.2	8	2	2	3	5	9	9	9
20-34	7	5.3	18	1	1	3	8	12	13	13
35-49	4	7.0	75	2	2	3	12	20	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	4.7	21	2	2	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.8	25	<1	1	3	7	12	16	19
20-34	18	4.6	21	1	1	2	7	13	14	14
35-49	16	6.8	19	<1	<1	6	8	13	15	16
50-64	6	16.2	55	9	9	14	25	25	25	25
65+	15	9.3	31	1	2	9	15	17	17	17
B. *Operated*										
0-19 YRS	40	16.6	284	3	4	12	20	34	60	79
20-34	64	16.0	283	2	3	11	19	34	47	94
35-49	23	21.5	428	3	4	14	27	50	74	75
50-64	14	20.9	387	3	5	14	23	59	66	68
65+	20	20.2	442	2	3	13	25	58	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.0	7	1	1	2	4	5	9	12
B. *Operated*	20	5.2	23	1	2	3	7	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	78	6.9	35	1	1	5	10	16	17	25
B. *Operated*	161	17.9	329	2	4	13	21	41	69	79
1. SINGLE DX	47	4.0	14	1	1	3	5	9	12	20
2. MULTIPLE DX	239	14.3	259	1	2	9	18	31	47	75
A. NOT OPERATED	105	5.9	30	1	1	4	9	14	17	25
B. OPERATED	181	16.5	310	2	3	11	19	38	64	78
TOTAL 0-19 YRS	87	9.7	178	1	1	5	12	21	29	76
20-34	96	12.2	222	1	2	8	15	25	36	86
35-49	43	14.7	291	1	2	8	17	41	54	75
50-64	21	18.7	281	4	5	14	23	42	62	68
65+	39	14.3	274	1	2	10	17	34	59	72
GRAND TOTAL	**286**	**12.6**	**233**	**1**	**2**	**8**	**16**	**25**	**43**	**75**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.1		<1	<1	1	1	1	2	2
20-34	25	1.8	1	<1	<1	1	3	4	4	4
35-49	9	1.7	1	1	1	1	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	278	2.0	1	1	1	2	3	3	4	6
20-34	1094	2.0	1	<1	1	2	3	4	4	6
35-49	411	2.0	1	<1	1	2	3	4	4	5
50-64	106	2.2	6	<1	<1	1	3	4	5	14
65+	107	2.3	8	<1	<1	1	2	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	3	<1	<1	1	3	5	6	7
20-34	68	2.5	4	<1	1	2	3	5	7	11
35-49	44	2.7	6	<1	<1	2	3	6	7	13
50-64	28	3.5	8	<1	<1	3	5	7	11	11
65+	79	5.5	29	1	1	4	7	13	17	28
B. *Operated*										
0-19 YRS	66	2.9	11	1	1	2	3	5	8	21
20-34	307	2.9	6	1	1	2	3	5	7	13
35-49	173	3.2	7	1	1	2	4	6	9	13
50-64	147	3.7	20	<1	1	2	4	8	12	28
65+	284	5.0	41	1	1	3	7	11	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	1996	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	240	3.6	15	<1	1	3	4	7	11	20
B. *Operated*	977	3.7	19	1	1	2	4	8	11	21
1. SINGLE DX	2054	2.0	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	1217	3.7	18	1	1	2	4	8	11	21
A. NOT OPERATED	298	3.2	13	<1	1	2	4	7	10	19
B. OPERATED	2973	2.6	8	<1	1	2	3	4	7	14
TOTAL 0-19 YRS	379	2.2	3	<1	1	2	3	4	5	9
20-34	1494	2.2	3	<1	1	2	3	4	5	8
35-49	637	2.4	3	<1	1	2	3	4	5	11
50-64	284	3.1	14	<1	1	2	4	6	9	21
65+	477	4.4	32	<1	1	3	6	10	15	30
GRAND TOTAL	**3271**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.9	2	<1	<1	1	2	4	5	6
20-34	28	2.6	6	<1	<1	1	3	7	8	8
35-49	13	2.2	8	<1	<1	1	2	5	10	11
50-64	16	2.8	4	<1	1	2	4	6	7	7
65+	9	2.9	3	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	951	1.9	2	<1	<1	1	2	4	5	6
20-34	1761	2.0	3	<1	<1	1	3	4	5	7
35-49	1002	1.8	2	<1	<1	1	2	4	5	8
50-64	455	2.0	3	<1	<1	1	2	4	5	7
65+	158	2.4	5	<1	<1	1	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.9	3	<1	<1	1	2	4	6	8
20-34	55	3.2	7	<1	<1	3	5	6	9	12
35-49	40	2.8	6	<1	<1	2	4	6	8	11
50-64	30	3.8	17	<1	<1	2	4	12	14	15
65+	46	4.0	14	<1	1	3	6	7	13	20
B. *Operated*										
0-19 YRS	1004	2.5	6	<1	<1	2	3	5	6	11
20-34	1956	2.7	7	<1	<1	2	4	5	7	12
35-49	1253	2.5	6	<1	<1	2	3	5	7	12
50-64	1050	2.6	10	<1	<1	2	3	5	7	15
65+	553	3.4	16	<1	<1	2	4	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.4	4	<1	<1	2	3	6	7	10
B. *Operated*	4327	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	201	3.2	10	<1	<1	2	4	7	10	15
B. *Operated*	5816	2.7	8	<1	<1	2	3	5	7	13
1. SINGLE DX	4418	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	6017	2.7	8	<1	<1	2	3	5	7	13
A. NOT OPERATED	292	3.0	8	<1	<1	2	4	6	8	14
B. OPERATED	10143	2.4	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	2010	2.2	4	<1	<1	2	3	4	5	9
20-34	3800	2.4	5	<1	<1	2	3	5	6	11
35-49	2308	2.2	4	<1	<1	1	3	5	6	11
50-64	1551	2.5	8	<1	<1	2	3	5	6	13
65+	766	3.2	14	<1	<1	2	4	7	10	22
GRAND TOTAL	**10435**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.9	14	<1	<1	2	3	6	9	22
20-34	92	4.3	16	1	1	3	5	9	14	20
35-49	61	5.2	37	<1	1	4	6	10	13	40
50-64	27	5.4	39	<1	1	4	6	10	18	32
65+	17	4.6	19	<1	<1	3	6	12	13	14
B. *Operated*										
0-19 YRS	545	2.8	12	<1	1	1	3	6	10	19
20-34	659	3.1	13	<1	1	2	4	7	10	17
35-49	325	3.8	18	<1	1	2	4	9	13	22
50-64	166	3.6	17	<1	1	2	4	7	13	21
65+	97	3.8	18	<1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.3	26	1	1	3	5	9	13	31
20-34	209	6.3	31	1	2	6	8	10	12	28
35-49	186	6.2	18	1	2	6	8	10	13	23
50-64	120	6.6	16	1	2	6	9	12	15	17
65+	120	6.8	42	1	2	5	9	14	17	36
B. *Operated*										
0-19 YRS	373	6.8	80	1	1	4	8	14	23	49
20-34	715	7.6	94	1	1	4	10	17	25	58
35-49	425	7.1	74	1	1	4	9	15	20	54
50-64	344	8.7	145	1	1	5	10	20	28	75
65+	331	9.5	130	1	1	6	12	21	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	4.2	23	<1	1	3	5	9	14	23
B. *Operated*	1792	3.2	14	<1	1	2	4	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	709	6.2	27	1	2	5	8	11	14	24
B. *Operated*	2188	7.8	102	1	1	4	10	17	26	58
1. SINGLE DX	2070	3.4	16	<1	1	2	4	7	11	19
2. MULTIPLE DX	2897	7.4	84	1	1	5	9	15	23	53
A. NOT OPERATED	987	5.7	26	1	1	5	7	10	14	24
B. OPERATED	3980	5.8	68	1	1	3	7	13	20	46
TOTAL 0-19 YRS	1073	4.3	40	<1	1	2	5	9	14	33
20-34	1675	5.5	54	1	1	3	7	12	17	42
35-49	997	5.7	45	1	1	4	7	13	16	34
50-64	657	6.9	89	1	1	4	8	15	22	58
65+	565	7.8	93	1	1	5	10	17	26	54
GRAND TOTAL	**4967**	**5.7**	**59**	**1**	**1**	**3**	**7**	**13**	**18**	**43**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	8	<1	1	2	3	4	9	15
20-34	74	2.4	5	<1	<1	2	3	5	7	13
35-49	39	2.8	4	1	1	2	4	5	5	11
50-64	40	2.7	4	1	1	2	3	4	8	10
65+	41	4.0	7	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	985	2.8	3	<1	<1	3	4	5	6	7
20-34	1515	3.0	3	<1	<1	3	4	5	6	9
35-49	462	3.1	4	<1	1	3	4	5	7	9
50-64	143	3.5	6	<1	1	3	4	6	7	14
65+	57	5.1	8	1	2	5	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.5	5	<1	<1	2	3	6	8	11
20-34	107	3.1	7	<1	<1	2	4	6	9	12
35-49	95	4.9	26	1	1	3	7	10	14	28
50-64	123	5.1	17	1	1	4	7	11	13	47
65+	310	5.6	36	1	2	4	7	9	12	28
B. *Operated*										
0-19 YRS	1333	3.5	4	<1	1	3	4	6	7	10
20-34	2401	3.7	5	1	1	3	5	6	7	11
35-49	980	3.8	6	1	1	3	5	6	8	14
50-64	274	4.6	16	1	1	4	6	8	11	19
65+	172	7.2	58	1	2	5	9	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.8	6	<1	1	2	3	5	8	14
B. *Operated*	3162	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	695	4.8	25	1	1	4	6	9	12	25
B. *Operated*	5160	3.8	8	1	1	3	5	6	8	13
1. SINGLE DX	3418	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	5855	3.9	10	1	1	3	5	7	8	15
A. NOT OPERATED	951	4.2	21	1	1	3	5	8	11	21
B. OPERATED	8322	3.5	6	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	2440	3.2	4	<1	1	3	4	5	6	10
20-34	4097	3.4	5	<1	1	3	4	6	7	10
35-49	1576	3.6	7	1	1	3	5	6	8	14
50-64	580	4.3	13	1	1	3	5	8	10	19
65+	580	5.9	38	1	2	4	7	10	14	28
GRAND TOTAL	**9273**	**3.6**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.2	4	1	1	3	4	6	7	10
20-34	1810	4.9	10	1	2	4	6	8	11	15
35-49	1911	5.4	12	1	2	5	7	10	12	17
50-64	625	5.2	12	2	2	5	6	9	11	16
65+	187	5.4	12	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	13	5.0	13	1	1	5	9	10	11	11
20-34	393	4.6	18	1	1	3	7	11	14	19
35-49	360	4.7	18	1	1	3	7	10	13	21
50-64	77	4.3	22	1	1	2	5	11	14	23
65+	7	5.4	22	2	2	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	4.5	10	1	1	4	6	9	10	15
20-34	1927	5.8	16	1	2	5	7	10	13	18
35-49	2643	6.1	13	2	2	5	8	11	13	19
50-64	1946	6.3	15	2	3	6	8	11	13	19
65+	1776	6.6	21	2	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	13	6.5	25	1	1	5	12	13	13	13
20-34	383	7.0	32	1	1	6	9	14	17	27
35-49	413	8.1	41	1	2	7	11	15	20	29
50-64	219	7.8	31	1	2	7	11	14	18	28
65+	113	11.4	96	3	4	8	14	21	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4683	5.1	11	1	2	4	7	9	11	16
B. *Operated*	850	4.6	18	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	8465	6.2	16	2	2	5	8	11	13	20
B. *Operated*	1141	8.0	43	1	1	7	11	15	19	32
1. SINGLE DX	5533	5.0	12	1	2	4	7	9	11	17
2. MULTIPLE DX	9606	6.4	20	2	2	5	8	11	14	22
A. NOT OPERATED	13148	5.8	14	2	2	5	7	10	13	19
B. OPERATED	1991	6.6	35	1	1	5	9	13	17	26
TOTAL 0-19 YRS	349	4.0	9	1	1	3	5	8	9	14
20-34	4513	5.4	15	1	2	5	7	10	13	18
35-49	5327	5.9	16	1	2	5	8	11	13	20
50-64	2867	6.1	16	2	2	5	8	11	13	21
65+	2083	6.8	25	2	2	6	8	12	15	25
GRAND TOTAL	**15139**	**5.9**	**17**	**1**	**2**	**5**	**8**	**11**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	420	2.5	5	<1	1	2	3	5	7	13
20-34	1627	4.4	9	1	1	4	6	8	10	14
35-49	1327	4.7	11	1	1	4	6	8	10	16
50-64	514	4.5	9	1	1	4	6	8	10	14
65+	106	3.9	6	1	1	3	6	7	8	12
B. *Operated*										
0-19 YRS	28	4.0	19	<1	1	2	5	11	14	18
20-34	545	3.5	13	1	1	2	4	9	12	16
35-49	419	3.7	16	1	1	2	5	9	11	16
50-64	94	3.0	9	1	1	2	4	8	10	12
65+	8	4.8	13	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	668	3.2	8	<1	1	2	4	7	8	14
20-34	3574	5.2	14	1	2	4	7	9	12	19
35-49	3324	5.8	14	1	2	5	7	11	13	19
50-64	1887	5.8	15	1	2	5	7	11	13	20
65+	1549	5.8	15	1	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	50	3.2	6	<1	<1	2	4	7	9	11
20-34	664	5.7	27	1	1	4	8	13	16	25
35-49	684	5.8	29	1	1	4	8	12	16	27
50-64	276	7.3	37	1	2	6	10	15	17	29
65+	131	9.0	49	1	2	7	13	18	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3994	4.3	10	1	1	4	6	8	10	14
B. *Operated*	1094	3.5	14	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	11002	5.5	14	1	2	5	7	10	12	19
B. *Operated*	1805	6.1	32	1	1	4	9	13	17	27
1. SINGLE DX	5088	4.1	11	1	1	3	6	8	10	15
2. MULTIPLE DX	12807	5.6	17	1	1	5	7	10	13	21
A. NOT OPERATED	14996	5.1	13	1	1	4	7	10	12	18
B. OPERATED	2899	5.2	27	1	1	3	7	12	15	25
TOTAL 0-19 YRS	1166	3.0	7	<1	1	2	4	6	8	14
20-34	6410	4.9	14	1	1	4	7	9	12	18
35-49	5754	5.4	16	1	1	5	7	10	13	20
50-64	2771	5.6	17	1	2	5	7	10	13	20
65+	1794	5.9	18	1	2	5	8	11	14	22
GRAND TOTAL	**17895**	**5.2**	**16**	**1**	**1**	**4**	**7**	**10**	**12**	**19**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.1	2	<1	1	2	3	4	5	7
20-34	220	2.3	3	<1	1	2	3	5	6	9
35-49	161	2.6	7	<1	1	2	3	5	6	16
50-64	74	3.2	7	1	1	3	4	6	8	16
65+	68	2.7	3	1	1	2	4	5	7	8
B. *Operated*										
0-19 YRS	327	1.7	1	<1	<1	1	2	3	4	5
20-34	1345	2.1	2	<1	1	2	3	4	5	7
35-49	1603	2.5	2	1	1	2	3	4	5	8
50-64	1570	3.1	3	1	1	3	4	5	6	9
65+	600	3.6	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.5	3	<1	1	2	3	5	6	8
20-34	322	3.0	5	<1	1	2	4	6	8	11
35-49	297	3.6	9	<1	1	3	4	8	10	15
50-64	315	4.0	12	<1	1	3	5	8	11	17
65+	681	5.4	27	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	152	2.2	3	<1	1	2	3	4	6	9
20-34	462	2.9	11	1	1	2	3	5	8	15
35-49	693	3.3	8	1	1	3	4	6	8	16
50-64	1413	3.9	14	1	1	3	4	6	9	16
65+	1041	5.1	19	1	2	4	6	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	2.5	5	<1	1	2	3	5	6	9
B. *Operated*	5445	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1762	4.2	16	1	1	3	5	9	11	19
B. *Operated*	3761	3.9	14	1	1	3	5	7	9	18
1. SINGLE DX	6099	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	5523	4.0	15	1	1	3	5	7	10	18
A. NOT OPERATED	2416	3.7	14	1	1	3	5	8	10	16
B. OPERATED	9206	3.2	8	1	1	3	4	6	7	14
TOTAL 0-19 YRS	757	2.0	2	<1	1	2	3	4	5	7
20-34	2349	2.4	4	<1	1	2	3	4	6	10
35-49	2754	2.8	5	1	1	2	3	5	6	12
50-64	3372	3.5	9	1	1	3	4	6	8	14
65+	2390	4.8	18	1	2	4	6	9	12	22
GRAND TOTAL	**11622**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4951	1.3	1	<1	1	1	1	2	3	4
20-34	1335	1.7	1	<1	<1	1	2	3	4	6
35-49	435	1.9	3	<1	1	1	2	3	5	8
50-64	174	1.9	1	<1	1	2	2	4	5	6
65+	147	2.0	2	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	12	1.5	2	<1	<1	1	1	3	6	6
20-34	8	2.6	6	1	1	2	4	7	7	7
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6603	1.8	3	<1	1	1	2	3	4	8
20-34	5014	2.5	6	<1	1	2	3	5	7	11
35-49	2134	3.1	8	1	1	2	4	7	9	14
50-64	1429	3.5	8	1	1	3	5	7	9	14
65+	2029	4.8	32	1	1	3	6	9	13	25
B. *Operated*										
0-19 YRS	1682	2.7	14	<1	1	2	3	5	8	20
20-34	2049	3.3	21	<1	1	2	4	7	10	20
35-49	762	3.8	18	1	1	2	5	9	11	21
50-64	461	4.6	27	1	1	3	5	11	17	28
65+	777	5.8	57	1	1	3	7	13	17	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7042	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	31	2.1	4	<1	1	1	2	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	17209	2.7	9	<1	1	2	3	5	8	14
B. *Operated*	5731	3.6	25	<1	1	2	4	8	12	26
1. SINGLE DX	7073	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	22940	2.9	13	<1	1	2	3	6	8	17
A. NOT OPERATED	24251	2.3	7	<1	1	1	3	5	7	12
B. OPERATED	5762	3.6	25	<1	1	2	4	8	12	26
TOTAL 0-19 YRS	13248	1.7	4	<1	1	1	2	3	4	8
20-34	8406	2.6	9	<1	1	2	3	5	7	13
35-49	3336	3.1	10	1	1	2	4	7	9	15
50-64	2067	3.6	12	1	1	2	4	7	10	19
65+	2956	4.9	38	1	1	3	6	10	14	29
GRAND TOTAL	**30013**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2033	1.8	10	<1	1	1	2	3	4	12
20-34	629	3.0	24	<1	1	2	3	6	9	29
35-49	212	2.7	6	<1	1	2	3	6	8	13
50-64	84	3.1	8	1	1	2	4	6	9	14
65+	88	4.1	18	1	1	2	5	11	14	20
B. *Operated*										
0-19 YRS	129	6.9	36	2	2	6	8	12	21	59
20-34	98	8.1	79	1	1	6	9	14	21	55
35-49	60	7.0	24	1	2	6	9	14	19	92
50-64	65	10.3	141	2	3	8	10	21	24	81
65+	105	9.9	92	2	3	8	11	18	22	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3265	3.3	44	<1	1	1	3	6	12	42
20-34	2256	4.4	60	<1	1	2	5	9	14	43
35-49	980	4.7	45	1	1	3	5	10	15	31
50-64	688	5.5	58	1	1	3	6	13	18	43
65+	1602	7.5	65	1	1	5	9	16	23	43
B. *Operated*										
0-19 YRS	1157	12.1	271	1	1	5	16	38	53	99+
20-34	1294	13.9	336	1	1	6	20	47	70	99+
35-49	584	14.2	276	1	1	9	21	42	68	99+
50-64	444	13.5	202	1	1	9	20	36	49	99+
65+	1095	15.0	208	1	2	11	19	35	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3046	2.2	14	<1	1	1	2	4	7	16
B. *Operated*	457	8.4	73	1	2	7	10	15	22	68
2. MULTIPLE DX										
A. *Not Operated*	8791	4.7	56	<1	1	2	5	10	16	42
B. *Operated*	4574	13.7	269	1	1	8	19	40	57	99+
1. SINGLE DX	3503	3.0	26	<1	1	1	3	7	10	23
2. MULTIPLE DX	13365	7.8	147	1	1	3	9	21	35	86
A. NOT OPERATED	11837	4.0	46	<1	1	2	4	9	14	37
B. OPERATED	5031	13.2	254	1	1	8	18	38	55	99+
TOTAL 0-19 YRS	6584	4.4	87	<1	1	1	3	10	22	63
20-34	4277	7.2	159	<1	1	3	7	19	38	95
35-49	1836	7.6	135	1	1	3	8	20	34	99+
50-64	1281	8.4	124	1	1	4	10	21	33	76
65+	2890	10.3	133	1	2	7	13	23	34	70
GRAND TOTAL	**16868**	**6.8**	**126**	**1**	**1**	**3**	**7**	**18**	**31**	**78**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.3	4	1	1	2	3	5	6	11
20-34	161	2.8	4	<1	1	2	4	5	6	10
35-49	53	2.7	3	<1	1	3	4	5	5	10
50-64	32	3.0	4	<1	1	2	4	6	7	8
65+	20	2.6	4	<1	<1	2	4	5	6	7
B. *Operated*										
0-19 YRS	108	4.5	6	2	2	4	6	8	10	12
20-34	344	4.9	9	2	2	4	6	9	10	17
35-49	92	5.5	25	2	2	4	6	9	13	33
50-64	29	5.2	7	2	3	4	7	10	13	99+
65+	14	8.6	37	1	3	7	12	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	290	3.8	20	1	1	3	4	7	8	23
20-34	609	3.8	9	1	1	3	5	8	10	13
35-49	389	4.4	14	1	1	3	5	9	11	21
50-64	346	5.0	18	1	1	4	7	9	12	19
65+	511	7.0	42	1	2	5	9	13	18	34
B. *Operated*										
0-19 YRS	493	8.2	56	2	3	6	9	15	22	48
20-34	1397	8.4	64	2	3	6	10	16	23	47
35-49	690	9.1	76	2	3	7	11	18	28	46
50-64	459	10.6	124	2	3	7	12	21	29	59
65+	525	11.9	96	3	4	9	15	24	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	2.6	4	<1	1	2	4	5	6	10
B. *Operated*	587	5.0	12	2	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	2145	4.8	22	1	1	4	6	9	12	22
B. *Operated*	3564	9.3	79	2	3	7	11	19	27	50
1. SINGLE DX	950	4.1	10	1	1	3	5	8	10	17
2. MULTIPLE DX	5709	7.6	62	1	2	5	9	15	22	45
A. NOT OPERATED	2508	4.5	20	1	1	3	6	9	11	20
B. OPERATED	4151	8.7	72	2	3	6	10	17	25	48
TOTAL 0-19 YRS	988	5.9	40	1	1	4	7	11	15	40
20-34	2511	6.4	44	1	2	5	8	12	18	37
35-49	1224	7.1	55	1	2	5	8	14	20	41
50-64	866	7.9	82	1	2	6	9	15	23	53
65+	1070	9.3	74	2	2	7	11	19	26	50
GRAND TOTAL	**6659**	**7.1**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**43**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	633	3.2	7	1	1	2	4	7	9	12
20-34	340	2.7	4	<1	1	2	3	6	7	10
35-49	115	3.0	9	1	1	2	3	6	9	16
50-64	30	2.7	2	<1	1	2	4	5	5	5
65+	14	4.6	7	1	1	4	7	8	9	9
B. *Operated*										
0-19 YRS	310	6.3	13	1	3	6	7	9	11	18
20-34	437	6.2	11	2	3	6	7	9	11	22
35-49	127	6.6	12	1	2	6	8	10	12	19
50-64	38	6.1	8	1	2	6	8	10	10	12
65+	21	8.3	11	2	4	9	11	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1029	3.8	12	1	1	3	5	8	10	15
20-34	882	3.6	9	1	1	3	5	7	9	14
35-49	367	4.1	15	1	1	3	5	9	11	20
50-64	203	5.2	22	1	1	4	7	10	15	23
65+	292	5.5	24	1	2	4	7	11	13	31
B. *Operated*										
0-19 YRS	1257	10.9	109	2	4	8	12	21	31	58
20-34	2337	11.7	128	3	4	8	12	23	34	70
35-49	832	13.2	180	3	4	9	14	28	43	78
50-64	447	13.9	156	3	5	10	16	34	44	89
65+	428	16.3	217	2	3	12	20	37	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	3.0	7	1	1	2	4	7	8	12
B. *Operated*	933	6.3	12	2	3	6	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2773	4.1	14	1	1	3	5	9	11	17
B. *Operated*	5301	12.3	143	3	4	8	13	25	38	70
1. SINGLE DX	2065	4.5	12	1	1	4	6	9	10	15
2. MULTIPLE DX	8074	9.5	114	1	2	7	11	19	30	62
A. NOT OPERATED	3905	3.6	12	1	1	3	5	8	10	16
B. OPERATED	6234	11.4	128	2	4	8	12	23	35	66
TOTAL 0-19 YRS	3229	6.7	61	1	1	5	8	12	19	38
20-34	3996	8.5	93	1	2	6	10	16	25	60
35-49	1441	9.5	129	1	1	7	10	19	31	64
50-64	718	10.6	123	1	2	8	12	23	35	66
65+	755	11.7	160	1	2	8	14	28	39	64
GRAND TOTAL	**10139**	**8.4**	**97**	**1**	**1**	**6**	**10**	**17**	**26**	**56**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.2	4	<1	<1	1	3	5	6	9
20-34	24	2.7	2	<1	1	3	4	5	6	6
35-49	9	3.0	5	1	1	3	4	7	7	7
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	525	2.3	3	<1	1	2	3	5	5	8
20-34	382	2.5	3	1	1	2	3	4	5	8
35-49	184	2.6	5	<1	1	2	3	5	6	12
50-64	50	2.5	3	<1	<1	2	4	4	5	8
65+	44	2.5	2	<1	1	2	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.8	4	<1	1	2	4	5	7	9
20-34	48	1.8	1	<1	<1	2	2	3	3	4
35-49	23	3.7	10	<1	1	2	5	9	11	12
50-64	14	2.9	2	<1	1	3	4	5	5	5
65+	18	3.4	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	639	3.3	7	1	1	2	4	6	8	14
20-34	709	3.8	15	1	1	3	5	7	10	21
35-49	305	3.7	8	1	1	3	5	7	9	14
50-64	172	3.8	8	1	1	3	5	7	10	14
65+	188	5.0	51	1	1	3	6	9	11	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*	1185	2.5	3	<1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	166	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	2013	3.8	15	1	1	3	5	7	9	17
1. SINGLE DX	1252	2.5	3	<1	1	2	3	5	5	9
2. MULTIPLE DX	2179	3.7	14	1	1	3	5	7	9	17
A. NOT OPERATED	233	2.6	4	<1	1	2	3	5	7	9
B. OPERATED	3198	3.3	11	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1257	2.8	5	<1	1	2	4	5	7	12
20-34	1163	3.3	11	1	1	3	4	6	8	17
35-49	521	3.3	7	1	1	3	4	7	9	14
50-64	239	3.5	7	1	1	3	5	7	9	13
65+	251	4.5	40	1	1	3	5	9	11	22
GRAND TOTAL	**3431**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.1	3	<1	1	1	3	4	5	10
20-34	188	1.9	2	<1	<1	1	2	4	5	8
35-49	53	2.1	3	<1	<1	1	3	4	5	10
50-64	22	2.5	4	<1	<1	2	4	6	7	7
65+	18	2.4	6	<1	1	1	3	4	8	11
B. *Operated*										
0-19 YRS	805	1.6	2	<1	<1	1	2	3	4	8
20-34	444	2.1	4	<1	<1	1	2	4	5	10
35-49	128	2.2	4	<1	<1	2	3	5	6	11
50-64	72	2.2	3	<1	<1	2	3	5	6	9
65+	39	2.3	4	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	2.3	4	<1	1	2	3	4	6	11
20-34	662	2.6	8	<1	1	2	3	5	6	12
35-49	292	2.9	8	1	1	2	4	6	7	13
50-64	176	3.5	16	<1	1	2	4	7	9	18
65+	304	4.6	15	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	1851	2.5	9	<1	1	2	3	5	7	11
20-34	2372	3.4	23	<1	1	2	4	7	10	26
35-49	951	4.0	41	<1	1	2	4	8	12	29
50-64	577	4.0	23	1	1	3	5	8	12	27
65+	838	4.8	34	1	1	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	2.1	3	<1	<1	1	3	4	5	10
B. *Operated*	1488	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1932	3.0	10	<1	1	2	4	6	8	15
B. *Operated*	6589	3.5	24	<1	1	2	4	7	10	24
1. SINGLE DX	1992	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	8521	3.3	20	<1	1	2	4	7	9	22
A. NOT OPERATED	2436	2.8	8	<1	1	2	3	6	8	14
B. OPERATED	8077	3.2	20	<1	1	2	4	6	9	23
TOTAL 0-19 YRS	3377	2.2	6	<1	1	1	3	4	6	11
20-34	3666	3.0	17	<1	1	2	3	6	8	21
35-49	1424	3.6	30	<1	1	2	4	7	10	26
50-64	847	3.7	20	1	1	2	4	8	11	24
65+	1199	4.6	28	1	1	3	6	9	13	27
GRAND TOTAL	**10513**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2,	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	1.7	1	<1	1	1	2	3	4	6
20-34	633	1.7	1	<1	<1	1	2	3	4	7
35-49	189	1.9	3	<1	<1	1	2	4	5	8
50-64	48	2.4	11	<1	1	2	2	4	5	23
65+	8	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	448	2.2	4	<1	1	1	3	5	6	9
20-34	564	3.1	8	<1	1	2	4	6	8	13
35-49	195	3.3	8	<1	1	2	5	7	9	14
50-64	42	3.4	8	<1	<1	2	5	8	9	11
65+	11	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	2.5	5	<1	1	2	3	5	6	11
20-34	586	2.6	8	<1	1	2	3	5	7	15
35-49	228	2.5	4	<1	<1	2	3	5	6	12
50-64	74	3.0	8	<1	1	2	4	8	9	14
65+	40	5.5	35	1	1	4	7	10	11	37
B. *Operated*										
0-19 YRS	561	4.8	34	<1	1	3	6	10	12	28
20-34	1235	6.0	53	1	1	4	7	11	16	39
35-49	440	6.9	70	1	1	5	8	13	21	48
50-64	148	7.6	41	1	1	6	10	17	21	30
65+	96	7.0	90	1	1	5	9	12	16	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	1260	2.8	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1137	2.7	8	<1	<1	2	3	5	7	13
B. *Operated*	2480	6.0	53	1	1	4	7	11	16	38
1. SINGLE DX	2425	2.3	5	<1	<1	2	3	5	6	10
2. MULTIPLE DX	3617	5.0	41	<1	1	3	6	10	14	32
A. NOT OPERATED	2302	2.2	5	<1	<1	2	3	4	6	11
B. OPERATED	3740	4.9	40	1	1	3	6	10	13	32
TOTAL 0-19 YRS	1505	3.1	16	<1	1	2	4	7	9	19
20-34	3018	3.9	28	<1	1	2	5	8	11	27
35-49	1052	4.4	37	<1	1	3	5	9	13	29
50-64	312	5.1	29	<1	1	3	7	12	17	25
65+	155	6.0	67	1	1	4	8	11	14	61
GRAND TOTAL	**6042**	**3.9**	**28**	**<1**	**1**	**2**	**5**	**8**	**11**	**26**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	2.7	3	1	1	2	3	5	6	9
20-34	593	2.6	2	<1	1	2	3	5	6	7
35-49	192	3.0	5	<1	1	2	4	5	7	9
50-64	81	2.7	2	1	1	2	4	5	6	7
65+	42	3.4	7	<1	1	3	4	6	10	13
B. *Operated*										
0-19 YRS	1802	1.9	4	<1	<1	1	2	4	5	11
20-34	3115	2.2	5	<1	<1	1	2	4	6	11
35-49	1290	2.3	6	<1	1	1	3	5	7	12
50-64	631	2.2	6	<1	<1	1	2	5	7	12
65+	224	2.3	8	<1	1	1	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	360	3.5	26	<1	1	2	4	6	8	31
20-34	711	3.7	24	<1	1	3	4	6	9	24
35-49	331	3.8	14	1	1	3	5	7	9	18
50-64	180	4.2	13	1	1	3	5	8	10	22
65+	143	5.3	22	1	2	4	7	10	15	25
B. *Operated*										
0-19 YRS	1822	2.9	16	<1	1	2	3	6	8	19
20-34	3636	3.2	20	<1	1	2	3	7	9	22
35-49	1638	3.6	21	1	1	2	4	8	11	25
50-64	942	3.7	27	1	1	2	4	7	12	30
65+	626	4.8	50	1	1	3	5	10	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1223	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	7062	2.2	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1725	3.9	21	1	1	3	4	7	10	24
B. *Operated*	8664	3.4	23	<1	1	2	4	7	10	24
1. SINGLE DX	8285	2.2	5	<1	<1	1	3	4	6	11
2. MULTIPLE DX	10389	3.4	22	<1	1	2	4	7	10	24
A. NOT OPERATED	2948	3.4	14	<1	1	3	4	6	8	17
B. OPERATED	15726	2.8	15	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	4299	2.5	11	<1	1	2	3	5	7	14
20-34	8055	2.8	14	<1	1	2	3	6	8	16
35-49	3451	3.1	14	<1	1	2	4	6	9	19
50-64	1834	3.2	18	<1	1	2	4	7	10	21
65+	1035	4.2	36	1	1	2	5	9	12	29
GRAND TOTAL	**18674**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	2.9	9	<1	1	2	4	6	7	11
20-34	468	2.8	5	<1	1	2	4	5	7	10
35-49	174	3.0	5	<1	1	3	4	6	7	10
50-64	52	3.3	7	<1	1	3	4	6	7	17
65+	25	3.6	5	<1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	1450	3.2	14	<1	1	2	4	6	9	21
20-34	1335	3.6	17	1	1	2	4	8	10	20
35-49	497	3.8	19	<1	1	2	5	8	11	28
50-64	207	4.1	22	1	1	3	5	10	12	27
65+	104	5.8	34	1	1	4	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	4.1	15	1	1	3	5	7	10	19
20-34	389	3.8	8	1	1	3	5	7	9	14
35-49	189	4.7	16	1	1	3	6	10	12	21
50-64	141	5.2	11	1	2	5	7	10	11	16
65+	202	6.7	31	1	2	5	8	14	18	28
B. *Operated*										
0-19 YRS	1014	6.1	44	1	1	4	7	14	20	34
20-34	1278	6.6	66	1	1	4	7	14	22	41
35-49	591	7.8	90	1	1	5	9	16	25	50
50-64	361	9.5	106	1	2	6	12	22	30	62
65+	391	10.7	117	1	2	7	14	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	2.9	6	<1	1	2	4	6	7	10
B. *Operated*	3593	3.5	17	<1	1	2	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	1251	4.6	16	1	1	4	6	9	12	20
B. *Operated*	3635	7.4	75	1	1	5	9	16	25	47
1. SINGLE DX	4710	3.4	15	<1	1	2	4	7	9	21
2. MULTIPLE DX	4886	6.7	62	1	1	4	8	14	21	41
A. NOT OPERATED	2368	3.8	12	1	1	3	5	7	10	17
B. OPERATED	7228	5.5	50	1	1	3	6	12	18	38
TOTAL 0-19 YRS	3192	4.2	25	1	1	3	5	9	13	27
20-34	3470	4.6	35	1	1	3	5	9	14	32
35-49	1451	5.4	50	1	1	3	6	11	17	38
50-64	761	6.8	65	1	1	4	8	14	23	53
65+	722	8.6	82	1	2	6	11	18	26	47
GRAND TOTAL	**9596**	**5.1**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	8	6.6	16	1	1	7	9	12	13	13
35-49	5	4.0	12	1	1	3	7	9	9	9
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	48	3.1	17	<1	1	2	4	7	8	27
20-34	109	3.2	9	<1	1	2	4	8	10	14
35-49	43	3.0	6	1	1	2	5	6	8	9
50-64	17	3.5	8	<1	<1	2	7	8	8	8
65+	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.5	490	<1	<1	2	4	21	71	82
20-34	32	4.3	15	<1	<1	3	6	11	12	13
35-49	17	4.3	6	<1	1	4	6	7	8	9
50-64	12	4.6	20	1	1	3	5	11	16	17
65+	18	4.8	13	1	1	4	6	11	13	14
B. *Operated*										
0-19 YRS	213	6.9	83	1	1	4	9	17	29	82
20-34	498	6.9	67	1	1	4	9	16	21	49
35-49	216	8.7	126	1	1	5	11	21	34	73
50-64	107	8.8	152	1	1	5	11	23	39	99+
65+	73	10.9	245	1	1	5	12	33	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.4	13	1	1	3	7	9	11	13
B. *Operated*	220	3.2	10	<1	1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	92	5.0	78	<1	1	3	6	10	12	55
B. *Operated*	1107	7.7	102	1	1	4	9	18	28	70
1. SINGLE DX	242	3.3	10	<1	1	2	5	8	9	13
2. MULTIPLE DX	1199	7.5	101	1	1	4	9	17	26	70
A. NOT OPERATED	114	4.9	65	1	1	3	6	10	12	40
B. OPERATED	1327	6.9	90	1	1	4	8	16	25	65
TOTAL 0-19 YRS	279	6.2	90	1	1	3	7	15	24	79
20-34	647	6.1	56	<1	1	4	8	14	20	41
35-49	281	7.5	103	1	1	5	8	16	28	63
50-64	138	7.7	125	1	1	5	9	19	32	99+
65+	96	9.4	196	1	1	4	9	27	38	70
GRAND TOTAL	**1441**	**6.8**	**88**	**1**	**1**	**4**	**8**	**15**	**24**	**65**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	4	1	1	2	4	5	6	6
20-34	16	4.9	36	<1	1	3	6	9	20	25
35-49	11	8.2	234	<1	<1	3	6	29	51	53
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	122	2.6	7	<1	1	2	3	6	8	16
20-34	240	3.1	10	<1	1	2	4	6	9	15
35-49	124	3.0	7	1	1	2	4	7	8	14
50-64	52	3.7	9	<1	1	3	5	7	11	16
65+	18	6.1	35	1	1	4	9	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	9.4	336	<1	1	3	9	22	36	99
20-34	63	7.1	144	<1	1	4	8	12	16	76
35-49	41	7.5	82	<1	1	5	8	17	23	52
50-64	28	6.7	23	2	2	5	9	14	16	22
65+	60	9.1	78	1	1	5	13	23	30	35
B. *Operated*										
0-19 YRS	99	4.3	52	<1	1	2	4	8	16	46
20-34	255	4.6	37	1	1	3	5	9	13	41
35-49	154	6.2	80	1	1	3	7	14	24	56
50-64	125	6.6	63	1	1	4	8	15	19	44
65+	65	9.6	111	1	1	7	11	21	25	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.2	82	<1	1	3	4	10	20	53
B. *Operated*	556	3.1	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	225	8.0	127	1	1	5	9	16	28	62
B. *Operated*	698	5.7	62	1	1	3	6	12	20	53
1. SINGLE DX	595	3.3	14	1	1	2	4	7	9	17
2. MULTIPLE DX	923	6.3	79	1	1	4	7	14	21	56
A. NOT OPERATED	264	7.6	121	1	1	4	9	16	26	56
B. OPERATED	1254	4.6	41	1	1	3	5	10	15	37
TOTAL 0-19 YRS	263	4.1	69	<1	1	2	4	8	15	37
20-34	574	4.2	39	1	1	2	5	9	12	36
35-49	330	5.2	60	1	1	3	6	11	16	52
50-64	207	5.9	45	1	1	4	7	13	16	31
65+	144	8.9	88	1	1	6	12	20	29	37
GRAND TOTAL	**1518**	**5.1**	**56**	**1**	**1**	**3**	**6**	**11**	**16**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	3.6	3	1	1	3	5	6	6	10
20-34	223	3.3	3	1	1	3	4	5	6	9
35-49	82	3.7	4	1	1	4	5	6	7	10
50-64	16	3.6	7	<1	1	3	5	8	9	9
65+	8	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	15	5.3	20	1	1	4	7	13	15	16
20-34	10	5.6	17	1	1	5	8	12	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	365	3.8	5	1	1	4	5	6	7	9
20-34	247	3.5	8	<1	1	3	5	6	7	16
35-49	100	4.2	9	1	1	4	5	7	8	20
50-64	50	4.1	4	1	2	4	5	6	7	11
65+	81	3.9	10	1	1	3	5	7	11	15
B. *Operated*										
0-19 YRS	68	4.4	7	1	1	4	5	8	9	14
20-34	77	4.2	10	1	1	4	5	7	10	16
35-49	31	2.9	2	1	1	3	4	5	6	6
50-64	21	7.4	221	1	1	3	6	10	40	71
65+	28	7.1	142	1	1	5	7	13	20	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	3.5	3	1	1	3	5	6	6	9
B. *Operated*	33	5.1	15	1	1	4	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	843	3.8	7	1	1	3	5	6	7	15
B. *Operated*	225	4.8	45	1	1	4	5	7	11	29
1. SINGLE DX	877	3.6	4	1	1	3	5	6	6	10
2. MULTIPLE DX	1068	4.0	15	1	1	4	5	6	8	15
A. NOT OPERATED	1687	3.7	5	1	1	3	5	6	7	11
B. OPERATED	258	4.8	41	1	1	4	6	8	12	17
TOTAL 0-19 YRS	963	3.8	5	1	1	4	5	6	7	11
20-34	557	3.6	6	1	1	3	5	6	7	14
35-49	214	3.8	6	1	1	4	5	6	8	12
50-64	90	4.8	55	1	1	4	5	7	8	48
65+	121	4.6	41	1	1	3	5	8	12	30
GRAND TOTAL	**1945**	**3.8**	**10**	**1**	**1**	**3**	**5**	**6**	**7**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1422	1.7	2	<1	1	1	2	3	4	7
20-34	1230	2.2	3	<1	1	2	3	4	6	9
35-49	543	2.3	3	<1	1	2	3	5	6	10
50-64	323	2.7	5	1	1	2	3	6	7	12
65+	405	3.5	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	245	2.6	9	<1	<1	2	3	6	8	16
20-34	235	2.7	9	<1	<1	2	3	5	7	14
35-49	128	3.0	10	<1	<1	2	4	7	10	16
50-64	77	3.5	11	<1	1	2	4	8	12	14
65+	65	4.6	25	1	1	3	5	9	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2814	2.0	3	<1	1	1	2	4	5	9
20-34	3475	2.5	6	<1	1	2	3	5	7	12
35-49	1970	3.3	12	1	1	2	4	7	9	17
50-64	1696	3.9	18	1	1	3	5	8	11	19
65+	4636	5.6	38	1	1	4	7	11	14	27
B. *Operated*										
0-19 YRS	440	3.6	29	1	1	2	4	7	10	30
20-34	658	3.9	21	<1	1	3	4	8	12	25
35-49	379	5.4	43	1	1	3	6	11	19	35
50-64	317	6.2	46	1	1	4	7	13	19	36
65+	660	8.9	78	1	2	6	11	21	26	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3923	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	750	3.0	11	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	14591	3.7	20	1	1	2	4	8	10	19
B. *Operated*	2454	5.7	49	1	1	3	7	13	19	39
1. SINGLE DX	4673	2.3	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	17045	4.0	25	1	1	3	5	8	11	23
A. NOT OPERATED	18514	3.4	17	<1	1	2	4	7	10	18
B. OPERATED	3204	5.1	42	<1	1	3	6	11	17	35
TOTAL 0-19 YRS	4921	2.1	6	<1	1	1	2	4	5	10
20-34	5598	2.6	7	<1	1	2	3	5	7	13
35-49	3020	3.4	15	<1	1	2	4	7	9	19
50-64	2413	4.1	21	1	1	3	5	8	12	20
65+	5766	5.8	42	1	1	4	7	11	16	35
GRAND TOTAL	**21718**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**7**	**11**	**21**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	1.9	2	1	1	1	2	3	5	9
20-34	141	2.4	6	1	1	2	3	4	6	11
35-49	38	2.3	4	1	1	2	3	4	6	11
50-64	19	2.5	3	1	1	2	3	5	6	7
65+	5	5.4	13	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	69	4.2	39	1	1	2	5	7	12	40
20-34	176	4.7	42	<1	1	2	5	11	16	36
35-49	87	4.5	32	1	1	3	5	10	13	33
50-64	33	2.8	4	<1	1	2	3	6	6	9
65+	7	9.3	103	<1	<1	6	13	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.9	5	1	1	2	4	6	8	12
20-34	157	3.0	7	1	1	2	4	6	9	10
35-49	73	3.9	19	1	1	3	4	8	14	25
50-64	43	4.1	9	1	1	3	6	8	10	12
65+	33	8.3	77	1	2	4	12	19	24	40
B. *Operated*										
0-19 YRS	145	4.7	30	1	1	2	6	10	18	31
20-34	405	7.1	95	1	1	4	8	17	26	48
35-49	193	6.2	76	1	1	3	7	14	22	44
50-64	129	8.4	155	1	1	4	9	24	34	83
65+	42	10.1	142	1	1	5	12	31	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	2.2	5	1	1	2	3	4	5	11
B. *Operated*	372	4.4	37	1	1	2	5	10	15	36
2. MULTIPLE DX										
A. *Not Operated*	412	3.7	17	1	1	2	4	8	10	21
B. *Operated*	914	6.9	93	1	1	4	8	17	25	48
1. SINGLE DX	687	3.4	23	1	1	2	4	7	11	25
2. MULTIPLE DX	1326	5.9	71	1	1	3	6	14	22	44
A. NOT OPERATED	727	3.0	12	1	1	2	4	6	9	18
B. OPERATED	1286	6.2	78	1	1	3	7	15	24	45
TOTAL 0-19 YRS	432	3.4	20	1	1	2	4	7	11	22
20-34	879	5.1	58	1	1	3	5	10	20	41
35-49	391	5.0	50	1	1	3	5	11	16	36
50-64	224	6.3	98	1	1	3	7	14	25	74
65+	87	9.1	106	1	1	5	12	24	37	44
GRAND TOTAL	**2013**	**5.0**	**56**	**1**	**1**	**3**	**5**	**11**	**19**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
20-34	4	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	8	1.8	1	<1	<1	1	2	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	1	1	2	3	5	6	6
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	15	2.5	3	<1	<1	2	3	4	6	7
20-34	7	1.4	1	<1	<1	1	1	3	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.0		<1	<1	1	1	1	2	2
B. *Operated*	19	1.9	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	27	2.7	7	<1	<1	2	3	5	8	14
1. SINGLE DX	43	1.4	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX	40	2.6	6	<1	<1	2	3	5	6	14
A. NOT OPERATED	37	1.4	1	<1	<1	1	1	3	4	6
B. OPERATED	46	2.4	5	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	46	1.8	2	<1	<1	1	2	4	5	7
20-34	22	1.4	1	<1	<1	1	1	3	4	4
35-49	8	2.6	4	<1	<1	2	4	6	6	6
50-64	5	4.4	29	1	1	2	6	14	14	14
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**83**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1370	1.2	1	<1	<1	1	1	2	2	4
20-34	289	1.6	2	<1	<1	1	2	3	4	8
35-49	217	1.4	2	<1	<1	1	1	2	4	7
50-64	210	1.2	1	<1	<1	1	1	2	2	6
65+	186	1.8	11	<1	<1	1	2	3	3	22
B. *Operated*										
0-19 YRS	472	1.7	3	<1	<1	1	2	3	5	9
20-34	74	3.2	8	<1	<1	2	4	8	10	13
35-49	56	2.3	4	<1	1	1	3	5	6	11
50-64	50	3.3	13	<1	<1	2	5	8	9	17
65+	33	2.9	8	<1	1	2	3	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	2.2	5	<1	1	2	2	4	5	13
20-34	182	3.1	35	<1	<1	2	3	7	9	54
35-49	219	2.7	9	<1	<1	2	3	7	9	17
50-64	315	2.8	8	<1	1	2	3	6	9	14
65+	819	3.7	15	1	1	2	5	8	11	20
B. *Operated*										
0-19 YRS	285	4.3	31	<1	1	2	5	13	17	36
20-34	122	6.9	44	1	1	5	10	15	19	35
35-49	154	6.6	69	<1	1	4	8	15	23	44
50-64	215	5.6	58	<1	1	3	7	13	19	54
65+	537	6.3	61	1	1	4	8	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2272	1.3	2	<1	<1	1	1	2	3	6
B. *Operated*	685	2.1	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	2021	3.0	13	<1	1	2	4	7	9	17
B. *Operated*	1313	5.8	54	1	1	3	7	14	19	43
1. SINGLE DX	2957	1.5	3	<1	<1	1	1	2	4	8
2. MULTIPLE DX	3334	4.1	31	<1	1	2	5	10	14	30
A. NOT OPERATED	4293	2.1	8	<1	<1	1	2	4	7	14
B. OPERATED	1998	4.6	40	<1	1	2	6	11	16	36
TOTAL 0-19 YRS	2613	1.8	6	<1	<1	1	2	3	5	15
20-34	667	3.1	23	<1	<1	1	3	8	11	21
35-49	646	3.2	24	<1	<1	1	3	7	11	24
50-64	790	3.2	23	<1	<1	1	3	8	12	22
65+	1575	4.4	32	1	1	2	5	10	14	31
GRAND TOTAL	**6291**	**2.9**	**19**	**<1**	**<1**	**1**	**3**	**7**	**10**	**22**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.8	36	<1	1	4	7	13	18	34
20-34	55	3.7	32	1	1	2	3	9	10	37
35-49	32	6.4	46	<1	1	5	8	12	16	36
50-64	6	4.2	13	1	1	3	7	10	10	10
65+	6	8.2	41	<1	<1	6	16	16	16	16
B. *Operated*										
0-19 YRS	200	7.5	87	1	1	5	9	17	22	56
20-34	170	7.3	63	1	2	5	9	14	24	39
35-49	92	7.7	44	1	1	6	10	15	24	32
50-64	34	8.9	109	<1	1	6	12	16	24	58
65+	32	11.1	92	2	2	9	16	22	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	6.9	65	1	1	5	9	14	18	67
20-34	188	6.6	49	1	1	4	9	15	18	53
35-49	115	7.6	52	1	1	6	10	18	25	31
50-64	81	8.9	115	1	2	6	10	18	28	66
65+	111	10.3	72	1	2	8	13	21	28	43
B. *Operated*										
0-19 YRS	513	15.9	206	2	2	12	22	35	45	96
20-34	519	15.3	184	2	3	12	20	31	44	81
35-49	366	17.9	255	1	3	14	25	40	59	99+
50-64	265	19.9	356	2	4	13	27	52	70	99+
65+	344	22.6	301	4	5	18	33	53	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	5.2	37	<1	1	3	7	11	16	36
B. *Operated*	528	7.8	73	1	1	6	9	17	23	46
2. MULTIPLE DX										
A. *Not Operated*	684	7.7	67	1	1	6	10	16	21	42
B. *Operated*	2007	17.8	252	2	3	14	24	41	56	99+
1. SINGLE DX	679	7.2	66	1	1	5	9	15	22	39
2. MULTIPLE DX	2691	15.2	224	1	2	11	20	36	52	99+
A. NOT OPERATED	835	7.3	62	1	1	5	9	15	20	38
B. OPERATED	2535	15.7	231	1	2	11	21	37	52	99+
TOTAL 0-19 YRS	954	11.8	163	1	2	8	16	27	38	87
20-34	932	11.4	145	1	2	8	16	27	36	70
35-49	605	13.8	199	1	2	9	19	34	44	99+
50-64	386	16.3	305	2	3	10	22	41	62	98
65+	493	18.9	264	2	4	14	27	47	58	99+
GRAND TOTAL	**3370**	**13.6**	**203**	**1**	**2**	**9**	**18**	**32**	**46**	**94**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.9	12	1	1	3	5	8	11	17
20-34	373	3.6	13	1	1	2	5	9	11	18
35-49	168	4.2	19	1	1	2	5	11	13	21
50-64	71	3.9	21	1	1	2	4	9	14	22
65+	22	4.4	12	1	1	3	5	11	12	13
B. *Operated*										
0-19 YRS	159	7.0	47	1	1	4	10	17	23	32
20-34	114	6.8	40	1	1	5	9	15	19	32
35-49	66	7.2	61	<1	1	4	10	19	23	33
50-64	39	8.9	164	1	2	6	10	18	27	76
65+	15	7.0	28	2	2	4	11	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1746	5.0	23	1	1	3	7	11	15	23
20-34	1048	4.3	23	1	1	3	5	10	12	22
35-49	619	5.1	28	1	1	3	7	12	16	25
50-64	373	7.8	65	1	1	5	10	18	22	40
65+	295	8.0	49	1	2	6	10	16	20	38
B. *Operated*										
0-19 YRS	537	9.5	85	1	2	7	13	22	27	48
20-34	483	9.5	86	1	1	7	13	20	30	42
35-49	292	10.8	77	1	2	8	15	24	29	43
50-64	165	12.2	128	1	2	9	18	25	35	51
65+	150	16.0	261	2	3	10	21	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	3.8	14	1	1	2	5	9	11	18
B. *Operated*	393	7.1	58	1	1	5	10	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	4081	5.3	31	1	1	3	7	12	16	27
B. *Operated*	1627	10.6	108	1	2	8	14	23	32	55
1. SINGLE DX	1650	4.6	26	1	1	3	6	10	14	24
2. MULTIPLE DX	5708	6.8	59	1	1	4	9	16	21	40
A. NOT OPERATED	5338	4.9	27	1	1	3	7	11	15	24
B. OPERATED	2020	9.9	100	1	2	7	13	22	30	49
TOTAL 0-19 YRS	3065	5.7	37	1	1	4	7	13	18	29
20-34	2018	5.5	42	1	1	3	7	13	18	33
35-49	1145	6.5	48	1	1	4	9	16	20	33
50-64	648	8.5	88	1	1	5	11	20	25	47
65+	482	10.3	128	1	2	7	12	21	36	76
GRAND TOTAL	**7358**	**6.3**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	3	<1	<1	2	3	4	6	9
20-34	108	3.4	15	<1	1	2	4	7	10	22
35-49	49	3.5	9	<1	1	3	4	9	10	11
50-64	20	4.6	12	<1	1	5	6	10	12	13
65+	11	5.9	23	1	1	5	11	13	13	13
B. *Operated*										
0-19 YRS	136	2.3	9	<1	1	1	3	4	7	13
20-34	309	2.4	14	<1	<1	1	2	4	6	19
35-49	126	2.8	11	<1	<1	2	3	8	8	17
50-64	39	3.4	18	<1	<1	2	3	8	16	19
65+	11	4.3	42	1	1	1	5	13	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	4.0	21	1	1	2	5	10	14	24
20-34	187	5.0	38	1	1	3	6	11	14	39
35-49	132	6.3	69	1	1	4	7	14	19	49
50-64	107	5.8	31	1	1	4	8	12	17	63
65+	142	7.8	52	1	2	5	10	17	25	46
B. *Operated*										
0-19 YRS	315	3.5	47	<1	1	2	3	7	15	62
20-34	624	3.6	34	<1	1	2	4	8	14	48
35-49	291	5.0	83	<1	1	2	5	13	22	96
50-64	117	8.3	255	<1	1	2	7	27	49	99
65+	92	10.2	159	1	1	5	15	36	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	3.2	11	<1	1	2	4	7	10	13
B. *Operated*	621	2.5	13	<1	<1	1	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	664	5.9	45	1	1	4	8	13	17	41
B. *Operated*	1439	4.7	76	<1	1	2	4	12	21	98
1. SINGLE DX	890	2.7	13	<1	1	2	3	6	8	17
2. MULTIPLE DX	2103	5.1	67	<1	1	2	5	12	20	69
A. NOT OPERATED	933	5.1	36	1	1	3	6	11	16	34
B. OPERATED	2060	4.0	58	<1	1	2	3	9	17	66
TOTAL 0-19 YRS	628	3.1	29	<1	1	2	3	7	10	31
20-34	1228	3.5	29	<1	1	2	4	7	11	33
35-49	598	4.7	60	<1	1	2	5	11	18	55
50-64	283	6.4	123	1	1	3	7	14	27	91
65+	256	8.4	90	1	1	5	11	21	36	99+
GRAND TOTAL	**2993**	**4.4**	**52**	**<1**	**1**	**2**	**5**	**10**	**16**	**49**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	678	1.8	2	<1	1	1	2	3	4	8
20-34	633	2.5	7	<1	1	2	3	5	6	12
35-49	272	2.9	7	1	1	2	4	6	8	12
50-64	114	3.5	30	<1	1	2	4	6	9	33
65+	75	4.4	25	1	1	3	5	8	12	32
B. *Operated*										
0-19 YRS	164	3.9	11	<1	1	3	5	9	11	16
20-34	263	4.2	22	1	1	2	5	9	14	23
35-49	119	4.6	22	<1	1	3	5	10	16	21
50-64	55	5.5	41	1	1	3	6	13	18	35
65+	31	6.0	26	1	1	6	9	12	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	863	2.7	7	<1	1	2	3	5	7	14
20-34	1276	3.1	11	<1	1	2	4	6	9	13
35-49	729	3.9	13	1	1	3	5	8	11	17
50-64	498	4.7	24	1	1	3	6	9	11	26
65+	927	6.3	37	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	349	7.1	75	1	1	4	8	17	23	48
20-34	719	7.1	85	1	1	4	9	15	23	55
35-49	335	8.8	108	1	1	5	11	21	29	47
50-64	237	9.7	126	1	2	6	12	23	31	68
65+	282	12.4	163	1	2	9	15	26	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1772	2.4	8	<1	1	2	3	5	6	12
B. *Operated*	632	4.4	21	<1	1	3	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	4293	4.0	19	1	1	3	5	9	11	22
B. *Operated*	1922	8.5	107	1	1	5	10	20	28	57
1. SINGLE DX	2404	2.9	12	<1	1	2	3	6	9	17
2. MULTIPLE DX	6215	5.4	51	1	1	3	6	12	17	37
A. NOT OPERATED	6065	3.6	16	1	1	2	4	7	10	19
B. OPERATED	2554	7.5	89	1	1	4	9	17	25	48
TOTAL 0-19 YRS	2054	3.2	20	<1	1	2	3	7	10	23
20-34	2891	4.1	32	1	1	2	5	9	12	28
35-49	1455	4.9	39	1	1	3	6	10	15	33
50-64	904	5.9	58	1	1	4	7	12	19	41
65+	1315	7.5	70	1	2	5	9	15	22	41
GRAND TOTAL	**8619**	**4.7**	**41**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4441	1.5	4	<1	<1	1	2	3	3	5
20-34	1889	1.8	4	<1	<1	1	2	3	4	7
35-49	799	1.9	3	<1	<1	1	2	3	4	8
50-64	233	2.4	5	<1	1	2	3	5	6	12
65+	141	2.8	6	<1	1	2	3	6	8	12
B. *Operated*										
0-19 YRS	14	3.1	9	1	1	2	3	7	11	12
20-34	7	4.7	16	1	1	3	6	12	13	13
35-49	8	3.5	9	<1	<1	2	6	8	8	8
50-64	3	5.3	14	1	1	7	8	8	8	8
65+	7	6.0	36	1	1	4	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7287	3.1	30	<1	1	2	3	6	10	31
20-34	10106	3.3	23	<1	1	2	3	6	10	25
35-49	5686	3.9	33	<1	1	2	4	8	13	28
50-64	2717	4.8	31	1	1	3	6	10	15	29
65+	3750	5.8	30	1	1	4	7	11	15	27
B. *Operated*										
0-19 YRS	110	6.9	89	<1	1	4	8	13	21	55
20-34	298	9.5	166	1	1	5	11	23	41	92
35-49	228	11.2	121	1	2	8	16	27	34	53
50-64	181	13.4	272	1	2	8	17	32	63	95
65+	300	12.6	118	1	3	10	17	27	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7503	1.7	4	<1	<1	1	2	3	4	7
B. *Operated*	39	4.2	15	1	1	3	6	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	29546	3.8	29	<1	1	2	4	8	12	28
B. *Operated*	1117	11.0	157	1	1	7	14	27	38	83
1. SINGLE DX	7542	1.7	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX	30663	4.1	35	<1	1	2	4	9	14	31
A. NOT OPERATED	37049	3.4	25	<1	1	2	4	7	11	25
B. OPERATED	1156	10.8	153	1	1	7	14	26	38	82
TOTAL 0-19 YRS	11852	2.6	21	<1	1	1	2	4	7	23
20-34	12300	3.2	25	<1	1	2	3	6	10	26
35-49	6721	3.9	35	<1	1	2	4	8	14	31
50-64	3134	5.1	48	1	1	3	6	11	16	35
65+	4198	6.1	39	1	1	4	7	12	17	33
GRAND TOTAL	**38205**	**3.6**	**30**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1969	1.8	3	<1	<1	1	2	5	5	8
20-34	842	1.6	2	<1	<1	1	2	3	4	7
35-49	477	1.7	2	<1	1	1	2	3	4	8
50-64	242	1.8	5	<1	1	1	2	3	4	7
65+	111	1.9	2	<1	1	1	2	4	5	9
B. *Operated*										
0-19 YRS	23	3.7	9	<1	1	3	6	7	10	13
20-34	25	4.2	22	1	1	2	6	9	12	22
35-49	18	4.1	9	<1	1	4	5	9	10	11
50-64	19	4.3	12	1	1	4	5	8	13	15
65+	4	9.0	42	3	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1409	2.5	11	<1	1	2	3	5	7	14
20-34	1370	2.8	15	<1	1	2	3	5	8	21
35-49	970	2.7	9	<1	1	2	3	5	8	17
50-64	643	3.3	25	<1	1	2	4	6	10	20
65+	605	4.4	35	1	1	3	5	9	12	35
B. *Operated*										
0-19 YRS	67	9.6	229	1	1	3	11	27	52	97
20-34	91	5.9	28	1	1	4	9	14	16	24
35-49	72	10.7	169	1	1	6	15	26	38	65
50-64	58	10.2	134	1	1	7	12	24	28	69
65+	57	15.4	212	1	2	12	21	34	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3641	1.8	3	<1	<1	1	2	4	5	7
B. *Operated*	89	4.3	15	1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	4997	3.0	17	<1	1	2	3	6	9	20
B. *Operated*	345	9.9	152	1	1	6	13	23	34	68
1. SINGLE DX	3730	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	5342	3.4	29	<1	1	2	4	7	11	27
A. NOT OPERATED	8638	2.5	11	<1	1	1	3	5	7	15
B. OPERATED	434	8.8	129	1	1	5	11	20	30	68
TOTAL 0-19 YRS	3468	2.3	12	<1	1	1	2	5	6	13
20-34	2328	2.5	12	<1	1	1	3	5	7	18
35-49	1537	2.8	18	<1	1	2	3	5	9	20
50-64	962	3.4	29	<1	1	2	3	7	11	25
65+	777	4.8	53	1	1	3	5	10	16	40
GRAND TOTAL	**9072**	**2.8**	**19**	**<1**	**1**	**1**	**3**	**5**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	984	2.0	11	<1	1	1	2	4	5	9
20-34	706	1.9	3	<1	1	1	2	3	4	8
35-49	518	2.0	3	<1	1	1	2	4	5	9
50-64	309	2.0	3	<1	1	1	3	4	5	10
65+	200	2.4	4	<1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	15	2.2	2	<1	1	2	3	4	5	5
20-34	15	10.3	448	<1	<1	1	5	53	66	70
35-49	10	3.8	11	1	1	2	7	9	10	10
50-64	10	6.9	30	1	1	7	9	14	19	19
65+	7	4.1	20	1	1	3	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1294	3.2	19	1	1	2	4	7	9	21
20-34	1201	3.1	10	1	1	2	4	6	9	16
35-49	1269	3.4	17	1	1	2	4	7	9	22
50-64	1636	4.4	18	1	1	3	5	9	12	22
65+	3794	5.7	30	1	1	4	7	11	15	27
B. *Operated*										
0-19 YRS	127	10.2	266	1	1	3	10	43	56	99+
20-34	160	5.7	70	1	1	2	7	14	22	44
35-49	172	9.0	211	1	1	3	8	27	51	71
50-64	234	8.9	201	1	1	4	10	23	41	98
65+	482	10.4	167	1	1	7	13	28	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2717	2.0	6	<1	1	1	2	4	5	10
B. *Operated*	57	5.7	131	<1	1	2	5	10	17	69
2. MULTIPLE DX										
A. *Not Operated*	9194	4.5	23	1	1	3	6	9	12	23
B. *Operated*	1175	9.2	180	1	1	5	11	26	43	95
1. SINGLE DX	2774	2.1	9	<1	1	1	2	4	5	10
2. MULTIPLE DX	10369	5.0	43	1	1	3	6	10	14	36
A. NOT OPERATED	11911	3.9	20	1	1	3	5	8	11	21
B. OPERATED	1232	9.1	178	1	1	4	10	25	43	91
TOTAL 0-19 YRS	2420	3.1	32	<1	1	2	3	6	8	33
20-34	2082	2.9	17	<1	1	2	3	6	9	18
35-49	1969	3.5	33	1	1	2	4	7	10	32
50-64	2189	4.5	38	1	1	3	5	9	13	31
65+	4483	6.1	46	1	1	4	7	12	16	37
GRAND TOTAL	**13143**	**4.4**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.7	9	<1	<1	2	3	5	7	13
20-34	137	3.9	15	<1	<1	3	5	9	11	19
35-49	106	4.5	14	<1	1	4	6	9	11	20
50-64	150	4.4	17	<1	<1	3	6	9	13	20
65+	200	6.2	53	1	1	4	8	14	21	41
B. *Operated*										
0-19 YRS	838	4.0	14	1	1	3	5	8	11	21
20-34	1177	3.9	16	<1	1	2	5	9	11	18
35-49	1317	5.0	29	<1	1	3	7	11	14	26
50-64	1772	6.2	38	1	1	4	9	13	16	25
65+	2882	6.5	47	1	1	4	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	5.2	30	1	1	3	7	12	15	28
20-34	598	5.2	28	1	1	4	7	10	14	28
35-49	720	5.8	28	1	1	4	7	11	16	26
50-64	944	6.5	54	1	1	5	8	13	17	40
65+	2040	6.8	46	1	1	5	8	13	18	36
B. *Operated*										
0-19 YRS	2838	7.5	82	1	1	4	9	17	27	47
20-34	3215	7.6	92	1	1	5	9	16	24	48
35-49	4488	7.8	78	1	1	5	10	17	25	47
50-64	8115	8.7	92	1	1	6	11	18	25	52
65+	15108	10.1	118	1	2	7	13	21	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	4.5	26	<1	<1	3	6	10	14	25
B. *Operated*	7986	5.5	35	1	1	3	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	4893	6.2	41	1	1	5	8	13	17	33
B. *Operated*	33764	9.0	102	1	1	6	12	19	28	55
1. SINGLE DX	8725	5.4	34	<1	1	3	8	12	15	26
2. MULTIPLE DX	38657	8.7	95	1	1	6	11	18	27	52
A. NOT OPERATED	5632	6.0	39	1	1	4	8	12	17	31
B. OPERATED	41750	8.3	91	1	1	5	11	18	26	51
TOTAL 0-19 YRS	4413	6.4	63	1	1	4	7	14	22	42
20-34	5127	6.4	67	1	1	4	8	14	20	42
35-49	6631	7.0	63	1	1	4	9	15	21	43
50-64	10981	8.0	80	1	1	6	10	17	23	48
65+	20230	9.2	102	1	1	6	12	19	28	54
GRAND TOTAL	**47382**	**8.1**	**85**	**1**	**1**	**5**	**10**	**17**	**25**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	1.5	1	<1	<1	1	2	3	3	6
20-34	565	2.1	3	<1	1	2	2	4	5	9
35-49	378	2.4	3	1	1	2	3	5	6	10
50-64	411	2.7	4	1	1	2	4	5	6	11
65+	555	3.1	5	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	676	1.6	2	<1	<1	1	2	3	4	8
20-34	694	2.2	4	<1	<1	1	3	5	6	9
35-49	408	2.6	6	<1	1	2	3	5	6	13
50-64	227	2.9	7	1	1	2	3	6	7	14
65+	232	3.5	13	1	1	2	4	8	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	2.0	2	1	1	1	2	4	5	8
20-34	405	3.1	9	1	1	2	3	6	8	16
35-49	382	3.3	10	1	1	2	4	7	9	17
50-64	629	3.5	7	1	1	3	4	6	9	14
65+	1540	4.0	11	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	397	1.8	6	1	1	1	2	3	5	14
20-34	818	3.2	14	1	1	2	4	7	10	18
35-49	636	3.6	15	1	1	2	5	8	10	19
50-64	874	4.1	35	1	1	2	5	9	12	29
65+	1957	4.8	36	1	1	3	6	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2452	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	2237	2.3	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3162	3.6	10	1	1	3	4	7	9	15
B. *Operated*	4682	4.0	27	1	1	2	5	9	13	27
1. SINGLE DX	4689	2.3	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	7844	3.8	20	1	1	2	5	8	11	22
A. NOT OPERATED	5614	3.0	7	1	1	2	4	6	8	13
B. OPERATED	6919	3.4	21	1	1	2	4	8	11	22
TOTAL 0-19 YRS	1822	1.7	3	<1	1	1	2	3	4	8
20-34	2482	2.6	8	<1	1	2	3	5	8	16
35-49	1804	3.1	10	1	1	2	4	6	9	16
50-64	2141	3.5	18	1	1	2	4	7	10	17
65+	4284	4.2	22	1	1	3	5	8	12	25
GRAND TOTAL	**12533**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	4.5	9	1	2	4	6	8	11	15
20-34	487	4.6	8	1	2	4	6	8	11	14
35-49	426	5.1	10	2	2	4	6	8	10	17
50-64	264	5.8	18	2	2	5	7	10	13	26
65+	197	6.6	22	2	3	5	8	12	15	26
B. *Operated*										
0-19 YRS	209	6.7	42	1	2	5	8	13	17	40
20-34	391	6.4	41	1	1	5	8	12	15	30
35-49	315	7.0	39	1	1	5	9	15	20	26
50-64	283	8.0	66	1	2	6	10	16	22	47
65+	199	8.1	50	1	2	6	10	16	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	5.8	22	1	2	5	7	10	14	27
20-34	742	5.8	17	2	2	5	7	11	14	19
35-49	812	6.6	30	2	2	5	8	12	15	30
50-64	936	8.2	48	2	3	6	10	15	21	36
65+	1451	8.4	41	2	3	7	10	15	20	31
B. *Operated*										
0-19 YRS	343	10.3	114	2	2	7	13	20	29	53
20-34	824	10.6	119	2	2	7	13	23	31	69
35-49	1034	12.4	126	2	3	9	16	26	35	59
50-64	1331	14.3	156	2	3	10	18	32	42	61
65+	1710	15.3	180	3	4	12	20	32	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1617	5.1	13	1	2	4	6	9	12	18
B. *Operated*	1397	7.2	47	1	2	5	9	14	19	33
2. MULTIPLE DX										
A. *Not Operated*	4290	7.3	36	2	2	6	9	14	17	30
B. *Operated*	5242	13.4	153	2	3	10	17	29	39	70
1. SINGLE DX	3014	6.1	30	1	2	5	7	12	15	26
2. MULTIPLE DX	9532	10.7	109	2	3	7	13	22	31	59
A. NOT OPERATED	5907	6.7	30	2	2	5	8	13	16	28
B. OPERATED	6639	12.1	137	2	3	9	15	26	36	65
TOTAL 0-19 YRS	1144	7.0	55	1	2	5	8	14	19	40
20-34	2444	7.3	59	1	2	5	9	14	19	43
35-49	2587	8.7	75	2	2	6	10	18	26	47
50-64	2814	10.8	109	2	3	7	13	23	33	56
65+	3557	11.6	120	2	3	8	14	24	33	65
GRAND TOTAL	**12546**	**9.6**	**94**	**2**	**2**	**7**	**12**	**20**	**28**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	2.4	5	1	1	2	3	5	6	10
20-34	364	3.0	6	1	1	2	4	6	8	12
35-49	378	4.0	11	1	1	3	5	8	10	16
50-64	275	4.9	35	1	1	4	6	9	12	21
65+	216	4.7	17	1	1	3	7	9	12	24
B. *Operated*										
0-19 YRS	179	3.8	30	<1	1	2	5	8	9	28
20-34	433	4.4	19	<1	1	3	6	9	12	26
35-49	455	5.5	30	<1	1	4	8	10	13	28
50-64	406	5.5	30	1	1	4	8	11	16	27
65+	376	6.1	32	1	1	4	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	685	2.7	9	1	1	2	3	5	7	16
20-34	1269	3.4	12	1	1	2	4	8	10	16
35-49	1496	4.5	31	1	1	3	6	9	12	24
50-64	1595	5.1	27	1	1	4	7	10	14	27
65+	2550	5.8	27	1	1	5	8	12	15	25
B. *Operated*										
0-19 YRS	1396	3.3	38	1	1	1	3	8	13	31
20-34	2593	4.2	44	1	1	2	5	11	15	40
35-49	2895	5.8	71	1	1	3	7	13	20	47
50-64	3373	7.5	94	1	1	4	10	18	26	54
65+	5855	7.8	104	1	1	4	10	19	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1411	3.8	15	1	1	3	5	8	10	17
B. *Operated*	1849	5.2	28	1	1	4	7	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	7595	4.7	25	1	1	3	6	10	13	24
B. *Operated*	16112	6.4	83	1	1	3	8	16	24	49
1. SINGLE DX	3260	4.6	23	1	1	3	6	9	12	25
2. MULTIPLE DX	23707	5.9	65	1	1	3	7	13	20	43
A. NOT OPERATED	9006	4.6	23	1	1	3	6	10	12	23
B. OPERATED	17961	6.3	78	1	1	3	8	15	22	48
TOTAL 0-19 YRS	2438	3.1	27	1	1	1	3	7	11	25
20-34	4659	3.9	30	1	1	2	5	9	13	27
35-49	5224	5.3	52	1	1	3	7	11	16	38
50-64	5649	6.5	69	1	1	4	8	15	22	45
65+	8997	7.1	78	1	1	4	9	16	23	47
GRAND TOTAL	**26967**	**5.7**	**60**	**1**	**1**	**3**	**7**	**13**	**19**	**41**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.0	2	1	1	2	2	4	5	7
20-34	39	2.5	2	1	1	2	3	5	5	6
35-49	32	3.3	8	1	1	3	4	6	10	14
50-64	12	3.6	6	1	1	3	5	7	9	9
65+	12	3.3	6	<1	<1	3	5	6	7	7
B. *Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	5	3.8	8	<1	<1	4	6	7	7	7
35-49	4	10.5	99	3	3	8	18	24	24	24
50-64	4	4.8	5	2	2	5	6	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	11	<1	1	3	4	8	11	19
20-34	112	4.2	11	1	1	3	5	8	13	15
35-49	129	4.9	17	1	1	4	6	10	12	23
50-64	174	5.1	34	1	1	3	6	10	17	32
65+	301	4.1	14	1	1	3	5	9	11	17
B. *Operated*										
0-19 YRS	19	4.4	12	<1	1	3	6	9	12	15
20-34	39	8.8	72	1	2	7	12	21	36	99+
35-49	37	7.3	63	1	1	5	8	16	29	35
50-64	58	9.6	86	1	2	6	14	21	32	43
65+	89	7.9	101	1	1	5	9	16	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.6	4	1	1	2	3	5	6	10
B. *Operated*	16	6.3	35	<1	1	5	8	12	20	24
2. MULTIPLE DX										
A. *Not Operated*	846	4.3	18	1	1	3	6	9	12	20
B. *Operated*	242	8.1	81	1	1	6	9	17	31	49
1. SINGLE DX	197	2.9	7	1	1	2	4	6	7	13
2. MULTIPLE DX	1088	5.2	34	1	1	3	6	11	15	33
A. NOT OPERATED	1027	4.0	16	1	1	3	5	8	11	19
B. OPERATED	258	8.0	78	1	1	6	9	17	30	48
TOTAL 0-19 YRS	237	3.1	9	1	1	2	4	6	9	16
20-34	195	4.8	25	1	1	3	6	10	14	37
35-49	202	5.2	27	1	1	4	6	10	14	30
50-64	248	6.1	48	1	1	4	7	14	20	34
65+	403	4.9	35	1	1	3	6	10	13	38
GRAND TOTAL	**1285**	**4.8**	**31**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	1.1		<1	<1	1	1	2	2	2
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	18	1.4		<1	<1	1	2	2	3	3
20-34	2955	1.4	1	<1	<1	1	1	2	3	4
35-49	1471	1.3	1	<1	<1	1	1	2	3	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	61	1.3	1	<1	<1	<1	1	2	4	6
35-49	28	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.5	3	<1	<1	2	3	5	6	7
20-34	2320	1.8	2	<1	<1	1	2	4	4	6
35-49	1360	1.8	2	<1	<1	1	2	4	5	6
50-64	5	2.4	2	1	1	2	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.1		<1	<1	1	1	1	2	2
B. *Operated*	4452	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	91	1.3	1	<1	<1	<1	1	2	3	6
B. *Operated*	3713	1.8	2	<1	<1	1	2	4	4	6
1. SINGLE DX	4467	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	3804	1.8	2	<1	<1	1	2	4	4	6
A. NOT OPERATED	106	1.2	1	<1	<1	<1	1	2	2	6
B. OPERATED	8165	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	49	2.0	2	<1	<1	1	2	4	5	7
20-34	5347	1.5	1	<1	<1	1	2	3	4	5
35-49	2862	1.6	1	<1	<1	1	2	3	4	6
50-64	10	1.8	2	<1	<1	1	2	4	4	4
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	**8271**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	62.0		62	62	62	62	62	62	62
1500-1749	5	15.6	26	9	9	15	20	22	22	22
1750-2499	4974	2.8	3	1	1	2	3	5	5	8
2500+	366221	2.5	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	3.0	2	1	1	3	4	4	4	4
2500+	109	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	98	65.4	235	39	48	66	78	89	93	99+
1000-1499	697	39.1	263	16	21	37	49	63	70	99
1500-1749	1068	23.5	98	10	12	22	29	36	42	56
1750-2499	18170	6.5	35	1	2	5	8	14	18	28
2500+	241251	3.3	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	335	75.2	274	49	56	89	99+	99+	99+	99+
1000-1499	846	50.5	338	24	29	50	66	84	99+	99+
1500-1749	533	33.8	220	15	19	31	41	54	64	99
1750-2499	1984	17.6	169	2	5	15	23	32	44	82
2500+	5139	7.9	83	1	2	5	9	15	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371201	2.5	2	1	1	2	3	4	5	6
B. *Operated*	113	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	261284	3.7	14	1	2	3	4	6	7	19
B. *Operated*	8837	18.3	442	2	3	10	26	57	82	99+
1. SINGLE DX	371314	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	270121	4.2	35	1	2	3	4	6	9	32
A. NOT OPERATED	632485	3.0	7	1	1	3	4	5	6	11
B. OPERATED	8950	18.1	439	2	3	10	25	57	81	99+
TOTAL 1-999 G	433	73.0	281	47	54	84	99+	99+	99+	99+
1000-1499	1544	45.3	336	19	24	44	59	76	92	99+
1500-1749	1606	26.9	162	11	14	25	33	43	51	80
1750-2499	25132	6.6	52	1	2	4	8	15	21	34
2500+	612720	2.9	3	1	1	3	4	5	5	8
GRAND TOTAL	**641435**	**3.2**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.0		21	21	21	21	21	21	21
1500-1749	2	19.5	41	15	15	19	24	24	24	24
1750-2499	736	4.2	4	2	2	4	5	6	7	12
2500+	3333	3.9	2	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	12	70.1	242	45	47	78	86	99+	99+	99+
1000-1499	171	37.9	254	15	19	35	47	59	72	82
1500-1749	325	22.7	80	9	13	21	28	34	39	52
1750-2499	3402	8.2	42	2	3	6	11	17	20	30
2500+	3456	4.7	6	2	2	5	5	7	8	14
B. *Operated*										
1-999 G	49	74.8	333	48	59	95	99+	99+	99+	99+
1000-1499	224	50.4	314	25	29	51	66	85	99+	99+
1500-1749	158	32.7	140	14	19	33	40	50	56	99+
1750-2499	384	17.6	146	3	5	15	24	33	41	72
2500+	130	12.4	160	2	3	8	13	32	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4073	4.0	3	2	2	4	5	6	7	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7366	8.0	73	2	3	5	8	17	25	46
B. *Operated*	945	30.2	504	4	6	27	48	77	99+	99+
1. SINGLE DX	4073	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	8311	10.5	172	2	3	5	11	26	40	87
A. NOT OPERATED	11439	6.6	52	2	2	5	6	13	19	38
B. OPERATED	945	30.2	504	4	6	27	48	77	99+	99+
TOTAL 1-999 G	61	73.9	314	46	54	89	99+	99+	99+	99+
1000-1499	397	44.8	327	18	24	44	57	75	89	99+
1500-1749	485	25.9	121	10	13	25	32	41	49	71
1750-2499	4522	8.3	54	2	3	6	11	18	23	35
2500+	6919	4.5	9	2	2	4	5	6	7	14
GRAND TOTAL	**12384**	**8.4**	**126**	**2**	**2**	**5**	**7**	**19**	**32**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	42	2.1	1	1	1	2	3	4	4	5
2500+	879	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	8	35.6	245	21	22	32	38	62	71	71
1500-1749	10	27.3	39	16	19	27	29	36	39	39
1750-2499	175	7.3	46	2	2	5	9	17	21	28
2500+	585	3.3	21	1	1	3	4	6	7	13
B. *Operated*										
1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	11	50.8	344	27	28	49	78	99+	99+	99+
1500-1749	3	34.0	172	22	22	32	44	48	48	48
1750-2499	19	10.8	89	1	2	9	19	26	28	29
2500+	31	5.7	14	1	1	6	8	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	2.1	1	1	1	2	3	3	4	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	778	4.9	48	1	1	3	5	9	16	33
B. *Operated*	66	17.9	449	1	1	9	29	68	99+	99+
1. SINGLE DX	921	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	844	5.9	91	1	1	3	5	12	23	71
A. NOT OPERATED	1699	3.4	24	1	1	2	3	6	9	25
B. OPERATED	66	17.9	449	1	1	9	29	68	99+	99+
TOTAL 1-999 G	2	68.5	13	66	66	85	99+	99+	99+	99+
1000-1499	19	44.4	345	23	26	42	66	90	99+	99+
1500-1749	13	28.8	67	17	21	28	32	41	47	48
1750-2499	236	6.7	46	1	2	4	9	17	21	29
2500+	1495	2.6	10	1	1	2	3	5	6	10
GRAND TOTAL	**1765**	**3.9**	**48**	**1**	**1**	**2**	**3**	**7**	**11**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.4	1	<1	<1	1	1	2	4	6
20-34	38	2.3	6	<1	<1	1	2	6	8	12
35-49	15	2.6	4	<1	<1	2	4	5	7	8
50-64	12	2.9	6	<1	<1	2	4	6	9	9
65+	12	7.9	350	<1	<1	1	3	30	61	66
B. *Operated*										
0-19 YRS	1465	1.8	2	<1	<1	1	2	3	4	6
20-34	1834	1.9	3	<1	<1	1	2	4	5	7
35-49	919	2.1	3	<1	<1	1	3	4	5	10
50-64	644	2.2	3	<1	<1	2	3	4	5	9
65+	409	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.5	2	<1	<1	1	1	3	6	7
20-34	29	1.7	4	<1	<1	<1	1	4	8	8
35-49	16	1.9	4	<1	<1	1	2	5	7	8
50-64	14	2.4	5	<1	<1	1	3	6	8	8
65+	27	3.9	39	<1	<1	1	4	7	23	27
B. *Operated*										
0-19 YRS	705	2.7	11	<1	<1	2	3	5	6	14
20-34	638	3.4	16	<1	1	2	4	7	9	18
35-49	406	3.0	13	<1	1	2	4	5	7	15
50-64	345	3.6	15	<1	1	2	4	7	12	18
65+	426	4.5	24	1	1	3	5	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.9	48	<1	<1	1	3	5	8	42
B. *Operated*	5271	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	110	2.3	13	<1	<1	1	2	6	8	24
B. *Operated*	2520	3.4	16	<1	1	2	4	6	9	19
1. SINGLE DX	5367	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	2630	3.3	16	<1	1	2	4	6	9	20
A. NOT OPERATED	206	2.6	29	<1	<1	1	2	6	8	24
B. OPERATED	7791	2.4	7	<1	<1	2	3	5	6	13
TOTAL 0-19 YRS	2213	2.1	5	<1	<1	1	2	4	5	9
20-34	2539	2.3	6	<1	<1	2	3	4	6	12
35-49	1356	2.3	6	<1	<1	2	3	5	6	11
50-64	1015	2.7	8	<1	<1	2	3	5	7	15
65+	874	3.5	20	<1	1	2	4	7	10	22
GRAND TOTAL	**7997**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	4	1	1	1	1	4	7	9
20-34	33	1.7	2	<1	<1	1	2	3	3	9
35-49	54	2.4	10	<1	1	2	2	4	5	22
50-64	87	2.0	3	1	1	2	2	2	6	10
65+	126	1.8	2	1	1	1	2	4	4	8
B. *Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	3	3	4	4
20-34	101	3.0	10	<1	<1	2	3	8	10	15
35-49	128	3.0	8	<1	<1	2	4	7	9	38
50-64	169	4.0	25	<1	<1	2	5	9	13	21
65+	164	4.9	30	<1	<1	3	6	12	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	343	1.9	4	1	1	1	2	3	5	9
B. *Operated*	574	3.8	20	<1	<1	2	5	9	13	23
1. SINGLE DX	7	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	917	3.1	15	<1	<1	2	3	7	10	21
A. NOT OPERATED	347	1.9	4	1	1	1	2	3	5	9
B. OPERATED	577	3.8	20	<1	<1	2	5	9	13	23
TOTAL 0-19 YRS	56	1.7	3	<1	1	1	2	3	7	9
20-34	138	2.6	8	<1	<1	2	3	7	9	15
35-49	182	2.8	9	<1	<1	2	3	6	9	22
50-64	257	3.3	18	<1	<1	2	4	8	11	19
65+	291	3.6	20	<1	1	2	4	8	13	24
GRAND TOTAL	**924**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**7**	**10**	**21**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2095	2.3	14	<1	<1	1	2	4	6	14
20-34	3007	2.2	13	<1	<1	1	2	4	6	14
35-49	1219	2.4	25	<1	<1	1	2	4	6	28
50-64	1206	2.2	13	<1	<1	1	2	4	6	16
65+	960	4.7	68	<1	<1	2	4	12	19	41
B. *Operated*										
0-19 YRS	762	3.4	14	<1	<1	2	5	8	10	16
20-34	2132	3.4	9	<1	<1	3	5	7	9	12
35-49	1601	3.7	11	<1	1	3	6	8	10	13
50-64	1057	4.4	14	<1	1	3	7	10	11	14
65+	730	5.3	18	<1	<1	5	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7837	4.3	64	<1	1	2	4	7	14	48
20-34	7782	5.8	93	<1	1	2	5	18	28	56
35-49	12700	4.4	52	1	1	2	4	7	19	38
50-64	30424	4.0	45	1	1	2	4	6	13	38
65+	35149	6.5	92	1	1	3	6	17	27	50
B. *Operated*										
0-19 YRS	2105	4.4	57	<1	1	2	5	9	15	60
20-34	4348	4.6	66	1	1	2	5	9	14	61
35-49	5524	4.8	43	1	1	3	6	10	15	40
50-64	7701	5.8	63	1	1	3	7	12	18	46
65+	9432	7.6	109	1	1	4	9	16	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8487	2.5	22	<1	<1	1	2	4	7	23
B. *Operated*	6282	3.9	12	<1	<1	3	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	93892	5.2	70	1	1	2	5	11	22	45
B. *Operated*	29110	5.9	76	1	1	3	7	12	20	53
1. SINGLE DX	14769	3.1	18	<1	<1	2	4	7	10	17
2. MULTIPLE DX	123002	5.3	72	1	1	3	5	12	22	47
A. NOT OPERATED	102379	5.0	67	1	1	2	5	11	21	45
B. OPERATED	35392	5.5	65	1	1	3	7	11	18	48
TOTAL 0-19 YRS	12799	3.9	52	<1	1	2	4	7	12	43
20-34	17269	4.6	63	<1	1	2	4	9	21	45
35-49	21044	4.4	45	1	1	2	5	8	15	37
50-64	40388	4.3	47	1	1	2	5	8	14	39
65+	46271	6.7	94	1	1	3	7	17	27	51
GRAND TOTAL	**137771**	**5.1**	**66**	**1**	**1**	**2**	**5**	**11**	**21**	**45**

Operation Groups

Length of Stay Tables
Operation Groups

1492 Hospitals, United States, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249435	2.9	13	<1	1	2	3	5	7	17
20-34	594235	2.9	7	1	1	2	3	5	6	12
35-49	226750	3.8	13	<1	1	3	5	8	10	17
50-64	167795	4.4	17	1	1	3	6	9	12	19
65+	135986	5.4	25	<1	1	4	7	11	14	22
2. MULTIPLE DX										
0-19 YRS	278653	5.6	79	1	1	3	6	11	20	56
20-34	660095	4.8	31	1	1	4	5	8	12	30
35-49	484144	6.2	45	1	1	5	7	12	17	36
50-64	631886	7.6	62	1	2	5	9	15	21	43
65+	1212786	9.4	79	2	2	7	12	18	25	50
TOT. SINGLE DX	1374201	3.5	13	<1	1	3	4	7	9	17
" MULTIPLE DX	3267564	7.3	64	1	2	5	9	15	21	44
TOTAL 0-19 YRS	528088	4.3	50	<1	1	2	4	8	14	41
20-34	1254330	3.9	20	1	1	3	4	7	9	23
35-49	710894	5.4	36	1	1	4	6	10	15	31
50-64	799681	6.9	54	1	1	5	9	14	19	39
65+	1348772	9.0	75	1	2	7	11	18	24	48
GRAND TOTAL	**4641765**	**6.2**	**52**	**1**	**1**	**4**	**7**	**13**	**18**	**38**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	369	7.6	30	1	2	7	10	14	18	28
20-34	388	9.2	47	2	3	8	11	16	19	37
35-49	494	8.9	32	2	3	8	11	15	18	26
50-64	546	10.4	59	3	4	9	13	17	22	43
65+	493	11.1	69	2	4	9	13	19	25	47
2. MULTIPLE DX										
0-19 YRS	844	15.2	237	2	3	11	19	40	59	99+
20-34	693	17.1	251	4	5	12	21	41	62	99+
35-49	989	16.3	182	4	6	12	20	33	49	99+
50-64	1666	17.5	223	5	6	13	21	37	54	88
65+	2547	19.0	191	5	7	15	24	38	50	88
TOT. SINGLE DX	2290	9.6	50	2	3	8	12	16	20	37
" MULTIPLE DX	6739	17.6	212	4	6	13	22	37	53	99+
TOTAL 0-19 YRS	1213	12.9	186	2	2	9	15	30	48	99+
20-34	1081	14.2	193	2	4	10	16	31	47	99+
35-49	1483	13.8	145	3	5	10	16	27	40	86
50-64	2212	15.7	192	4	5	11	19	32	48	84
65+	3040	17.8	180	5	6	14	22	35	47	82
GRAND TOTAL	**9029**	**15.5**	**183**	**3**	**5**	**11**	**19**	**32**	**47**	**90**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	229	6.9	37	2	3	5	8	12	15	34
20-34	129	8.8	51	3	3	8	10	14	18	42
35-49	118	8.1	26	2	3	7	10	15	21	49
50-64	138	10.5	61	3	4	9	13	16	22	46
65+	113	10.6	80	4	5	8	12	20	25	57
2. MULTIPLE DX										
0-19 YRS	322	15.0	223	3	4	9	20	36	50	86
20-34	330	17.7	260	4	5	13	24	42	68	99+
35-49	307	18.2	207	4	7	13	26	42	56	99+
50-64	373	19.5	260	4	6	14	26	40	57	86
65+	577	20.2	246	5	7	16	26	41	63	99+
TOT. SINGLE DX	727	8.7	51	2	3	7	10	15	21	43
" MULTIPLE DX	1909	18.4	244	4	5	13	25	40	58	99+
TOTAL 0-19 YRS	551	11.7	162	2	3	7	13	29	43	80
20-34	459	15.2	218	3	4	10	18	36	59	99+
35-49	425	15.4	177	3	4	11	20	35	51	99+
50-64	511	17.0	222	4	5	12	21	38	53	79
65+	690	18.6	232	4	6	14	24	39	56	99+
GRAND TOTAL	**2636**	**15.8**	**210**	**3**	**4**	**11**	**20**	**35**	**51**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	4.4	6	2	2	4	5	7	9	11
20-34	145	4.6	7	1	2	4	6	8	9	15
35-49	59	5.3	8	1	2	5	8	9	10	12
50-64	38	4.6	10	1	1	4	6	8	10	18
65+	17	6.2	25	2	3	4	8	8	19	24
2. MULTIPLE DX										
0-19 YRS	473	9.0	110	2	3	6	9	20	30	76
20-34	338	10.7	179	1	2	7	11	26	44	94
35-49	165	10.8	143	2	3	7	11	28	41	61
50-64	95	13.4	212	3	4	8	15	37	46	91
65+	74	12.8	195	3	3	8	13	30	42	73
TOT. SINGLE DX	841	4.5	8	2	2	4	6	8	9	15
" MULTIPLE DX	1145	10.4	151	2	3	6	10	25	38	77
TOTAL 0-19 YRS	1055	6.5	58	2	2	5	7	10	20	42
20-34	483	8.8	135	1	2	5	9	19	32	80
35-49	224	9.4	114	2	3	6	9	19	33	61
50-64	133	10.9	171	2	3	6	11	29	43	83
65+	91	11.6	170	3	3	8	11	28	37	71
GRAND TOTAL	**1986**	**7.9**	**98**	**2**	**2**	**5**	**8**	**16**	**28**	**62**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	273	5.9	18	2	3	5	7	9	13	25
20-34	58	6.6	13	2	3	5	9	13	15	16
35-49	41	6.4	10	2	3	6	8	10	14	15
50-64	48	9.1	38	3	3	8	9	17	25	31
65+	96	9.3	31	3	4	8	11	15	22	32
2. MULTIPLE DX										
0-19 YRS	600	14.2	322	2	3	7	16	45	66	99+
20-34	137	15.4	316	3	4	9	16	44	72	99+
35-49	120	16.2	281	4	5	11	21	66	99+	99+
50-64	185	19.0	253	4	5	14	28	45	76	99+
65+	603	18.5	187	5	6	15	25	36	52	99+
TOT. SINGLE DX	516	7.0	23	2	3	6	8	13	15	26
" MULTIPLE DX	1645	16.6	265	3	4	11	22	41	65	99+
TOTAL 0-19 YRS	873	11.6	242	2	3	6	11	32	56	99+
20-34	195	12.8	242	3	4	8	13	32	54	99+
35-49	161	13.7	230	4	4	9	16	47	76	99+
50-64	233	17.0	225	4	5	12	23	40	59	99+
65+	699	17.3	176	4	5	14	23	34	46	99+
GRAND TOTAL	**2161**	**14.3**	**224**	**3**	**3**	**9**	**18**	**35**	**56**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	553	4.8	20	1	2	3	5	8	13	26
20-34	140	8.1	84	1	1	5	9	16	31	44
35-49	63	8.7	122	1	2	5	9	19	28	59
50-64	50	6.6	37	1	2	5	8	11	24	27
65+	52	7.3	46	1	2	5	10	15	17	38
2. MULTIPLE DX										
0-19 YRS	1829	9.2	154	1	2	5	10	24	35	85
20-34	483	15.8	300	2	3	9	21	45	67	99+
35-49	266	15.5	241	2	3	11	19	39	55	99+
50-64	269	17.6	241	2	4	13	24	40	56	99+
65+	339	17.5	198	3	4	14	23	37	45	91
TOT. SINGLE DX	858	5.9	43	1	2	4	7	11	17	38
" MULTIPLE DX	3186	12.3	209	2	2	7	15	32	48	99+
TOTAL 0-19 YRS	2382	8.2	127	1	2	4	8	20	31	76
20-34	623	14.0	262	2	2	8	17	39	62	99+
35-49	329	14.2	225	2	2	9	18	33	53	99+
50-64	319	15.9	226	2	3	10	22	40	54	99+
65+	391	16.1	190	2	3	13	21	35	44	88
GRAND TOTAL	**4044**	**10.9**	**181**	**1**	**2**	**6**	**13**	**28**	**42**	**94**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	64	8.7	28	2	4	7	10	16	18	30
20-34	598	7.4	23	3	3	7	9	11	16	27
35-49	1341	7.1	15	3	3	6	8	12	14	20
50-54	1369	7.6	17	3	4	7	9	12	15	23
65+	1023	8.7	18	4	5	8	10	14	17	24
2. MULTIPLE DX										
0-19 YRS	187	13.2	164	3	4	9	15	32	43	71
20-34	727	11.5	106	4	4	8	13	22	32	64
35-49	1797	10.2	69	3	4	8	12	18	25	50
50-64	2874	11.0	77	4	5	9	13	19	28	48
65+	3725	13.1	88	5	6	10	15	24	31	54
TOT. SINGLE DX	4395	7.7	18	3	4	7	9	12	15	23
" MULTIPLE DX	9310	11.8	86	4	5	9	14	22	30	54
TOTAL 0-19 YRS	251	12.1	133	3	4	8	13	27	39	66
20-34	1325	9.6	73	3	4	7	11	18	24	51
35-49	3138	8.9	49	3	4	7	10	15	21	42
50-64	4243	9.9	61	4	4	8	11	17	23	45
65+	4748	12.1	77	4	5	10	14	22	29	50
GRAND TOTAL	**13705**	**10.4**	**68**	**4**	**4**	**8**	**12**	**18**	**25**	**47**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	7.9	28	2	2	6	11	15	20	44
20-34	395	5.4	24	1	1	4	7	11	14	24
35-49	465	5.6	25	1	1	4	8	12	15	25
50-64	211	6.4	33	1	1	5	9	14	19	29
65+	121	6.9	41	1	1	6	9	13	17	31
2. MULTIPLE DX										
0-19 YRS	374	13.5	148	2	3	10	17	29	41	69
20-34	584	10.5	136	2	2	7	13	23	36	86
35-49	729	10.1	110	1	2	7	12	22	30	58
50-64	680	13.4	170	1	3	9	16	30	44	68
65+	624	15.2	159	2	3	12	20	33	44	70
TOT. SINGLE DX	1318	6.0	29	1	1	5	8	13	16	25
" MULTIPLE DX	2991	12.4	148	2	2	9	15	28	39	69
TOTAL 0-19 YRS	500	12.1	124	2	3	9	15	25	35	68
20-34	979	8.4	97	1	1	6	11	17	27	68
35-49	1194	8.3	82	1	1	6	10	18	25	54
50-64	891	11.7	147	1	2	8	14	26	37	67
65+	745	13.8	150	2	2	10	18	31	41	65
GRAND TOTAL	**4309**	**10.4**	**120**	**1**	**2**	**7**	**13**	**23**	**33**	**64**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	2.7	3	<1	<1	2	3	5	7	10
20-34	274	3.1	15	<1	<1	2	4	7	9	19
35-49	402	2.9	8	<1	<1	2	4	7	9	14
50-64	372	2.7	6	<1	<1	2	3	6	8	13
65+	200	2.7	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	93	5.0	33	<1	1	3	6	10	15	33
20-34	271	4.6	41	<1	1	2	5	11	16	30
35-49	345	5.0	40	<1	1	3	6	12	17	38
50-64	435	5.7	50	1	1	3	8	13	20	35
65+	382	7.5	99	1	1	4	9	19	27	53
TOT. SINGLE DX	1333	2.8	9	<1	<1	2	3	7	8	13
" MULTIPLE DX	1526	5.8	59	<1	1	3	7	13	21	39
TOTAL 0-19 YRS	178	3.9	21	<1	1	2	5	8	11	27
20-34	545	3.9	29	<1	<1	2	4	8	12	29
35-49	747	3.9	24	<1	<1	2	5	8	12	22
50-64	807	4.3	32	<1	1	2	5	10	14	33
65+	582	5.8	73	<1	1	3	7	13	22	46
GRAND TOTAL	**2859**	**4.4**	**38**	**<1**	**<1**	**2**	**5**	**10**	**15**	**34**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	263	2.1	3	<1	<1	1	2	4	6	9
20-34	1236	1.8	2	<1	<1	1	2	3	5	9
35-49	1554	1.9	3	<1	<1	1	2	3	5	10
50-64	1204	1.9	2	<1	<1	1	2	3	5	9
65+	616	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	460	2.7	14	<1	1	2	3	6	9	19
20-34	1287	3.0	14	<1	1	2	3	6	9	25
35-49	1503	3.2	17	<1	<1	2	3	7	10	22
50-64	1427	3.3	22	<1	<1	2	3	7	10	21
65+	1183	4.1	29	<1	<1	2	4	10	13	30
TOT. SINGLE DX	4873	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	5860	3.3	20	<1	1	2	3	7	11	24
TOTAL 0-19 YRS	723	2.5	11	<1	1	1	3	5	8	18
20-34	2523	2.4	9	<1	<1	1	3	5	7	17
35-49	3057	2.5	11	<1	<1	1	3	5	8	17
50-64	2631	2.6	14	<1	<1	2	3	6	9	17
65+	1799	3.3	21	<1	<1	2	3	8	11	25
GRAND TOTAL	**10733**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.9	2	1	2	4	5	6	6	6
20-34	85	4.9	4	2	3	4	6	8	8	14
35-49	68	4.8	8	1	2	4	6	9	10	18
50-64	45	6.9	27	1	2	6	9	12	15	30
65+	36	9.1	69	3	3	7	10	19	26	44
2. MULTIPLE DX										
0-19 YRS	7	4.1	1	3	3	4	5	6	6	6
20-34	99	6.3	27	1	3	5	8	11	16	32
35-49	105	7.3	26	2	3	6	9	13	15	30
50-64	174	10.7	57	2	4	9	14	20	26	36
65+	336	12.9	150	4	5	10	15	23	29	80
TOT. SINGLE DX	246	5.8	22	2	2	5	7	9	12	28
" MULTIPLE DX	721	10.6	99	3	3	8	13	20	27	49
TOTAL 0-19 YRS	19	4.0	2	1	2	4	5	6	6	6
20-34	184	5.6	18	2	3	5	6	9	12	23
35-49	173	6.3	21	2	3	5	8	11	14	21
50-64	219	10.0	54	2	3	8	13	20	24	36
65+	372	12.6	144	3	4	9	14	22	29	79
GRAND TOTAL	**967**	**9.4**	**83**	**2**	**3**	**7**	**11**	**18**	**23**	**42**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	4.6	12	<1	<1	4	6	10	12	14
20-34	89	4.2	20	<1	<1	3	6	9	12	23
35-49	127	4.5	23	<1	<1	3	5	11	16	21
50-64	70	3.6	13	<1	<1	2	5	7	9	22
65+	30	5.9	56	<1	1	3	7	14	18	38
2. MULTIPLE DX										
0-19 YRS	23	10.7	305	<1	1	3	12	30	60	67
20-34	112	8.1	71	1	1	5	10	20	24	40
35-49	197	7.8	73	1	1	5	9	17	24	65
50-64	195	7.1	59	1	1	5	9	14	22	41
65+	213	9.5	94	1	2	7	12	23	25	41
TOT. SINGLE DX	344	4.4	23	<1	<1	3	6	10	14	25
" MULTIPLE DX	740	8.2	83	1	1	5	11	19	25	44
TOTAL 0-19 YRS	51	7.3	151	<1	1	4	7	16	23	67
20-34	201	6.4	52	<1	<1	4	8	17	22	35
35-49	324	6.5	57	<1	<1	4	8	15	19	43
50-64	265	6.2	50	<1	1	4	8	13	20	41
65+	243	9.0	91	1	1	6	12	21	25	39
GRAND TOTAL	**1084**	**7.0**	**67**	**<1**	**1**	**4**	**9**	**16**	**23**	**40**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	271	2.6	1	1	1	3	3	4	5	6
20-34	1779	2.8	2	1	1	3	3	4	5	8
35-49	2212	2.8	1	1	1	3	4	4	5	8
50-64	1460	3.0	2	1	2	3	4	4	5	8
65+	604	3.4	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	128	4.6	33	1	2	3	4	7	15	36
20-34	898	3.6	6	1	2	3	4	6	7	15
35-49	1453	3.7	7	1	2	3	4	6	8	15
50-64	1632	4.3	20	1	2	3	5	7	9	20
65+	1443	5.7	38	2	2	4	6	10	15	30
TOT. SINGLE DX	6326	2.9	2	1	1	3	4	4	5	8
" MULTIPLE DX	5554	4.4	21	1	2	3	5	7	10	22
TOTAL 0-19 YRS	399	3.3	13	1	1	3	4	5	6	20
20-34	2677	3.1	4	1	1	3	4	5	6	10
35-49	3665	3.2	4	1	1	3	4	5	6	12
50-64	3092	3.7	12	1	2	3	4	6	7	15
65+	2047	5.1	29	2	2	4	5	9	13	26
GRAND TOTAL	**11880**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	478	1.6	1	<1	1	1	2	3	3	6
20-34	304	2.1	1	1	1	2	3	4	5	7
35-49	268	2.5	3	1	1	2	3	4	5	12
50-64	262	3.0	3	1	1	3	4	5	6	12
65+	146	3.6	5	1	2	3	4	6	6	12
2. MULTIPLE DX										
0-19 YRS	112	3.3	17	<1	1	2	4	8	11	58
20-34	223	5.6	38	1	1	4	7	11	16	35
35-49	438	6.1	47	1	2	4	7	12	18	33
50-64	756	6.5	63	2	2	4	7	14	21	39
65+	830	8.3	77	2	2	5	10	19	26	51
TOT. SINGLE DX	1458	2.3	3	1	1	2	3	4	5	8
" MULTIPLE DX	2359	6.8	63	1	2	4	7	15	23	40
TOTAL 0-19 YRS	590	1.9	5	<1	1	1	2	3	5	11
20-34	527	3.6	20	1	1	2	4	7	10	27
35-49	706	4.7	34	1	1	3	5	9	14	31
50-64	1018	5.6	50	1	2	4	6	11	18	37
65+	976	7.6	70	2	2	5	8	17	25	43
GRAND TOTAL	**3817**	**5.1**	**45**	**1**	**1**	**3**	**5**	**10**	**17**	**34**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	7.0	23	1	2	6	8	13	19	23
20-34	119	7.0	9	4	4	6	8	10	14	18
35-49	111	7.2	8	4	4	7	8	11	13	16
50-64	87	8.2	21	4	4	7	9	13	20	27
65+	60	9.9	46	4	5	8	10	15	19	46
2. MULTIPLE DX										
0-19 YRS	77	10.9	75	4	5	9	13	21	40	99+
20-34	168	9.2	35	4	5	7	10	17	22	33
35-49	256	11.0	66	4	5	9	13	20	23	57
50-64	360	11.9	113	3	5	9	14	21	30	68
65+	311	14.5	140	4	5	11	18	27	42	61
TOT. SINGLE DX	413	7.7	19	4	4	7	9	12	15	23
" MULTIPLE DX	1172	12.0	100	4	5	9	14	22	30	60
TOTAL 0-19 YRS	113	9.7	62	3	4	8	12	19	27	99+
20-34	287	8.3	26	4	5	7	9	13	18	32
35-49	367	9.9	52	4	5	8	11	17	22	53
50-64	447	11.2	98	3	5	9	13	20	25	66
65+	371	13.8	128	4	5	10	16	25	35	61
GRAND TOTAL	**1585**	**10.9**	**82**	**4**	**5**	**8**	**12**	**20**	**25**	**58**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.2		<1	<1	<1	1	2	2	4
20-34	25	2.0	21	<1	<1	<1	1	2	8	24
35-49	40	1.6	1	<1	<1	1	2	3	4	6
50-64	62	1.3		<1	<1	1	1	2	3	4
65+	82	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	37	3.0	14	<1	<1	2	3	9	16	99+
20-34	17	4.8	35	<1	<1	3	5	14	21	23
35-49	69	4.5	40	<1	<1	2	5	14	23	86
50-64	96	5.9	57	<1	1	2	7	17	25	35
65+	235	5.9	82	<1	1	3	7	15	19	39
TOT. SINGLE DX	315	1.5	3	<1	<1	1	1	2	3	7
" MULTIPLE DX	454	5.4	64	<1	<1	2	6	14	20	38
TOTAL 0-19 YRS	143	1.7	5	<1	<1	<1	1	3	6	25
20-34	42	3.1	28	<1	<1	1	2	6	19	24
35-49	109	3.4	28	<1	<1	1	3	7	16	58
50-64	158	4.1	40	<1	<1	2	4	11	19	32
65+	317	4.8	65	<1	<1	2	5	12	17	35
GRAND TOTAL	**769**	**3.8**	**43**	**<1**	**<1**	**2**	**3**	**9**	**16**	**33**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	353	1.5		<1	<1	1	2	2	3	6
20-34	100	1.7	1	<1	<1	1	2	3	4	7
35-49	146	1.4	1	<1	<1	1	1	2	3	6
50-64	178	1.4	1	<1	<1	1	2	2	3	7
65+	178	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-19 YRS	794	2.9	11	<1	1	2	3	5	8	18
20-34	933	3.4	24	<1	1	2	4	7	10	28
35-49	591	3.2	15	<1	1	2	4	6	10	23
50-64	675	3.4	27	<1	1	2	3	7	12	28
65+	967	5.4	68	<1	1	2	6	13	19	57
TOT. SINGLE DX	955	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	3960	3.8	33	<1	1	2	4	8	13	34
TOTAL 0-19 YRS	1147	2.5	9	<1	1	2	3	5	6	16
20-34	1033	3.2	22	<1	1	2	4	6	9	26
35-49	737	2.8	13	<1	1	2	3	6	8	20
50-64	853	3.0	23	<1	1	1	3	6	10	25
65+	1145	4.8	60	<1	<1	2	5	12	18	53
GRAND TOTAL	**4915**	**3.3**	**27**	**<1**	**1**	**2**	**3**	**7**	**11**	**29**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.3		<1	<1	1	1	2	3	5
20-34	77	1.5	1	<1	1	1	2	2	3	8
35-49	83	1.6		<1	<1	1	2	3	3	5
50-64	81	1.5		<1	<1	1	2	3	4	5
65+	180	1.6	2	<1	1	1	2	2	3	9
2. MULTIPLE DX										
0-19 YRS	75	1.9	2	<1	<1	1	2	4	6	7
20-34	73	3.1	45	<1	1	1	3	5	8	47
35-49	74	2.1	2	1	1	2	3	4	5	8
50-64	137	2.1	7	1	1	1	2	3	5	15
65+	347	2.6	10	1	1	2	3	5	7	15
TOT. SINGLE DX	490	1.5	2	<1	1	1	2	2	3	7
" MULTIPLE DX	706	2.4	12	1	1	2	2	4	6	15
TOTAL 0-19 YRS	144	1.6	1	<1	<1	1	2	3	5	6
20-34	150	2.3	23	<1	1	1	2	3	5	20
35-49	157	1.8	2	<1	1	1	2	3	4	6
50-64	218	1.9	5	<1	1	1	2	3	4	11
65+	527	2.3	8	1	1	2	2	4	6	14
GRAND TOTAL	**1196**	**2.1**	**8**	**<1**	**1**	**1**	**2**	**3**	**5**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.1	4	<1	<1	1	2	6	7	8
20-34	7	1.6	1	<1	<1	1	2	4	4	4
35-49	9	1.6		<1	<1	1	2	3	3	3
50-64	11	4.6	21	<1	<1	3	6	13	15	15
65+	9	3.3	6	<1	<1	2	5	7	9	9
2. MULTIPLE DX										
0-19 YRS	28	6.8	211	<1	1	2	5	18	29	75
20-34	21	9.2	218	<1	1	4	6	28	50	59
35-49	13	4.3	13	<1	1	2	6	10	12	13
50-64	22	8.7	129	<1	1	4	14	20	34	51
65+	46	6.1	54	<1	<1	2	9	16	26	31
TOT. SINGLE DX	59	2.6	8	<1	<1	1	3	6	9	15
" MULTIPLE DX	130	7.0	122	<1	1	3	7	18	25	62
TOTAL 0-19 YRS	51	4.7	122	<1	<1	2	3	7	21	74
20-34	28	7.3	173	<1	<1	3	5	18	44	59
35-49	22	3.2	10	<1	<1	2	4	8	11	13
50-64	33	7.4	95	<1	<1	4	10	16	22	51
65+	55	5.6	48	<1	<1	2	7	14	24	31
GRAND TOTAL	**189**	**5.6**	**90**	**<1**	**<1**	**2**	**6**	**14**	**22**	**56**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	2.2	2	<1	1	2	2	4	5	9
20-34	182	2.1	1	1	1	2	3	4	5	6
35-49	173	2.0	1	1	1	2	3	3	4	6
50-64	166	2.1	2	1	1	2	2	4	5	11
65+	594	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	60	2.4	2	1	1	2	3	4	6	8
20-34	90	3.2	6	1	1	3	4	6	7	15
35-49	131	2.9	16	1	1	2	3	5	6	20
50-64	306	2.8	7	1	1	2	3	5	6	17
65+	1749	2.7	5	1	1	2	3	4	6	11
TOT. SINGLE DX	1180	2.1	2	1	1	2	3	4	5	7
" MULTIPLE DX	2336	2.7	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	125	2.3	2	<1	1	2	3	4	5	8
20-34	272	2.4	3	1	1	2	3	5	5	10
35-49	304	2.4	8	1	1	2	3	4	5	10
50-64	472	2.5	6	1	1	2	3	4	6	13
65+	2343	2.6	4	1	1	2	3	4	5	10
GRAND TOTAL	**3516**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	2.9	4	<1	1	3	4	5	6	14
20-34	240	2.2	1	<1	<1	2	3	4	5	6
35-49	143	2.0	2	<1	<1	1	3	4	5	10
50-64	49	2.6	8	<1	<1	1	3	4	7	17
65+	74	2.3	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	198	3.6	6	1	1	3	5	6	7	14
20-34	214	4.0	17	1	1	3	5	7	9	29
35-49	116	4.6	67	<1	1	3	5	8	10	44
50-64	108	4.3	18	<1	<1	3	5	10	12	55
65+	215	5.2	49	<1	<1	3	6	11	17	31
TOT. SINGLE DX	751	2.4	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	851	4.3	30	<1	1	3	5	8	12	24
TOTAL 0-19 YRS	443	3.2	5	<1	1	3	4	6	7	14
20-34	454	3.0	10	<1	<1	2	4	5	7	15
35-49	259	3.1	33	<1	<1	2	3	6	8	19
50-64	157	3.7	16	<1	<1	3	4	9	12	24
65+	289	4.4	40	<1	<1	2	5	10	14	28
GRAND TOTAL	**1602**	**3.4**	**19**	**<1**	**<1**	**2**	**4**	**6**	**9**	**20**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.6		<1	<1	1	2	3	3	5
20-34	36	2.5	2	<1	1	2	3	4	7	8
35-49	103	2.6	4	<1	1	2	3	5	8	12
50-64	204	2.3	2	<1	<1	2	3	4	5	8
65+	375	2.4	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	76	2.9	31	1	1	1	3	5	9	38
20-34	78	3.2	6	1	1	2	4	7	9	13
35-49	114	4.4	52	1	1	3	4	8	9	43
50-64	326	3.5	16	1	1	2	4	7	11	20
65+	1115	3.5	19	1	1	2	4	7	9	22
TOT. SINGLE DX	798	2.3	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	1709	3.5	21	1	1	2	4	7	9	22
TOTAL 0-19 YRS	156	2.2	16	<1	1	1	2	3	5	17
20-34	114	3.0	5	1	1	2	4	7	8	12
35-49	217	3.5	31	1	1	2	4	7	9	22
50-64	530	3.0	11	<1	1	2	3	6	8	16
65+	1490	3.2	16	<1	1	2	4	6	8	18
GRAND TOTAL	**2507**	**3.1**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	78	3.5	7	1	1	3	4	7	8	15
20-34	84	2.7	3	<1	1	2	4	5	6	11
35-49	67	2.6	3	<1	1	2	4	5	6	10
50-64	91	2.2	2	<1	1	2	3	5	6	9
65+	140	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	94	4.2	10	1	1	4	5	8	11	17
20-34	113	4.5	13	1	2	4	6	7	10	23
35-49	83	4.0	16	1	1	3	5	8	11	24
50-64	175	4.0	31	<1	1	2	4	8	13	28
65+	566	4.5	28	1	1	3	6	10	13	28
TOT. SINGLE DX	460	2.7	5	<1	1	2	3	5	7	12
" MULTIPLE DX	1031	4.4	25	1	1	3	5	9	12	24
TOTAL 0-19 YRS	172	3.9	9	1	1	3	5	7	11	16
20-34	197	3.7	10	1	1	3	5	7	8	18
35-49	150	3.4	11	<1	1	2	4	7	8	21
50-64	266	3.4	22	<1	1	2	4	6	10	22
65+	706	4.1	25	1	1	2	5	9	12	23
GRAND TOTAL	**1491**	**3.8**	**19**	**1**	**1**	**2**	**5**	**8**	**11**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.9	2	<1	<1	1	2	4	5	7
20-34	10	4.0	8	<1	<1	3	7	8	9	9
35-49	27	2.3	3	<1	<1	2	2	5	7	8
50-64	171	1.7		<1	<1	2	2	3	3	4
65+	761	1.6		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	62	2.6	4	<1	1	2	3	6	8	10
20-34	36	4.8	10	1	2	5	6	8	9	18
35-49	82	4.1	89	<1	<1	2	4	6	10	64
50-64	335	2.9	28	<1	<1	2	2	5	7	25
65+	2045	2.5	11	<1	1	2	2	4	7	19
TOT. SINGLE DX	1038	1.7	1	<1	<1	2	2	2	3	6
" MULTIPLE DX	2560	2.7	16	<1	1	2	2	4	7	19
TOTAL 0-19 YRS	131	2.2	4	<1	<1	1	3	5	6	9
20-34	46	4.6	10	1	1	4	6	8	9	18
35-49	109	3.7	68	<1	<1	2	4	6	8	49
50-64	506	2.5	19	<1	<1	2	2	4	6	16
65+	2806	2.3	9	<1	<1	2	2	3	5	16
GRAND TOTAL	**3598**	**2.4**	**12**	**<1**	**<1**	**2**	**2**	**4**	**6**	**16**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	1.4	1	<1	<1	1	2	2	3	6
20-34	37	1.8	1	<1	<1	1	2	3	5	7
35-49	186	1.5	1	<1	<1	1	2	2	3	7
50-64	1085	1.3		<1	<1	1	2	2	2	3
65+	3939	1.3		<1	<1	<1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	91	1.9	1	<1	<1	2	2	4	4	7
20-34	75	4.7	123	<1	<1	2	4	5	16	74
35-49	294	2.4	7	<1	<1	2	2	4	6	17
50-64	1760	2.2	12	<1	<1	2	2	3	5	13
65+	9624	2.3	14	<1	<1	2	2	3	5	16
TOT. SINGLE DX	5363	1.3	1	<1	<1	<1	2	2	2	3
" MULTIPLE DX	11844	2.3	14	<1	<1	2	2	3	5	16
TOTAL 0-19 YRS	207	1.7	1	<1	<1	1	2	3	4	6
20-34	112	3.7	85	<1	<1	2	3	4	13	55
35-49	480	2.0	5	<1	<1	1	2	3	5	15
50-64	2845	1.8	8	<1	<1	1	2	3	4	10
65+	13563	2.0	10	<1	<1	2	2	3	4	13
GRAND TOTAL	**17207**	**2.0**	**10**	**<1**	**<1**	**2**	**2**	**3**	**4**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.7		<1	<1	1	2	3	3	3
20-34	9	2.0	1	<1	<1	2	2	4	5	5
35-49	19	1.5		<1	<1	1	2	2	3	3
50-64	110	1.3		<1	<1	1	1	2	2	6
65+	292	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
0-19 YRS	7	1.6	2	<1	<1	<1	1	4	5	5
20-34	13	1.8	2	<1	<1	1	3	4	5	5
35-49	22	2.5	11	<1	<1	1	3	5	11	16
50-64	169	2.5	19	<1	<1	2	2	4	6	31
65+	694	2.0	3	<1	<1	2	2	3	5	11
TOT. SINGLE DX	436	1.4	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	905	2.1	7	<1	<1	2	2	3	5	13
TOTAL 0-19 YRS	13	1.6	1	<1	<1	<1	2	3	5	5
20-34	22	1.9	2	<1	<1	1	2	4	5	5
35-49	41	2.1	6	<1	<1	1	2	3	5	16
50-64	279	2.0	12	<1	<1	1	2	3	4	17
65+	986	1.8	3	<1	<1	1	2	3	4	10
GRAND TOTAL	**1341**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	2.8	2	1	1	2	3	5	6	7
20-34	337	3.0	4	1	1	3	4	6	7	13
35-49	430	3.1	6	1	1	3	4	6	7	12
50-64	1126	2.9	2	1	1	3	4	5	6	8
65+	1117	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	203	3.8	8	1	1	3	5	6	8	22
20-34	528	3.9	8	1	1	3	5	7	8	14
35-49	675	3.8	6	1	1	3	5	7	8	13
50-64	1646	3.5	6	1	1	3	4	6	8	14
65+	2527	3.6	7	1	1	3	4	6	8	13
TOT. SINGLE DX	3172	2.9	3	1	1	3	4	5	6	9
" MULTIPLE DX	5579	3.6	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	365	3.3	6	1	1	3	4	6	7	14
20-34	865	3.5	7	1	1	3	4	6	8	13
35-49	1105	3.5	6	1	1	3	4	6	8	13
50-64	2772	3.2	5	1	1	3	4	6	7	11
65+	3644	3.4	6	1	1	3	4	6	7	11
GRAND TOTAL	**8751**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.7	5	<1	<1	2	3	5	7	13
20-34	59	3.2	4	1	1	3	4	6	8	11
35-49	63	3.0	8	<1	1	2	3	6	8	19
50-64	135	2.6	4	1	1	2	3	5	6	12
65+	260	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	143	4.4	105	1	1	3	4	6	9	79
20-34	466	3.6	8	1	1	3	4	7	9	15
35-49	397	3.5	10	1	1	3	4	7	8	15
50-64	766	3.5	17	1	1	3	4	6	9	15
65+	1363	3.7	16	<1	1	3	4	8	10	18
TOT. SINGLE DX	590	2.9	6	1	1	2	3	6	7	12
" MULTIPLE DX	3135	3.7	19	1	1	3	4	7	9	17
TOTAL 0-19 YRS	216	3.8	72	<1	1	2	4	6	8	74
20-34	525	3.6	8	1	1	3	4	7	9	15
35-49	460	3.4	10	1	1	3	4	7	8	15
50-64	901	3.4	15	1	1	3	4	6	8	14
65+	1623	3.6	15	<1	1	3	4	7	10	17
GRAND TOTAL	**3725**	**3.5**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1197	1.2		<1	<1	1	1	2	2	2
20-34	148	1.2		<1	<1	1	1	2	2	3
35-49	106	1.4		<1	<1	1	2	2	2	4
50-64	39	1.2		<1	<1	1	1	2	2	2
65+	32	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	533	1.3	3	<1	<1	1	1	2	2	5
20-34	97	3.0	100	<1	<1	1	2	2	4	86
35-49	73	1.5	1	<1	<1	1	2	2	3	7
50-64	67	1.7	3	<1	<1	1	2	2	6	12
65+	56	1.7	1	1	1	2	2	3	4	6
TOT. SINGLE DX	1522	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	826	1.6	14	<1	<1	1	2	2	2	13
TOTAL 0-19 YRS	1730	1.2	1	<1	<1	1	1	2	2	3
20-34	245	1.9	40	<1	<1	1	1	2	2	66
35-49	179	1.4	1	<1	<1	1	2	2	2	6
50-64	106	1.5	3	<1	<1	1	1	2	3	10
65+	88	1.6	1	<1	<1	1	2	3	3	6
GRAND TOTAL	**2348**	**1.3**	**5**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.7	1	1	1	1	2	4	4	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	6.5	181	<1	<1	1	1	31	34	34
20-34	6	3.2	6	1	1	3	5	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	10	1.6	1	<1	<1	1	2	3	4	4
" MULTIPLE DX	14	4.3	77	<1	<1	1	4	10	29	34
TOTAL 0-19 YRS	15	3.6	72	<1	<1	1	2	4	26	34
20-34	6	3.2	7	1	1	3	5	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**24**	**3.2**	**46**	**<1**	**<1**	**1**	**2**	**5**	**15**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	2.7	5	<1	<1	2	3	6	8	11
20-34	193	2.5	3	<1	1	2	3	4	6	10
35-49	130	3.0	7	1	1	2	4	6	9	14
50-64	105	3.1	12	1	1	2	3	6	9	21
65+	152	3.3	26	1	1	2	3	6	10	19
2. MULTIPLE DX										
0-19 YRS	244	4.4	38	1	1	3	6	9	11	15
20-34	307	4.4	25	1	1	3	5	9	13	33
35-49	252	3.8	12	1	1	3	5	7	11	21
50-64	270	3.9	13	1	1	3	5	9	13	20
65+	574	5.1	62	1	1	3	6	10	14	44
TOT. SINGLE DX	785	2.9	10	<1	1	2	3	6	8	14
" MULTIPLE DX	1647	4.5	37	1	1	3	5	9	13	27
TOTAL 0-19 YRS	449	3.6	24	<1	1	2	5	8	10	14
20-34	500	3.6	18	1	1	2	4	8	11	27
35-49	382	3.6	11	1	1	3	4	7	11	19
50-64	375	3.7	14	1	1	3	4	8	12	20
65+	726	4.7	56	1	1	3	5	9	13	42
GRAND TOTAL	**2432**	**4.0**	**29**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	1.9	2	<1	<1	1	2	4	5	8
20-34	164	2.1	4	<1	<1	1	2	5	6	10
35-49	93	2.1	8	<1	<1	1	2	4	7	17
50-64	72	1.9	4	<1	<1	1	2	4	6	13
65+	102	2.1	4	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	695	3.5	31	<1	1	2	4	6	9	35
20-34	363	4.5	43	<1	1	2	5	10	17	34
35-49	213	4.4	51	<1	1	2	4	10	17	34
50-64	208	6.2	73	<1	1	3	8	13	20	53
65+	469	6.8	57	1	1	4	9	17	21	41
TOT. SINGLE DX	956	2.0	4	<1	<1	1	2	4	5	11
" MULTIPLE DX	1948	4.9	49	<1	1	3	5	11	17	39
TOTAL 0-19 YRS	1220	2.8	20	<1	<1	2	3	5	7	19
20-34	527	3.8	33	<1	<1	2	4	8	13	28
35-49	306	3.7	39	<1	<1	2	4	9	15	23
50-64	280	5.1	59	<1	<1	2	6	12	16	43
65+	571	6.0	51	1	1	3	7	15	20	39
GRAND TOTAL	**2904**	**3.9**	**36**	**<1**	**<1**	**2**	**4**	**9**	**14**	**29**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	93	1.3		<1	<1	1	2	2	2	2
20-34	450	1.5		1	1	1	2	2	3	3
35-49	727	1.6	1	1	1	1	2	3	3	4
50-64	528	1.6		1	1	1	2	3	3	4
65+	228	1.7		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	103	1.3		<1	1	1	2	2	2	3
20-34	269	1.6	1	1	1	1	2	3	3	6
35-49	366	1.4		1	1	1	2	2	3	4
50-64	333	1.6		1	1	1	2	3	3	6
65+	245	2.1	2	1	1	2	3	3	4	7
TOT. SINGLE DX	2026	1.6	1	1	1	1	2	3	3	4
" MULTIPLE DX	1316	1.6	1	1	1	1	2	3	3	6
TOTAL 0-19 YRS	196	1.3		<1	1	1	2	2	2	3
20-34	719	1.5	1	1	1	1	2	3	3	6
35-49	1093	1.5	1	1	1	1	2	2	3	4
50-64	861	1.6	1	1	1	1	2	3	3	4
65+	473	1.9	2	1	1	2	2	3	4	6
GRAND TOTAL	**3342**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1103	1.3	4	<1	<1	1	1	2	2	3
20-34	663	1.3		<1	1	1	1	2	2	3
35-49	513	1.3		<1	1	1	1	2	2	3
50-64	454	1.3		<1	1	1	2	2	2	3
65+	164	1.3		<1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	1077	1.3	1	<1	1	1	1	2	2	5
20-34	720	1.6	7	1	1	1	2	2	3	10
35-49	674	1.5	1	<1	1	1	2	2	3	6
50-64	649	1.6	1	1	1	1	2	3	3	6
65+	326	1.8	4	1	1	1	2	3	3	6
TOT. SINGLE DX	2897	1.3	2	<1	1	1	1	2	2	3
" MULTIPLE DX	3446	1.5	3	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	2180	1.3	3	<1	1	1	1	2	2	4
20-34	1383	1.4	4	<1	1	1	1	2	2	4
35-49	1187	1.4	1	<1	1	1	2	2	3	4
50-64	1103	1.5	1	1	1	1	2	2	3	5
65+	490	1.6	3	<1	1	1	2	2	3	6
GRAND TOTAL	**6343**	**1.4**	**3**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1781	1.2	1	<1	<1	<1	<1	1	2	6
20-34	93	1.6	3	<1	<1	1	1	3	7	11
35-49	68	1.3		<1	<1	1	1	2	2	5
50-64	56	2.0	13	<1	<1	1	1	2	6	26
65+	26	1.6	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
0-19 YRS	3622	2.0	13	<1	<1	1	2	4	7	15
20-34	141	4.0	60	<1	<1	1	3	8	15	45
35-49	116	4.3	54	<1	1	2	4	11	16	40
50-64	120	7.1	146	<1	1	3	9	15	22	69
65+	132	7.6	51	<1	1	6	12	16	23	33
TOT. SINGLE DX	2024	1.2	2	<1	<1	<1	<1	1	2	7
" MULTIPLE DX	4131	2.5	23	<1	<1	1	2	5	9	20
TOTAL 0-19 YRS	5403	1.7	10	<1	<1	1	1	3	6	13
20-34	234	3.1	39	<1	<1	1	2	7	11	42
35-49	184	3.2	37	<1	<1	1	2	7	12	27
50-64	176	5.5	110	<1	<1	1	5	13	20	63
65+	158	6.6	48	<1	<1	4	11	16	20	32
GRAND TOTAL	**6155**	**2.1**	**17**	**<1**	**<1**	**1**	**1**	**4**	**7**	**17**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	448	1.7	4	1	1	1	2	3	4	10
20-34	352	1.5		1	1	1	2	3	3	5
35-49	285	1.8	2	1	1	1	2	3	3	9
50-64	248	1.9	2	1	1	1	2	3	4	10
65+	100	2.2	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	900	2.3	11	1	1	1	2	4	7	20
20-34	672	2.1	11	1	1	1	2	3	5	15
35-49	590	2.2	7	1	1	1	2	3	6	16
50-64	614	2.5	17	1	1	2	2	4	8	20
65+	392	3.7	53	1	1	2	3	6	12	46
TOT. SINGLE DX	1433	1.7	3	1	1	1	2	3	4	9
" MULTIPLE DX	3168	2.4	17	1	1	1	2	4	8	20
TOTAL 0-19 YRS	1348	2.1	9	1	1	1	2	3	6	17
20-34	1024	1.9	8	1	1	1	2	3	4	12
35-49	875	2.0	6	1	1	1	2	3	5	14
50-64	862	2.3	13	1	1	2	2	4	6	16
65+	492	3.4	44	1	1	2	3	6	11	41
GRAND TOTAL	**4601**	**2.2**	**13**	**1**	**1**	**1**	**2**	**3**	**6**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	294	1.7	5	<1	<1	1	1	3	4	14
20-34	262	1.6	1	<1	1	1	2	3	4	8
35-49	311	1.8	1	<1	1	1	2	3	4	7
50-64	292	1.9	2	1	1	2	2	3	4	8
65+	128	2.0	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	412	2.8	42	<1	<1	1	2	5	9	35
20-34	321	2.6	10	1	1	1	3	5	7	17
35-49	322	2.3	7	1	1	2	2	4	6	17
50-64	326	2.6	7	1	1	2	3	5	7	15
65+	215	4.2	82	1	1	2	3	8	11	52
TOT. SINGLE DX	1287	1.8	3	<1	1	1	2	3	4	8
" MULTIPLE DX	1596	2.8	28	<1	1	1	3	5	8	23
TOTAL 0-19 YRS	706	2.3	28	<1	<1	1	2	4	7	23
20-34	583	2.1	7	<1	1	1	2	4	6	15
35-49	633	2.1	4	1	1	1	2	4	5	12
50-64	618	2.2	5	1	1	2	2	4	6	13
65+	343	3.3	54	1	1	2	3	6	10	34
GRAND TOTAL	**2883**	**2.3**	**17**	**<1**	**1**	**1**	**2**	**4**	**6**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	251	1.6		<1	1	1	2	3	4	4
20-34	600	1.5		<1	<1	1	2	3	3	4
35-49	350	1.4		<1	<1	1	2	2	3	3
50-64	153	1.5		<1	1	1	2	3	3	4
65+	25	1.4		<1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	910	1.7	1	1	1	1	2	3	4	5
20-34	2208	1.7	3	1	1	1	2	3	3	6
35-49	1583	1.8	4	1	1	1	2	3	4	7
50-64	898	2.1	5	1	1	2	2	3	4	10
65+	276	2.4	8	1	1	2	3	4	6	16
TOT. SINGLE DX	1379	1.5	1	<1	1	1	2	3	3	4
" MULTIPLE DX	5875	1.8	4	1	1	1	2	3	4	8
TOTAL 0-19 YRS	1161	1.7	1	1	1	1	2	3	4	5
20-34	2808	1.7	3	1	1	1	2	3	3	6
35-49	1933	1.7	4	1	1	1	2	3	3	6
50-64	1051	2.0	5	1	1	1	2	3	4	9
65+	301	2.4	8	1	1	2	3	4	6	16
GRAND TOTAL	**7254**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	899	1.5		<1	1	1	2	2	3	6
20-34	1719	1.4	1	<1	1	1	2	2	3	5
35-49	973	1.4		<1	1	1	2	2	3	5
50-64	464	1.5		<1	1	1	2	3	3	5
65+	157	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	2063	1.7	4	1	1	1	2	3	4	8
20-34	4322	1.7	4	1	1	1	2	3	4	7
35-49	3039	1.8	5	1	1	1	2	3	4	8
50-64	1598	2.0	4	1	1	1	2	3	5	12
65+	782	3.0	14	1	1	2	3	6	10	20
TOT. SINGLE DX	4212	1.5	1	<1	1	1	2	2	3	5
" MULTIPLE DX	11804	1.9	5	1	1	1	2	3	4	11
TOTAL 0-19 YRS	2962	1.6	3	<1	1	1	2	3	3	6
20-34	6041	1.6	3	<1	1	1	2	3	4	7
35-49	4012	1.7	4	1	1	1	2	3	4	7
50-64	2062	1.9	4	1	1	1	2	3	4	11
65+	939	2.7	12	1	1	2	3	6	9	19
GRAND TOTAL	**16016**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	1.8	1	<1	<1	1	2	4	5	7
20-34	206	1.8	2	<1	<1	1	2	3	5	8
35-49	199	1.6	1	<1	<1	1	2	3	4	8
50-64	234	1.8	2	<1	<1	1	2	3	4	10
65+	228	1.9	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	431	2.5	25	<1	1	1	2	5	7	16
20-34	785	1.9	9	1	1	1	2	3	5	15
35-49	865	2.0	9	<1	1	1	2	4	5	18
50-64	848	2.8	24	1	1	2	3	5	9	20
65+	832	4.9	55	1	1	2	6	11	17	50
TOT. SINGLE DX	1017	1.8	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	3761	2.9	26	1	1	1	3	6	9	25
TOTAL 0-19 YRS	581	2.3	19	<1	1	1	2	5	7	14
20-34	991	1.9	8	<1	1	1	2	3	5	13
35-49	1064	2.0	8	<1	1	1	2	3	5	14
50-64	1082	2.6	20	<1	1	1	2	5	8	17
65+	1060	4.2	46	<1	1	2	4	10	15	41
GRAND TOTAL	**4778**	**2.6**	**21**	**<1**	**1**	**1**	**2**	**5**	**9**	**23**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	617	1.4	2	<1	<1	1	1	2	3	7
20-34	637	2.0	3	<1	<1	1	2	4	5	9
35-49	354	2.8	3	<1	1	2	4	6	6	8
50-64	342	3.8	6	1	1	4	5	6	8	12
65+	277	3.8	5	1	1	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	704	3.1	44	<1	1	2	3	5	9	35
20-34	1186	3.1	17	1	1	2	4	7	9	19
35-49	663	3.7	11	1	1	3	5	8	10	14
50-64	847	5.1	24	1	1	4	6	10	13	27
65+	1450	5.5	25	1	2	4	7	10	14	28
TOT. SINGLE DX	2227	2.5	5	<1	<1	1	4	5	6	10
" MULTIPLE DX	4850	4.3	25	1	1	3	5	9	12	23
TOTAL 0-19 YRS	1321	2.3	26	<1	<1	1	2	4	6	17
20-34	1823	2.7	13	<1	1	2	3	6	8	15
35-49	1017	3.3	9	1	1	2	4	7	9	14
50-64	1189	4.7	19	1	1	4	6	9	12	22
65+	1727	5.2	22	1	1	4	6	10	14	25
GRAND TOTAL	**7077**	**3.7**	**19**	**<1**	**1**	**2**	**5**	**7**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	2.0	4	1	1	1	2	4	7	11
20-34	343	1.9	3	<1	1	1	2	3	5	12
35-49	394	1.8	2	1	1	1	2	3	4	9
50-64	284	1.9	2	1	1	1	2	3	4	8
65+	152	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	218	3.6	45	1	1	2	3	8	13	32
20-34	628	2.5	8	1	1	2	3	4	7	16
35-49	819	2.8	11	1	1	2	3	5	9	20
50-64	755	3.1	16	1	1	2	3	6	11	19
65+	566	3.8	23	1	1	2	4	8	12	23
TOT. SINGLE DX	1273	1.9	3	1	1	1	2	3	4	10
" MULTIPLE DX	2986	3.0	17	1	1	2	3	6	10	20
TOTAL 0-19 YRS	318	3.1	33	1	1	1	3	6	11	25
20-34	971	2.3	7	1	1	2	2	4	6	15
35-49	1213	2.5	9	1	1	2	3	4	8	17
50-64	1039	2.8	13	1	1	2	3	5	8	18
65+	718	3.4	20	1	1	2	3	7	10	21
GRAND TOTAL	**4259**	**2.7**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	2.5	7	<1	<1	1	3	6	8	16
20-34	322	2.6	5	<1	<1	2	3	5	7	13
35-49	284	2.1	4	<1	1	1	3	4	6	12
50-64	225	2.6	6	<1	1	2	3	6	7	12
65+	132	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	427	5.2	41	<1	1	2	7	13	17	30
20-34	868	3.8	42	1	1	2	4	8	13	36
35-49	991	3.6	34	1	1	2	3	9	12	30
50-64	890	4.0	33	1	1	2	5	9	14	28
65+	691	5.5	49	1	1	3	7	13	19	37
TOT. SINGLE DX	1115	2.5	5	<1	1	2	3	5	7	12
" MULTIPLE DX	3867	4.3	40	1	1	2	5	10	14	32
TOTAL 0-19 YRS	579	4.5	34	<1	1	2	6	11	15	29
20-34	1190	3.5	33	1	1	2	4	7	10	28
35-49	1275	3.3	28	1	1	2	3	8	12	23
50-64	1115	3.7	29	1	1	2	4	8	12	26
65+	823	5.0	43	1	1	3	6	12	17	34
GRAND TOTAL	**4982**	**3.9**	**33**	**1**	**1**	**2**	**4**	**9**	**13**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	699	1.2		<1	<1	1	1	2	2	3
20-34	500	1.5	4	<1	<1	1	1	2	3	8
35-49	130	1.8	3	<1	<1	1	2	3	3	10
50-64	75	2.1	5	<1	<1	1	2	3	6	14
65+	64	2.0	4	<1	<1	2	2	3	4	15
2. MULTIPLE DX										
0-19 YRS	939	3.1	49	<1	<1	1	2	5	8	40
20-34	1100	4.8	79	<1	1	2	4	11	21	45
35-49	774	5.6	87	<1	1	2	5	13	22	49
50-64	880	5.2	57	1	1	2	6	13	21	41
65+	1126	6.8	115	1	1	3	8	16	29	89
TOT. SINGLE DX	1468	1.4	2	<1	<1	1	1	2	3	6
" MULTIPLE DX	4819	5.1	81	<1	1	2	5	12	21	54
TOTAL 0-19 YRS	1638	2.3	29	<1	<1	1	2	3	5	26
20-34	1600	3.8	59	<1	<1	1	3	8	16	41
35-49	904	5.0	77	<1	1	2	5	12	20	48
50-64	955	5.0	54	1	1	2	6	12	20	40
65+	1190	6.6	111	1	1	3	7	16	28	85
GRAND TOTAL	**6287**	**4.3**	**65**	**<1**	**<1**	**2**	**3**	**10**	**17**	**48**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	175	1.2	4	<1	<1	<1	1	1	2	5
20-34	26	3.3	16	<1	<1	2	4	8	11	20
35-49	12	1.8		<1	<1	2	2	3	4	4
50-64	18	2.6	10	<1	1	2	3	4	11	15
65+	5	3.8	32	1	1	1	5	14	14	14
2. MULTIPLE DX										
0-19 YRS	341	2.6	60	<1	<1	1	2	3	7	54
20-34	115	2.7	11	<1	<1	2	2	5	9	21
35-49	51	8.4	314	<1	1	2	7	20	36	95
50-64	20	2.3	1	<1	1	2	3	4	4	5
65+	11	16.0	340	2	2	10	15	52	53	53
TOT. SINGLE DX	236	1.7	7	<1	<1	<1	1	2	4	16
" MULTIPLE DX	538	3.4	82	<1	<1	1	2	5	11	56
TOTAL 0-19 YRS	516	2.1	42	<1	<1	1	1	2	4	36
20-34	141	2.8	12	<1	<1	2	2	6	9	21
35-49	63	7.2	260	<1	1	2	5	13	34	93
50-64	38	2.4	5	<1	1	2	3	4	5	15
65+	16	12.2	270	1	1	6	14	47	52	53
GRAND TOTAL	**774**	**2.9**	**60**	**<1**	**<1**	**1**	**2**	**4**	**9**	**51**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	2.0	1	<1	<1	2	3	4	4	6
20-34	70	2.3	2	<1	1	2	3	4	5	11
35-49	138	2.1	1	1	1	2	3	4	4	6
50-64	195	2.1	1	1	1	2	3	3	4	5
65+	70	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	278	2.7	12	<1	1	2	3	5	8	83
20-34	248	3.4	20	1	1	2	3	7	12	30
35-49	276	4.0	42	1	1	2	3	8	13	36
50-64	371	3.7	25	1	1	2	3	8	15	24
65+	330	4.9	64	1	1	3	4	11	16	47
TOT. SINGLE DX	582	2.1	2	<1	1	2	3	4	4	6
" MULTIPLE DX	1503	3.8	34	1	1	2	3	8	14	34
TOTAL 0-19 YRS	387	2.5	9	<1	<1	2	3	5	7	36
20-34	318	3.1	17	<1	1	2	3	6	9	25
35-49	414	3.3	29	1	1	2	3	6	10	30
50-64	566	3.2	18	1	1	2	3	5	10	23
65+	400	4.5	54	1	1	3	4	9	15	37
GRAND TOTAL	**2085**	**3.3**	**26**	**1**	**1**	**2**	**3**	**6**	**10**	**28**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	216	2.0	2	<1	1	2	2	4	5	10
20-34	727	2.2	2	1	1	2	3	4	5	7
35-49	892	2.2	2	1	1	2	3	4	5	7
50-64	920	2.4	2	1	1	2	3	4	5	8
65+	698	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	139	3.1	7	1	1	2	4	6	9	14
20-34	338	2.9	7	1	1	2	3	5	8	14
35-49	554	3.0	10	1	1	2	3	6	8	15
50-64	927	3.6	15	1	1	3	4	7	10	22
65+	1321	4.4	26	1	1	3	5	9	13	23
TOT. SINGLE DX	3453	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	3279	3.7	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	355	2.4	5	<1	1	2	3	5	6	12
20-34	1065	2.4	4	1	1	2	3	4	5	11
35-49	1446	2.5	6	1	1	2	3	4	6	13
50-64	1847	3.0	9	1	1	2	3	5	8	16
65+	2019	3.8	19	1	1	3	4	7	10	19
GRAND TOTAL	**6732**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	762	2.9	2	1	1	3	4	5	5	8
20-34	23	2.4	3	1	1	2	3	5	7	8
35-49	37	1.9	1	1	1	1	3	4	4	4
50-64	22	1.6		1	1	1	2	3	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	858	3.6	9	1	2	3	4	5	7	12
20-34	57	2.8	4	1	1	2	4	6	7	13
35-49	93	3.1	7	1	1	2	4	6	8	16
50-64	73	4.1	71	1	1	2	3	7	13	58
65+	30	3.0	5	1	1	2	4	6	7	11
TOT. SINGLE DX	846	2.8	2	1	1	3	4	5	5	8
" MULTIPLE DX	1111	3.5	13	1	1	3	4	6	7	13
TOTAL 0-19 YRS	1620	3.3	6	1	1	3	4	5	6	9
20-34	80	2.7	4	1	1	2	3	5	7	12
35-49	130	2.8	6	1	1	2	3	5	8	13
50-64	95	3.5	56	1	1	2	3	6	11	47
65+	32	3.0	5	1	1	2	4	6	7	11
GRAND TOTAL	**1957**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1125	2.6	4	<1	<1	2	3	5	6	9
20-34	283	3.4	7	<1	1	2	5	7	9	15
35-49	287	3.2	11	<1	1	2	4	7	10	18
50-64	435	3.4	12	<1	1	2	4	8	11	18
65+	370	3.5	20	<1	1	2	4	8	12	22
2. MULTIPLE DX										
0-19 YRS	1310	3.7	29	1	1	2	4	7	9	30
20-34	922	4.3	26	<1	1	3	5	9	11	29
35-49	739	5.6	47	1	1	3	7	13	18	32
50-64	1151	7.8	91	1	1	5	10	17	27	49
65+	1525	7.7	97	1	1	4	10	17	25	46
TOT. SINGLE DX	2500	3.0	9	<1	1	2	4	6	8	16
" MULTIPLE DX	5647	6.0	66	1	1	3	7	13	20	38
TOTAL 0-19 YRS	2435	3.2	18	<1	1	2	4	6	8	18
20-34	1205	4.1	22	<1	1	3	5	8	11	25
35-49	1026	5.0	39	1	1	3	6	11	16	30
50-64	1586	6.6	74	1	1	3	8	15	23	43
65+	1895	6.9	86	1	1	4	8	16	23	45
GRAND TOTAL	**8147**	**5.1**	**50**	**<1**	**1**	**3**	**6**	**11**	**16**	**35**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10441	1.2		<1	1	1	1	2	2	3
20-34	6318	1.3	3	1	1	1	1	2	2	4
35-49	801	1.3		1	1	1	1	2	2	4
50-64	145	1.7	1	1	1	1	2	3	4	7
65+	43	1.9	4	<1	<1	1	2	3	5	14
2. MULTIPLE DX										
0-19 YRS	3618	1.4	1	1	1	1	1	2	3	7
20-34	2121	1.6	2	1	1	1	2	3	4	8
35-49	424	2.2	8	1	1	1	2	4	6	16
50-64	122	2.7	11	1	1	2	2	6	11	17
65+	63	3.0	8	1	1	2	3	8	10	11
TOT. SINGLE DX	17748	1.2	1	<1	1	1	1	2	2	4
" MULTIPLE DX	6348	1.6	3	1	1	1	2	2	4	9
TOTAL 0-19 YRS	14059	1.2	1	<1	1	1	1	2	2	4
20-34	8439	1.4	3	1	1	1	1	2	3	5
35-49	1225	1.6	3	1	1	1	2	2	4	10
50-64	267	2.2	6	1	1	1	2	4	6	15
65+	106	2.6	7	<1	1	2	3	5	10	13
GRAND TOTAL	**24096**	**1.3**	**2**	**1**	**1**	**1**	**1**	**2**	**2**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16311	1.2		<1	1	1	1	2	2	3
20-34	577	1.3		1	1	1	1	2	3	4
35-49	42	1.4		<1	<1	1	2	3	3	4
50-64	9	1.7	1	<1	<1	1	2	4	4	4
65+	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	14567	1.3	1	<1	1	1	1	2	2	4
20-34	266	1.6	1	1	1	1	2	3	4	8
35-49	50	3.2	17	1	1	2	3	7	15	22
50-64	14	2.4	1	1	1	2	3	4	5	5
65+	10	1.2		<1	<1	1	1	2	3	3
TOT. SINGLE DX	16943	1.2	1	<1	1	1	1	2	2	3
" MULTIPLE DX	14907	1.3	2	<1	1	1	1	2	2	5
TOTAL 0-19 YRS	30878	1.2	1	<1	1	1	1	2	2	3
20-34	843	1.4	1	1	1	1	1	2	3	5
35-49	92	2.4	11	1	1	1	2	5	7	19
50-64	23	2.1	1	<1	1	2	3	4	5	5
65+	14	1.2		<1	<1	1	1	2	3	3
GRAND TOTAL	**31850**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	494	1.0		<1	<1	1	1	1	1	2
20-34	22	1.4	1	<1	<1	1	1	2	4	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	1543	1.3	2	<1	<1	1	1	2	2	7
20-34	28	1.4		<1	1	1	2	2	2	3
35-49	5	1.2		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	518	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	1577	1.3	2	<1	<1	1	1	2	2	7
TOTAL 0-19 YRS	2037	1.2	2	<1	<1	1	1	1	2	6
20-34	50	1.4	1	<1	<1	1	2	2	2	6
35-49	6	1.2		1	1	1	1	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**2095**	**1.2**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1352	2.0	2	<1	1	1	2	4	5	8
20-34	892	2.1	2	<1	1	2	3	4	5	7
35-49	343	2.5	10	1	1	2	3	4	6	12
50-64	260	2.6	6	<1	1	2	3	6	7	14
65+	149	3.9	41	1	1	2	5	7	8	21
2. MULTIPLE DX										
0-19 YRS	541	3.1	14	1	1	2	4	5	8	17
20-34	522	3.5	12	1	1	3	4	6	10	16
35-49	432	4.5	47	1	1	3	5	9	15	41
50-64	551	6.0	74	1	1	3	7	14	21	48
65+	500	8.4	104	1	1	5	11	20	28	52
TOT. SINGLE DX	2996	2.2	6	<1	1	2	3	4	6	9
" MULTIPLE DX	2546	5.1	54	1	1	3	5	11	18	42
TOTAL 0-19 YRS	1893	2.3	6	<1	1	2	3	4	6	10
20-34	1414	2.6	7	<1	1	2	3	5	6	13
35-49	775	3.7	32	1	1	2	4	7	10	33
50-64	811	4.9	55	1	1	2	5	12	17	43
65+	649	7.4	94	1	1	4	9	18	26	51
GRAND TOTAL	**5542**	**3.5**	**30**	**<1**	**1**	**2**	**4**	**7**	**11**	**28**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	1.7	1	<1	<1	1	2	3	4	8
20-34	75	2.5	2	<1	<1	2	3	5	6	8
35-49	75	2.7	3	<1	1	2	4	5	5	11
50-64	97	3.2	11	1	1	2	4	6	7	21
65+	91	2.9	4	1	1	2	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	319	3.6	12	1	1	3	4	6	7	26
20-34	85	4.9	69	<1	1	3	4	8	14	53
35-49	127	4.7	22	1	1	3	6	10	13	24
50-64	306	5.5	58	1	1	4	6	10	14	40
65+	699	5.7	51	1	1	4	6	12	18	35
TOT. SINGLE DX	414	2.6	6	<1	<1	2	3	5	6	10
" MULTIPLE DX	1536	5.1	44	1	1	3	6	10	15	35
TOTAL 0-19 YRS	395	3.2	11	<1	1	3	4	5	7	23
20-34	160	3.7	39	<1	1	2	4	7	9	49
35-49	202	4.0	17	1	1	3	5	7	12	20
50-64	403	4.9	48	1	1	4	6	9	12	34
65+	790	5.4	47	1	1	3	6	11	16	34
GRAND TOTAL	**1950**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	306	1.5	1	<1	<1	1	2	2	3	9
20-34	166	1.2		<1	<1	1	1	2	2	4
35-49	319	1.4	3	<1	<1	1	1	2	2	7
50-64	494	1.5	2	<1	<1	1	2	2	3	7
65+	283	1.6	4	<1	<1	1	2	2	3	13
2. MULTIPLE DX										
0-19 YRS	215	4.0	67	<1	1	2	3	7	22	43
20-34	120	3.0	30	<1	1	1	2	6	9	34
35-49	303	4.2	53	<1	<1	1	3	11	16	45
50-64	710	4.0	38	<1	<1	2	4	10	15	30
65+	716	5.2	82	<1	1	2	4	14	24	54
TOT. SINGLE DX	1568	1.5	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	2064	4.4	59	<1	1	2	4	11	18	44
TOTAL 0-19 YRS	521	2.5	30	<1	<1	1	2	4	7	32
20-34	286	2.0	14	<1	<1	1	2	3	5	19
35-49	622	2.7	30	<1	<1	1	2	6	11	31
50-64	1204	3.0	25	<1	<1	1	2	7	11	25
65+	999	4.2	63	<1	<1	1	3	10	18	50
GRAND TOTAL	**3632**	**3.1**	**37**	**<1**	**<1**	**1**	**2**	**7**	**12**	**33**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.6	8	<1	1	2	2	6	9	16
20-34	13	4.8	26	<1	<1	1	9	13	15	15
35-49	31	5.3	29	<1	<1	2	8	15	15	19
50-64	76	9.4	58	1	1	8	13	19	20	40
65+	41	8.5	40	1	1	9	13	16	18	27
2. MULTIPLE DX										
0-19 YRS	73	5.5	99	1	1	2	5	12	32	92
20-34	24	8.4	261	<1	1	3	6	24	52	70
35-49	56	9.1	97	1	1	6	13	21	28	54
50-64	179	10.5	106	1	1	8	14	20	28	52
65+	177	12.7	123	1	2	10	16	24	35	59
TOT. SINGLE DX	200	7.0	45	<1	1	5	11	15	19	32
" MULTIPLE DX	509	10.3	122	1	1	7	14	21	31	64
TOTAL 0-19 YRS	112	4.5	69	1	1	2	4	10	16	80
20-34	37	7.1	179	<1	<1	2	6	15	37	70
35-49	87	7.8	76	<1	1	4	12	18	23	46
50-64	255	10.2	92	1	1	8	14	19	27	51
65+	218	11.9	110	1	2	10	15	22	33	57
GRAND TOTAL	**709**	**9.4**	**103**	**1**	**1**	**7**	**13**	**19**	**27**	**55**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	23	11.9	20	6	8	11	13	19	22	25
50-64	112	12.9	30	7	8	12	15	19	24	35
65+	77	12.5	17	7	8	11	15	19	21	25
2. MULTIPLE DX										
0-19 YRS	2	21.0	128	13	13	21	29	29	29	29
20-34	9	29.2	239	10	11	27	39	52	55	55
35-49	86	20.0	132	8	9	17	26	36	44	89
50-64	431	19.0	137	9	10	16	22	36	45	99+
65+	413	19.8	156	9	10	15	25	37	45	99+
TOT. SINGLE DX	214	12.6	25	7	8	11	15	19	23	29
" MULTIPLE DX	941	19.5	147	9	10	15	24	36	45	99+
TOTAL 0-19 YRS	3	15.3	160	4	4	13	25	29	29	29
20-34	10	27.2	253	9	9	24	36	51	55	55
35-49	109	18.3	120	8	8	15	24	35	43	82
50-64	543	17.8	122	8	9	15	20	33	42	98
65+	490	18.6	141	9	10	15	23	35	42	98
GRAND TOTAL	**1155**	**18.2**	**131**	**8**	**9**	**15**	**22**	**35**	**43**	**98**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	6.3	5	5	5	5	8	9	9	9
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	6	8.5	17	2	2	10	12	12	12	12
50-64	18	8.7	62	2	3	6	8	21	29	33
65+	9	6.0	13	1	1	7	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	46	37.4	701	2	6	49	77	99+	99+	99+
20-34	55	24.5	514	3	5	17	45	78	94	99+
35-49	106	25.4	456	4	5	20	37	69	96	99+
50-64	288	28.0	544	2	4	24	48	90	99+	99+
65+	450	32.5	539	4	7	31	56	88	99+	99+
TOT. SINGLE DX	39	7.5	37	1	2	6	9	13	19	33
" MULTIPLE DX	945	30.1	547	3	5	27	53	89	99+	99+
TOTAL 0-19 YRS	49	35.5	714	2	5	43	76	99+	99+	99+
20-34	58	23.4	510	3	3	16	40	75	92	99+
35-49	112	24.5	447	3	5	19	35	66	93	99+
50-64	306	26.8	536	2	4	23	46	86	99+	99+
65+	459	31.9	543	4	7	30	56	87	99+	99+
GRAND TOTAL	**984**	**29.2**	**546**	**3**	**5**	**26**	**52**	**87**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	3.8	14	<1	1	2	6	8	10	20
20-34	35	5.9	64	1	1	4	7	10	29	37
35-49	40	4.9	23	<1	1	3	7	12	16	19
50-64	69	7.2	225	<1	1	2	7	13	36	86
65+	56	3.6	38	<1	1	1	3	7	19	35
2. MULTIPLE DX										
0-19 YRS	407	16.1	389	1	1	9	24	62	99+	99+
20-34	211	25.6	586	2	3	18	46	87	99+	99+
35-49	262	20.0	423	1	1	16	34	65	99+	99+
50-64	735	25.0	518	1	2	21	43	71	99+	99+
65+	917	29.8	546	1	2	29	49	80	99+	99+
TOT. SINGLE DX	304	4.9	75	<1	1	2	6	9	16	44
" MULTIPLE DX	2532	24.8	527	1	2	21	44	74	99+	99+
TOTAL 0-19 YRS	511	13.6	338	1	1	7	21	51	87	99+
20-34	246	22.8	559	1	2	15	39	71	99+	99+
35-49	302	18.0	397	1	1	11	30	59	90	99+
50-64	804	23.4	517	1	1	17	42	68	98	99+
65+	973	28.3	555	1	2	27	48	78	99+	99+
GRAND TOTAL	**2836**	**22.7**	**516**	**1**	**1**	**17**	**41**	**70**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	5.6	50	1	1	4	7	10	14	46
20-34	211	5.4	21	1	1	4	8	11	14	20
35-49	265	4.9	19	<1	1	4	7	10	14	21
50-64	624	5.6	25	<1	1	4	8	12	14	22
65+	511	5.7	24	<1	1	4	8	12	16	21
2. MULTIPLE DX										
0-19 YRS	95	10.1	77	1	2	7	13	23	32	37
20-34	961	13.1	101	2	3	11	18	27	33	54
35-49	1894	12.0	121	1	2	9	16	24	31	60
50-64	4974	10.2	78	1	2	8	13	20	26	46
65+	9396	11.6	91	2	3	9	15	22	29	51
TOT. SINGLE DX	1655	5.5	24	<1	1	4	8	12	15	21
" MULTIPLE DX	17320	11.3	92	2	3	9	15	22	29	50
TOTAL 0-19 YRS	139	8.7	73	1	2	6	11	20	29	38
20-34	1172	11.7	96	1	2	9	16	25	31	49
35-49	2159	11.2	114	1	2	8	15	23	30	56
50-64	5598	9.7	74	1	2	8	13	19	25	43
65+	9907	11.3	90	2	2	9	15	22	29	50
GRAND TOTAL	**18975**	**10.8**	**89**	**1**	**2**	**9**	**14**	**22**	**28**	**49**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.6	27	1	1	2	8	13	14	14
20-34	2	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	20.2	1477	1	1	3	14	90	98	98
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	3	12.0	9	9	9	12	14	15	15	15
50-64	15	8.8	63	<1	<1	7	12	19	26	29
65+	11	8.7	65	1	2	6	11	24	26	26
TOT. SINGLE DX	9	5.3	23	1	1	2	9	12	14	14
" MULTIPLE DX	39	10.3	258	<1	1	6	12	21	28	98
TOTAL 0-19 YRS	13	11.8	695	1	1	2	11	31	85	98
20-34	6	5.2	13	1	1	5	8	9	9	9
35-49	3	12.0	9	9	9	12	14	15	15	15
50-64	15	8.8	63	<1	<1	7	12	19	26	29
65+	11	8.7	65	1	2	6	11	24	26	26
GRAND TOTAL	**48**	**9.3**	**216**	**1**	**1**	**6**	**11**	**19**	**26**	**98**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	9.3	43	2	4	8	11	17	20	40
20-34	190	7.6	19	2	3	7	9	14	17	21
35-49	299	7.1	19	1	3	6	8	13	17	23
50-64	599	7.5	24	1	1	7	9	13	17	25
65+	471	6.8	24	1	1	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	205	13.2	168	4	5	10	15	24	38	99
20-34	577	12.9	96	3	5	10	17	25	30	50
35-49	966	11.9	103	2	3	9	15	23	33	59
50-64	2801	11.4	85	2	3	9	14	22	29	48
65+	4239	12.2	105	1	2	10	16	24	31	54
TOT. SINGLE DX	1617	7.3	24	1	1	7	9	13	17	23
" MULTIPLE DX	8788	12.0	100	2	3	9	15	23	30	54
TOTAL 0-19 YRS	263	12.3	143	3	5	9	15	23	33	95
20-34	767	11.6	83	3	4	9	15	22	27	49
35-49	1265	10.7	87	2	3	8	13	21	28	54
50-64	3400	10.8	77	1	3	9	13	21	26	45
65+	4710	11.7	100	1	2	9	15	23	30	53
GRAND TOTAL	**10405**	**11.3**	**91**	**1**	**3**	**9**	**14**	**22**	**29**	**50**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	8.9	19	4	5	7	9	17	19	21
20-34	25	10.6	48	4	5	8	13	20	28	30
35-49	104	9.4	24	6	6	8	10	14	17	34
50-64	337	10.8	34	5	6	9	12	17	22	27
65+	262	10.9	26	5	7	10	12	17	20	32
2. MULTIPLE DX										
0-19 YRS	47	12.8	46	5	6	11	17	23	26	30
20-34	73	14.7	151	6	7	10	16	32	41	95
35-49	425	13.1	78	5	6	10	16	24	32	74
50-64	1879	13.9	77	6	7	11	16	24	29	64
65+	2307	15.6	93	7	8	13	19	27	34	59
TOT. SINGLE DX	749	10.6	30	5	6	9	12	17	21	30
" MULTIPLE DX	4731	14.6	87	6	7	12	17	25	32	64
TOTAL 0-19 YRS	68	11.6	41	5	6	9	16	21	25	30
20-34	98	13.7	127	5	6	10	16	28	39	89
35-49	529	12.4	70	6	6	10	14	21	30	65
50-64	2216	13.4	72	6	7	11	16	23	28	62
65+	2569	15.1	89	7	7	12	18	26	33	57
GRAND TOTAL	**5480**	**14.1**	**81**	**6**	**7**	**11**	**17**	**24**	**31**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	568	2.4	7	<1	1	1	2	6	8	16
20-34	210	5.4	30	<1	<1	3	7	13	16	26
35-49	301	5.7	32	<1	1	4	7	13	18	27
50-64	467	5.5	26	<1	1	4	8	11	15	22
65+	347	6.5	33	<1	1	5	9	14	16	22
2. MULTIPLE DX										
0-19 YRS	832	9.1	144	1	1	5	11	23	32	86
20-34	881	11.2	135	1	2	8	15	23	30	82
35-49	1536	10.1	86	1	2	8	13	21	28	51
50-64	3616	10.6	89	2	2	8	14	21	29	49
65+	6539	12.8	117	2	3	10	16	25	33	65
TOT. SINGLE DX	1893	4.8	26	<1	1	3	7	11	15	23
" MULTIPLE DX	13404	11.5	111	2	2	9	15	24	31	61
TOTAL 0-19 YRS	1400	6.4	99	<1	1	3	7	15	25	70
20-34	1091	10.1	121	1	1	7	14	22	28	80
35-49	1837	9.4	80	1	2	7	12	20	26	47
50-64	4083	10.0	85	1	2	8	13	20	27	48
65+	6886	12.4	115	2	3	10	16	25	32	64
GRAND TOTAL	**15297**	**10.7**	**105**	**1**	**2**	**8**	**14**	**22**	**29**	**58**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	5.1	13	2	2	4	6	9	12	20
20-34	122	5.1	10	2	2	4	6	9	12	17
35-49	55	6.8	29	2	2	6	8	12	13	32
50-64	29	8.3	35	1	1	8	11	16	22	22
65+	17	13.4	169	2	4	9	16	24	46	58
2. MULTIPLE DX										
0-19 YRS	74	8.6	68	1	2	7	10	16	29	47
20-34	162	10.0	81	2	3	7	11	21	27	50
35-49	135	11.4	53	2	3	10	15	20	27	35
50-64	213	13.1	184	2	3	9	16	27	37	75
65+	260	13.2	144	2	3	9	17	29	36	61
TOT. SINGLE DX	261	6.4	32	2	2	5	8	12	16	27
" MULTIPLE DX	844	11.9	123	2	3	9	15	25	32	58
TOTAL 0-19 YRS	112	7.4	52	2	2	5	9	13	22	40
20-34	284	7.9	57	2	3	5	9	16	22	45
35-49	190	10.1	51	2	3	8	13	19	23	34
50-64	242	12.5	169	2	3	9	15	26	35	74
65+	277	13.2	145	2	3	9	17	28	36	60
GRAND TOTAL	**1105**	**10.6**	**107**	**2**	**3**	**7**	**13**	**22**	**30**	**54**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	407	5.3	14	2	2	4	6	10	13	18
20-34	1731	5.2	10	2	2	4	6	9	11	17
35-49	631	6.2	21	2	2	5	7	11	14	23
50-64	287	7.1	34	2	3	5	9	12	18	31
65+	225	7.7	30	2	3	6	10	14	20	28
2. MULTIPLE DX										
0-19 YRS	948	13.8	261	3	3	8	14	35	55	92
20-34	1934	8.7	69	2	3	6	10	17	23	44
35-49	1720	10.1	79	2	3	7	12	19	28	47
50-64	2672	10.9	86	3	3	8	14	21	28	59
65+	4373	13.0	112	3	4	10	16	25	33	58
TOT. SINGLE DX	3281	5.7	17	2	2	5	7	10	13	22
" MULTIPLE DX	11647	11.4	109	3	3	8	14	23	31	61
TOTAL 0-19 YRS	1355	11.2	202	2	3	6	11	25	45	87
20-34	3665	7.0	45	2	3	5	8	13	18	37
35-49	2351	9.0	67	2	3	7	11	18	25	44
50-64	2959	10.5	83	3	3	8	13	21	27	55
65+	4598	12.7	109	3	4	10	16	25	33	56
GRAND TOTAL	**14928**	**10.2**	**95**	**2**	**3**	**7**	**12**	**21**	**28**	**55**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	487	5.5	13	1	1	5	7	8	9	22
20-34	395	5.7	36	1	1	4	8	12	14	26
35-49	319	5.3	26	1	1	4	7	11	15	27
50-64	351	5.6	31	1	1	4	8	12	15	26
65+	242	5.1	30	<1	1	3	8	11	13	26
2. MULTIPLE DX										
0-19 YRS	276	10.6	81	2	4	7	13	24	31	52
20-34	576	11.3	108	1	2	8	14	25	31	60
35-49	827	12.0	149	1	2	9	15	25	35	70
50-64	1715	11.0	111	1	2	8	14	23	32	53
65+	2690	11.9	117	1	2	9	16	25	33	57
TOT. SINGLE DX	1794	5.5	27	1	1	5	7	10	13	25
" MULTIPLE DX	6084	11.5	118	1	2	9	15	24	32	58
TOTAL 0-19 YRS	763	7.3	44	1	2	6	8	13	22	41
20-34	971	9.0	87	1	1	7	12	19	27	53
35-49	1146	10.1	124	1	1	7	13	22	31	64
50-64	2066	10.1	102	1	1	7	13	22	29	52
65+	2932	11.4	114	1	2	9	15	24	32	55
GRAND TOTAL	**7878**	**10.2**	**104**	**1**	**1**	**7**	**13**	**22**	**30**	**53**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	468	7.2	10	4	4	7	8	11	13	19
20-34	131	8.6	7	5	6	8	10	12	13	18
35-49	168	10.0	13	6	7	9	11	14	17	24
50-64	247	11.2	22	7	8	10	12	16	20	31
65+	150	12.9	55	8	8	12	15	18	19	41
2. MULTIPLE DX										
0-19 YRS	1516	12.5	123	5	5	9	14	23	35	71
20-34	386	15.5	140	6	7	11	17	32	42	66
35-49	849	15.9	131	7	8	12	18	29	41	66
50-64	2206	16.3	143	7	8	13	18	29	40	84
65+	3038	17.8	129	8	9	14	21	30	40	64
TOT. SINGLE DX	1164	9.3	23	4	5	8	11	14	17	25
" MULTIPLE DX	7995	16.1	136	6	7	12	19	29	39	71
TOTAL 0-19 YRS	1984	11.2	102	4	5	8	12	20	29	67
20-34	517	13.7	116	6	7	10	15	28	38	54
35-49	1017	14.9	117	7	7	11	17	27	38	63
50-64	2453	15.8	134	7	8	12	18	28	39	77
65+	3188	17.6	127	8	9	14	21	30	39	64
GRAND TOTAL	**9159**	**15.2**	**127**	**6**	**7**	**12**	**18**	**28**	**38**	**69**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.5	33	1	1	2	8	13	13	13
20-34	8	6.3	22	<1	<1	6	10	12	12	12
35-49	273	9.2	8	6	6	9	11	13	15	18
50-64	961	10.0	10	7	7	9	11	14	16	21
65+	595	11.8	17	7	8	11	14	17	20	27
2. MULTIPLE DX										
0-19 YRS	8	11.4	50	2	3	10	14	23	26	26
20-34	109	12.1	47	5	7	10	14	22	26	40
35-49	3415	11.1	29	7	7	9	12	16	21	35
50-64	14032	12.4	48	7	7	11	14	19	24	42
65+	13009	14.8	79	8	8	12	17	24	31	59
TOT. SINGLE DX	1841	10.4	13	6	7	10	12	15	17	24
" MULTIPLE DX	30573	13.3	62	7	8	11	15	21	27	49
TOTAL 0-19 YRS	12	9.1	53	1	1	8	13	18	25	26
20-34	117	11.7	48	3	6	10	13	21	26	38
35-49	3688	10.9	28	6	7	9	12	16	20	34
50-64	14993	12.3	46	7	7	10	14	19	23	40
65+	13604	14.7	78	8	8	12	17	24	30	58
GRAND TOTAL	**32414**	**13.1**	**59**	**7**	**8**	**11**	**15**	**21**	**27**	**48**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	930	1.8	2	<1	1	2	2	2	3	9
20-34	647	2.7	6	<1	1	2	3	6	8	12
35-49	4291	2.6	6	1	1	2	2	6	8	12
50-64	7558	2.5	6	1	1	2	2	5	8	13
65+	3259	2.5	6	<1	1	2	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	2506	2.8	21	<1	1	2	2	5	9	23
20-34	1659	4.5	22	1	1	2	6	10	13	26
35-49	15473	4.0	16	1	1	2	5	9	11	18
50-64	40589	4.2	20	1	1	2	6	10	12	20
65+	30260	5.3	31	1	1	3	7	12	16	26
TOT. SINGLE DX	16685	2.5	6	1	1	2	2	5	8	12
" MULTIPLE DX	90487	4.5	24	1	1	2	6	10	13	23
TOTAL 0-19 YRS	3436	2.6	16	<1	1	2	2	4	7	20
20-34	2306	4.0	19	1	1	2	5	9	12	21
35-49	19764	3.7	14	1	1	2	5	9	11	17
50-64	48147	3.9	18	1	1	2	5	9	12	19
65+	33519	5.0	30	1	1	3	7	12	15	26
GRAND TOTAL	**107172**	**4.2**	**22**	**1**	**1**	**2**	**5**	**10**	**13**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	3.8	6	1	2	3	5	6	9	12
20-34	47	3.6	4	1	1	3	5	7	9	9
35-49	116	3.4	8	1	1	3	4	7	10	14
50-64	341	4.0	10	1	1	3	5	8	11	16
65+	1517	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	162	5.9	31	1	2	4	7	11	15	26
20-34	177	6.8	46	1	2	5	9	13	18	43
35-49	573	8.2	47	1	2	6	11	16	21	35
50-64	3045	9.3	63	2	3	7	12	17	22	42
65+	18894	9.3	65	2	3	7	12	18	23	41
TOT. SINGLE DX	2076	3.8	10	1	1	3	5	7	10	15
" MULTIPLE DX	22851	9.2	64	2	2	7	12	18	23	41
TOTAL 0-19 YRS	217	5.3	26	1	2	4	6	11	14	25
20-34	224	6.1	40	1	2	4	8	12	17	32
35-49	689	7.4	44	1	2	5	10	15	18	32
50-64	3386	8.8	60	1	2	7	12	17	21	41
65+	20411	8.9	63	2	2	7	12	17	22	40
GRAND TOTAL	**24927**	**8.8**	**62**	**2**	**2**	**7**	**11**	**17**	**22**	**40**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	4.8	42	1	1	2	6	9	11	38
20-34	94	5.7	12	1	2	6	8	10	12	17
35-49	812	4.4	8	1	2	3	6	8	10	13
50-64	1665	4.0	8	1	2	3	5	8	10	14
65+	763	4.5	11	1	2	3	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	235	8.8	157	1	2	5	11	18	32	94
20-34	394	9.5	86	2	2	7	11	19	30	46
35-49	4050	6.0	30	2	2	4	8	11	15	28
50-64	10013	6.0	29	2	2	4	8	11	15	26
65+	6853	7.4	43	2	2	5	9	15	19	34
TOT. SINGLE DX	3442	4.3	10	1	2	3	6	8	10	15
" MULTIPLE DX	21545	6.5	37	2	2	5	8	13	17	31
TOTAL 0-19 YRS	343	7.5	124	1	1	4	9	15	26	65
20-34	488	8.8	74	2	2	7	10	17	28	44
35-49	4862	5.7	28	2	2	4	7	11	14	25
50-64	11678	5.7	27	2	2	4	7	11	14	25
65+	7616	7.1	41	2	2	5	9	14	19	32
GRAND TOTAL	**24987**	**6.2**	**34**	**2**	**2**	**4**	**8**	**12**	**16**	**29**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	694	2.8	10	<1	<1	2	3	5	7	16
20-34	269	3.4	11	<1	<1	2	4	8	11	16
35-49	316	3.5	16	<1	<1	2	5	10	12	16
50-64	417	3.3	15	<1	<1	2	4	8	12	18
65+	342	4.5	21	<1	1	2	6	11	14	22
2. MULTIPLE DX										
0-19 YRS	2901	5.1	58	1	1	3	5	10	16	58
20-34	909	9.2	89	1	1	7	12	19	25	47
35-49	1556	9.1	85	1	1	7	12	20	27	47
50-64	3770	9.1	78	1	1	7	12	19	25	45
65+	9984	11.1	84	2	3	9	15	22	28	47
TOT. SINGLE DX	2038	3.4	15	<1	<1	2	4	8	12	18
" MULTIPLE DX	19120	9.6	84	1	2	7	13	20	26	47
TOTAL 0-19 YRS	3595	4.7	50	1	1	3	5	9	15	50
20-34	1178	7.9	78	1	1	6	11	16	22	46
35-49	1872	8.2	78	1	1	6	11	18	26	43
50-64	4187	8.5	75	1	1	6	11	18	24	44
65+	10326	10.9	84	1	2	9	14	22	28	47
GRAND TOTAL	**21158**	**9.0**	**81**	**1**	**1**	**6**	**12**	**19**	**26**	**46**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.6	2	1	1	2	3	5	6	7
20-34	1262	2.4	2	1	1	2	3	4	5	8
35-49	2009	2.5	2	1	1	2	3	4	5	8
50-64	1230	3.0	4	1	1	3	4	5	6	10
65+	369	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	18	3.2	8	1	1	3	4	5	10	13
20-34	397	3.8	26	1	1	3	4	7	11	30
35-49	903	3.7	10	1	1	3	4	6	9	17
50-64	939	4.6	25	1	1	3	5	9	13	27
65+	586-	6.4	66	1	2	4	7	13	20	44
TOT. SINGLE DX	4910	2.7	4	1	1	2	3	5	6	9
" MULTIPLE DX	2843	4.6	30	1	1	3	5	9	13	29
TOTAL 0-19 YRS	58	2.8	4	1	1	2	4	5	6	13
20-34	1659	2.8	9	1	1	2	3	5	6	13
35-49	2912	2.8	6	1	1	2	3	5	6	13
50-64	2169	3.7	14	1	1	3	4	6	9	21
65+	955	5.3	46	1	1	3	5	11	16	36
GRAND TOTAL	**7753**	**3.4**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**19**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	7.4	15	2	3	7	9	12	14	23
20-34	60	6.3	62	<1	<1	3	9	15	18	49
35-49	249	7.4	25	1	2	7	9	12	16	29
50-64	799	7.8	14	2	3	8	10	12	14	19
65+	743	8.3	22	2	4	8	10	14	16	21
2. MULTIPLE DX										
0-19 YRS	368	11.2	133	3	4	8	12	22	38	91
20-34	693	10.2	110	1	2	7	13	22	32	65
35-49	1900	11.7	111	2	3	9	14	24	34	57
50-64	6843	12.2	98	3	4	10	14	23	31	57
65+	11394	14.7	126	4	6	11	17	28	37	67
TOT. SINGLE DX	1914	7.9	21	2	3	7	10	13	15	23
" MULTIPLE DX	21198	13.4	118	3	5	10	16	26	35	65
TOTAL 0-19 YRS	431	10.6	118	3	4	8	12	20	30	85
20-34	753	9.9	107	1	2	7	12	22	32	62
35-49	2149	11.2	103	2	3	9	13	22	33	56
50-64	7642	11.7	92	3	4	9	14	22	30	55
65+	12137	14.3	122	4	5	11	17	27	37	66
GRAND TOTAL	**23112**	**12.9**	**112**	**3**	**4**	**10**	**15**	**25**	**34**	**63**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34										
35-49										
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
0-19 YRS	3	38.7	850	5	5	55	56	56	56	56
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	4	27.3	513	7	7	22	44	58	58	58
65+	6	14.5	21	10	10	14	15	22	23	23
TOT. SINGLE DX	3	12.0	91	6	6	7	19	23	23	23
" MULTIPLE DX	16	21.3	343	4	5	14	26	56	57	58
TOTAL 0-19 YRS	5	25.8	736	5	5	7	55	56	56	56
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	4	27.3	513	7	7	22	44	58	58	58
65+	7	15.7	28	10	10	15	21	23	23	23
GRAND TOTAL	**19**	**19.8**	**308**	**4**	**5**	**14**	**23**	**56**	**57**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	7.8	67	1	1	4	14	20	22	22
20-34	30	2.6	2	<1	1	2	4	4	5	9
35-49	20	4.8	25	<1	<1	2	6	14	17	18
50-64	26	4.3	9	1	1	4	4	8	10	16
65+	29	5.8	35	1	1	3	8	15	17	25
2. MULTIPLE DX										
0-19 YRS	164	6.6	100	1	1	4	6	14	22	61
20-34	1344	5.3	34	1	1	4	6	10	15	31
35-49	1926	5.7	30	1	1	4	7	12	16	29
50-64	3325	6.3	39	1	2	5	8	13	17	32
65+	4039	7.6	67	1	2	5	9	15	22	42
TOT. SINGLE DX	113	4.5	23	1	1	3	5	11	16	23
" MULTIPLE DX	10798	6.5	49	1	2	5	8	13	18	36
TOTAL 0-19 YRS	172	6.7	99	1	1	4	6	14	22	61
20-34	1374	5.2	34	1	1	4	6	10	15	31
35-49	1946	5.7	31	1	1	4	7	12	16	29
50-64	3351	6.3	39	1	2	5	8	13	17	32
65+	4068	7.6	68	1	2	5	9	15	22	42
GRAND TOTAL	**10911**	**6.5**	**49**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	751	5.3	14	1	1	5	7	10	12	23
20-34	574	5.3	42	<1	1	3	7	12	16	34
35-49	871	5.8	33	1	1	4	8	12	17	30
50-64	2269	5.8	25	1	1	5	8	11	13	26
65+	3134	6.0	19	1	2	5	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	7775	18.2	396	1	3	10	25	53	75	99+
20-34	2708	8.7	107	1	1	5	11	20	29	57
35-49	4629	9.7	120	1	1	6	12	22	33	63
50-64	14848	9.8	97	1	2	7	12	20	28	57
65+	30181	11.1	105	2	3	8	14	22	30	61
TOT. SINGLE DX	7599	5.8	24	1	1	5	8	11	14	24
" MULTIPLE DX	60141	11.5	150	1	2	8	14	24	37	79
TOTAL 0-19 YRS	8526	17.0	376	1	2	9	23	51	73	99+
20-34	3282	8.1	98	1	1	5	10	19	27	54
35-49	5500	9.1	109	1	1	6	11	21	31	57
50-64	17117	9.3	90	1	2	7	11	19	26	54
65+	33315	10.6	100	2	3	8	13	21	29	59
GRAND TOTAL	**67740**	**10.8**	**139**	**1**	**2**	**8**	**13**	**23**	**34**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	621	3.3	12	<1	<1	2	4	8	11	16
20-34	716	3.1	16	<1	<1	2	3	7	10	21
35-49	616	3.0	11	<1	<1	2	4	7	9	17
50-64	660	3.7	11	<1	1	3	5	8	11	16
65+	521	4.4	16	<1	1	3	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	479	6.1	53	1	1	4	8	11	15	56
20-34	829	7.4	84	<1	1	5	9	15	24	51
35-49	1012	7.5	84	1	1	5	9	16	23	48
50-64	1999	7.8	67	1	1	5	10	16	22	40
65+	2840	9.1	74	1	2	7	12	19	25	43
TOT. SINGLE DX	3134	3.5	14	<1	<1	2	4	8	10	18
" MULTIPLE DX	7159	8.1	75	1	1	6	10	17	24	44
TOTAL 0-19 YRS	1100	4.5	32	<1	1	3	6	9	12	31
20-34	1545	5.4	58	<1	<1	3	7	12	17	43
35-49	1628	5.8	62	<1	1	3	7	13	18	40
50-64	2659	6.8	57	1	1	5	9	15	20	36
65+	3361	8.3	69	1	1	6	11	18	24	42
GRAND TOTAL	**10293**	**6.7**	**61**	**<1**	**1**	**4**	**9**	**15**	**20**	**40**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	4.6	18	<1	1	3	6	10	15	18
20-34	75	5.1	17	1	1	4	7	10	12	23
35-49	169	4.1	16	1	1	3	5	7	12	22
50-64	259	5.3	21	1	1	4	7	11	15	26
65+	224	5.4	13	1	1	5	7	10	14	18
2. MULTIPLE DX										
0-19 YRS	44	7.1	35	1	1	6	8	12	19	33
20-34	192	7.5	27	1	2	7	9	13	17	29
35-49	364	8.0	71	1	2	6	9	17	22	70
50-64	928	8.3	72	2	2	6	10	17	23	49
65+	1140	9.2	79	2	3	7	11	18	25	50
TOT. SINGLE DX	765	5.0	18	1	1	4	6	10	14	21
" MULTIPLE DX	2668	8.6	72	2	2	6	10	17	23	48
TOTAL 0-19 YRS	82	6.0	29	1	1	5	8	11	17	30
20-34	267	6.8	25	1	2	6	9	12	15	28
35-49	533	6.7	57	1	1	5	8	14	21	44
50-64	1187	7.7	63	1	2	6	9	15	21	45
65+	1364	8.6	70	2	3	6	10	16	23	48
GRAND TOTAL	**3433**	**7.8**	**62**	**1**	**2**	**6**	**9**	**15**	**22**	**44**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	11.7	82	5	5	8	18	22	22	22
20-34	3	6.0	28	2	2	4	10	12	12	12
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	12.7	125	4	4	9	17	31	33	33
20-34	5	9.0	8	5	5	10	11	12	12	12
35-49										
50-64	6	5.0	14	1	1	4	8	11	11	11
65+	10	10.7	180	1	1	5	10	35	39	39
TOT. SINGLE DX	12	9.3	105	1	1	6	10	26	35	36
" MULTIPLE DX	27	9.6	98	1	2	6	11	29	34	39
TOTAL 0-19 YRS	9	12.3	99	4	4	8	18	29	33	33
20-34	8	7.9	15	2	3	8	11	12	12	12
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64	8	4.9	14	1	1	4	8	10	11	11
65+	12	10.0	151	1	2	5	9	34	38	39
GRAND TOTAL	**39**	**9.5**	**97**	**1**	**1**	**6**	**11**	**28**	**35**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	30.7	430	3	4	32	47	57	58	58
20-34	5	26.0	220	3	3	25	38	41	41	41
35-49	4	26.8	2072	2	2	5	50	95	95	95
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	44.3	296	24	29	42	55	77	94	99+
20-34	45	39.0	264	8	14	37	50	55	59	90
35-49	26	40.6	295	11	25	37	52	63	73	79
50-64	6	30.3	291	1	4	32	35	52	54	54
65+										
TOT. SINGLE DX	15	26.1	665	2	3	25	40	58	86	95
″ MULTIPLE DX	132	41.1	290	11	25	38	51	61	79	99+
TOTAL 0-19 YRS	61	43.0	319	20	25	42	54	72	93	99+
20-34	50	37.7	271	6	12	37	49	55	58	90
35-49	30	38.7	492	4	5	36	52	67	79	95
50-64	6	30.3	291	1	4	32	35	52	54	54
65+										
GRAND TOTAL	**147**	**39.8**	**339**	**5**	**18**	**37**	**51**	**61**	**79**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	915	5.2	20	1	1	4	6	9	12	26
20-34	650	6.8	30	2	2	6	7	11	18	32
35-49	414	6.6	31	2	2	6	8	11	16	34
50-64	472	6.6	30	1	2	5	8	11	17	31
65+	394	6.7	42	1	2	5	8	11	15	37
2. MULTIPLE DX										
0-19 YRS	1664	10.2	109	2	3	7	12	22	31	59
20-34	2209	11.6	136	2	3	8	13	25	36	66
35-49	2350	11.3	111	2	3	8	14	24	32	61
50-64	4264	11.3	104	2	3	8	14	23	31	55
65+	11917	11.7	93	3	4	9	14	22	30	55
TOT. SINGLE DX	2845	6.2	29	1	2	5	7	11	15	32
″ MULTIPLE DX	22404	11.4	103	2	3	9	14	23	31	57
TOTAL 0-19 YRS	2579	8.4	84	1	2	6	9	18	26	47
20-34	2859	10.5	116	2	3	7	11	22	32	61
35-49	2764	10.6	102	2	3	7	12	22	31	59
50-64	4736	10.9	99	2	3	8	13	22	30	54
65+	12311	11.5	93	3	3	9	14	22	30	54
GRAND TOTAL	**25249**	**10.9**	**98**	**2**	**3**	**8**	**13**	**22**	**30**	**55**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	253	7.7	74	1	1	5	9	17	26	44
20-34	211	7.4	55	1	1	5	9	16	23	37
35-49	221	7.2	67	<1	1	5	9	15	24	42
50-64	192	6.8	110	<1	1	4	7	15	23	63
65+	136	7.2	67	1	1	5	9	15	19	45
2. MULTIPLE DX										
0-19 YRS	1230	15.6	284	2	2	10	21	41	57	99+
20-34	1630	13.5	168	1	2	9	17	30	40	73
35-49	2478	12.7	162	1	2	8	16	30	41	61
50-64	4030	12.0	141	1	2	8	16	28	36	59
65+	5445	14.3	161	2	3	11	19	31	41	71
TOT. SINGLE DX	1013	7.3	75	1	1	5	9	16	23	43
″ MULTIPLE DX	14813	13.4	169	1	2	9	18	30	41	71
TOTAL 0-19 YRS	1483	14.3	257	1	2	9	19	38	53	99+
20-34	1841	12.8	159	1	2	9	17	29	38	71
35-49	2699	12.3	157	1	2	8	16	29	40	61
50-64	4222	11.8	141	1	2	8	16	27	36	59
65+	5581	14.1	160	2	3	11	19	30	40	70
GRAND TOTAL	**15826**	**13.0**	**165**	**1**	**2**	**9**	**17**	**29**	**40**	**69**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	4.0	46	<1	1	2	3	9	13	36
20-34	125	4.6	48	<1	<1	3	6	8	10	43
35-49	219	4.3	17	<1	1	3	7	9	12	21
50-64	318	4.7	30	<1	<1	3	7	11	13	24
65+	328	4.7	21	<1	<1	3	6	11	13	20
2. MULTIPLE DX										
0-19 YRS	370	7.8	145	1	1	3	9	20	36	78
20-34	545	8.1	81	1	2	6	10	16	28	50
35-49	1281	7.9	82	1	2	6	9	16	23	45
50-64	2545	8.8	82	1	1	6	11	19	27	48
65+	4907	9.6	87	1	2	7	12	20	27	52
TOT. SINGLE DX	1167	4.5	30	<1	<1	2	6	10	13	25
″ MULTIPLE DX	9648	9.0	88	1	2	6	11	19	27	52
TOTAL 0-19 YRS	547	6.5	116	1	1	2	7	16	31	67
20-34	670	7.5	77	1	1	5	8	15	24	50
35-49	1500	7.4	74	1	1	5	9	15	21	44
50-64	2863	8.3	78	1	1	6	11	18	26	46
65+	5235	9.3	85	1	2	7	12	20	27	50
GRAND TOTAL	**10815**	**8.5**	**84**	**1**	**1**	**6**	**11**	**18**	**26**	**50**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1441	3.2	2	1	2	3	4	5	6	8
20-34	12	5.9	7	2	3	6	7	9	12	12
35-49	6	10.5	46	5	5	8	10	23	24	24
50-64	8	11.0	10	5	6	11	13	15	15	15
65+	12	8.0	18	3	4	6	11	14	17	17
2. MULTIPLE DX										
0-19 YRS	583	5.2	31	2	2	4	6	8	11	42
20-34	37	8.7	33	2	3	7	10	17	19	31
35-49	45	12.9	58	3	6	11	16	28	31	99+
50-64	77	18.0	234	6	7	14	19	35	68	94
65+	137	19.3	150	7	8	16	25	39	48	99+
TOT. SINGLE DX	1479	3.4	4	1	2	3	4	5	6	11
" MULTIPLE DX	879	9.1	103	2	3	5	11	19	31	64
TOTAL 0-19 YRS	2024	3.8	12	2	2	3	4	6	7	15
20-34	49	8.0	28	2	3	7	10	13	18	31
35-49	51	12.6	56	3	5	11	16	27	30	99
50-64	85	17.3	217	6	7	13	18	34	63	92
65+	149	18.4	150	6	7	15	23	37	47	99
GRAND TOTAL	**2358**	**5.5**	**48**	**2**	**2**	**3**	**5**	**11**	**17**	**43**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.4	34	1	1	6	10	16	20	22
20-34	6	5.7	7	2	2	5	7	10	10	10
35-49	8	7.5	38	1	1	6	11	17	19	19
50-64	28	10.1	80	2	3	7	13	25	32	34
65+	82	10.5	157	1	2	6	13	24	29	73
2. MULTIPLE DX										
0-19 YRS	259	20.3	445	2	3	13	29	63	91	99+
20-34	130	19.5	364	2	4	14	32	69	99+	99+
35-49	186	20.2	319	2	4	15	34	65	99+	99+
50-64	662	19.0	292	3	4	14	28	49	72	99+
65+	4270	19.6	282	3	4	15	26	44	66	99+
TOT. SINGLE DX	142	9.7	114	1	2	6	12	22	28	69
" MULTIPLE DX	5507	19.6	294	3	4	15	27	46	69	99+
TOTAL 0-19 YRS	277	19.5	429	2	3	12	27	61	90	99+
20-34	136	18.8	357	2	3	13	30	67	99+	99+
35-49	194	19.6	314	2	4	14	32	64	99+	99+
50-64	690	18.7	286	3	4	14	28	47	70	99+
65+	4352	19.4	282	3	4	15	26	44	66	99+
GRAND TOTAL	**5649**	**19.3**	**292**	**3**	**4**	**15**	**26**	**46**	**69**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	4.3	5	1	2	4	6	7	9	10
20-34	126	4.0	6	<1	1	4	5	8	9	11
35-49	227	4.4	8	<1	1	4	6	8	9	15
50-64	274	4.9	11	<1	1	4	6	8	10	17
65+	287	5.6	20	<1	1	5	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	95	7.4	80	1	2	5	7	17	24	51
20-34	730	7.3	49	1	2	5	8	15	21	33
35-49	1516	7.2	44	2	2	5	8	13	18	35
50-64	3046	7.8	44	2	3	6	9	15	19	35
65+	7725	9.5	66	2	3	7	11	18	24	46
TOT. SINGLE DX	938	4.9	13	<1	1	4	6	9	11	17
" MULTIPLE DX	13112	8.7	59	2	3	7	10	16	22	43
TOTAL 0-19 YRS	119	6.8	66	1	2	5	7	12	18	47
20-34	856	6.8	45	1	2	5	8	14	20	33
35-49	1743	6.8	41	1	2	5	8	13	17	34
50-64	3320	7.6	43	2	3	6	9	14	19	35
65+	8012	9.3	66	2	3	7	11	17	23	45
GRAND TOTAL	**14050**	**8.4**	**57**	**2**	**3**	**6**	**10**	**16**	**22**	**42**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.8	7	2	2	6	7	8	8	8
20-34	88	9.4	34	4	5	8	10	15	19	40
35-49	214	9.8	18	5	6	9	11	15	18	28
50-64	207	10.1	13	6	7	9	12	14	16	25
65+	184	12.1	33	7	7	10	13	18	23	34
2. MULTIPLE DX										
0-19 YRS	14	13.8	37	6	8	13	16	24	28	29
20-34	229	15.3	149	6	7	11	17	29	42	80
35-49	711	13.6	83	6	7	11	15	23	31	53
50-64	1284	16.2	129	7	8	13	19	28	38	69
65+	2438	19.1	155	8	9	16	22	34	46	77
TOT. SINGLE DX	697	10.4	24	6	6	9	12	15	20	29
" MULTIPLE DX	4676	17.3	141	7	8	14	20	31	43	70
TOTAL 0-19 YRS	18	12.0	41	3	5	11	14	21	27	29
20-34	317	13.7	125	5	6	10	15	25	37	74
35-49	925	12.8	71	6	7	10	14	21	28	49
50-64	1491	15.3	118	7	8	12	18	26	35	65
65+	2622	18.6	150	8	9	15	22	33	45	75
GRAND TOTAL	**5373**	**16.4**	**131**	**7**	**8**	**13**	**19**	**29**	**40**	**68**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	15.7	134	8	8	10	24	29	29	29
35-49	9	11.1	15	5	6	11	13	16	18	18
50-64	40	15.3	107	8	9	13	15	24	34	67
65+	31	17.1	45	8	9	16	21	27	27	38
2. MULTIPLE DX										
0-19 YRS	3	13.7	121	1	1	19	20	21	21	21
20-34	15	23.6	234	7	8	18	33	48	56	59
35-49	87	19.8	232	9	9	14	22	49	60	95
50-64	276	21.6	193	10	11	17	25	38	51	87
65+	454	21.4	166	9	11	18	26	38	48	98
TOT. SINGLE DX	83	15.5	76	8	8	13	18	27	31	57
" MULTIPLE DX	835	21.3	183	9	10	17	25	38	52	92
TOTAL 0-19 YRS	3	13.7	121	1	1	19	20	21	21	21
20-34	18	22.3	218	7	8	17	29	44	55	59
35-49	96	19.0	218	8	9	14	21	42	59	94
50-64	316	20.8	187	9	10	16	24	37	49	85
65+	485	21.1	160	9	11	18	26	37	47	96
GRAND TOTAL	**918**	**20.8**	**176**	**9**	**10**	**17**	**25**	**37**	**51**	**89**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	111	8.4	11	5	5	7	10	13	16	19
35-49	152	8.4	10	5	6	8	9	11	15	19
50-64	102	9.6	15	6	6	9	11	14	15	29
65+	54	12.2	28	6	8	10	14	19	27	29
2. MULTIPLE DX										
0-19 YRS	11	11.4	21	6	7	11	14	19	21	21
20-34	145	12.4	59	5	6	10	15	19	25	48
35-49	392	12.3	77	6	6	10	13	22	30	55
50-64	461	13.0	83	6	7	10	14	21	27	50
65+	587	18.1	178	7	8	14	21	33	48	92
TOT. SINGLE DX	422	9.2	16	5	6	8	10	14	16	28
" MULTIPLE DX	1596	14.6	121	6	7	11	16	26	35	70
TOTAL 0-19 YRS	14	10.5	20	6	6	9	12	17	20	21
20-34	256	10.7	43	5	5	9	13	17	20	42
35-49	544	11.2	62	5	6	9	12	18	27	45
50-64	563	12.4	73	6	7	10	14	20	27	50
65+	641	17.6	168	7	8	13	21	32	46	87
GRAND TOTAL	**2018**	**13.5**	**104**	**6**	**6**	**10**	**15**	**24**	**32**	**64**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	6.3	23	2	2	6	8	10	12	27
20-34	733	6.2	8	2	3	6	7	9	10	15
35-49	776	6.8	25	2	3	6	8	10	12	16
50-64	302	8.3	16	3	5	8	10	12	16	25
65+	186	10.3	32	4	6	9	12	17	18	37
2. MULTIPLE DX										
0-19 YRS	726	16.9	271	4	5	11	22	43	70	99+
20-34	1604	8.5	54	3	4	7	9	13	20	45
35-49	2733	9.2	69	4	4	7	9	15	23	56
50-64	1881	12.6	119	5	5	9	14	25	36	69
65+	2915	17.4	159	6	7	13	21	33	45	80
TOT. SINGLE DX	2193	7.1	20	2	3	6	8	10	13	21
" MULTIPLE DX	9859	12.7	132	4	5	9	15	26	37	77
TOTAL 0-19 YRS	922	14.7	238	3	4	9	19	37	55	99+
20-34	2337	7.7	41	3	4	6	8	12	17	41
35-49	3509	8.7	61	3	4	7	9	14	21	53
50-64	2183	12.0	108	4	5	9	13	23	32	65
65+	3101	16.9	154	6	7	13	21	33	43	79
GRAND TOTAL	**12052**	**11.7**	**116**	**3**	**5**	**8**	**13**	**23**	**33**	**70**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	227	4.6	15	1	1	4	6	9	11	20
20-34	437	5.1	13	<1	2	4	6	9	12	19
35-49	431	4.7	12	<1	<1	4	6	9	11	16
50-64	545	3.9	15	<1	<1	3	6	9	11	20
65+	586	4.1	31	<1	<1	2	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	481	8.2	140	1	2	5	8	14	26	75
20-34	1284	7.4	48	2	2	6	9	13	18	39
35-49	1898	7.3	46	1	2	6	9	14	19	34
50-64	4050	7.6	51	1	2	6	9	15	19	36
65+	10569	9.1	72	1	2	7	11	18	24	46
TOT. SINGLE DX	2226	4.4	19	<1	<1	3	6	9	11	19
" MULTIPLE DX	18282	8.5	66	1	2	6	10	16	22	43
TOTAL 0-19 YRS	708	7.1	103	1	2	5	7	13	19	63
20-34	1721	6.8	40	1	2	5	8	12	17	34
35-49	2329	6.8	41	1	2	5	8	13	18	31
50-64	4595	7.2	49	<1	1	6	9	14	18	33
65+	11155	8.8	71	1	2	7	11	17	24	46
GRAND TOTAL	**20508**	**8.0**	**62**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	9.4	43	5	5	8	10	14	20	42
20-34	129	9.4	19	5	6	8	10	15	20	26
35-49	130	9.8	17	5	6	8	12	16	19	23
50-64	135	10.3	25	5	6	9	12	16	20	29
65+	161	11.5	36	5	6	10	14	20	26	31
2. MULTIPLE DX										
0-19 YRS	316	17.3	343	5	6	11	22	65	99+	99+
20-34	616	13.6	114	6	6	10	16	25	35	76
35-49	758	15.5	165	6	7	11	17	28	44	76
50-64	1234	18.2	196	7	8	14	21	35	51	83
65+	2928	18.7	171	7	8	15	22	35	46	85
TOT. SINGLE DX	629	10.2	28	5	6	9	12	17	21	29
" MULTIPLE DX	5852	17.6	182	6	7	13	21	34	48	90
TOTAL 0-19 YRS	390	15.8	296	5	6	10	18	60	99+	99+
20-34	745	12.9	101	6	6	10	15	22	32	72
35-49	888	14.7	148	6	7	11	16	27	41	70
50-64	1369	17.4	185	6	7	13	20	34	49	82
65+	3089	18.3	167	7	8	14	22	34	45	84
GRAND TOTAL	**6481**	**16.9**	**172**	**6**	**7**	**13**	**20**	**33**	**46**	**88**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	109	9.8	39	4	5	8	11	16	22	37
20-34	349	10.8	38	5	6	9	12	18	25	36
35-49	697	9.6	18	6	6	9	10	14	18	29
50-64	1538	9.8	12	6	7	9	11	14	17	24
65+	1768	10.5	16	6	7	10	12	15	17	26
2. MULTIPLE DX										
0-19 YRS	301	17.2	229	5	6	12	20	37	54	97
20-34	1070	14.2	119	6	7	11	16	26	37	63
35-49	2531	13.2	76	6	7	10	15	22	29	51
50-64	7609	13.4	72	7	7	11	15	22	29	51
65+	20312	15.8	99	7	8	13	18	27	35	61
TOT. SINGLE DX	4461	10.1	18	6	7	9	11	15	18	28
" MULTIPLE DX	31823	15.0	94	7	8	12	17	26	34	59
TOTAL 0-19 YRS	410	15.3	190	5	6	11	17	31	47	92
20-34	1419	13.4	102	6	7	10	15	24	32	58
35-49	3228	12.4	66	6	7	10	14	20	27	47
50-64	9147	12.8	64	7	7	10	14	21	27	49
65+	22080	15.3	95	7	8	12	18	26	34	59
GRAND TOTAL	**36284**	**14.4**	**88**	**7**	**7**	**11**	**16**	**24**	**32**	**57**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	6.9	20	2	3	5	8	12	18	25
20-34	40	6.7	11	2	2	7	9	12	13	13
35-49	39	8.7	39	2	3	9	10	14	22	34
50-64	58	9.9	17	5	6	9	12	15	16	29
65+	73	10.5	26	5	6	9	13	16	19	33
2. MULTIPLE DX										
0-19 YRS	87	15.3	222	3	5	11	18	36	54	99+
20-34	123	13.5	181	4	4	9	17	27	35	99+
35-49	210	13.9	106	4	6	12	17	22	30	65
50-64	409	16.3	154	6	7	12	19	31	46	87
65+	1095	17.1	135	6	8	14	21	30	41	76
TOT. SINGLE DX	260	8.8	25	2	4	8	11	14	17	30
" MULTIPLE DX	1924	16.3	144	5	7	13	19	30	41	80
TOTAL 0-19 YRS	137	12.2	164	3	4	8	13	27	43	99+
20-34	163	11.8	148	2	4	9	14	22	32	99
35-49	249	13.1	99	3	5	11	15	22	28	60
50-64	467	15.5	142	6	7	12	17	30	40	79
65+	1168	16.7	131	6	7	13	20	29	39	75
GRAND TOTAL	**2184**	**15.4**	**136**	**5**	[illegible]	**12**	**18**	**28**	**38**	**77**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	428	6.0	14	2	2	5	8	10	12	17
20-34	373	7.6	8	4	4	7	9	11	12	18
35-49	410	7.8	10	4	5	7	9	11	13	19
50-64	426	8.5	18	4	4	8	10	12	14	25
65+	481	8.3	10	3	4	8	10	12	14	17
2. MULTIPLE DX										
0-19 YRS	726	10.5	110	3	4	8	11	21	32	99+
20-34	927	11.5	96	4	5	9	12	20	32	55
35-49	1134	12.7	116	5	6	10	14	23	32	67
50-64	1945	12.9	99	5	6	10	15	24	33	62
65+	3830	13.7	105	5	6	11	16	24	35	59
TOT. SINGLE DX	2118	7.6	13	3	4	7	9	11	13	18
" MULTIPLE DX	8562	12.9	106	4	5	10	15	24	34	62
TOTAL 0-19 YRS	1154	8.8	80	2	3	7	10	15	25	80
20-34	1300	10.4	74	4	5	8	11	17	26	52
35-49	1544	11.4	93	4	5	9	12	20	28	55
50-64	2371	12.1	88	4	5	9	14	22	31	60
65+	4311	13.1	98	4	6	10	15	23	33	57
GRAND TOTAL	**10680**	**11.9**	**92**	**4**	**5**	**9**	**13**	**22**	**30**	**58**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	8.7	29	3	4	8	10	12	20	30
20-34	26	9.3	37	3	3	8	11	13	21	34
35-49	19	11.0	21	5	7	10	13	17	21	24
50-64	53	11.0	38	5	6	9	13	18	28	30
65+	73	12.3	44	4	6	11	14	19	25	40
2. MULTIPLE DX										
0-19 YRS	96	17.3	293	5	6	11	20	39	70	99+
20-34	170	18.0	231	5	6	13	25	40	65	99+
35-49	250	17.1	151	5	7	14	21	33	48	99+
50-64	727	17.8	163	6	8	14	21	34	48	91
65+	1942	19.6	175	7	8	16	25	38	50	99
TOT. SINGLE DX	195	11.0	39	4	5	10	13	18	25	34
" MULTIPLE DX	3185	18.9	178	6	8	15	23	37	51	99+
TOTAL 0-19 YRS	120	15.6	252	4	6	10	18	33	58	99+
20-34	196	16.8	214	4	6	12	22	39	62	99+
35-49	269	16.7	144	5	7	13	21	33	46	99+
50-64	780	17.4	158	6	7	14	21	32	46	90
65+	2015	19.4	172	6	8	16	24	37	50	96
GRAND TOTAL	**3380**	**18.4**	**173**	**6**	**7**	**15**	**23**	**36**	**49**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19088	3.5	4	2	2	3	4	6	7	11
20-34	13797	3.6	3	2	2	3	4	6	7	10
35-49	4995	4.3	6	2	2	4	5	7	9	13
50-64	2028	5.2	7	2	2	5	6	9	10	14
65+	649	6.0	10	3	3	5	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	6459	5.6	20	2	2	4	7	10	13	23
20-34	5615	5.5	13	2	2	4	7	10	12	21
35-49	2949	6.8	18	2	3	6	9	12	15	23
50-64	2299	8.7	38	3	3	8	10	15	19	31
65+	2023	10.5	61	3	4	9	12	18	24	41
TOT. SINGLE DX	40557	3.8	5	2	2	3	4	6	8	11
" MULTIPLE DX	19345	6.7	27	2	3	5	8	12	15	27
TOTAL 0-19 YRS	25547	4.1	9	2	2	3	5	7	9	15
20-34	19412	4.2	7	2	2	3	5	7	9	14
35-49	7944	5.2	12	2	2	4	6	9	12	18
50-64	4327	7.0	27	2	3	6	9	12	15	26
65+	2672	9.4	53	3	4	8	11	16	21	38
GRAND TOTAL	**59902**	**4.7**	**14**	**2**	**2**	**4**	**6**	**8**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	180	3.5	2	2	2	3	4	6	7	9
20-34	124	4.4	6	2	2	4	5	7	8	17
35-49	42	3.7	3	2	2	3	4	6	8	12
50-64	17	6.5	16	1	2	6	10	10	15	17
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	82	5.4	13	2	3	5	7	9	11	24
20-34	130	5.6	23	3	3	4	6	8	12	33
35-49	45	6.3	12	2	3	6	7	11	13	20
50-64	23	8.5	31	3	4	8	10	14	21	29
65+	10	19.5	130	7	8	15	28	37	43	43
TOT. SINGLE DX	365	4.0	5	2	2	3	5	6	8	14
" MULTIPLE DX	290	6.4	29	2	3	5	7	11	15	31
TOTAL 0-19 YRS	262	4.1	7	2	2	3	5	7	9	14
20-34	254	5.0	15	2	3	4	5	8	10	19
35-49	87	5.1	10	2	2	4	6	9	12	18
50-64	40	7.6	26	1	3	7	10	12	17	29
65+	12	17.0	141	4	5	13	25	35	42	43
GRAND TOTAL	**655**	**5.1**	**17**	**2**	**2**	**4**	**6**	**8**	**11**	**27**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	7.4	11	3	4	7	9	11	12	22
20-34	30	7.2	8	3	4	7	9	11	12	13
35-49	24	7.7	12	3	3	7	10	12	14	15
50-64	15	10.8	44	3	5	9	13	22	25	26
65+	8	9.3	22	2	3	9	10	17	19	19
2. MULTIPLE DX										
0-19 YRS	49	10.3	45	3	4	9	11	21	23	33
20-34	32	10.5	36	3	5	9	13	20	24	25
35-49	28	10.5	21	5	6	9	13	17	20	24
50-64	41	14.0	52	7	7	12	16	25	29	36
65+	33	14.1	58	6	8	12	16	25	31	41
TOT. SINGLE DX	120	8.0	16	3	3	7	10	12	14	23
" MULTIPLE DX	183	11.9	46	4	6	10	15	22	25	35
TOTAL 0-19 YRS	92	9.0	32	3	4	8	10	15	22	33
20-34	62	8.9	25	3	4	7	10	16	20	25
35-49	52	9.2	19	3	5	9	11	14	18	24
50-64	56	13.2	51	5	7	11	16	24	27	36
65+	41	13.2	55	6	7	11	16	22	30	41
GRAND TOTAL	**303**	**10.3**	**38**	**3**	**4**	**9**	**12**	**18**	**24**	**33**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	148	3.4	11	<1	1	2	4	7	9	21
20-34	141	3.1	6	<1	1	2	4	7	8	12
35-49	151	3.5	10	<1	1	3	4	8	11	17
50-64	266	2.8	5	<1	1	2	3	6	8	12
65+	489	3.4	14	<1	1	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	201	8.4	151	1	1	4	9	22	33	82
20-34	225	6.7	77	1	1	4	7	13	21	52
35-49	333	5.9	33	1	1	4	7	12	15	28
50-64	780	6.5	46	1	1	5	8	13	18	37
65+	2416	7.7	59	1	2	6	10	16	22	38
TOT. SINGLE DX	1195	3.3	11	<1	1	2	4	7	9	17
" MULTIPLE DX	3955	7.3	61	1	1	5	9	15	21	40
TOTAL 0-19 YRS	349	6.2	98	1	1	3	6	13	24	62
20-34	366	5.3	53	1	1	3	6	10	18	41
35-49	484	5.1	27	1	1	4	7	11	14	25
50-64	1046	5.6	39	1	1	4	7	12	17	30
65+	2905	7.0	54	1	1	5	9	15	20	36
GRAND TOTAL	**5150**	**6.4**	**52**	**1**	**1**	**4**	**8**	**13**	**19**	**36**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	2.6	4	<1	1	2	3	5	8	11
20-34	670	2.6	3	1	1	2	3	5	6	9
35-49	603	2.8	4	1	1	2	3	5	7	11
50-64	235	3.2	4	1	1	3	4	6	7	11
65+	76	3.1	5	1	1	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	84	4.2	22	1	1	3	4	9	16	27
20-34	514	4.5	27	1	1	3	5	8	12	32
35-49	634	4.3	18	1	1	3	5	8	12	26
50-64	531	6.4	71	1	1	4	7	13	21	43
65+	452	7.7	61	1	2	5	9	16	23	40
TOT. SINGLE DX	1708	2.7	4	1	1	2	3	5	7	11
" MULTIPLE DX	2215	5.6	44	1	1	4	6	11	17	36
TOTAL 0-19 YRS	208	3.2	12	<1	1	2	4	6	9	19
20-34	1184	3.4	15	1	1	2	4	6	8	17
35-49	1237	3.5	13	1	1	3	4	7	9	21
50-64	766	5.5	53	1	1	3	6	11	17	41
65+	528	7.1	56	1	1	5	8	15	22	38
GRAND TOTAL	**3923**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	10.2	23	5	6	9	12	18	20	26
20-34	58	10.2	19	4	6	10	11	15	19	26
35-49	145	10.3	14	5	7	10	12	15	18	24
50-64	386	11.1	19	6	7	10	13	16	19	29
65+	454	11.7	22	6	7	11	14	17	19	30
2. MULTIPLE DX										
0-19 YRS	148	12.4	103	5	6	10	15	22	29	55
20-34	171	15.2	113	7	7	12	18	24	40	76
35-49	515	14.6	102	7	8	12	16	23	31	65
50-64	1748	14.4	71	7	8	12	16	23	29	53
65+	4130	17.3	105	8	9	14	20	29	38	63
TOT. SINGLE DX	1109	11.2	21	6	7	10	13	17	19	27
" MULTIPLE DX	6712	16.2	98	7	8	13	19	27	36	61
TOTAL 0-19 YRS	214	11.7	80	5	6	9	14	20	26	50
20-34	229	13.9	94	6	7	11	16	23	32	69
35-49	660	13.6	86	7	7	11	15	21	28	62
50-64	2134	13.8	64	7	8	12	16	22	27	49
65+	4584	16.7	100	8	9	14	19	28	37	61
GRAND TOTAL	**7821**	**15.5**	**90**	**7**	**8**	**13**	**18**	**25**	**34**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	704	3.5	7	1	1	3	5	7	8	16
20-34	2129	4.2	12	1	1	3	5	8	10	19
35-49	2241	4.2	10	<1	1	3	5	7	9	16
50-64	2004	4.3	12	<1	1	4	5	8	11	16
65+	1702	4.7	14	<1	<1	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	1741	5.9	50	1	1	4	7	11	18	41
20-34	8307	6.0	35	1	2	4	7	11	15	31
35-49	12962	6.3	31	2	2	5	8	12	16	29
50-64	19376	7.0	39	2	2	5	8	13	17	34
65+	41059	8.4	52	2	3	7	10	16	21	39
TOT. SINGLE DX	8780	4.3	12	<1	1	4	5	8	10	18
" MULTIPLE DX	83445	7.4	45	2	2	6	9	14	19	36
TOTAL 0-19 YRS	2445	5.2	39	1	1	4	6	10	15	33
20-34	10436	5.6	31	1	2	4	7	10	14	29
35-49	15203	6.0	29	1	2	5	7	11	15	28
50-64	21380	6.7	37	1	2	5	8	12	17	33
65+	42761	8.2	52	2	3	6	10	15	20	39
GRAND TOTAL	**92225**	**7.1**	**43**	**2**	**2**	**5**	**9**	**13**	**18**	**34**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	1.9	3	<1	<1	1	2	4	4	13
20-34	694	2.2	2	1	1	2	3	4	5	7
35-49	804	2.2	1	1	1	2	3	4	4	7
50-64	447	2.2	1	1	1	2	3	4	5	8
65+	135	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	55	2.8	5	<1	1	2	4	5	6	12
20-34	637	3.1	11	1	1	2	4	5	7	15
35-49	987	2.8	5	1	1	2	3	5	6	11
50-64	820	3.1	6	1	1	3	4	5	7	14
65+	471	3.9	21	1	1	3	4	7	10	19
TOT. SINGLE DX	2162	2.2	2	1	1	2	3	4	4	7
" MULTIPLE DX	2970	3.1	10	1	1	3	4	5	7	14
TOTAL 0-19 YRS	137	2.2	5	<1	<1	1	3	4	5	13
20-34	1331	2.7	7	1	1	2	3	5	6	12
35-49	1791	2.5	4	1	1	2	3	4	5	10
50-64	1267	2.8	5	1	1	2	3	5	6	10
65+	606	3.6	17	1	1	3	4	6	9	18
GRAND TOTAL	**5132**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	2.1	2	<1	<1	2	3	4	5	8
20-34	508	2.0	1	<1	1	2	3	4	4	6
35-49	371	2.2	2	<1	1	2	3	4	5	8
50-64	204	2.5	7	<1	1	2	3	4	5	14
65+	85	2.5	2	<1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	61	4.2	144	<1	1	2	3	5	9	86
20-34	655	3.1	9	1	1	2	4	5	7	12
35-49	857	3.2	10	1	1	3	4	5	7	14
50-64	675	3.8	16	1	1	3	4	6	9	25
65+	624	4.9	40	1	1	3	6	9	12	31
TOT. SINGLE DX	1227	2.2	3	<1	1	2	3	4	5	8
" MULTIPLE DX	2872	3.7	22	1	1	3	4	6	9	21
TOTAL 0-19 YRS	120	3.2	75	<1	<1	2	3	5	6	42
20-34	1163	2.6	6	1	1	2	3	5	6	10
35-49	1228	2.9	8	1	1	2	4	5	6	13
50-64	879	3.5	15	1	1	3	4	6	9	21
65+	709	4.6	37	1	1	3	5	9	11	30
GRAND TOTAL	**4099**	**3.2**	**17**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.3	1	<1	<1	2	3	4	4	5
20-34	729	3.1	2	1	1	3	4	5	6	8
35-49	1034	3.1	2	1	1	3	4	5	6	8
50-64	634	3.2	3	1	1	3	4	5	6	10
65+	220	3.3	7	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	90	3.8	10	1	1	3	4	7	9	21
20-34	3466	3.5	6	1	1	3	4	6	7	12
35-49	6149	3.6	5	1	1	3	4	6	7	11
50-64	4900	3.9	9	1	1	3	5	7	8	15
65+	2895	4.9	16	1	2	4	6	9	12	21
TOT. SINGLE DX	2648	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	17500	3.9	9	1	1	3	5	6	8	15
TOTAL 0-19 YRS	121	3.4	9	1	1	3	4	6	8	18
20-34	4195	3.4	6	1	1	3	4	6	7	11
35-49	7183	3.5	5	1	1	3	4	6	7	11
50-64	5534	3.8	9	1	1	3	5	6	8	14
65+	3115	4.8	16	1	2	4	6	9	12	20
GRAND TOTAL	**20148**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	3.2	14	<1	1	2	4	6	10	29
20-34	681	2.6	3	1	1	2	3	5	6	9
35-49	601	2.6	4	1	1	2	3	5	7	10
50-64	344	2.8	3	1	1	2	4	5	7	9
65+	164	3.9	34	1	1	3	4	6	8	30
2. MULTIPLE DX										
0-19 YRS	225	5.6	42	1	1	4	7	11	15	38
20-34	740	3.9	21	1	1	3	5	8	10	19
35-49	909	4.0	20	1	1	3	5	8	10	20
50-64	799	5.1	33	1	1	3	6	10	16	35
65+	865	6.6	63	1	1	4	8	14	20	43
TOT. SINGLE DX	1956	2.8	7	1	1	2	3	5	7	10
" MULTIPLE DX	3538	5.0	36	1	1	3	6	10	14	31
TOTAL 0-19 YRS	391	4.6	32	1	1	3	5	9	12	36
20-34	1421	3.3	13	1	1	2	4	6	8	16
35-49	1510	3.4	14	1	1	3	4	7	9	18
50-64	1143	4.4	26	1	1	3	5	9	13	29
65+	1029	6.1	60	1	1	4	7	12	19	37
GRAND TOTAL	**5494**	**4.2**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	7.5	14	4	4	6	9	13	17	17
20-34	15	10.3	63	2	4	8	13	26	28	29
35-49	21	9.6	24	3	4	8	13	17	18	19
50-64	20	7.6	41	1	1	6	12	17	19	20
65+	16	5.9	28	<1	1	4	8	14	17	19
2. MULTIPLE DX										
0-19 YRS	28	12.9	117	4	5	9	14	29	42	47
20-34	60	14.1	172	3	4	11	18	28	31	85
35-49	78	16.9	267	2	4	12	20	42	67	92
50-64	112	19.1	213	1	3	16	26	40	49	63
65+	191	18.3	182	2	3	16	25	35	46	64
TOT. SINGLE DX	83	8.3	36	1	1	7	11	17	19	28
" MULTIPLE DX	469	17.4	201	2	4	14	22	36	47	71
TOTAL 0-19 YRS	39	11.4	94	4	4	8	13	18	38	47
20-34	75	13.4	152	3	4	10	17	28	31	78
35-49	99	15.4	224	2	4	12	18	37	62	86
50-64	132	17.3	204	1	2	14	24	38	48	63
65+	207	17.3	182	1	3	15	23	35	44	62
GRAND TOTAL	**552**	**16.0**	**187**	**2**	**3**	**13**	**21**	**34**	**44**	**69**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	4.4	16	1	1	3	7	9	13	18
20-34	405	4.0	38	<1	1	2	5	9	12	32
35-49	458	2.9	12	<1	1	1	3	7	11	17
50-64	461	2.9	12	<1	1	1	4	8	9	17
65+	264	3.8	27	<1	1	1	5	10	13	25
2. MULTIPLE DX										
0-19 YRS	436	12.9	269	1	1	8	16	36	60	99+
20-34	982	9.6	99	1	1	7	12	21	29	63
35-49	1376	8.5	100	1	1	6	11	20	27	57
50-64	2511	9.2	95	1	1	7	12	20	29	46
65+	3321	10.5	96	1	1	8	14	21	28	51
TOT. SINGLE DX	1740	3.4	21	<1	1	1	4	8	12	22
" MULTIPLE DX	8626	9.8	107	1	1	7	13	21	29	58
TOTAL 0-19 YRS	588	10.7	217	1	1	6	12	27	51	98
20-34	1387	7.9	88	1	1	5	10	18	26	60
35-49	1834	7.1	85	1	1	4	9	17	25	48
50-64	2972	8.2	87	1	1	6	11	19	26	42
65+	3585	10.0	95	1	1	8	13	21	27	49
GRAND TOTAL	**10366**	**8.7**	**98**	**1**	**1**	**6**	**12**	**20**	**27**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	949	5.1	5	2	3	5	6	8	9	13
20-34	10605	5.0	3	3	3	5	6	7	8	11
35-49	9990	5.3	4	3	3	5	6	8	9	12
50-64	7622	5.6	5	3	3	5	7	8	10	13
65+	3834	6.8	8	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	926	7.5	41	3	4	6	9	12	14	37
20-34	11071	6.6	18	3	3	6	8	10	13	22
35-49	14733	7.0	21	3	4	6	8	11	14	24
50-64	18835	8.3	33	4	4	7	10	14	17	32
65+	25475	11.1	56	4	5	9	13	19	24	43
TOT. SINGLE DX	33000	5.4	5	3	3	5	6	8	9	13
" MULTIPLE DX	71040	8.7	40	3	4	7	10	15	19	34
TOTAL 0-19 YRS	1875	6.3	24	3	3	5	7	10	12	22
20-34	21676	5.8	12	3	3	5	7	9	11	18
35-49	24723	6.3	15	3	3	5	7	10	12	20
50-64	26457	7.5	27	3	4	6	9	12	15	28
65+	29309	10.5	52	4	5	9	12	18	23	41
GRAND TOTAL	**104040**	**7.7**	**32**	**3**	**4**	**6**	**9**	**13**	**17**	**30**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	11.8	67	2	3	10	15	25	27	37
20-34	133	5.4	31	1	1	4	7	10	18	32
35-49	178	5.6	21	1	1	4	9	12	15	20
50-64	204	6.8	37	1	1	6	9	14	18	32
65+	334	7.9	42	1	1	7	11	16	18	27
2. MULTIPLE DX										
0-19 YRS	73	15.8	153	2	4	13	20	34	45	91
20-34	242	10.2	73	1	3	8	12	20	26	49
35-49	534	11.6	88	2	3	9	15	22	29	49
50-64	1178	13.3	123	2	3	10	16	25	35	62
65+	3616	14.7	114	2	4	12	18	27	35	57
TOT. SINGLE DX	884	7.0	38	1	1	6	10	15	18	28
" MULTIPLE DX	5643	13.9	114	2	3	12	18	26	34	57
TOTAL 0-19 YRS	108	14.5	128	2	3	11	19	29	38	78
20-34	375	8.5	64	1	1	7	10	18	23	39
35-49	712	10.1	79	1	2	8	13	20	26	45
50-64	1382	12.3	116	1	2	10	16	23	32	58
65+	3950	14.1	112	2	3	12	18	26	33	55
GRAND TOTAL	**6527**	**13.0**	**110**	**1**	**3**	**11**	**17**	**25**	**32**	**55**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	7.6	67	<1	1	5	11	14	27	38
20-34	187	5.9	39	1	1	4	8	11	17	32
35-49	272	6.1	52	1	1	5	8	11	17	30
50-64	288	6.5	63	1	1	4	9	15	19	47
65+	259	6.2	57	<1	1	3	8	16	21	32
2. MULTIPLE DX										
0-19 YRS	72	16.8	297	2	2	10	20	46	62	95
← 20-34	488	12.9	188	1	2	8	17	31	42	76
35-49	1021	13.3	196	1	2	9	17	33	44	87
50-64	1603	13.5	198	1	2	9	17	32	43	82
65+	2509	12.6	148	1	2	9	16	26	38	72
TOT. SINGLE DX	1042	6.2	55	1	1	4	8	14	19	33
" MULTIPLE DX	5693	13.1	177	1	2	9	16	29	42	80
TOTAL 0-19 YRS	108	13.7	238	1	1	9	17	37	52	86
20-34	675	10.9	157	1	1	7	13	27	37	74
35-49	1293	11.8	175	1	2	8	14	28	42	84
50-64	1891	12.4	184	1	2	8	15	29	41	79
65+	2768	12.0	143	1	2	9	15	26	37	70
GRAND TOTAL	**6735**	**12.0**	**164**	**1**	**2**	**8**	**15**	**27**	**39**	**76**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	422	3.9	12	1	1	3	5	7	9	21
20-34	994	4.5	15	1	1	4	5	8	11	18
35-49	913	4.8	20	<1	1	4	6	9	12	21
50-64	968	4.4	13	<1	<1	4	6	8	10	18
65+	930	4.8	22	<1	<1	4	6	9	13	24
2. MULTIPLE DX										
0-19 YRS	749	6.4	66	1	1	4	7	12	19	56
20-34	2493	6.5	49	1	2	5	7	13	19	33
35-49	3693	6.5	35	1	2	5	8	12	17	31
50-64	6494	6.9	41	2	2	5	8	13	18	35
65+	18396	8.3	56	2	3	6	10	16	21	40
TOT. SINGLE DX	4227	4.6	17	<1	1	4	6	8	11	20
" MULTIPLE DX	31825	7.6	51	2	2	6	9	15	20	37
TOTAL 0-19 YRS	1171	5.5	49	1	1	4	6	11	15	43
20-34	3487	6.0	41	1	2	4	7	11	16	31
35-49	4606	6.1	33	1	2	5	7	12	16	30
50-64	7462	6.6	38	1	2	5	8	12	17	33
65+	19326	8.1	55	2	2	6	10	15	20	39
GRAND TOTAL	**36052**	**7.2**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3676	1.5		<1	<1	1	2	3	3	5
20-34	6205	2.0	1	1	1	2	3	3	4	5
35-49	6053	2.1	1	1	1	2	3	4	4	6
50-64	7721	2.3	1	1	1	2	3	4	5	7
65+	5742	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	2363	2.2	25	<1	<1	1	2	4	5	19
20-34	2703	2.5	4	1	1	2	3	4	6	10
35-49	3989	2.8	6	1	1	2	3	5	6	11
50-64	8255	3.2	8	1	1	3	4	6	7	14
65+	14481	4.3	21	1	1	3	5	8	12	23
TOT. SINGLE DX	29397	2.1	2	<1	1	2	3	4	5	6
" MULTIPLE DX	31791	3.5	15	1	1	3	4	6	9	18
TOTAL 0-19 YRS	6039	1.8	11	<1	<1	1	2	3	4	8
20-34	8908	2.1	2	1	1	2	3	4	4	7
35-49	10042	2.4	3	1	1	2	3	4	5	8
50-64	15976	2.7	5	1	1	2	3	5	6	11
65+	20223	3.8	16	1	1	3	4	7	10	20
GRAND TOTAL	**61188**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1157	1.4		<1	<1	1	2	2	3	4
20-34	609	2.4	1	1	1	2	3	4	5	6
35-49	891	2.5	1	1	1	2	3	4	5	6
50-64	1248	2.7	2	1	1	2	3	5	5	7
65+	821	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	1394	3.4	86	<1	<1	1	2	4	12	99+
20-34	363	2.6	2	1	1	2	4	5	5	7
35-49	771	2.9	3	1	1	2	4	5	6	11
50-64	1484	3.4	5	1	1	3	4	6	7	12
65+	2057	4.6	15	1	1	4	5	9	11	21
TOT. SINGLE DX	4726	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	6069	3.7	28	1	1	3	4	6	9	28
TOTAL 0-19 YRS	2551	2.5	49	<1	<1	1	2	3	5	69
20-34	972	2.5	2	1	1	2	3	4	5	7
35-49	1662	2.7	3	1	1	2	4	5	5	8
50-64	2732	3.1	4	1	1	3	4	5	6	10
65+	2878	4.1	13	1	1	3	5	7	10	18
GRAND TOTAL	**10795**	**3.1**	**17**	**1**	**1**	**2**	**4**	**5**	**7**	**15**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.1	1	<1	<1	2	3	4	5	99+
20-34	194	2.2	1	1	1	2	3	4	5	7
35-49	266	2.4	2	1	1	2	3	4	5	7
50-64	279	2.7	3	1	1	2	4	5	6	9
65+	425	4.0	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	18	2.8	3	1	1	3	4	5	6	7
20-34	97	2.7	3	1	1	2	3	5	6	10
35-49	172	3.0	5	1	1	3	4	5	6	14
50-64	319	4.2	8	1	1	3	5	8	11	22
65+	1196	7.2	43	1	2	5	9	14	19	36
TOT. SINGLE DX	1194	3.0	5	1	1	2	4	5	7	13
" MULTIPLE DX	1802	6.0	36	1	1	4	7	13	17	32
TOTAL 0-19 YRS	48	2.4	2	<1	1	2	3	5	5	99+
20-34	291	2.4	2	1	1	2	3	4	5	8
35-49	438	2.7	3	1	1	2	3	5	6	10
50-64	598	3.5	12	1	1	3	4	6	8	18
65+	1621	6.4	36	1	2	5	8	13	17	31
GRAND TOTAL	**2996**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	530	1.6	1	<1	<1	1	2	3	3	7
20-34	439	2.0	1	<1	1	2	3	4	4	6
35-49	753	2.2	2	<1	1	2	3	4	5	6
50-64	620	2.6	2	<1	1	2	3	5	6	8
65+	279	3.2	4	<1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	250	3.8	77	<1	<1	1	3	6	11	49
20-34	332	3.5	13	1	1	3	4	6	8	21
35-49	859	3.8	12	1	1	3	5	7	10	18
50-64	1044	4.7	20	1	1	4	6	9	13	22
65+	1077	6.5	43	1	2	5	8	13	18	35
TOT. SINGLE DX	2621	2.2	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	3562	4.9	30	1	1	3	6	10	14	29
TOTAL 0-19 YRS	780	2.3	27	<1	<1	1	2	4	6	27
20-34	771	2.7	7	<1	1	2	3	5	6	15
35-49	1612	3.1	8	1	1	2	4	6	8	14
50-64	1664	3.9	15	1	1	3	5	8	10	19
65+	1356	5.8	37	1	1	4	7	11	16	31
GRAND TOTAL	**6183**	**3.7**	**20**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	188	1.9	1	<1	<1	1	2	4	4	7
20-34	881	2.8	3	1	1	2	4	5	6	9
35-49	1694	3.5	4	1	1	3	5	6	7	10
50-64	1853	3.8	4	1	1	3	5	7	8	10
65+	1345	4.4	6	1	1	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	118	4.7	62	<1	1	3	5	9	15	83
20-34	752	4.3	10	1	1	4	5	8	10	16
35-49	2246	5.5	18	1	2	5	7	10	12	20
50-64	3495	5.8	18	1	2	5	7	10	13	23
65+	4444	7.1	36	2	2	6	9	13	17	32
TOT. SINGLE DX	5961	3.6	5	1	1	3	5	6	8	11
" MULTIPLE DX	11055	6.2	26	1	2	5	8	11	15	26
TOTAL 0-19 YRS	306	3.0	27	<1	<1	2	3	5	7	25
20-34	1633	3.5	7	1	1	3	5	6	8	13
35-49	3940	4.6	13	1	1	4	6	8	10	18
50-64	5348	5.1	15	1	2	4	6	9	11	20
65+	5789	6.5	31	1	2	5	8	12	15	27
GRAND TOTAL	**17016**	**5.3**	**20**	**1**	**2**	**4**	**7**	**10**	**12**	**23**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	6.0	9	1	2	6	7	10	12	14
20-34	38	4.9	16	1	1	4	7	10	11	22
35-49	60	6.5	10	2	3	6	8	11	12	14
50-64	65	6.6	11	1	2	6	9	11	13	15
65+	69	7.5	11	2	3	8	9	12	12	19
2. MULTIPLE DX										
0-19 YRS	90	13.6	250	3	4	9	15	33	77	99+
20-34	130	9.6	115	2	3	7	10	15	27	88
35-49	284	8.9	38	4	4	7	10	14	18	38
50-64	438	9.9	62	4	5	8	11	16	22	42
65+	636	13.0	85	5	6	10	15	25	32	71
TOT. SINGLE DX	257	6.5	12	1	2	6	8	11	12	15
" MULTIPLE DX	1578	11.2	85	4	5	9	13	20	28	68
TOTAL 0-19 YRS	115	12.0	208	2	3	8	13	27	42	99+
20-34	168	8.5	97	1	2	7	9	13	23	82
35-49	344	8.5	34	3	4	7	10	14	17	33
50-64	503	9.5	57	3	4	8	10	15	19	42
65+	705	12.5	81	5	5	10	14	23	32	68
GRAND TOTAL	**1835**	**10.5**	**78**	**3**	**4**	**8**	**12**	**18**	**26**	**62**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	375	3.6	11	<1	1	2	5	8	10	16
20-34	673	3.9	13	<1	1	3	5	8	10	17
35-49	519	4.5	12	1	1	4	6	9	11	17
50-64	447	5.7	25	1	1	4	8	12	16	26
65+	280	6.3	45	1	1	5	8	12	16	28
2. MULTIPLE DX										
0-19 YRS	550	7.5	73	1	1	5	9	15	24	53
20-34	1280	7.7	73	1	2	5	9	15	22	46
35-49	2118	9.9	101	1	2	7	12	20	29	56
50-64	3418	10.3	80	2	2	8	13	21	27	46
65+	4936	12.1	103	2	3	9	15	24	32	57
TOT. SINGLE DX	2294	4.7	20	<1	1	3	6	10	12	21
" MULTIPLE DX	12302	10.5	95	1	2	8	13	21	29	53
TOTAL 0-19 YRS	925	5.9	52	<1	1	4	7	12	17	41
20-34	1953	6.4	56	1	1	5	8	13	18	41
35-49	2637	8.9	89	1	2	6	11	18	26	52
50-64	3865	9.7	76	1	2	8	12	20	26	44
65+	5216	11.8	102	2	3	9	15	23	31	57
GRAND TOTAL	**14596**	**9.6**	**87**	**1**	**2**	**7**	**12**	**20**	**27**	**51**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	583	4.9	10	2	2	4	6	9	11	16
20-34	1217	4.9	9	1	2	4	5	8	10	16
35-49	510	6.4	16	2	3	5	8	11	14	22
50-64	328	8.3	34	2	4	7	10	15	17	25
65+	212	8.9	25	2	3	8	11	14	18	28
2. MULTIPLE DX										
0-19 YRS	958	8.1	65	2	3	6	9	15	23	46
20-34	2604	8.0	72	2	3	5	9	15	22	51
35-49	1660	11.0	116	3	4	8	12	21	32	63
50-64	1725	13.9	140	4	5	10	16	28	39	70
65+	2554	16.0	137	5	6	13	20	29	40	69
TOT. SINGLE DX	2850	5.8	17	2	2	5	7	10	13	21
" MULTIPLE DX	9501	11.8	120	3	4	8	14	24	34	62
TOTAL 0-19 YRS	1541	6.9	47	2	2	5	8	12	18	38
20-34	3821	7.0	54	2	3	5	8	12	18	46
35-49	2170	9.9	97	2	3	7	11	19	28	59
50-64	2053	13.0	128	4	5	10	15	25	37	65
65+	2766	15.5	133	5	6	12	19	28	39	67
GRAND TOTAL	**12351**	**10.4**	**103**	**2**	**3**	**7**	**12**	**21**	**30**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	839	2.8	4	<1	<1	2	4	6	7	10
20-34	3017	2.4	4	<1	<1	2	3	5	6	10
35-49	558	2.3	4	<1	<1	1	3	5	6	10
50-64	66	2.3	4	<1	<1	1	2	6	7	10
65+	29	2.6	8	<1	<1	1	3	7	10	12
2. MULTIPLE DX										
0-19 YRS	970	3.6	8	<1	1	3	5	7	8	13
20-34	4911	3.2	11	<1	<1	2	4	7	8	15
35-49	1205	3.6	16	<1	<1	2	5	7	10	20
50-64	210	5.8	68	<1	1	3	7	13	20	34
65+	175	8.0	72	1	1	5	11	19	26	38
TOT. SINGLE DX	4509	2.5	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	7471	3.5	16	<1	<1	2	5	7	10	18
TOTAL 0-19 YRS	1809	3.2	7	<1	1	2	4	6	8	12
20-34	7928	2.9	9	<1	<1	2	4	6	8	13
35-49	1763	3.2	13	<1	<1	2	4	7	9	16
50-64	276	4.9	55	<1	1	2	6	11	16	30
65+	204	7.2	67	1	1	4	10	18	24	36
GRAND TOTAL	**11980**	**3.1**	**12**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	282	6.1	19	1	2	6	8	10	12	15
20-34	925	5.6	13	1	1	5	7	10	12	19
35-49	790	7.2	23	1	2	6	9	13	15	25
50-64	656	8.3	20	2	3	8	10	14	16	25
65+	456	9.5	27	2	4	9	11	16	20	29
2. MULTIPLE DX										
0-19 YRS	734	11.3	175	2	3	7	13	23	37	92
20-34	3371	6.6	50	1	2	5	7	12	17	35
35-49	2974	9.0	67	2	3	7	11	18	25	46
50-64	2991	12.3	114	2	3	10	15	24	33	60
65+	4837	14.9	118	4	6	12	18	27	36	64
TOT. SINGLE DX	3109	7.2	22	1	2	7	9	12	15	24
" MULTIPLE DX	14907	11.2	105	2	3	8	14	22	30	57
TOTAL 0-19 YRS	1016	9.9	138	2	2	7	11	18	31	71
20-34	4296	6.4	43	1	2	5	7	12	16	31
35-49	3764	8.6	59	2	3	7	10	16	22	42
50-64	3647	11.6	100	2	3	9	14	22	30	56
65+	5293	14.5	113	4	6	12	18	26	35	62
GRAND TOTAL	**18016**	**10.5**	**93**	**2**	**3**	**8**	**13**	**21**	**28**	**53**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	7.7	37	3	3	6	9	12	15	39
20-34	155	6.8	3	4	5	7	8	9	10	13
35-49	230	7.7	5	5	5	7	9	11	13	15
50-64	302	8.5	7	5	6	8	10	12	14	18
65+	233	9.2	11	5	6	9	11	13	16	20
2. MULTIPLE DX										
0-19 YRS	327	9.4	57	3	4	7	11	19	26	57
20-34	409	11.1	104	4	5	8	12	20	34	58
35-49	630	10.9	59	5	5	9	12	18	23	51
50-64	1377	11.9	60	5	6	10	14	20	25	42
65+	2268	14.1	91	6	7	11	16	24	31	58
TOT. SINGLE DX	1018	8.2	11	4	5	8	9	12	14	19
" MULTIPLE DX	5011	12.5	80	5	6	10	15	22	29	53
TOTAL 0-19 YRS	425	9.0	53	3	4	7	10	17	25	53
20-34	564	9.9	80	4	5	7	10	17	28	55
35-49	860	10.0	47	5	5	8	11	16	21	41
50-64	1679	11.3	53	5	6	9	13	18	24	39
65+	2501	13.7	86	6	7	11	16	23	30	54
GRAND TOTAL	**6029**	**11.8**	**71**	**5**	**6**	**9**	**14**	**21**	**26**	**50**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	667	4.7	13	1	1	4	6	10	12	19
20-34	741	5.4	17	1	1	5	7	10	13	21
35-49	677	5.5	16	1	1	5	8	10	12	18
50-64	588	5.7	17	1	1	5	8	11	13	21
65+	313	5.9	17	1	1	5	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	1081	9.3	77	1	2	7	12	20	28	46
20-34	1689	9.5	75	1	2	7	12	20	26	46
35-49	1980	10.0	79	1	2	8	13	20	27	46
50-64	2131	10.1	93	1	2	8	13	20	27	53
65+	2712	11.2	97	1	2	9	15	22	30	50
TOT. SINGLE DX	2986	5.4	16	1	1	5	7	10	13	20
" MULTIPLE DX	9593	10.2	87	1	2	8	13	21	28	49
TOTAL 0-19 YRS	1748	7.6	58	1	2	5	9	16	22	42
20-34	2430	8.2	61	1	1	6	10	18	23	41
35-49	2657	8.9	68	1	2	7	11	18	24	42
50-64	2719	9.1	80	1	2	7	11	18	24	47
65+	3025	10.7	92	1	2	8	14	22	29	49
GRAND TOTAL	**12579**	**9.1**	**75**	**1**	**2**	**7**	**11**	**19**	**25**	**44**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	5.0	11	1	1	5	7	8	12	16
20-34	385	5.2	9	1	1	5	7	9	11	14
35-49	541	5.5	13	1	1	5	7	10	12	16
50-64	463	6.1	14	1	1	6	8	11	13	18
65+	212	6.8	15	1	1	7	9	11	14	20
2. MULTIPLE DX										
0-19 YRS	67	6.3	27	1	1	5	8	12	16	26
20-34	395	7.0	21	1	2	6	9	12	16	25
35-49	685	7.8	48	1	2	7	10	14	19	34
50-64	986	8.5	48	1	2	7	11	16	21	42
65+	1121	11.0	75	2	2	9	14	21	26	48
TOT. SINGLE DX	1633	5.7	13	1	1	5	8	10	12	17
" MULTIPLE DX	3254	9.0	56	1	2	7	11	17	22	41
TOTAL 0-19 YRS	99	5.9	22	1	1	5	8	11	14	26
20-34	780	6.1	16	1	2	6	8	11	13	20
35-49	1226	6.8	34	1	2	6	9	12	16	25
50-64	1449	7.7	39	1	2	7	10	14	18	33
65+	1333	10.3	69	1	2	8	13	20	24	47
GRAND TOTAL	4887	7.9	44	1	2	7	10	15	19	35

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	550	6.1	5	3	4	6	7	9	10	14
20-34	51	6.5	8	2	2	6	9	10	11	12
35-49	31	8.9	14	2	4	8	11	14	15	18
50-64	28	10.6	42	2	3	10	13	20	26	27
65+	25	11.1	41	3	6	10	12	17	26	34
2. MULTIPLE DX										
0-19 YRS	737	8.3	30	3	4	7	9	13	16	28
20-34	142	10.6	36	3	5	9	13	17	22	36
35-49	159	12.4	50	5	7	10	15	21	29	42
50-64	192	16.6	135	5	7	13	19	34	42	69
65+	357	17.7	182	5	7	14	21	29	42	84
TOT. SINGLE DX	685	6.6	10	3	3	6	8	10	12	18
" MULTIPLE DX	1587	12.0	96	4	5	9	14	22	29	56
TOTAL 0-19 YRS	1287	7.4	21	3	4	7	8	11	14	25
20-34	193	9.6	32	2	4	9	12	16	20	32
35-49	190	11.8	46	5	6	10	14	20	26	41
50-64	220	15.9	127	4	6	13	19	32	41	63
65+	382	17.3	176	5	7	13	21	29	40	84
GRAND TOTAL	2272	10.4	76	3	4	8	12	19	26	49

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	222	4.2	9	1	1	4	6	8	11	15
20-34	1811	3.3	4	1	1	3	4	6	7	10
35-49	2547	3.3	4	1	1	3	4	6	7	11
50-64	1597	3.5	5	1	1	3	5	6	8	12
65+	567	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	249	6.8	31	1	2	5	9	13	16	30
20-34	1127	4.6	14	1	1	4	6	9	11	19
35-49	1747	4.8	14	1	1	4	6	9	11	20
50-64	1877	5.5	27	1	1	4	7	11	14	23
65+	1899	7.1	47	1	2	5	9	14	19	36
TOT. SINGLE DX	6744	3.4	5	1	1	3	4	6	8	12
" MULTIPLE DX	6899	5.7	29	1	1	4	7	11	15	27
TOTAL 0-19 YRS	471	5.6	23	1	1	4	8	11	14	23
20-34	2938	3.8	9	1	1	3	5	7	9	14
35-49	4294	3.9	9	1	1	3	5	7	9	15
50-64	3474	4.6	18	1	1	4	6	9	11	19
65+	2466	6.3	40	1	1	5	8	13	17	32
GRAND TOTAL	13643	4.5	18	1	1	3	6	9	11	21

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	542	2.5	7	<1	<1	1	3	5	7	11
20-34	1387	3.4	7	<1	1	3	4	6	8	13
35-49	1876	3.4	7	<1	1	3	4	6	8	12
50-64	1680	3.4	8	<1	1	3	5	7	9	14
65+	1228	3.4	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	1044	4.4	31	<1	<1	3	5	9	12	42
20-34	2744	6.4	57	1	1	5	7	12	18	46
35-49	3955	6.4	41	1	1	5	8	13	17	34
50-64	6143	6.9	52	1	1	5	9	14	19	36
65+	14215	9.0	79	1	2	7	11	18	25	50
TOT. SINGLE DX	6713	3.3	8	<1	<1	2	4	7	8	14
" MULTIPLE DX	28101	7.8	66	1	1	6	10	16	22	44
TOTAL 0-19 YRS	1586	3.7	24	<1	<1	2	5	8	11	28
20-34	4131	5.4	43	1	1	4	6	10	14	38
35-49	5831	5.4	32	<1	1	4	7	11	15	30
50-64	7823	6.2	45	<1	1	4	8	12	17	34
65+	15443	8.6	76	1	2	6	11	18	24	49
GRAND TOTAL	34814	6.9	58	1	1	5	9	14	20	40

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.4	1	1	1	3	3	4	4	4
20-34	101	2.5	4	<1	1	2	3	5	6	11
35-49	401	2.2	3	<1	1	2	3	4	5	11
50-64	1502	2.5	4	1	1	2	3	5	6	10
65+	2948	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	53	5.3	26	1	1	4	7	13	21	97
20-34	244	5.0	47	1	1	3	6	10	13	40
35-49	701	4.3	18	1	1	3	5	9	12	23
50-64	3276	4.6	31	1	1	3	5	9	14	28
65+	12705	5.6	37	1	1	4	7	12	16	31
TOT. SINGLE DX	4967	2.7	5	1	1	2	3	5	6	11
" MULTIPLE DX	16979	5.3	36	1	1	4	6	11	16	30
TOTAL 0-19 YRS	68	4.7	23	1	1	3	6	11	17	86
20-34	345	4.3	36	1	1	3	5	9	11	30
35-49	1102	3.5	14	1	1	2	4	8	10	22
50-64	4778	4.0	24	1	1	3	5	8	11	24
65+	15653	5.1	32	1	1	3	6	11	15	29
GRAND TOTAL	**21946**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	4.7	13	1	1	4	7	10	12	18
20-34	192	4.1	8	<1	1	3	6	8	10	13
35-49	332	4.8	13	1	1	4	6	9	10	17
50-64	497	5.6	27	1	1	4	8	12	15	23
65+	554	5.8	31	1	1	4	8	14	17	26
2. MULTIPLE DX										
0-19 YRS	637	9.2	98	1	2	6	11	21	29	71
20-34	524	9.6	132	1	2	7	11	22	33	99
35-49	740	8.0	67	1	2	6	10	16	25	53
50-64	1694	9.1	71	1	2	7	12	18	25	47
65+	5114	10.1	96	1	2	8	13	21	29	59
TOT. SINGLE DX	1744	5.3	23	1	1	4	7	11	14	22
" MULTIPLE DX	8709	9.7	92	1	2	7	12	20	28	58
TOTAL 0-19 YRS	806	8.3	84	1	2	6	10	18	27	62
20-34	716	8.1	105	1	1	5	9	17	27	83
35-49	1072	7.0	53	1	1	5	8	14	20	43
50-64	2191	8.3	64	1	2	6	11	17	22	44
65+	5668	9.7	92	1	2	7	13	20	28	58
GRAND TOTAL	**10453**	**8.9**	**83**	**1**	**2**	**6**	**12**	**19**	**26**	**55**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.1		<1	<1	<1	1	2	2	3
20-34	12	2.7	5	<1	<1	2	3	6	9	9
35-49	11	2.4	2	1	1	2	4	5	5	5
50-64	8	1.6	1	<1	<1	1	2	4	4	4
65+	6	2.5	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	78	2.6	4	<1	<1	2	4	6	8	9
20-34	21	7.6	175	<1	<1	4	6	24	46	49
35-49	23	3.4	10	<1	<1	3	4	7	10	15
50-64	45	6.0	56	<1	<1	4	7	17	26	31
65+	77	8.1	79	1	1	5	10	18	31	43
TOT. SINGLE DX	128	1.5	1	<1	<1	<1	1	3	4	6
" MULTIPLE DX	244	5.5	58	<1	<1	3	6	11	19	44
TOTAL 0-19 YRS	169	1.8	3	<1	<1	1	2	4	5	9
20-34	33	5.8	117	<1	<1	2	5	9	39	49
35-49	34	3.1	8	<1	1	2	4	6	8	15
50-64	53	5.3	50	<1	<1	2	6	13	24	31
65+	83	7.7	76	1	1	5	9	18	28	43
GRAND TOTAL	**372**	**4.1**	**42**	**<1**	**<1**	**2**	**5**	**9**	**15**	**37**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1248	3.8	10	<1	1	3	5	8	10	15
20-34	221	3.0	6	<1	<1	2	4	6	8	14
35-49	179	3.7	6	1	1	3	5	7	8	11
50-64	139	3.5	6	<1	1	3	5	7	8	11
65+	154	3.2	6	<1	1	2	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	748	4.9	23	1	1	3	7	11	14	19
20-34	206	4.4	20	1	1	3	6	9	15	23
35-49	260	5.1	21	1	1	4	7	10	13	31
50-64	337	4.9	21	1	1	4	6	10	13	19
65+	663	5.7	35	1	1	4	7	13	17	31
TOT. SINGLE DX	1941	3.6	9	<1	1	3	5	8	9	14
" MULTIPLE DX	2214	5.2	26	1	1	4	7	11	15	24
TOTAL 0-19 YRS	1996	4.2	15	1	1	3	6	9	11	18
20-34	427	3.7	13	<1	1	3	5	8	10	19
35-49	439	4.6	16	1	1	4	6	8	12	23
50-64	476	4.5	18	1	1	4	6	9	11	18
65+	817	5.3	31	1	1	4	6	11	16	27
GRAND TOTAL	**4155**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	117	1.5	1	<1	<1	1	2	3	4	6
20-34	104	2.8	6	<1	<1	2	4	6	7	15
35-49	89	2.9	5	<1	<1	2	4	7	8	11
50-64	91	3.3	11	<1	<1	2	4	7	10	18
65+	92	3.0	10	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	249	3.3	25	<1	<1	1	4	7	11	35
20-34	337	5.6	30	<1	1	4	7	11	14	33
35-49	517	6.9	64	1	1	5	9	14	20	58
50-64	704	7.1	53	1	1	5	9	14	20	43
65+	2202	8.9	71	1	2	7	11	18	25	47
TOT. SINGLE DX	493	2.6	7	<1	<1	2	3	6	8	13
" MULTIPLE DX	4009	7.7	64	1	1	6	10	16	23	45
TOTAL 0-19 YRS	366	2.7	19	<1	<1	1	3	6	8	20
20-34	441	5.0	26	<1	<1	4	7	10	12	30
35-49	606	6.3	58	<1	1	4	8	12	18	50
50-64	795	6.7	50	1	1	5	8	13	19	41
65+	2294	8.6	71	1	2	7	11	18	25	46
GRAND TOTAL	**4502**	**7.1**	**60**	**<1**	**1**	**5**	**9**	**15**	**21**	**43**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	1.7	1	<1	<1	1	2	3	5	7
20-34	273	2.3	6	<1	1	2	3	4	5	13
35-49	207	2.3	4	<1	1	2	3	5	6	11
50-64	178	2.6	4	<1	1	2	3	6	7	13
65+	251	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	188	3.0	20	<1	<1	2	3	6	9	27
20-34	376	3.8	50	1	1	2	4	7	12	33
35-49	371	4.4	34	1	1	2	5	10	15	29
50-64	632	5.0	34	1	1	3	6	11	15	38
65+	1820	5.8	41	1	1	4	7	12	17	36
TOT. SINGLE DX	1070	2.4	5	<1	1	2	3	4	6	11
" MULTIPLE DX	3387	5.1	40	1	1	3	6	11	16	35
TOTAL 0-19 YRS	349	2.4	12	<1	<1	1	2	5	7	19
20-34	649	3.2	33	1	1	2	3	6	9	24
35-49	578	3.6	24	1	1	2	4	8	11	26
50-64	810	4.5	29	1	1	3	5	10	13	30
65+	2071	5.4	38	1	1	4	7	11	16	34
GRAND TOTAL	**4457**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.8	6	1	1	5	6	6	6	6
20-34	128	5.4	3	2	3	5	6	8	8	13
35-49	618	5.5	3	3	3	5	7	8	9	11
50-64	551	6.0	4	3	4	6	7	8	9	12
65+	240	6.4	5	3	4	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	5	7.2	21	2	2	9	13	91	99+	99+
20-34	234	5.9	4	3	3	6	7	8	9	14
35-49	1163	6.2	9	3	4	6	7	9	10	15
50-64	1173	6.7	6	3	4	6	8	10	11	15
65+	844	7.8	16	3	4	7	9	12	15	22
TOT. SINGLE DX	1542	5.8	4	3	4	6	7	8	9	12
" MULTIPLE DX	3419	6.7	10	3	4	6	8	10	12	18
TOTAL 0-19 YRS	10	5.5	16	1	1	6	9	48	96	99+
20-34	362	5.7	4	3	3	5	7	8	9	14
35-49	1781	6.0	8	3	4	6	7	8	10	13
50-64	1724	6.5	6	3	4	6	8	9	10	15
65+	1084	7.5	14	3	4	7	9	11	14	21
GRAND TOTAL	**4961**	**6.4**	**9**	**3**	**4**	**6**	**8**	**9**	**11**	**16**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	4	4	4
20-34	97	4.6	3	2	2	4	6	7	8	10
35-49	442	4.6	3	2	2	4	6	7	8	9
50-64	428	4.8	3	2	2	4	6	8	8	10
65+	246	5.3	5	2	3	5	7	8	10	13
2. MULTIPLE DX										
0-19 YRS	14	6.3	17	1	2	5	8	13	14	15
20-34	122	5.1	9	2	3	4	6	8	9	21
35-49	634	5.5	9	2	3	5	7	9	10	16
50-64	756	5.8	8	3	3	5	7	9	10	15
65+	803	6.5	15	2	3	6	8	10	13	23
TOT. SINGLE DX	1217	4.8	4	2	2	5	6	7	8	11
" MULTIPLE DX	2329	5.9	11	2	3	5	7	9	11	20
TOTAL 0-19 YRS	18	5.4	17	1	1	4	7	12	14	15
20-34	219	4.9	7	2	3	4	6	8	8	16
35-49	1076	5.1	7	2	3	5	6	8	9	15
50-64	1184	5.4	7	2	3	5	7	8	10	13
65+	1049	6.2	13	2	3	5	7	10	13	22
GRAND TOTAL	**3546**	**5.5**	**9**	**2**	**3**	**5**	**7**	**9**	**10**	**17**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	3.5	6	<1	1	3	5	8	9	9
20-34	150	3.6	6	1	1	3	5	7	9	13
35-49	190	3.4	6	1	1	3	4	7	9	12
50-64	145	3.6	8	1	1	3	5	7	9	17
65+	68	3.6	9	<1	1	2	5	8	9	16
2. MULTIPLE DX										
0-19 YRS	51	5.5	16	<1	1	4	7	12	15	17
20-34	227	5.6	33	1	1	4	7	10	16	32
35-49	302	5.4	18	1	1	5	7	10	14	20
50-64	407	7.2	46	1	2	5	9	15	21	34
65+	589	8.5	71	1	2	6	11	18	22	34
TOT. SINGLE DX	570	3.5	7	1	1	3	5	7	9	13
" MULTIPLE DX	1576	7.1	49	1	2	5	9	15	19	31
TOTAL 0-19 YRS	68	5.0	15	<1	1	4	7	10	15	17
20-34	377	4.8	24	1	1	4	6	9	12	22
35-49	492	4.6	15	1	1	4	6	9	12	20
50-64	552	6.3	39	1	1	4	8	14	18	31
65+	657	8.0	67	1	1	6	11	17	20	34
GRAND TOTAL	**2146**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**18**	**30**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	2.7	3	1	1	2	3	6	6	10
20-34	487	2.2	2	1	1	2	2	4	5	9
35-49	932	2.1	2	1	1	2	2	3	5	11
50-64	808	2.2	3	1	1	2	2	4	5	9
65+	409	2.7	7	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	42	4.7	26	1	1	3	6	10	19	22
20-34	265	4.7	19	1	1	3	7	12	14	22
35-49	485	4.2	20	1	1	2	5	9	14	23
50-64	619	4.4	23	1	1	2	5	10	14	25
65+	632	6.4	72	1	1	3	8	15	22	36
TOT. SINGLE DX	2681	2.2	4	1	1	2	2	4	5	10
" MULTIPLE DX	2043	5.0	38	1	1	3	6	12	17	32
TOTAL 0-19 YRS	87	3.7	15	1	1	2	5	7	11	21
20-34	752	3.1	10	1	1	2	3	7	10	16
35-49	1417	2.8	10	1	1	2	3	5	8	18
50-64	1427	3.1	14	1	1	2	3	6	10	19
65+	1041	5.0	50	1	1	2	5	11	17	35
GRAND TOTAL	**4724**	**3.4**	**21**	**1**	**1**	**2**	**3**	**7**	**11**	**23**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.8	1	1	1	3	3	5	5	5
20-34	8	3.1	3	1	1	3	4	6	6	6
35-49	131	4.2	3	2	2	4	5	6	7	12
50-64	3509	4.4	3	2	2	4	5	6	7	10
65+	7166	4.8	4	2	3	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	49	5.6	15	1	2	5	7	11	14	18
20-34	25	7.6	29	2	2	7	10	17	18	20
35-49	401	5.7	32	2	2	4	6	10	13	21
50-64	11604	5.7	18	2	3	5	6	9	12	22
65+	46818	7.2	36	3	3	5	8	13	17	32
TOT. SINGLE DX	10823	4.6	4	2	3	4	5	7	8	11
" MULTIPLE DX	58897	6.9	34	2	3	5	8	12	16	31
TOTAL 0-19 YRS	58	5.1	14	1	2	4	6	10	14	18
20-34	33	6.5	26	1	2	5	9	16	18	20
35-49	532	5.3	26	2	2	4	6	10	12	20
50-64	15113	5.4	15	2	3	5	6	9	11	20
65+	53984	6.8	33	2	3	5	8	12	16	31
GRAND TOTAL	**69720**	**6.5**	**30**	**2**	**3**	**5**	**7**	**11**	**15**	**29**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	16	7.4	21	1	2	7	9	10	18	22
50-64	432	9.3	11	5	6	9	11	14	16	20
65+	580	9.0	10	5	6	8	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	9	5.2	22	1	1	3	7	13	16	16
20-34	4	21.8	187	11	11	17	31	41	41	41
35-49	25	12.1	108	1	5	9	15	23	36	50
50-64	1033	10.3	21	5	6	9	12	16	19	26
65+	3259	11.4	34	5	6	10	13	18	22	32
TOT. SINGLE DX	1031	9.1	11	5	6	9	11	13	16	20
" MULTIPLE DX	4330	11.2	32	5	6	10	13	18	22	31
TOTAL 0-19 YRS	11	5.8	25	1	2	3	8	15	16	16
20-34	5	17.6	227	1	1	13	27	41	41	41
35-49	41	10.3	79	1	3	8	10	21	27	50
50-64	1465	10.0	19	5	6	9	12	16	18	24
65+	3839	11.1	32	5	6	10	13	17	22	31
GRAND TOTAL	**5361**	**10.8**	**29**	**5**	**6**	**9**	**13**	**17**	**21**	**30**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.8	26	1	1	2	5	13	13	13
20-34	13	2.6	9	<1	<1	2	3	6	11	12
35-49	73	1.9	2	<1	<1	1	2	3	5	9
50-64	575	1.8	1	<1	<1	1	2	3	4	7
65+	864	2.0	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	11	10.6	166	1	1	8	11	31	44	45
20-34	22	5.7	75	<1	<1	3	5	13	27	40
35-49	109	4.3	22	1	1	3	5	9	11	27
50-64	1013	4.3	29	<1	1	2	5	10	14	27
65+	2954	5.5	40	1	1	3	7	13	17	30
TOT. SINGLE DX	1530	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	4109	5.2	38	1	1	3	7	12	17	30
TOTAL 0-19 YRS	16	8.5	129	1	1	3	10	21	38	45
20-34	35	4.6	52	<1	<1	2	4	10	17	40
35-49	182	3.4	16	<1	1	2	4	8	9	24
50-64	1588	3.4	21	<1	<1	2	4	8	11	23
65+	3818	4.7	34	<1	1	2	6	11	15	27
GRAND TOTAL	**5639**	**4.3**	**31**	**<1**	**1**	**2**	**5**	**10**	**15**	**26**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	311	1.9	5	<1	1	1	2	4	5	11
20-34	255	2.5	19	<1	<1	2	3	5	6	9
35-49	209	2.6	4	<1	1	2	3	5	7	10
50-64	204	2.5	5	<1	1	2	3	5	7	13
65+	126	2.3	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	218	2.7	11	<1	<1	2	3	6	8	18
20-34	207	5.1	77	1	1	3	5	9	13	51
35-49	253	4.8	22	1	1	3	6	11	16	22
50-64	346	5.4	59	1	1	3	6	13	17	43
65+	431	6.6	72	1	1	4	8	15	22	40
TOT. SINGLE DX	1105	2.3	8	<1	1	2	3	5	6	11
" MULTIPLE DX	1455	5.2	54	1	1	3	6	11	17	33
TOTAL 0-19 YRS	529	2.2	8	<1	<1	1	2	5	6	12
20-34	462	3.6	47	<1	1	2	4	7	9	29
35-49	462	3.8	16	1	1	3	5	8	12	21
50-64	550	4.3	41	1	1	2	4	10	14	33
65+	557	5.6	61	1	1	3	7	12	18	40
GRAND TOTAL	**2560**	**4.0**	**36**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	418	1.9	1	<1	1	1	2	3	5	7
20-34	613	2.3	3	1	1	2	3	4	5	12
35-49	275	2.5	5	1	1	2	3	5	8	12
50-64	202	2.7	6	<1	1	2	3	6	9	14
65+	523	2.4	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	404	2.6	22	<1	1	2	3	5	7	14
20-34	400	4.3	28	1	1	2	5	10	13	27
35-49	277	4.5	28	1	1	3	5	10	14	32
50-64	586	5.7	46	1	1	3	8	12	18	32
65+	3212	6.6	59	1	1	4	9	15	21	35
TOT. SINGLE DX	2031	2.3	4	1	1	2	3	4	6	11
" MULTIPLE DX	4879	5.9	52	1	1	3	8	14	19	34
TOTAL 0-19 YRS	822	2.3	12	<1	1	2	2	4	6	12
20-34	1013	3.1	14	1	1	2	3	6	10	17
35-49	552	3.5	18	1	1	2	4	7	11	21
50-64	788	5.0	38	1	1	3	6	11	16	30
65+	3735	6.0	54	1	1	3	8	15	19	34
GRAND TOTAL	**6910**	**4.8**	**41**	**1**	**1**	**3**	**6**	**12**	**16**	**31**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1666	1.5		<1	<1	1	2	2	3	5
20-34	269	1.6	1	<1	1	1	2	3	3	6
35-49	31	2.0	1	<1	1	2	3	3	4	5
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	5	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	1163	1.9	6	<1	1	1	2	3	4	8
20-34	102	2.6	3	<1	1	2	3	5	6	10
35-49	25	2.3	2	<1	<1	2	3	4	5	7
50-64	4	3.5	11	1	1	3	6	8	8	8
65+	6	4.5	27	1	1	3	3	14	15	15
TOT. SINGLE DX	2174	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	1300	2.0	7	<1	1	1	2	4	4	9
TOTAL 0-19 YRS	3029	1.6	3	<1	<1	1	2	3	3	7
20-34	371	1.9	2	<1	1	1	2	3	5	8
35-49	56	2.1	2	<1	1	2	3	4	5	7
50-64	7	3.1	6	1	1	3	4	7	8	8
65+	11	3.4	15	1	1	2	3	8	14	15
GRAND TOTAL	**3474**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	1.4	1	<1	<1	1	2	2	3	6
20-34	172	2.0	2	<1	<1	1	2	4	5	8
35-49	70	1.6		<1	<1	1	2	3	3	4
50-64	34	1.9	2	<1	<1	1	2	3	5	9
65+	13	2.4	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	215	2.1	10	<1	1	1	2	3	6	10
20-34	116	2.8	9	<1	1	2	3	6	8	18
35-49	83	3.8	92	<1	<1	2	4	6	8	63
50-64	52	4.4	21	1	1	3	5	9	11	30
65+	39	6.7	57	1	1	4	9	16	25	32
TOT. SINGLE DX	675	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	505	3.1	30	<1	1	2	3	6	9	25
TOTAL 0-19 YRS	601	1.7	4	<1	1	1	2	3	3	8
20-34	288	2.3	5	<1	<1	2	3	4	6	14
35-49	153	2.8	52	<1	<1	2	3	4	6	13
50-64	86	3.4	15	<1	1	2	4	9	10	23
65+	52	5.6	47	1	1	3	6	15	22	32
GRAND TOTAL	**1180**	**2.3**	**14**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	88	1.1		<1	<1	<1	<1	1	1	4
35-49	77	1.2		<1	<1	<1	<1	1	3	4
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	51	3.1	29	<1	<1	1	2	7	11	28
35-49	38	1.8	2	<1	<1	1	2	3	5	9
50-64	9	4.9	11	1	1	4	8	10	10	10
65+	11	9.3	46	2	3	9	12	21	23	23
TOT. SINGLE DX	172	1.2		<1	<1	<1	<1	1	2	4
" MULTIPLE DX	110	3.4	24	<1	<1	1	3	9	11	27
TOTAL 0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	139	1.8	12	<1	<1	<1	1	2	6	27
35-49	115	1.4	1	<1	<1	<1	1	2	3	7
50-64	12	4.2	10	<1	<1	3	6	9	10	10
65+	12	8.8	44	2	3	7	11	20	23	23
GRAND TOTAL	**282**	**2.0**	**11**	**<1**	**<1**	**<1**	**1**	**4**	**8**	**22**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	639	1.5		<1	<1	1	2	2	3	5
20-34	750	1.7	2	<1	1	1	2	3	4	8
35-49	693	1.6	1	<1	<1	1	2	3	4	5
50-64	535	1.8	1	<1	1	1	2	3	4	6
65+	247	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	394	1.7	5	<1	<1	1	2	3	4	8
20-34	630	2.0	4	<1	1	1	2	4	5	11
35-49	559	2.4	11	<1	1	1	3	4	7	15
50-64	597	2.8	8	1	1	2	3	6	7	16
65+	602	3.6	16	1	1	3	4	8	10	19
TOT. SINGLE DX	2864	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	2782	2.6	10	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	1033	1.6	3	<1	<1	1	2	3	3	6
20-34	1380	1.9	3	<1	1	1	2	3	4	9
35-49	1252	1.9	6	<1	<1	1	2	3	5	11
50-64	1132	2.4	5	<1	1	2	3	4	6	11
65+	849	3.2	12	1	1	2	4	7	9	17
GRAND TOTAL	**5646**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	694	1.6	5	<1	<1	<1	1	2	4	14
20-34	156	1.3		<1	<1	1	1	2	2	7
35-49	127	1.2		<1	<1	1	1	2	2	4
50-64	89	1.3		<1	<1	1	1	2	2	5
65+	59	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	400	5.2	69	<1	<1	1	5	15	24	48
20-34	144	2.4	9	<1	<1	1	2	6	9	16
35-49	257	3.8	31	<1	<1	2	4	8	13	25
50-64	328	3.1	13	<1	<1	2	4	7	10	21
65+	405	4.9	28	<1	1	3	7	12	15	25
TOT. SINGLE DX	1125	1.5	3	<1	<1	1	1	2	3	11
" MULTIPLE DX	1534	4.2	36	<1	<1	2	5	11	15	29
TOTAL 0-19 YRS	1094	2.9	32	<1	<1	1	2	6	14	31
20-34	300	1.9	5	<1	<1	1	2	3	7	14
35-49	384	2.9	23	<1	<1	1	2	7	11	24
50-64	417	2.7	11	<1	<1	1	3	6	8	18
65+	464	4.5	26	<1	1	2	6	11	15	25
GRAND TOTAL	**2659**	**3.0**	**24**	**<1**	**<1**	**1**	**2**	**7**	**12**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.4	4	<1	<1	2	3	5	7	11
20-34	154	3.0	6	<1	<1	2	4	7	8	12
35-49	277	3.8	18	1	1	3	4	6	10	29
50-64	664	2.9	3	1	1	3	4	5	6	10
65+	383	2.9	5	1	1	2	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	208	3.3	14	<1	<1	2	4	7	9	18
20-34	319	6.2	56	1	1	4	7	13	22	40
35-49	713	4.7	29	1	1	3	5	9	14	32
50-64	1607	4.0	21	1	1	3	5	7	9	17
65+	1116	4.2	23	1	1	3	5	8	11	21
TOT. SINGLE DX	1672	3.0	7	<1	1	2	4	5	7	13
" MULTIPLE DX	3963	4.3	26	1	1	3	5	8	11	26
TOTAL 0-19 YRS	402	2.9	10	<1	<1	2	4	6	8	12
20-34	473	5.1	42	<1	1	3	6	11	17	34
35-49	990	4.4	27	1	1	3	5	8	13	32
50-64	2271	3.7	17	1	1	3	4	6	8	17
65+	1499	3.8	19	1	1	3	4	7	9	20
GRAND TOTAL	**5635**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	629	4.1	2	2	2	4	5	6	7	9
20-34	2318	4.1	2	2	2	4	5	6	7	9
35-49	343	4.5	3	2	3	4	5	6	7	10
50-64	46	6.0	7	2	3	6	7	10	11	12
65+	24	7.3	10	4	4	6	8	12	15	17
2. MULTIPLE DX										
0-19 YRS	839	5.0	15	2	3	5	6	7	8	14
20-34	4943	4.8	6	2	3	4	6	7	8	13
35-49	1103	5.4	12	2	3	5	6	8	10	20
50-64	163	9.9	84	3	4	8	12	16	21	48
65+	219	12.8	107	4	5	9	15	25	32	68
TOT. SINGLE DX	3360	4.2	3	2	2	4	5	6	7	10
" MULTIPLE DX	7267	5.3	16	2	3	5	6	8	10	20
TOTAL 0-19 YRS	1468	4.6	10	2	3	4	5	7	8	11
20-34	7261	4.6	5	2	3	4	5	7	8	12
35-49	1446	5.2	10	2	3	5	6	8	10	17
50-64	209	9.0	70	3	4	7	11	15	19	45
65+	243	12.2	101	4	5	9	14	24	31	58
GRAND TOTAL	**10627**	**4.9**	**12**	**2**	**3**	**4**	**6**	**7**	**9**	**17**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	373	4.6	2	3	3	4	5	7	8	10
20-34	1908	4.5	2	2	3	4	5	6	7	11
35-49	870	4.8	3	3	3	4	5	7	8	13
50-64	145	5.7	7	3	3	5	6	9	12	15
65+	64	6.5	15	2	3	6	7	10	14	23
2. MULTIPLE DX										
0-19 YRS	524	5.5	10	3	3	5	6	8	10	19
20-34	5419	5.2	5	3	3	5	6	7	9	15
35-49	2999	5.6	8	3	3	5	6	8	11	18
50-64	447	8.6	39	3	4	6	10	16	20	35
65+	452	11.1	53	4	5	9	14	21	25	36
TOT. SINGLE DX	3360	4.7	4	3	3	4	5	7	8	12
" MULTIPLE DX	9841	5.8	13	3	3	5	6	9	12	21
TOTAL 0-19 YRS	897	5.1	7	3	3	5	6	8	9	16
20-34	7327	5.0	5	3	3	5	6	7	9	14
35-49	3869	5.4	8	3	3	5	6	8	10	17
50-64	592	7.9	33	3	4	6	9	14	18	32
65+	516	10.5	51	4	5	8	13	20	25	36
GRAND TOTAL	**13201**	**5.5**	**11**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.7	4	3	3	4	6	8	9	9
20-34	197	4.7	3	2	3	4	5	6	8	13
35-49	377	5.3	4	3	3	5	6	8	9	13
50-64	240	5.8	6	3	4	5	7	8	9	20
65+	108	7.1	38	4	4	6	8	9	14	38
2. MULTIPLE DX										
0-19 YRS	20	6.2	8	3	3	5	7	11	12	13
20-34	1311	5.3	7	3	3	5	6	8	9	16
35-49	2732	5.9	10	3	4	5	7	9	11	20
50-64	980	8.1	31	4	4	7	10	14	18	31
65+	843	10.7	61	4	5	8	12	19	24	50
TOT. SINGLE DX	931	5.5	9	3	3	5	6	8	9	15
" MULTIPLE DX	5886	6.9	24	3	4	6	7	11	15	26
TOTAL 0-19 YRS	29	5.7	7	3	3	5	7	10	12	13
20-34	1508	5.3	7	3	3	5	6	7	9	16
35-49	3109	5.9	10	3	3	5	6	8	11	18
50-64	1220	7.7	27	3	4	6	9	13	17	27
65+	951	10.3	60	4	5	8	12	19	24	50
GRAND TOTAL	**6817**	**6.7**	**22**	**3**	**4**	**5**	**7**	**11**	**15**	**25**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	159	2.8	2	<1	1	3	4	5	6	10
20-34	620	2.5	3	<1	<1	2	4	5	6	9
35-49	140	2.4	5	<1	<1	1	3	6	7	12
50-64	5	3.4	5	1	1	4	5	6	6	6
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	192	4.1	10	1	1	4	5	7	10	21
20-34	1974	3.8	6	<1	1	4	5	6	7	12
35-49	480	3.9	14	<1	<1	4	5	7	9	18
50-64	32	7.9	215	<1	1	5	7	11	20	85
65+	17	7.9	22	2	3	8	9	15	18	20
TOT. SINGLE DX	928	2.5	4	<1	<1	2	4	5	6	9
" MULTIPLE DX	2695	4.0	11	<1	1	4	5	6	8	15
TOTAL 0-19 YRS	351	3.5	7	1	1	3	4	6	8	20
20-34	2594	3.5	6	<1	1	3	5	6	7	11
35-49	620	3.6	13	<1	<1	3	5	7	8	17
50-64	37	7.3	188	<1	1	4	7	9	19	85
65+	21	7.0	23	2	2	7	9	14	17	20
GRAND TOTAL	**3623**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**6**	**7**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.5		<1	<1	1	2	3	3	3
20-34	1198	1.2		<1	<1	<1	1	2	2	5
35-49	643	1.1		<1	<1	<1	<1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
20-34	1421	1.8	5	<1	<1	1	2	3	4	11
35-49	770	1.6	5	<1	<1	1	1	3	4	9
50-64	3	6.7	30	3	3	4	11	13	13	13
65+										
TOT. SINGLE DX	1851	1.2		<1	<1	<1	1	1	2	4
" MULTIPLE DX	2200	1.8	5	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	16	1.7	1	<1	<1	1	2	3	4	5
20-34	2619	1.5	3	<1	<1	<1	1	3	4	7
35-49	1413	1.4	3	<1	<1	<1	1	2	3	6
50-64	3	6.7	30	3	3	4	11	13	13	13
65+										
GRAND TOTAL	**4051**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	2.5	3	<1	<1	2	3	6	6	6
20-34	2191	1.8	1	<1	<1	1	2	3	4	5
35-49	855	1.9	9	<1	<1	1	2	3	4	6
50-64	5	2.2	1	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	65	3.4	4	1	1	3	4	5	8	12
20-34	7985	2.9	3	1	1	3	3	4	5	8
35-49	1975	2.9	4	1	1	3	4	5	5	9
50-64	17	7.4	23	1	2	6	10	16	18	18
65+										
TOT. SINGLE DX	3061	1.9	4	<1	<1	1	2	3	4	6
" MULTIPLE DX	10042	2.9	4	1	1	3	4	4	5	8
TOTAL 0-19 YRS	75	3.3	5	1	1	3	4	5	7	12
20-34	10176	2.7	3	1	1	3	3	4	5	7
35-49	2830	2.6	6	<1	1	2	3	4	5	9
50-64	22	6.2	24	<1	1	5	8	14	17	18
65+										
GRAND TOTAL	**13103**	**2.7**	**4**	**<1**	**1**	**3**	**3**	**4**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	3.9	1	2	3	4	5	5	6	8
20-34	5484	3.9	1	2	2	4	5	5	6	8
35-49	847	4.0	2	2	2	4	5	6	6	8
50-64	10	4.3	14	<1	<1	3	5	10	14	14
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	477	4.9	7	2	3	4	5	7	9	16
20-34	7607	4.3	2	2	3	4	5	6	7	10
35-49	1539	4.5	5	2	3	4	5	6	8	12
50-64	26	8.8	45	2	3	7	10	18	25	30
65+	20	13.9	94	2	4	12	20	28	35	38
TOT. SINGLE DX	6728	3.9	2	2	2	4	5	5	6	8
" MULTIPLE DX	9669	4.4	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	863	4.5	5	2	3	4	5	6	7	13
20-34	13091	4.1	2	2	3	4	5	6	6	9
35-49	2386	4.3	4	2	2	4	5	6	7	11
50-64	36	7.6	40	<1	3	6	10	14	22	30
65+	21	13.5	94	3	4	11	19	27	35	38
GRAND TOTAL	**16397**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.5	1	<1	<1	1	1	3	5	6
20-34	815	1.5		<1	<1	1	2	3	3	5
35-49	377	1.5	1	<1	<1	1	2	3	3	8
50-64	128	1.7	1	<1	<1	1	2	3	3	7
65+	53	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	17	1.9	4	<1	<1	1	2	3	8	10
20-34	690	1.8	2	<1	<1	1	2	4	5	8
35-49	422	2.3	8	<1	1	1	3	5	6	13
50-64	190	2.2	5	<1	1	2	2	4	6	14
65+	143	3.0	12	<1	1	2	3	6	11	19
TOT. SINGLE DX	1405	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	1462	2.1	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	49	1.7	3	<1	<1	1	2	3	5	10
20-34	1505	1.6	2	<1	<1	1	2	3	4	7
35-49	799	1.9	5	<1	<1	1	2	4	5	9
50-64	318	2.0	4	<1	<1	1	2	3	5	11
65+	196	2.6	10	<1	1	2	3	5	9	18
GRAND TOTAL	**2867**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.3	1	<1	<1	<1	1	2	2	9
20-34	354	1.5	1	<1	<1	1	2	3	4	6
35-49	225	1.8	3	<1	<1	1	2	3	4	10
50-64	130	2.7	7	<1	<1	2	3	6	8	15
65+	101	3.9	5	<1	1	4	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	43	4.5	95	<1	1	2	4	8	14	62
20-34	564	2.6	14	<1	<1	1	3	5	8	21
35-49	792	2.8	11	<1	<1	2	3	6	9	18
50-64	528	4.2	36	<1	<1	2	5	9	13	30
65+	597	6.3	43	1	1	4	8	14	20	36
TOT. SINGLE DX	846	2.0	4	<1	<1	1	2	4	6	9
" MULTIPLE DX	2524	3.9	29	<1	<1	2	4	9	13	25
TOTAL 0-19 YRS	79	3.1	55	<1	<1	1	2	7	9	51
20-34	918	2.2	10	<1	<1	1	2	4	6	15
35-49	1017	2.6	10	<1	<1	1	2	6	8	18
50-64	658	3.9	31	<1	<1	2	4	9	12	27
65+	698	5.9	39	1	1	4	8	12	17	35
GRAND TOTAL	**3370**	**3.4**	**23**	**<1**	**<1**	**2**	**4**	**8**	**11**	**24**

1492 Hospitals, United States, January-December 1986, by Operation

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	2.7	3	<1	1	2	3	5	7	11
20-34	1846	2.0	3	1	1	2	3	4	4	7
35-49	264	2.0	3	1	1	2	2	3	4	7
50-64	4	2.5	5	<1	<1	1	4	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	34	5.1	99	1	1	3	4	7	10	60
20-34	716	3.4	27	1	1	2	4	6	8	18
35-49	129	3.5	37	1	1	2	4	7	10	34
50-64	5	2.2	2	1	1	2	3	5	5	5
65+	3	6.7	54	1	1	4	12	15	15	15
TOT. SINGLE DX	2213	2.1	3	1	1	2	3	4	5	8
" MULTIPLE DX	887	3.5	32	1	1	2	4	6	9	19
TOTAL 0-19 YRS	133	5.3	29	1	1	2	3	6	7	20
20-34	2562	2.4	10	1	1	2	3	4	6	12
35-49	393	2.5	15	1	1	2	3	4	6	14
50-64	9	2.3	4	<1	<1	2	3	6	6	6
65+	3	6.7	54	1	1	4	12	15	15	15
GRAND TOTAL	**3100**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.1	2	<1	1	4	5	6	6	6
20-34	617	4.6	4	1	2	5	5	6	7	9
35-49	266	4.0	3	1	1	4	5	6	7	9
50-64	25	2.5	7	<1	<1	2	3	5	8	14
65+	12	3.8	12	<1	<1	3	4	9	12	13
2. MULTIPLE DX										
0-19 YRS	40	4.6	8	<1	1	4	6	8	10	16
20-34	1655	4.7	5	1	2	5	6	7	8	12
35-49	901	4.9	11	<1	1	5	6	8	10	16
50-64	146	4.8	30	<1	<1	2	7	12	14	27
65+	177	7.7	73	1	1	5	11	18	22	66
TOT. SINGLE DX	940	4.3	5	1	1	4	5	6	7	9
" MULTIPLE DX	2919	4.9	13	1	1	5	6	8	10	19
TOTAL 0-19 YRS	60	4.4	7	<1	1	4	6	7	9	15
20-34	2272	4.7	5	1	2	5	6	7	8	12
35-49	1167	4.7	10	1	1	5	6	7	9	15
50-64	171	4.4	28	<1	<1	2	6	11	14	27
65+	189	7.4	70	1	1	5	11	17	22	60
GRAND TOTAL	**3859**	**4.8**	**11**	**1**	**1**	**5**	**6**	**7**	**9**	**17**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	5.2	2	3	4	5	6	8	9	9
20-34	2486	5.3	2	3	4	5	6	7	8	11
35-49	4597	5.4	3	3	4	5	6	7	8	10
50-64	1513	5.9	3	4	4	6	7	8	9	13
65+	777	6.7	6	4	4	6	8	9	11	16
2. MULTIPLE DX										
0-19 YRS	145	6.2	9	3	4	5	7	10	14	17
20-34	19757	5.6	4	3	4	5	6	7	9	13
35-49	51236	5.8	4	4	4	5	6	8	9	14
50-64	12222	6.7	12	4	4	6	7	9	12	21
65+	6226	8.7	33	4	5	7	9	14	19	32
TOT. SINGLE DX	9396	5.6	4	4	4	5	6	7	8	12
" MULTIPLE DX	89586	6.1	9	4	4	6	7	8	10	17
TOTAL 0-19 YRS	168	6.1	8	3	4	5	7	10	13	17
20-34	22243	5.6	4	3	4	5	6	7	9	13
35-49	55833	5.8	5	4	4	5	6	8	9	14
50-64	13735	6.6	12	4	4	6	7	9	12	20
65+	7003	8.5	31	4	5	7	9	14	18	31
GRAND TOTAL	**98982**	**6.0**	**8**	**4**	**4**	**6**	**7**	**8**	**10**	**17**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	4.0	4	1	1	4	5	6	7	7
20-34	1539	4.3	1	3	3	4	5	6	7	8
35-49	1741	4.5	2	3	3	4	5	6	7	9
50-64	870	5.7	4	3	4	6	7	8	9	12
65+	787	6.2	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	30	4.5	4	1	1	5	6	7	8	8
20-34	7047	4.7	2	3	3	4	5	7	7	10
35-49	13706	4.9	3	3	3	5	6	7	8	11
50-64	4159	6.0	5	3	4	6	7	8	10	14
65+	3854	7.0	10	4	4	6	8	10	12	18
TOT. SINGLE DX	4947	4.9	3	3	3	5	6	7	8	10
" MULTIPLE DX	28796	5.3	5	3	3	5	6	8	9	13
TOTAL 0-19 YRS	40	4.4	5	1	1	5	6	7	8	8
20-34	8586	4.6	3	3	3	4	5	6	7	10
35-49	15447	4.8	3	3	3	5	6	7	8	11
50-64	5029	5.9	5	3	4	6	7	8	10	14
65+	4641	6.9	10	4	4	6	8	10	12	17
GRAND TOTAL	**33743**	**5.2**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	60	8.3	5	4	5	8	10	12	12	15
35-49	79	10.1	76	5	6	9	11	13	14	65
50-64	29	10.0	24	5	6	9	11	15	19	30
65+	20	11.7	34	4	5	10	15	21	23	25
2. MULTIPLE DX										
0-19 YRS	4	10.0	12	7	7	10	13	13	13	13
20-34	112	11.1	25	5	6	10	13	17	21	30
35-49	194	11.5	34	5	6	10	13	21	25	34
50-64	147	15.8	104	7	8	13	19	30	36	63
65+	142	18.3	188	7	8	14	20	34	47	83
TOT. SINGLE DX	189	9.6	42	5	6	9	11	13	15	28
" MULTIPLE DX	599	14.1	95	6	7	11	16	25	33	57
TOTAL 0-19 YRS	5	9.4	11	7	7	7	13	13	13	13
20-34	172	10.1	20	5	6	9	12	15	18	29
35-49	273	11.1	47	5	6	10	12	18	24	35
50-64	176	14.9	96	6	7	12	18	28	34	58
65+	162	17.4	174	6	7	14	20	33	45	79
GRAND TOTAL	**788**	**13.0**	**86**	**6**	**6**	**10**	**15**	**22**	**31**	**55**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	1.5	1	<1	<1	1	1	3	4	6
20-34	595	1.4	1	<1	<1	1	1	2	3	6
35-49	110	1.3		<1	<1	1	1	2	3	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	73	3.9	63	<1	1	2	3	6	7	45
20-34	439	3.5	23	<1	<1	2	4	8	12	28
35-49	90	2.6	16	<1	<1	1	2	4	7	28
50-64										
65+										
TOT. SINGLE DX	820	1.4	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	602	3.4	28	<1	<1	2	3	7	11	29
TOTAL 0-19 YRS	188	2.4	27	<1	<1	1	2	4	6	40
20-34	1034	2.3	12	<1	<1	1	2	4	7	23
35-49	200	1.8	8	<1	<1	1	2	3	5	17
50-64										
65+										
GRAND TOTAL	**1422**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**6**	**24**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3545	1.4	2	<1	<1	1	1	2	3	6
20-34	20603	1.3	1	<1	<1	1	1	2	3	5
35-49	5127	1.3		<1	<1	1	1	2	2	5
50-64	857	1.4		<1	<1	<1	2	2	3	6
65+	394	1.9	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	1400	2.6	6	<1	1	2	3	5	7	12
20-34	10084	2.5	8	<1	<1	2	3	5	7	13
35-49	7324	2.5	15	<1	<1	1	2	5	7	17
50-64	2478	3.2	29	<1	<1	1	3	7	12	29
65+	2167	4.8	57	<1	1	2	5	12	17	45
TOT. SINGLE DX	30526	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	23453	2.8	18	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	4945	1.7	4	<1	<1	1	2	3	4	8
20-34	30687	1.7	4	<1	<1	1	2	3	5	9
35-49	12451	2.0	10	<1	<1	1	2	4	6	13
50-64	3335	2.8	23	<1	<1	1	2	6	10	23
65+	2561	4.4	50	<1	<1	2	4	10	16	39
GRAND TOTAL	**53979**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	173	1.3	2	<1	<1	<1	1	2	3	6
20-34	926	1.1		<1	<1	<1	1	1	2	4
35-49	178	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	685	1.7	27	<1	<1	<1	<1	1	4	12
20-34	2016	1.8	11	<1	<1	<1	<1	2	5	16
35-49	321	1.6	5	<1	<1	<1	2	3	4	9
50-64										
65+										
TOT. SINGLE DX	1277	1.2	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	3022	1.7	14	<1	<1	<1	<1	2	5	15
TOTAL 0-19 YRS	858	1.7	22	<1	<1	<1	<1	2	3	11
20-34	2942	1.6	8	<1	<1	<1	1	2	4	14
35-49	499	1.4	4	<1	<1	<1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**4299**	**1.6**	**10**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**12**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	661	1.3		<1	<1	1	1	2	3	5
20-34	4075	1.2		<1	<1	1	1	2	2	4
35-49	674	1.1		<1	<1	1	1	1	2	4
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	203	2.4	5	<1	<1	1	3	5	7	12
20-34	1190	2.1	4	<1	<1	1	2	4	6	11
35-49	318	2.0	5	<1	<1	1	2	4	6	13
50-64	15	10.3	43	<1	1	9	17	19	20	20
65+	29	7.2	41	<1	1	6	9	14	22	30
TOT. SINGLE DX	5418	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	1755	2.3	6	<1	<1	1	3	5	7	14
TOTAL 0-19 YRS	864	1.6	2	<1	<1	1	2	3	4	7
20-34	5265	1.4	1	<1	<1	1	1	2	3	7
35-49	992	1.4	2	<1	<1	1	1	2	3	7
50-64	20	8.0	49	<1	<1	7	15	18	19	20
65+	32	6.6	40	<1	1	5	8	13	21	30
GRAND TOTAL	**7173**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	76	3.6	1	1	2	4	5	5	6	7
35-49	18	4.1	3	1	1	4	5	6	8	9
50-64	14	5.0	2	2	3	5	6	7	7	7
65+	6	4.5		4	4	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	16	4.9	7	2	2	4	6	9	12	13
20-34	397	4.3	2	1	3	4	5	6	7	10
35-49	73	4.6	2	2	3	5	6	7	7	9
50-64	19	5.6	8	1	2	6	8	9	11	12
65+	31	8.1	37	3	4	7	9	16	17	34
TOT. SINGLE DX	117	4.0	2	1	2	4	5	6	6	8
" MULTIPLE DX	536	4.6	6	1	3	4	5	7	8	13
TOTAL 0-19 YRS	19	5.1	7	2	2	4	6	8	11	13
20-34	473	4.2	3	1	2	4	5	6	7	10
35-49	91	4.5	3	1	3	4	6	7	7	9
50-64	33	5.3	6	2	2	6	7	8	9	12
65+	37	7.5	33	3	4	6	8	15	17	34
GRAND TOTAL	**653**	**4.5**	**5**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	2.4	2	1	1	2	3	5	5	6
20-34	325	2.5	3	<1	<1	2	4	5	6	9
35-49	84	3.1	8	<1	1	2	4	6	8	18
50-64	34	2.8	1	<1	1	3	4	5	5	5
65+	27	3.4	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	65	3.5	4	1	1	3	4	6	7	11
20-34	674	3.5	9	<1	1	3	4	6	7	16
35-49	260	3.5	9	<1	<1	3	5	6	7	14
50-64	120	3.7	6	1	1	3	5	7	9	12
65+	146	4.3	10	1	2	3	4	8	12	15
TOT. SINGLE DX	536	2.7	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	1265	3.6	9	<1	1	3	4	6	8	15
TOTAL 0-19 YRS	131	3.0	4	1	1	3	4	5	6	9
20-34	999	3.2	8	<1	<1	3	4	6	7	14
35-49	344	3.4	9	<1	<1	3	4	6	8	14
50-64	154	3.5	5	1	1	3	4	7	9	12
65+	173	4.1	9	1	2	3	4	8	12	15
GRAND TOTAL	**1801**	**3.3**	**8**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	136	4.1	7	1	1	4	5	7	9	14
35-49	569	4.6	4	2	2	4	6	7	8	10
50-64	1109	4.9	3	2	3	5	6	7	8	11
65+	927	5.2	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	7	4.6	3	1	2	5	6	6	6	6
20-34	358	5.0	17	2	2	4	6	8	9	16
35-49	1465	5.5	6	2	3	5	7	8	10	14
50-64	2380	5.7	6	3	3	5	7	8	10	13
65+	2563	6.2	11	3	3	6	7	9	11	18
TOT. SINGLE DX	2743	4.9	4	2	2	5	6	7	8	11
" MULTIPLE DX	6773	5.8	9	3	3	5	7	9	10	15
TOTAL 0-19 YRS	9	3.9	4	1	1	5	5	6	6	6
20-34	494	4.8	15	1	2	4	6	7	9	16
35-49	2034	5.3	6	2	3	5	6	8	9	13
50-64	3489	5.4	6	2	3	5	7	8	9	12
65+	3490	6.0	10	3	3	6	7	9	11	16
GRAND TOTAL	**9516**	**5.5**	**8**	**2**	**3**	**5**	**7**	**8**	**10**	**14**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	2.4	5	<1	<1	1	3	6	8	11
20-34	469	3.1	4	<1	1	3	4	6	7	11
35-49	151	3.1	5	1	1	3	4	6	8	11
50-64	89	4.5	7	1	1	4	6	8	9	15
65+	90	5.1	3	1	2	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	145	4.6	25	<1	1	3	7	10	15	26
20-34	273	4.2	13	1	1	3	5	9	12	18
35-49	200	4.9	16	1	1	4	6	9	10	21
50-64	217	5.9	14	1	2	5	7	10	13	19
65+	268	8.1	62	2	3	6	9	15	19	55
TOT. SINGLE DX	922	3.4	6	<1	1	3	5	7	8	11
" MULTIPLE DX	1103	5.7	30	1	1	5	7	10	14	25
TOTAL 0-19 YRS	268	3.6	18	<1	<1	2	5	9	11	23
20-34	742	3.5	8	1	1	3	4	7	9	13
35-49	351	4.1	12	1	1	3	5	8	10	15
50-64	306	5.5	13	1	1	5	7	9	12	17
65+	358	7.4	49	2	3	6	8	12	17	52
GRAND TOTAL	**2025**	**4.6**	**20**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	151	2.7	6	<1	<1	2	3	6	8	11
20-34	532	3.1	7	<1	<1	2	4	6	8	12
35-49	181	3.8	16	<1	<1	3	5	8	12	20
50-64	144	3.9	8	<1	1	3	5	7	9	14
65+	196	3.9	4	1	1	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	265	4.0	12	<1	1	3	6	9	11	16
20-34	929	4.2	19	<1	1	3	5	9	12	24
35-49	490	5.4	20	1	1	4	7	11	15	22
50-64	479	6.1	41	1	2	5	7	11	16	46
65+	986	7.2	60	1	2	5	8	14	21	47
TOT. SINGLE DX	1204	3.4	8	<1	<1	3	5	7	9	13
" MULTIPLE DX	3149	5.6	37	1	1	4	7	11	15	34
TOTAL 0-19 YRS	416	3.5	10	<1	<1	2	5	8	10	16
20-34	1461	3.8	15	<1	1	3	5	8	11	18
35-49	671	5.0	20	<1	1	4	7	10	14	22
50-64	623	5.6	34	1	2	4	6	10	14	39
65+	1182	6.7	53	1	2	5	7	13	19	45
GRAND TOTAL	**4353**	**5.0**	**30**	**<1**	**1**	**4**	**6**	**10**	**14**	**29**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	1.9	2	<1	<1	1	2	4	5	8
20-34	771	1.7	1	<1	<1	1	2	3	4	7
35-49	376	1.7	1	<1	<1	1	2	3	4	8
50-64	146	2.0	3	<1	<1	1	2	4	5	9
65+	86	2.6	5	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
0-19 YRS	178	3.6	18	1	1	3	4	7	9	18
20-34	566	3.2	14	<1	1	2	3	6	9	18
35-49	377	4.1	29	<1	1	2	4	9	15	27
50-64	276	6.6	82	1	1	4	7	15	25	53
65+	406	7.6	73	1	1	5	10	19	24	48
TOT. SINGLE DX	1592	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1803	4.9	45	<1	1	3	5	11	17	35
TOTAL 0-19 YRS	391	2.7	10	<1	<1	2	3	5	7	14
20-34	1337	2.3	8	<1	<1	2	3	4	6	15
35-49	753	2.9	17	<1	<1	2	3	6	10	21
50-64	422	5.0	60	<1	1	2	5	12	18	40
65+	492	6.7	65	<1	1	4	8	16	22	43
GRAND TOTAL	**3395**	**3.5**	**27**	**<1**	**<1**	**2**	**4**	**7**	**12**	**28**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	29	3.9	14	<1	<1	2	7	10	11	13
35-49	40	5.2	18	1	2	4	7	10	12	24
50-64	42	6.5	32	1	1	4	11	17	18	19
65+	80	7.2	50	1	2	6	9	12	16	47
2. MULTIPLE DX										
0-19 YRS	3	9.3	24	6	6	7	13	15	15	15
20-34	48	6.5	67	1	1	4	7	15	23	41
35-49	67	7.9	45	1	1	6	11	15	21	37
50-64	102	12.0	132	1	3	9	15	28	38	57
65+	271	12.4	92	3	4	10	16	25	30	53
TOT. SINGLE DX	196	6.0	35	<1	1	4	8	12	16	24
" MULTIPLE DX	491	11.1	95	1	2	8	15	22	32	47
TOTAL 0-19 YRS	8	4.1	26	<1	<1	1	6	13	15	15
20-34	77	5.5	48	<1	<1	3	7	12	17	40
35-49	107	6.9	37	1	1	5	10	13	21	31
50-64	144	10.4	109	1	2	7	14	21	34	45
65+	351	11.2	87	2	3	9	14	22	29	54
GRAND TOTAL	**687**	**9.7**	**83**	**1**	**2**	**7**	**12**	**21**	**28**	**44**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	104	1.6	1	<1	<1	1	2	3	4	7
20-34	129	2.4	2	<1	1	2	3	4	5	8
35-49	37	2.6	3	<1	1	2	3	6	8	8
50-64	19	2.3	7	<1	<1	1	2	5	9	12
65+	6	4.7	22	2	2	3	4	13	14	14
2. MULTIPLE DX										
0-19 YRS	68	2.6	6	<1	<1	2	3	5	6	16
20-34	137	3.2	5	1	1	3	4	6	8	15
35-49	38	5.4	83	1	1	3	5	10	19	54
50-64	17	4.7	16	<1	1	3	5	9	15	18
65+	42	6.3	24	1	2	5	9	12	14	26
TOT. SINGLE DX	295	2.2	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	302	3.9	20	1	1	3	5	7	11	21
TOTAL 0-19 YRS	172	2.0	3	<1	<1	1	3	4	5	8
20-34	266	2.8	4	<1	1	2	3	5	7	10
35-49	75	4.0	46	1	1	2	4	8	10	46
50-64	36	3.4	13	<1	<1	2	4	8	11	18
65+	48	6.1	24	1	2	5	9	12	14	26
GRAND TOTAL	**597**	**3.0**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.4	1	<1	<1	1	1	3	5	5
20-34	21	2.1	5	<1	<1	1	2	4	8	11
35-49	6	1.8	1	<1	<1	1	3	4	4	4
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	22	6.4	101	<1	<1	2	5	25	34	36
20-34	39	4.1	42	<1	<1	2	5	7	9	41
35-49	25	4.2	23	<1	<1	2	7	10	13	21
50-64	11	3.5	13	1	1	1	6	9	12	12
65+	26	8.1	103	<1	1	5	10	24	37	38
TOT. SINGLE DX	44	2.0	4	<1	<1	1	2	4	5	11
" MULTIPLE DX	123	5.3	60	<1	<1	2	6	11	23	39
TOTAL 0-19 YRS	35	4.5	69	<1	<1	1	4	8	29	36
20-34	60	3.4	30	<1	<1	2	4	6	9	38
35-49	31	3.8	20	<1	<1	1	6	9	11	21
50-64	13	3.8	11	1	1	3	6	8	11	12
65+	28	7.7	98	<1	1	4	9	21	37	38
GRAND TOTAL	**167**	**4.4**	**47**	**<1**	**<1**	**2**	**5**	**10**	**14**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3584	2.5		1	1	2	3	4	4	5
20-34	20366	2.7	1	1	2	3	3	4	4	5
35-49	1132	2.8	8	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4138	2.9	3	1	2	3	3	4	5	9
20-34	24968	2.9	2	1	2	3	3	4	5	7
35-49	1946	3.1	4	2	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	25082	2.6	2	1	2	3	3	4	4	5
" MULTIPLE DX	31052	3.0	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	7722	2.7	2	1	2	3	3	4	4	7
20-34	45334	2.8	2	1	2	3	3	4	4	6
35-49	3078	3.0	6	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**56134**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.2	1	1	1	2	3	3	4	4
20-34	330	2.5	1	1	1	2	3	4	4	5
35-49	34	2.3		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	126	2.8	19	1	1	2	3	4	6	31
20-34	911	2.9	6	1	1	3	3	4	5	10
35-49	114	3.1	8	1	1	3	3	5	7	17
50-64										
65+										
TOT. SINGLE DX	388	2.4	1	1	1	2	3	4	4	5
" MULTIPLE DX	1151	2.9	8	1	1	3	3	4	6	14
TOTAL 0-19 YRS	150	2.7	17	1	1	2	3	4	5	27
20-34	1241	2.7	5	1	1	3	3	4	5	9
35-49	148	2.9	7	1	1	3	3	5	6	16
50-64										
65+										
GRAND TOTAL	**1539**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1231	2.4	1	1	1	2	3	3	4	5
20-34	8466	2.5	1	1	1	2	3	3	4	5
35-49	627	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1965	2.7	2	1	1	3	3	4	5	7
20-34	13671	2.8	2	1	2	3	3	4	5	7
35-49	1264	3.0	11	1	2	3	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	10324	2.5	1	1	1	2	3	3	4	5
" MULTIPLE DX	16900	2.8	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	3196	2.6	2	1	1	2	3	4	4	7
20-34	22137	2.7	2	1	1	3	3	4	4	6
35-49	1891	2.9	8	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**27224**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34062	2.3	1	1	1	2	3	3	4	5
20-34	210771	2.3	1	1	1	2	3	3	4	5
35-49	13846	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13813	2.8	4	1	1	2	3	4	5	10
20-34	96984	2.8	3	1	1	3	3	4	5	8
35-49	9473	2.9	3	1	1	3	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	258679	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	120270	2.8	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	47875	2.4	2	1	1	2	3	4	4	7
20-34	307755	2.5	2	1	1	2	3	4	4	6
35-49	23319	2.6	2	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**378949**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4200	4.5	1	3	3	4	5	6	7	9
20-34	40312	4.5	2	3	3	4	5	6	6	8
35-49	3049	4.7	2	3	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11815	5.3	7	3	3	5	6	7	9	15
20-34	107313	5.1	8	3	3	5	5	7	8	15
35-49	12605	5.4	11	3	4	5	6	7	8	18
50-64										
65+										
TOT. SINGLE DX	47561	4.5	2	3	3	4	5	6	6	8
" MULTIPLE DX	131733	5.1	9	3	3	5	6	7	8	15
TOTAL 0-19 YRS	16015	5.1	6	3	3	5	6	7	8	14
20-34	147625	4.9	7	3	3	5	5	6	7	13
35-49	15654	5.2	10	3	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**179294**	**5.0**	**7**	**3**	**3**	**5**	**5**	**6**	**7**	**13**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	4.5	2	3	3	4	5	6	6	10
20-34	1494	4.6	8	3	3	4	5	6	6	9
35-49	96	5.0	2	3	3	5	6	7	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	449	5.4	8	3	3	5	6	8	10	16
20-34	3462	5.7	18	3	3	5	6	8	11	25
35-49	522	6.4	18	3	4	5	7	10	14	27
50-64										
65+										
TOT. SINGLE DX	1829	4.6	7	3	3	4	5	6	7	9
" MULTIPLE DX	4433	5.8	17	3	3	5	6	8	11	25
TOTAL 0-19 YRS	688	5.1	6	3	3	5	6	7	9	16
20-34	4956	5.4	16	3	3	5	6	7	9	22
35-49	618	6.1	16	3	4	5	6	9	12	27
50-64										
65+										
GRAND TOTAL	**6262**	**5.4**	**15**	**3**	**3**	**5**	**6**	**7**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	3.6	2	1	1	4	4	5	6	7
20-34	398	3.6	1	1	2	4	4	5	6	7
35-49	33	3.7	1	1	2	4	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	4.1	1	2	3	4	5	6	6	6
20-34	467	4.3	5	2	3	4	5	6	7	12
35-49	46	4.2	2	2	3	4	5	6	7	99+
50-64										
65+										
TOT. SINGLE DX	482	3.6	2	1	2	4	4	5	6	7
" MULTIPLE DX	540	4.3	5	2	3	4	5	6	7	12
TOTAL 0-19 YRS	78	3.8	2	1	2	4	5	6	6	7
20-34	865	4.0	4	2	2	4	5	6	7	10
35-49	79	3.9	2	2	2	4	5	6	7	72
50-64										
65+										
GRAND TOTAL	**1022**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	373	1.6	1	<1	1	1	2	2	3	4
20-34	586	1.6		1	1	2	2	2	3	4
35-49	55	1.6	1	1	1	1	2	2	2	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	54	2.8	19	<1	1	2	2	5	7	28
20-34	154	2.3	3	<1	1	2	3	4	6	11
35-49	44	1.9	3	<1	<1	1	2	3	4	13
50-64										
65+										
TOT. SINGLE DX	1014	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	252	2.3	7	<1	1	2	2	4	6	16
TOTAL 0-19 YRS	427	1.8	4	<1	1	1	2	2	3	7
20-34	740	1.8	1	<1	1	2	2	3	3	6
35-49	99	1.7	2	<1	1	1	2	3	4	11
50-64										
65+										
GRAND TOTAL	**1266**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	168	4.3	28	<1	1	3	5	9	15	27
20-34	851	4.0	25	<1	1	2	5	8	12	26
35-49	66	4.0	20	<1	<1	3	4	7	14	25
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	203	4.5	30	1	1	3	5	8	13	26
20-34	891	5.4	38	1	1	3	6	12	17	34
35-49	108	7.3	128	1	1	4	7	12	27	70
50-64										
65+										
TOT. SINGLE DX	1085	4.1	26	<1	1	3	5	8	13	26
" MULTIPLE DX	1202	5.5	46	1	1	3	6	12	16	36
TOTAL 0-19 YRS	371	4.4	29	1	1	3	5	8	14	27
20-34	1742	4.7	33	<1	1	3	5	10	16	33
35-49	174	6.1	90	<1	1	4	6	12	16	55
50-64										
65+										
GRAND TOTAL	**2287**	**4.8**	**37**	**<1**	**1**	**3**	**5**	**10**	**15**	**33**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2214	2.0	1	<1	<1	2	3	3	4	6
20-34	12640	2.1	1	<1	<1	2	3	3	4	6
35-49	878	2.1	1	<1	<1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1001	2.6	6	<1	1	2	3	4	6	9
20-34	6317	2.6	3	<1	1	2	3	4	5	9
35-49	560	2.9	9	1	1	2	3	5	6	13
50-64										
65+										
TOT. SINGLE DX	15732	2.1	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	7878	2.6	5	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	3215	2.2	3	<1	<1	2	3	3	4	7
20-34	18957	2.3	2	<1	<1	2	3	3	4	7
35-49	1438	2.4	4	<1	<1	2	3	4	5	8
50-64										
65+										
GRAND TOTAL	**23610**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4834	2.2		1	1	2	3	3	4	4
20-34	32590	2.2		1	1	2	3	3	4	4
35-49	2673	2.2		1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5427	2.7	3	1	1	2	3	4	5	8
20-34	38433	2.6	2	1	1	2	3	4	4	7
35-49	3822	2.7	3	1	1	2	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	40097	2.2	1	1	1	2	3	3	4	4
" MULTIPLE DX	47682	2.6	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	10261	2.5	2	1	1	2	3	4	4	7
20-34	71023	2.4	2	1	1	2	3	3	4	6
35-49	6495	2.5	2	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**87779**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.2	4	1	1	3	4	6	8	10
20-34	94	3.4	12	1	1	3	4	6	12	20
35-49	84	3.1	12	<1	1	2	4	7	9	20
50-64	83	4.6	21	1	1	3	6	12	15	22
65+	58	5.7	21	1	1	4	9	13	14	18
2. MULTIPLE DX										
0-19 YRS	93	4.7	66	1	1	3	4	8	14	50
20-34	127	5.1	47	1	1	3	5	10	16	40
35-49	109	5.6	40	1	1	3	7	12	17	36
50-64	186	9.4	106	1	1	5	14	23	32	51
65+	241	9.8	109	1	2	7	13	21	33	54
TOT. SINGLE DX	388	3.9	15	1	1	3	4	9	12	20
" MULTIPLE DX	756	7.7	88	1	1	4	10	17	26	54
TOTAL 0-19 YRS	162	4.0	40	1	1	3	4	7	10	16
20-34	221	4.4	33	1	1	3	4	8	13	29
35-49	193	4.5	30	1	1	3	5	11	14	32
50-64	269	8.0	85	1	1	4	11	20	25	39
65+	299	9.0	95	1	2	6	12	18	28	54
GRAND TOTAL	**1144**	**6.4**	**66**	**1**	**1**	**3**	**8**	**15**	**21**	**45**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1370	2.7	2	1	1	3	3	4	5	7
20-34	2584	2.6	1	1	1	3	3	4	5	7
35-49	1238	2.7	1	1	1	3	3	4	5	7
50-64	296	2.4	1	1	1	2	3	4	5	7
65+	66	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	1390	3.4	5	1	2	3	4	5	6	10
20-34	1891	3.3	6	1	2	3	4	5	6	10
35-49	1040	3.3	5	1	1	3	4	5	7	10
50-64	368	3.5	11	1	1	3	4	6	8	19
65+	118	7.3	114	1	1	3	5	21	28	58
TOT. SINGLE DX	5554	2.7	2	1	1	3	3	4	5	7
" MULTIPLE DX	4807	3.4	10	1	2	3	4	5	6	13
TOTAL 0-19 YRS	2760	3.1	4	1	1	3	4	5	5	8
20-34	4475	2.9	4	1	1	3	4	4	5	8
35-49	2278	3.0	4	1	1	3	4	5	6	9
50-64	664	3.0	8	1	1	2	3	5	7	14
65+	184	5.5	79	1	1	3	4	12	23	50
GRAND TOTAL	**10361**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**5**	**9**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	320	2.1	1	<1	1	2	3	4	5	7
20-34	556	2.4	4	1	1	2	3	4	5	10
35-49	110	2.6	6	1	1	2	3	4	6	15
50-64	20	2.3	2	1	1	2	3	4	6	7
65+	14	3.0	3	1	1	3	5	5	6	6
2. MULTIPLE DX										
0-19 YRS	563	3.7	17	1	1	2	4	6	10	25
20-34	897	4.2	24	1	1	3	5	8	12	26
35-49	270	5.3	24	1	1	4	7	11	16	33
50-64	75	6.4	107	1	1	4	7	10	16	70
65+	78	8.5	81	1	2	6	11	17	32	47
TOT. SINGLE DX	1020	2.3	4	1	1	2	3	4	5	9
" MULTIPLE DX	1883	4.5	29	1	1	3	5	9	14	31
TOTAL 0-19 YRS	883	3.1	13	1	1	2	4	6	8	20
20-34	1453	3.5	18	1	1	2	4	7	9	18
35-49	380	4.5	20	1	1	3	5	9	16	26
50-64	95	5.5	88	1	1	3	7	9	15	64
65+	92	7.6	73	1	2	5	10	15	30	45
GRAND TOTAL	**2903**	**3.7**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	387	2.3	2	1	1	2	3	4	5	8
20-34	1067	2.5	4	1	1	2	3	5	6	11
35-49	362	2.5	5	1	1	2	3	5	7	12
50-64	112	2.6	4	<1	1	2	3	5	6	13
65+	39	3.8	8	1	1	3	5	8	11	14
2. MULTIPLE DX										
0-19 YRS	817	5.5	43	1	1	4	6	11	16	36
20-34	1980	5.6	42	1	1	4	6	11	16	35
35-49	798	6.2	37	1	1	4	8	13	18	31
50-64	311	7.1	76	1	2	5	8	12	18	51
65+	231	8.8	73	1	2	7	12	17	21	44
TOT. SINGLE DX	1967	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	4137	6.0	47	1	1	4	7	12	17	35
TOTAL 0-19 YRS	1204	4.5	33	1	1	3	5	9	13	31
20-34	3047	4.5	31	1	1	3	5	9	13	31
35-49	1160	5.0	30	1	1	3	6	11	16	29
50-64	423	5.9	62	1	1	4	7	11	16	44
65+	270	8.1	67	1	2	6	11	16	19	39
GRAND TOTAL	**6104**	**4.9**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	2.6	1	1	1	2	3	4	5	7
20-34	70	3.0	6	1	1	2	4	6	7	13
35-49	86	2.6	3	1	1	2	3	5	7	9
50-64	83	2.5	2	<1	1	2	3	5	6	8
65+	39	2.0	1	<1	1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	117	3.0	3	1	1	3	4	5	6	11
20-34	136	5.4	54	1	1	3	6	12	17	48
35-49	111	4.5	18	1	1	3	5	9	13	23
50-64	127	6.1	97	1	1	3	6	13	22	61
65+	104	7.0	117	1	1	3	8	14	27	62
TOT. SINGLE DX	353	2.6	3	1	1	2	3	5	6	9
" MULTIPLE DX	595	5.2	59	1	1	3	5	10	16	44
TOTAL 0-19 YRS	192	2.8	3	1	1	2	4	5	6	10
20-34	206	4.6	39	1	1	3	5	9	13	35
35-49	197	3.6	13	1	1	2	4	8	9	22
50-64	210	4.6	63	1	1	2	4	8	14	49
65+	143	5.6	91	1	1	3	5	11	21	48
GRAND TOTAL	**948**	**4.2**	**40**	**1**	**1**	**3**	**4**	**8**	**12**	**34**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1003	4.5	22	1	1	3	5	8	12	27
20-34	644	3.7	29	<1	1	3	4	7	9	23
35-49	595	4.3	14	1	1	4	5	7	10	21
50-64	675	5.0	12	1	2	4	6	8	10	19
65+	178	6.1	41	1	2	5	7	11	13	38
2. MULTIPLE DX										
0-19 YRS	1351	6.2	50	1	2	4	7	12	18	39
20-34	804	6.1	76	1	1	4	6	13	20	47
35-49	791	5.7	65	1	1	4	6	11	16	49
50-64	1134	6.4	50	1	2	5	7	12	17	43
65+	606	9.2	110	1	2	6	11	18	31	61
TOT. SINGLE DX	3095	4.5	22	1	1	4	5	8	11	24
" MULTIPLE DX	4686	6.5	66	1	1	4	7	13	20	46
TOTAL 0-19 YRS	2354	5.5	39	1	1	4	6	10	16	35
20-34	1448	5.1	57	1	1	3	5	10	16	43
35-49	1386	5.1	44	1	1	4	6	9	14	40
50-64	1809	5.8	37	1	2	4	7	10	15	38
65+	784	8.5	96	1	2	5	10	16	25	60
GRAND TOTAL	**7781**	**5.7**	**49**	**1**	**1**	**4**	**6**	**11**	**16**	**42**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	465	2.2	3	<1	1	2	3	4	4	6
20-34	832	2.2	1	<1	1	2	3	4	4	6
35-49	1052	2.3	2	<1	1	2	3	4	5	7
50-64	1014	2.4	2	1	1	2	3	4	5	7
65+	361	2.7	2	<1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	646	2.3	1	1	1	2	3	4	5	6
20-34	1542	2.4	2	1	1	2	3	4	5	7
35-49	2498	2.7	4	1	1	2	3	5	5	8
50-64	3953	2.9	4	1	1	3	4	5	6	9
65+	2758	3.4	11	1	1	3	4	6	7	16
TOT. SINGLE DX	3724	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	11397	2.9	6	1	1	2	4	5	6	10
TOTAL 0-19 YRS	1111	2.2	2	1	1	2	3	4	4	6
20-34	2374	2.4	2	1	1	2	3	4	5	7
35-49	3550	2.6	4	1	1	2	3	4	5	8
50-64	4967	2.8	4	1	1	2	4	5	6	9
65+	3119	3.3	11	1	1	3	4	6	7	15
GRAND TOTAL	**15121**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2839	3.1	12	<1	1	2	4	6	8	16
20-34	3167	3.2	14	<1	1	2	4	6	9	20
35-49	2577	3.2	13	<1	1	2	4	6	8	17
50-64	1617	3.6	16	<1	1	2	4	7	10	21
65+	750	4.9	34	<1	1	3	6	10	15	28
2. MULTIPLE DX										
0-19 YRS	1768	7.5	128	1	1	3	8	18	29	57
20-34	3552	7.6	127	1	1	3	8	19	31	62
35-49	3564	6.6	92	1	1	3	7	16	25	53
50-64	3799	8.4	131	1	1	4	10	21	31	60
65+	3558	11.2	152	1	2	7	14	27	38	69
TOT. SINGLE DX	10950	3.3	16	<1	1	2	4	6	9	20
" MULTIPLE DX	16241	8.3	129	1	1	4	10	21	32	61
TOTAL 0-19 YRS	4607	4.8	62	1	1	2	5	10	17	44
20-34	6719	5.5	79	<1	1	3	5	12	21	50
35-49	6141	5.1	62	<1	1	3	5	11	18	46
50-64	5416	7.0	102	1	1	3	7	17	27	53
65+	4308	10.1	138	1	1	6	13	24	36	64
GRAND TOTAL	**27191**	**6.3**	**89**	**1**	**1**	**3**	**7**	**15**	**24**	**52**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1377	5.0	37	1	1	3	6	10	15	34
20-34	921	3.7	12	1	1	3	5	7	9	17
35-49	467	4.6	35	1	1	3	6	8	11	26
50-64	345	5.8	24	1	2	5	8	11	14	24
65+	458	8.9	28	2	3	8	11	15	17	21
2. MULTIPLE DX										
0-19 YRS	900	7.8	128	1	1	4	8	17	29	73
20-34	940	8.4	118	1	1	5	10	20	29	61
35-49	599	8.4	129	1	2	5	9	18	29	63
50-64	735	10.8	131	1	2	7	12	24	35	63
65+	2336	13.2	90	4	5	11	16	23	31	57
TOT. SINGLE DX	3568	5.2	31	1	1	4	7	10	14	27
" MULTIPLE DX	5510	10.7	117	1	2	8	13	22	31	61
TOTAL 0-19 YRS	2277	6.1	75	1	1	4	6	12	21	51
20-34	1861	6.1	71	1	1	4	7	13	21	48
35-49	1066	6.8	92	1	1	4	7	13	22	56
50-64	1080	9.2	103	1	2	6	11	19	30	52
65+	2794	12.5	83	3	5	11	15	21	29	55
GRAND TOTAL	**9078**	**8.5**	**90**	**1**	**1**	**6**	**11**	**18**	**25**	**52**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1694	2.0	6	<1	<1	1	2	4	5	12
20-34	2345	2.2	6	<1	<1	2	3	4	5	11
35-49	1281	2.5	8	<1	<1	2	3	5	6	13
50-64	928	2.8	17	<1	<1	2	3	5	7	17
65+	739	3.7	24	<1	1	2	4	8	11	24
2. MULTIPLE DX										
0-19 YRS	1145	4.2	54	<1	1	2	4	8	14	44
20-34	1370	5.2	60	1	1	3	5	11	18	43
35-49	956	5.7	69	1	1	3	6	13	22	46
50-64	1005	6.5	66	1	1	4	8	15	22	43
65+	1688	9.3	119	1	1	6	12	21	30	61
TOT. SINGLE DX	6987	2.5	10	<1	<1	2	3	5	6	15
" MULTIPLE DX	6164	6.5	82	1	1	3	7	15	23	49
TOTAL 0-19 YRS	2839	2.9	27	<1	<1	2	3	5	8	28
20-34	3715	3.3	29	<1	<1	2	3	6	10	29
35-49	2237	3.9	37	<1	<1	2	4	8	12	37
50-64	1933	4.7	46	<1	1	3	5	11	16	38
65+	2427	7.6	97	1	1	4	9	17	25	56
GRAND TOTAL	**13151**	**4.3**	**48**	**<1**	**1**	**2**	**4**	**9**	**15**	**38**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	310	13.0	133	2	2	9	20	27	34	55
20-34	131	9.2	27	4	4	8	11	15	19	30
35-49	77	8.6	17	3	4	8	11	14	16	22
50-64	159	8.6	17	3	4	8	10	14	16	25
65+	479	11.0	37	5	6	10	13	16	19	35
2. MULTIPLE DX										
0-19 YRS	378	15.9	105	4	6	13	20	29	38	50
20-34	331	15.1	127	5	6	12	17	27	40	68
35-49	148	18.6	272	5	6	12	23	43	54	92
50-64	340	13.6	120	4	5	11	15	23	35	70
65+	2663	14.4	91	6	7	12	17	24	31	68
TOT. SINGLE DX	1156	10.8	60	3	4	9	13	20	24	41
" MULTIPLE DX	3860	14.7	106	5	6	12	17	25	34	68
TOTAL 0-19 YRS	688	14.6	120	2	3	12	20	28	35	52
20-34	462	13.4	107	4	5	11	16	23	37	65
35-49	225	15.2	207	4	5	10	17	34	48	87
50-64	499	12.0	93	4	5	10	14	20	28	62
65+	3142	13.9	84	6	7	12	16	23	29	63
GRAND TOTAL	**5016**	**13.8**	**98**	**4**	**6**	**11**	**16**	**24**	**31**	**62**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	7.3	29	2	2	6	9	13	17	28
20-34	411	9.6	42	3	4	8	12	16	20	36
35-49	377	8.8	43	3	4	8	10	14	18	39
50-64	714	9.5	20	4	5	9	11	15	17	22
65+	3168	11.8	33	5	7	11	14	18	21	31
2. MULTIPLE DX										
0-19 YRS	788	14.3	125	3	5	11	17	28	38	70
20-34	1219	15.9	147	5	6	13	19	28	44	71
35-49	894	15.7	149	5	6	12	19	31	42	84
50-64	2253	15.1	116	6	7	12	17	26	37	71
65+	20515	15.6	101	6	8	13	18	26	35	80
TOT. SINGLE DX	5195	10.6	35	4	5	10	13	17	20	31
" MULTIPLE DX	25669	15.5	108	6	7	13	18	27	36	79
TOTAL 0-19 YRS	1313	11.5	99	2	3	9	14	23	30	59
20-34	1630	14.3	128	4	5	11	17	26	38	66
35-49	1271	13.6	128	4	5	10	16	27	39	77
50-64	2967	13.7	99	5	6	11	16	23	32	64
65+	23683	15.1	94	6	7	13	17	25	33	75
GRAND TOTAL	**30864**	**14.7**	**99**	**5**	**7**	**12**	**17**	**25**	**34**	**71**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	832	8.5	90	1	1	4	13	22	28	40
20-34	44	12.0	249	1	1	6	10	43	50	64
35-49	18	8.7	56	2	2	7	12	13	26	35
50-64	35	7.8	28	1	1	7	11	15	18	23
65+	107	8.3	81	1	1	6	11	16	21	54
2. MULTIPLE DX										
0-19 YRS	530	15.6	205	1	2	12	23	34	44	70
20-34	131	19.3	357	2	3	13	24	49	65	99
35-49	103	17.1	275	2	3	11	22	48	54	90
50-64	91	15.3	226	1	3	10	21	40	61	99+
65+	487	17.2	277	3	4	12	21	40	58	99
TOT. SINGLE DX	1036	8.6	94	1	1	5	12	22	28	45
" MULTIPLE DX	1342	16.7	254	2	3	12	22	40	51	92
TOTAL 0-19 YRS	1362	11.3	147	1	1	6	18	28	36	52
20-34	175	17.5	339	1	2	11	21	45	62	93
35-49	121	15.8	251	2	3	10	20	46	51	86
50-64	126	13.2	182	1	2	9	16	32	50	99+
65+	594	15.6	254	2	3	11	19	36	51	98
GRAND TOTAL	**2378**	**13.1**	**200**	**1**	**2**	**8**	**19**	**31**	**43**	**75**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1193	3.0	19	<1	1	2	3	6	13	21
20-34	701	3.1	12	<1	<1	2	4	6	9	15
35-49	518	3.1	9	<1	1	2	4	6	8	13
50-64	436	3.1	10	1	1	2	4	6	10	17
65+	389	3.0	9	1	1	2	4	7	9	17
2. MULTIPLE DX										
0-19 YRS	411	5.8	60	1	1	3	6	16	24	41
20-34	562	6.8	70	1	1	4	8	14	20	43
35-49	399	6.8	72	1	1	4	8	15	22	42
50-64	419	7.0	88	1	1	4	8	14	23	58
65+	664	7.9	94	1	2	5	9	17	24	56
TOT. SINGLE DX	3237	3.1	14	<1	1	2	4	6	10	19
" MULTIPLE DX	2455	7.0	79	1	1	4	8	15	22	51
TOTAL 0-19 YRS	1604	3.7	32	<1	1	2	3	9	16	29
20-34	1263	4.7	42	<1	1	3	5	10	14	36
35-49	917	4.7	40	<1	1	3	5	10	14	29
50-64	855	5.0	53	1	1	3	5	11	15	43
65+	1053	6.1	68	1	1	3	7	13	19	50
GRAND TOTAL	**5692**	**4.7**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**35**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5567	2.6	4	1	1	2	3	5	6	10
20-34	7622	3.3	6	1	1	3	4	6	8	12
35-49	4875	3.8	8	1	1	3	5	7	9	14
50-64	3550	4.6	10	1	2	4	6	8	10	15
65+	2109	5.4	15	1	2	4	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	2825	5.5	55	1	1	3	6	11	18	40
20-34	6027	6.6	60	1	1	4	8	14	21	41
35-49	4228	6.8	62	1	2	5	8	13	20	46
50-64	4282	7.7	66	1	2	5	9	15	21	48
65+	5224	9.4	73	2	3	7	11	18	25	49
TOT. SINGLE DX	23723	3.6	8	1	1	3	5	7	9	14
" MULTIPLE DX	22586	7.4	66	1	2	5	9	15	22	45
TOTAL 0-19 YRS	8392	3.5	23	1	1	2	4	6	9	25
20-34	13649	4.8	33	1	1	3	5	9	13	30
35-49	9103	5.2	36	1	1	4	6	10	14	31
50-64	7832	6.3	43	1	2	5	7	12	16	37
65+	7333	8.2	60	2	2	6	10	15	22	43
GRAND TOTAL	**46309**	**5.4**	**40**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8188	1.9	5	<1	1	1	2	3	5	14
20-34	1956	2.9	8	<1	1	2	4	6	8	14
35-49	1456	3.4	20	<1	1	2	4	6	8	18
50-64	1327	3.1	10	1	1	2	4	6	8	14
65+	1160	3.4	18	1	1	2	4	7	10	15
2. MULTIPLE DX										
0-19 YRS	2537	4.5	49	1	1	2	5	10	17	38
20-34	2077	6.5	81	1	1	4	7	14	23	54
35-49	1457	6.2	59	1	1	4	7	13	18	45
50-64	1657	6.9	76	1	1	4	8	14	22	51
65+	3729	7.7	83	1	1	5	9	16	24	54
TOT. SINGLE DX	14087	2.5	9	<1	1	1	3	5	7	14
" MULTIPLE DX	11457	6.5	73	1	1	4	7	14	21	49
TOTAL 0-19 YRS	10725	2.5	17	<1	1	1	2	5	8	21
20-34	4033	4.8	49	1	1	3	5	10	15	41
35-49	2913	4.8	42	1	1	3	5	10	14	31
50-64	2984	5.2	51	1	1	3	6	11	16	45
65+	4889	6.7	71	1	1	4	8	14	21	49
GRAND TOTAL	**25544**	**4.3**	**42**	**1**	**1**	**2**	**5**	**9**	**14**	**34**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	591	3.9	24	<1	1	2	4	11	15	24
20-34	480	2.1	4	<1	<1	1	2	4	6	12
35-49	210	2.4	7	<1	<1	1	3	5	7	14
50-64	243	3.3	18	<1	<1	2	4	8	11	16
65+	474	4.2	27	<1	1	2	6	9	13	23
2. MULTIPLE DX										
0-19 YRS	313	6.4	61	1	1	4	8	15	24	51
20-34	489	7.0	91	1	1	4	8	16	24	46
35-49	276	7.8	137	1	1	4	9	16	25	76
50-64	372	6.0	63	1	1	3	7	13	19	44
65+	1027	7.8	89	1	1	5	9	18	30	55
TOT. SINGLE DX	1998	3.3	19	<1	<1	2	4	8	12	21
" MULTIPLE DX	2477	7.2	88	1	1	4	9	16	25	55
TOTAL 0-19 YRS	904	4.7	38	<1	1	2	6	13	18	30
20-34	969	4.6	54	<1	<1	2	5	10	16	39
35-49	486	5.5	88	<1	1	2	6	13	18	61
50-64	615	4.9	47	<1	1	3	6	12	15	36
65+	1501	6.6	72	1	1	4	8	15	24	52
GRAND TOTAL	**4475**	**5.4**	**61**	**<1**	**1**	**3**	**6**	**13**	**19**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	409	3.2	15	<1	1	2	3	5	10	25
20-34	642	2.3	2	1	1	2	3	4	5	8
35-49	251	2.6	4	1	1	2	3	5	6	11
50-64	129	3.6	7	1	1	3	5	6	7	17
65+	73	6.3	22	1	2	5	9	14	16	20
2. MULTIPLE DX										
0-19 YRS	266	6.5	52	1	1	4	7	15	20	34
20-34	336	5.6	48	1	1	3	7	12	19	39
35-49	170	5.4	54	1	1	4	6	11	17	61
50-64	123	7.7	66	1	2	5	8	16	21	45
65+	190	13.3	196	2	3	10	16	27	42	92
TOT. SINGLE DX	1504	2.9	9	1	1	2	3	5	7	16
" MULTIPLE DX	1085	7.4	86	1	1	4	8	16	23	53
TOTAL 0-19 YRS	675	4.5	33	1	1	3	5	9	15	30
20-34	978	3.5	21	1	1	2	4	7	10	23
35-49	421	3.7	27	1	1	2	4	7	10	34
50-64	252	5.6	41	1	1	4	6	12	17	35
65+	263	11.3	158	1	2	8	14	21	36	86
GRAND TOTAL	**2589**	**4.8**	**46**	**1**	**1**	**3**	**5**	**11**	**16**	**36**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1245	3.2	12	<1	1	2	4	7	11	17
20-34	1178	3.1	11	<1	1	2	3	7	10	18
35-49	750	3.2	14	<1	<1	2	3	7	9	21
50-64	388	4.8	37	<1	1	3	5	12	16	30
65+	224	8.8	89	1	1	6	11	19	27	49
2. MULTIPLE DX										
0-19 YRS	1149	6.5	68	<1	1	3	8	16	23	42
20-34	1421	4.7	42	<1	1	3	5	11	17	37
35-49	1060	6.3	83	<1	1	3	7	15	25	51
50-64	950	8.9	125	1	1	4	11	23	34	58
65+	1216	16.2	242	1	2	12	21	39	52	78
TOT. SINGLE DX	3785	3.7	22	<1	1	2	4	8	12	23
" MULTIPLE DX	5796	8.4	128	1	1	4	10	22	32	58
TOTAL 0-19 YRS	2394	4.8	42	<1	1	2	5	12	17	31
20-34	2599	4.0	30	<1	1	2	4	9	13	32
35-49	1810	5.0	57	<1	1	3	5	11	18	45
50-64	1338	7.7	104	1	1	4	9	20	30	54
65+	1440	15.0	226	1	2	10	20	35	47	75
GRAND TOTAL	**9581**	**6.6**	**92**	**<1**	**1**	**3**	**7**	**16**	**25**	**52**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	340	5.9	15	2	3	5	7	11	14	19
20-34	9083	6.2	12	2	3	5	8	10	13	19
35-49	14118	6.4	14	2	3	6	8	11	14	21
50-64	5935	6.9	15	3	3	6	8	12	14	21
65+	1417	8.1	20	3	4	7	10	14	17	23
2. MULTIPLE DX										
0-19 YRS	144	10.0	72	3	3	7	13	21	30	43
20-34	3337	8.5	40	3	4	7	10	15	20	32
35-49	7743	8.5	34	3	4	7	10	15	19	32
50-64	6565	9.4	43	3	4	8	11	16	21	34
65+	3788	12.0	64	4	5	10	15	21	27	46
TOT. SINGLE DX	30893	6.5	14	2	3	6	8	11	14	21
" MULTIPLE DX	21577	9.4	45	3	4	8	11	17	21	35
TOTAL 0-19 YRS	484	7.1	35	2	3	5	8	14	19	34
20-34	12420	6.8	21	2	3	6	8	12	15	23
35-49	21861	7.2	23	2	3	6	9	12	16	25
50-64	12500	8.2	31	3	4	7	10	14	18	28
65+	5205	10.9	55	4	4	9	13	20	25	42
GRAND TOTAL	**52470**	**7.7**	**29**	**3**	**3**	**6**	**9**	**14**	**17**	**28**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	582	1.6	1	<1	<1	1	2	3	4	5
20-34	1545	1.8	2	<1	<1	1	2	4	4	7
35-49	1166	1.8	2	<1	<1	1	2	3	5	8
50-64	602	1.9	2	<1	<1	1	2	4	5	7
65+	241	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	956	2.3	3	<1	<1	2	3	4	5	9
20-34	2450	2.4	6	<1	<1	2	3	5	6	11
35-49	1847	2.4	7	<1	<1	1	3	5	7	14
50-64	2045	2.4	6	<1	<1	2	3	5	7	13
65+	1269	2.9	15	<1	1	2	3	6	9	17
TOT. SINGLE DX	4136	1.8	2	<1	<1	1	2	4	4	7
" MULTIPLE DX	8567	2.5	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	1538	2.1	3	<1	<1	1	3	4	5	8
20-34	3995	2.2	5	<1	<1	2	3	4	5	10
35-49	3013	2.2	5	<1	<1	1	2	4	6	12
50-64	2647	2.3	6	<1	<1	2	3	4	6	12
65+	1510	2.8	13	<1	<1	2	3	5	8	15
GRAND TOTAL	**12703**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1438	2.0	6	<1	<1	1	2	4	5	14
20-34	2362	2.0	5	<1	<1	1	2	4	5	11
35-49	1518	2.3	9	<1	<1	1	3	4	6	13
50-64	894	2.6	10	<1	<1	2	3	5	7	18
65+	355	3.4	19	<1	<1	2	4	8	11	26
2. MULTIPLE DX										
0-19 YRS	1223	3.2	24	<1	<1	1	3	7	13	27
20-34	2502	3.2	23	<1	<1	2	3	6	10	26
35-49	2126	3.7	38	<1	<1	2	4	8	13	29
50-64	1923	4.8	52	<1	1	2	5	11	18	43
65+	1508	8.4	129	<1	1	3	10	23	33	55
TOT. SINGLE DX	6567	2.2	8	<1	<1	1	2	4	6	14
" MULTIPLE DX	9282	4.5	54	<1	<1	2	4	10	18	42
TOTAL 0-19 YRS	2661	2.6	15	<1	<1	1	3	5	8	22
20-34	4864	2.6	16	<1	<1	1	3	5	8	20
35-49	3644	3.1	27	<1	<1	2	3	6	10	28
50-64	2817	4.1	40	<1	<1	2	4	9	15	37
65+	1863	7.5	113	<1	1	3	9	21	29	53
GRAND TOTAL	**15849**	**3.6**	**36**	**<1**	**<1**	**2**	**3**	**7**	**13**	**33**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	873	8.9	12	5	6	8	10	12	15	25
20-34	780	8.7	21	4	4	8	10	14	17	25
35-49	1022	7.6	17	3	3	7	9	13	15	22
50-64	436	7.9	23	3	3	7	10	14	17	24
65+	92	9.4	37	3	4	8	12	18	21	34
2. MULTIPLE DX										
0-19 YRS	1032	14.0	124	6	7	11	16	26	37	84
20-34	1046	13.4	115	5	5	10	16	26	39	99+
35-49	1408	11.1	63	4	5	9	13	19	26	45
50-64	1034	12.2	109	4	5	9	14	23	32	76
65+	462	15.3	151	4	6	12	18	28	41	74
TOT. SINGLE DX	3203	8.3	19	3	4	8	10	13	16	24
" MULTIPLE DX	4982	12.8	106	4	5	10	15	24	33	74
TOTAL 0-19 YRS	1905	11.7	80	5	6	9	12	20	27	62
20-34	1826	11.4	81	4	5	9	13	21	29	73
35-49	2430	9.7	47	3	4	8	11	17	22	36
50-64	1470	10.9	88	3	4	9	12	20	27	61
65+	554	14.3	138	4	5	11	17	26	38	68
GRAND TOTAL	**8185**	**11.1**	**77**	**4**	**5**	**9**	**12**	**20**	**27**	**58**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	3.2	7	1	1	3	4	6	7	10
20-34	636	3.3	5	1	1	3	4	6	8	12
35-49	615	3.7	10	1	1	3	5	7	8	11
50-64	658	3.5	8	<1	1	3	4	7	8	15
65+	273	3.6	9	<1	<1	3	5	8	10	13
2. MULTIPLE DX										
0-19 YRS	367	4.5	13	1	1	4	5	8	10	21
20-34	751	4.6	21	1	1	3	6	8	11	23
35-49	749	4.6	18	1	1	4	5	9	11	24
50-64	988	4.8	25	1	1	4	6	8	12	29
65+	692	5.9	47	1	1	4	7	13	17	36
TOT. SINGLE DX	2413	3.5	8	<1	1	3	4	7	8	13
" MULTIPLE DX	3547	4.9	26	1	1	4	6	9	13	26
TOTAL 0-19 YRS	598	4.0	11	1	1	3	5	7	9	20
20-34	1387	4.0	14	1	1	3	5	7	9	17
35-49	1364	4.2	15	1	1	3	5	8	10	19
50-64	1646	4.3	19	1	1	3	5	8	10	20
65+	965	5.3	38	<1	1	4	7	11	16	30
GRAND TOTAL	**5960**	**4.3**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	9.2	18	4	6	9	10	11	17	26
20-34	247	9.4	9	5	6	9	11	14	15	18
35-49	581	9.5	10	5	6	9	11	13	15	20
50-64	2165	10.3	14	6	7	10	12	14	16	22
65+	3725	11.3	17	6	7	11	13	16	17	24
2. MULTIPLE DX										
0-19 YRS	28	13.4	227	5	6	9	15	18	27	87
20-34	413	11.8	69	6	6	10	13	18	24	47
35-49	1069	12.1	51	6	7	10	13	18	26	43
50-64	4107	12.6	52	7	7	11	14	19	25	48
65+	12979	14.3	66	7	8	12	16	22	28	53
TOT. SINGLE DX	6740	10.7	16	6	7	10	12	15	17	23
" MULTIPLE DX	18596	13.8	64	7	8	12	15	21	27	52
TOTAL 0-19 YRS	50	11.6	138	5	6	9	13	17	20	87
20-34	660	10.9	48	5	6	10	12	16	20	38
35-49	1650	11.1	38	6	6	10	12	16	21	37
50-64	6272	11.8	41	6	7	10	13	17	22	40
65+	16704	13.6	57	7	8	12	15	20	26	49
GRAND TOTAL	**25336**	**12.9**	**53**	**7**	**7**	**11**	**15**	**19**	**25**	**47**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	6.7	18	2	2	6	9	15	16	17
20-34	45	8.0	55	2	2	8	9	12	13	52
35-49	92	9.2	21	4	5	8	11	14	17	32
50-64	349	10.3	27	6	6	10	12	15	17	23
65+	1929	11.9	23	6	7	11	14	17	20	28
2. MULTIPLE DX										
0-19 YRS	41	11.8	80	3	3	9	14	26	31	44
20-34	90	12.2	78	3	5	10	14	19	30	51
35-49	185	14.6	120	4	6	11	16	30	37	54
50-64	1081	14.5	84	6	7	12	16	25	31	86
65+	11680	15.5	90	7	8	13	18	25	34	67
TOT. SINGLE DX	2462	11.4	25	5	7	11	14	17	19	28
" MULTIPLE DX	13077	15.4	91	7	8	13	17	25	34	67
TOTAL 0-19 YRS	88	9.1	53	2	3	7	11	16	24	39
20-34	135	10.8	74	2	3	9	12	16	27	53
35-49	277	12.8	94	4	5	10	14	25	34	52
50-64	1430	13.5	74	6	7	11	15	22	29	74
65+	13609	15.0	83	7	8	13	17	24	32	63
GRAND TOTAL	**15539**	**14.7**	**82**	**6**	**8**	**13**	**17**	**24**	**32**	**63**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1587	3.1	2	1	1	3	4	5	6	8
20-34	2499	3.5	5	1	1	3	4	6	7	10
35-49	941	5.0	15	1	1	4	7	10	12	19
50-64	1949	9.7	16	3	5	9	12	15	17	22
65+	3985	10.8	14	6	7	10	13	16	17	23
2. MULTIPLE DX										
0-19 YRS	1689	3.8	8	1	1	3	5	6	7	13
20-34	3425	4.2	13	1	2	4	5	7	9	18
35-49	1725	5.7	27	1	1	4	7	12	15	25
50-64	3619	11.0	39	2	4	10	13	17	20	35
65+	10937	12.9	42	6	8	12	15	19	23	40
TOT. SINGLE DX	10961	7.3	23	1	2	7	11	14	16	20
" MULTIPLE DX	21395	9.9	48	2	3	10	13	17	20	34
TOTAL 0-19 YRS	3276	3.5	6	1	1	3	4	6	7	11
20-34	5924	3.9	10	1	1	3	5	6	8	14
35-49	2666	5.4	24	1	1	4	7	11	14	24
50-64	5568	10.6	32	2	5	10	13	16	19	30
65+	14922	12.4	36	6	7	11	15	18	21	35
GRAND TOTAL	**32356**	**9.0**	**41**	**2**	**2**	**9**	**12**	**16**	**19**	**29**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1637	2.2	1	1	1	2	3	4	4	6
20-34	3752	2.4	2	1	1	2	3	4	5	7
35-49	2057	2.5	2	1	1	2	3	4	5	8
50-64	1682	2.9	5	1	1	2	4	5	7	12
65+	784	3.8	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	519	2.9	5	1	1	2	4	5	7	13
20-34	1605	3.0	9	1	1	2	4	5	7	13
35-49	1760	3.2	8	1	1	2	4	6	8	14
50-64	2460	3.7	16	1	1	3	4	6	9	18
65+	1899	5.3	29	1	1	4	6	10	13	25
TOT. SINGLE DX	9912	2.6	3	1	1	2	3	4	6	10
" MULTIPLE DX	8243	3.8	17	1	1	3	4	7	10	19
TOTAL 0-19 YRS	2156	2.4	3	1	1	2	3	4	5	8
20-34	5357	2.6	4	1	1	2	3	4	5	9
35-49	3817	2.8	6	1	1	2	3	5	6	11
50-64	4142	3.4	12	1	1	3	4	6	8	14
65+	2683	4.8	24	1	1	4	6	10	12	23
GRAND TOTAL	**18155**	**3.1**	**10**	**1**	**1**	**2**	**4**	**5**	**8**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	741	3.1	14	<1	<1	2	3	6	10	16
20-34	727	2.9	7	<1	<1	2	4	6	8	14
35-49	607	3.0	16	<1	<1	2	4	6	9	18
50-64	401	2.5	8	<1	<1	1	3	6	8	13
65+	152	4.0	43	<1	<1	1	5	8	11	35
2. MULTIPLE DX										
0-19 YRS	1182	5.7	56	1	1	4	6	11	18	46
20-34	828	6.4	60	1	1	4	8	13	20	42
35-49	764	6.4	59	1	1	4	8	14	21	40
50-64	605	7.7	96	<1	1	5	9	17	27	60
65+	616	9.9	113	1	1	7	13	22	31	54
TOT. SINGLE DX	2628	3.0	14	<1	<1	2	4	6	9	17
" MULTIPLE DX	3995	6.9	75	1	1	4	8	15	23	47
TOTAL 0-19 YRS	1923	4.7	42	<1	1	3	5	10	14	37
20-34	1555	4.8	39	<1	1	3	6	10	14	34
35-49	1371	4.9	44	<1	<1	3	5	11	16	33
50-64	1006	5.6	67	<1	<1	3	7	13	19	48
65+	768	8.7	105	<1	<1	6	11	21	29	54
GRAND TOTAL	**6623**	**5.4**	**54**	**<1**	**1**	**3**	**6**	**12**	**18**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	600	2.0	4	<1	<1	1	2	4	6	12
20-34	830	1.9	8	<1	<1	1	2	3	5	9
35-49	722	2.1	4	<1	<1	1	2	4	6	13
50-64	582	2.4	8	<1	<1	2	3	5	7	19
65+	323	3.3	26	<1	<1	2	4	7	9	23
2. MULTIPLE DX										
0-19 YRS	265	5.8	124	<1	<1	2	5	12	20	73
20-34	417	6.3	117	<1	<1	3	6	15	24	69
35-49	594	5.6	59	<1	<1	3	7	14	22	49
50-64	852	7.1	82	<1	1	4	9	17	23	46
65+	1060	9.3	107	1	1	6	13	22	28	63
TOT. SINGLE DX	3057	2.2	9	<1	<1	1	2	4	7	14
" MULTIPLE DX	3188	7.3	96	<1	1	4	9	18	25	55
TOTAL 0-19 YRS	865	3.2	44	<1	<1	1	3	6	10	26
20-34	1247	3.4	50	<1	<1	1	3	7	12	33
35-49	1316	3.7	33	<1	<1	2	4	8	14	33
50-64	1434	5.2	57	<1	<1	2	6	13	19	37
65+	1383	7.9	95	<1	1	4	10	19	25	54
GRAND TOTAL	**6245**	**4.8**	**60**	**<1**	**<1**	**2**	**5**	**12**	**18**	**44**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.5	8	<1	<1	1	3	6	8	15
20-34	84	2.3	4	<1	<1	1	3	6	7	10
35-49	145	1.7	1	<1	<1	1	2	3	5	8
50-64	436	1.6	1	<1	<1	1	2	3	4	6
65+	326	1.6		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	52	3.7	10	<1	1	2	5	9	10	14
20-34	94	4.0	18	<1	1	2	5	9	14	21
35-49	124	3.5	24	<1	<1	2	3	8	12	29
50-64	322	2.3	8	<1	<1	2	3	4	5	16
65+	384	2.7	9	<1	1	2	3	6	9	19
TOT. SINGLE DX	1024	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	976	2.9	13	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	85	3.2	10	<1	1	2	4	8	10	15
20-34	178	3.2	12	<1	<1	2	4	8	10	19
35-49	269	2.6	13	<1	<1	1	2	5	8	22
50-64	758	1.9	5	<1	<1	1	2	3	4	10
65+	710	2.2	6	<1	<1	1	2	4	6	14
GRAND TOTAL	**2000**	**2.3**	**7**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	727	1.5	1	<1	<1	1	2	2	3	6
20-34	1127	1.7	1	<1	<1	1	2	3	4	8
35-49	486	1.9	3	<1	<1	1	2	3	5	12
50-64	231	1.6	1	<1	<1	1	2	3	4	6
65+	65	2.0	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	733	2.1	8	<1	1	1	2	4	5	11
20-34	1377	2.6	8	<1	1	2	3	5	7	14
35-49	649	2.5	7	<1	1	2	3	4	7	11
50-64	386	2.5	8	<1	1	2	3	4	7	15
65+	199	3.2	19	1	1	2	3	6	10	30
TOT. SINGLE DX	2636	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	3344	2.5	9	<1	1	2	3	4	7	15
TOTAL 0-19 YRS	1460	1.8	5	<1	<1	1	2	3	4	9
20-34	2504	2.2	5	<1	1	1	2	4	6	12
35-49	1135	2.2	6	<1	1	2	3	4	6	11
50-64	617	2.1	6	<1	<1	1	2	4	5	13
65+	264	2.9	15	<1	1	2	3	5	9	26
GRAND TOTAL	**5980**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	511	2.0	2	<1	1	1	2	4	5	8
20-34	1246	2.2	3	<1	1	2	3	4	5	9
35-49	1344	2.7	3	<1	1	2	3	5	6	9
50-64	1532	3.0	4	1	1	3	4	5	6	10
65+	658	3.7	6	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	443	3.5	25	<1	1	2	4	7	10	32
20-34	890	3.9	34	1	1	3	4	7	11	30
35-49	1055	4.2	31	1	1	3	5	8	11	23
50-64	1562	4.4	23	1	1	3	5	8	11	24
65+	1252	5.7	41	1	2	4	6	11	16	35
TOT. SINGLE DX	5291	2.7	4	<1	1	2	3	5	6	10
" MULTIPLE DX	5202	4.5	32	1	1	3	5	8	12	30
TOTAL 0-19 YRS	954	2.7	14	<1	1	2	3	5	7	25
20-34	2136	2.9	17	<1	1	2	3	5	7	17
35-49	2399	3.3	17	1	1	3	4	6	8	16
50-64	3094	3.7	15	1	1	3	4	6	9	18
65+	1910	5.0	30	1	1	4	6	9	13	30
GRAND TOTAL	**10493**	**3.6**	**19**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1227	2.6	3	1	1	2	3	4	6	10
20-34	993	2.8	3	1	1	2	3	5	6	10
35-49	805	2.8	6	1	1	2	3	5	7	12
50-64	400	3.2	5	1	1	3	4	6	7	12
65+	159	4.7	10	1	1	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	1551	3.6	29	1	1	3	4	6	8	28
20-34	702	5.6	89	1	1	3	5	11	25	80
35-49	521	6.0	76	1	1	3	6	14	25	60
50-64	460	6.7	136	1	1	3	6	12	26	76
65+	386	8.2	100	1	2	5	9	18	29	99+
TOT. SINGLE DX	3584	2.8	5	1	1	2	4	5	7	11
" MULTIPLE DX	3620	5.2	72	1	1	3	5	10	18	57
TOTAL 0-19 YRS	2778	3.1	18	1	1	2	3	5	7	18
20-34	1695	3.9	41	1	1	3	4	7	10	40
35-49	1326	4.1	36	1	1	3	4	7	12	33
50-64	860	5.0	78	1	1	3	5	8	13	55
65+	545	7.2	77	1	2	5	8	15	22	81
GRAND TOTAL	**7204**	**4.0**	**40**	**1**	**1**	**3**	**4**	**7**	**11**	**37**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.7	1	<1	1	1	2	3	4	6
20-34	347	2.1	6	<1	1	1	2	4	6	9
35-49	200	1.9	2	<1	1	1	2	4	5	8
50-64	143	2.1	5	<1	1	1	2	4	5	17
65+	93	2.2	7	<1	1	1	2	4	7	17
2. MULTIPLE DX										
0-19 YRS	109	3.7	24	1	1	2	4	7	14	30
20-34	347	4.1	38	1	1	2	4	10	17	40
35-49	332	5.5	74	1	1	3	6	13	21	40
50-64	277	6.1	96	1	1	2	7	16	24	44
65+	317	7.1	85	1	1	3	9	19	26	50
TOT. SINGLE DX	927	2.0	5	<1	1	1	2	4	5	9
" MULTIPLE DX	1382	5.5	70	1	1	2	6	14	21	42
TOTAL 0-19 YRS	253	2.6	12	1	1	1	3	5	7	17
20-34	694	3.1	24	<1	1	2	3	6	10	27
35-49	532	4.2	51	<1	1	2	4	9	16	33
50-64	420	4.7	69	<1	1	2	4	12	19	37
65+	410	6.0	72	1	1	3	7	14	22	49
GRAND TOTAL	**2309**	**4.1**	**47**	**<1**	**1**	**2**	**4**	**9**	**16**	**35**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.8	14	1	2	5	9	11	12	12
20-34	17	3.8	7	1	1	3	5	8	9	10
35-49	26	3.4	7	<1	1	3	5	7	10	10
50-64	13	5.9	29	1	1	3	9	13	18	19
65+	7	6.6	16	1	1	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	19	11.8	58	1	2	13	16	24	25	25
20-34	30	10.1	61	2	3	8	12	20	22	41
35-49	30	9.7	102	1	1	5	14	27	30	36
50-64	32	18.3	414	2	4	9	27	56	81	99+
65+	64	14.8	268	2	3	10	17	47	61	97
TOT. SINGLE DX	75	4.6	14	1	1	3	7	10	11	17
" MULTIPLE DX	175	13.4	214	1	3	9	16	30	54	95
TOTAL 0-19 YRS	31	9.5	49	1	2	7	14	20	25	25
20-34	47	7.8	51	2	2	7	10	15	21	41
35-49	56	6.8	67	1	1	4	7	21	28	36
50-64	45	14.7	332	1	2	8	19	52	66	99+
65+	71	14.0	249	1	3	10	15	34	59	96
GRAND TOTAL	**250**	**10.8**	**170**	**1**	**2**	**7**	**13**	**25**	**42**	**84**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	3.1	5	<1	<1	2	4	6	8	12
20-34	89	4.9	29	1	1	3	6	11	16	29
35-49	71	5.3	33	<1	1	3	6	13	18	29
50-64	56	5.7	32	1	1	4	7	13	17	29
65+	105	6.3	45	1	1	4	8	15	18	35
2. MULTIPLE DX										
0-19 YRS	75	5.3	29	1	1	3	7	14	19	23
20-34	215	11.5	139	1	2	9	15	26	34	76
35-49	608	14.4	147	2	3	12	18	28	38	63
50-64	1534	14.6	160	2	3	11	19	29	39	74
65+	2642	14.9	150	2	3	12	20	30	40	65
TOT. SINGLE DX	394	5.1	31	<1	1	3	6	12	16	30
" MULTIPLE DX	5074	14.4	153	2	3	11	19	29	39	68
TOTAL 0-19 YRS	148	4.2	19	<1	1	2	6	9	14	21
20-34	304	9.6	116	1	1	7	12	22	31	67
35-49	679	13.4	143	1	2	11	17	27	37	60
50-64	1590	14.3	159	2	3	11	19	29	38	73
65+	2747	14.5	149	2	3	12	19	29	39	65
RAND TOTAL	**5468**	**13.8**	**150**	**2**	**3**	**11**	**18**	**28**	**38**	**65**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	8.8	43	3	4	7	10	19	25	25
20-34	24	11.2	161	1	3	7	13	23	36	63
35-49	33	11.1	58	3	4	8	15	23	29	31
50-64	25	11.5	63	5	6	10	14	15	25	45
65+	58	13.5	89	5	7	10	17	21	30	61
2. MULTIPLE DX										
0-19 YRS	26	18.7	255	6	6	14	22	43	54	75
20-34	151	18.4	249	5	6	14	24	41	61	99+
35-49	348	19.5	236	5	7	15	25	40	57	99+
50-64	1138	21.6	224	6	8	18	28	44	55	99+
65+	3056	20.7	216	6	8	16	26	41	54	99
TOT. SINGLE DX	149	12.0	87	4	5	9	15	21	27	63
" MULTIPLE DX	4719	20.8	221	6	8	17	26	42	55	99+
TOTAL 0-19 YRS	35	16.1	217	5	6	11	22	26	48	75
20-34	175	17.4	242	4	5	12	23	41	60	99+
35-49	381	18.8	226	5	6	14	24	38	55	99
50-64	1163	21.4	223	6	8	17	27	44	55	99+
65+	3114	20.6	215	6	8	16	26	40	54	98
GRAND TOTAL	**4868**	**20.5**	**220**	**6**	**7**	**16**	**26**	**41**	**55**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	9.4	89	2	3	6	9	24	34	40
20-34	13	8.7	10	4	5	9	10	13	15	15
35-49	13	8.4	8	3	5	9	12	21	82	99+
50-64	22	13.4	220	3	4	11	14	23	46	74
65+	82	10.3	34	3	4	9	14	18	22	32
2. MULTIPLE DX										
0-19 YRS	28	16.3	213	3	4	11	23	38	48	62
20-34	43	22.3	266	4	6	21	33	58	80	99+
35-49	118	21.3	288	6	7	16	30	50	66	99+
50-64	544	19.6	206	6	7	16	26	39	54	99+
65+	3443	17.7	187	5	6	14	22	35	51	99+
TOT. SINGLE DX	149	10.3	65	3	4	9	13	18	23	74
" MULTIPLE DX	4176	18.1	195	5	6	14	22	36	52	99+
TOTAL 0-19 YRS	47	13.5	172	3	4	8	17	31	42	62
20-34	56	19.1	239	4	5	16	25	47	68	99+
35-49	131	20.0	276	5	6	15	27	50	66	99+
50-64	566	19.4	208	6	7	15	26	38	53	99+
65+	3525	17.5	185	5	6	14	22	35	50	99+
GRAND TOTAL	**4325**	**17.8**	**192**	**5**	**6**	**14**	**22**	**36**	**51**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	5.3	40	1	1	3	5	10	21	30
20-34	17	16.5	349	3	4	10	15	49	64	70
35-49	13	7.3	15	3	4	6	9	13	16	17
50-64	14	11.7	59	1	3	9	19	21	26	27
65+	17	12.7	82	1	2	12	17	24	31	35
2. MULTIPLE DX										
0-19 YRS	28	9.5	62	1	2	7	14	21	25	31
20-34	49	21.4	403	2	3	14	31	50	62	82
35-49	167	18.4	201	4	5	15	26	39	52	99+
50-64	452	22.9	291	5	6	18	33	49	59	92
65+	774	22.5	285	5	6	18	30	46	60	99
TOT. SINGLE DX	81	10.6	126	1	2	7	13	21	32	65
" MULTIPLE DX	1470	21.9	282	4	6	17	30	46	59	99
TOTAL 0-19 YRS	48	7.7	57	1	2	4	10	20	25	31
20-34	66	20.2	389	2	3	13	28	52	63	82
35-49	180	17.6	196	4	5	14	24	38	49	99+
50-64	466	22.6	288	4	6	18	32	48	58	92
65+	791	22.3	283	5	6	18	30	46	60	99
GRAND TOTAL	**1551**	**21.3**	**280**	**4**	**5**	**17**	**30**	**46**	**58**	**98**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	3.6	17	1	1	2	5	7	11	25
20-34	63	6.1	44	1	1	4	8	12	17	38
35-49	46	5.2	16	1	2	5	7	10	12	25
50-64	20	3.9	7	<1	1	3	5	8	10	11
65+	3	3.3	4	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	43	7.2	52	1	1	6	8	16	28	29
20-34	54	8.2	31	1	2	7	11	17	21	24
35-49	40	6.4	29	1	2	5	7	14	23	99+
50-64	25	7.0	34	2	3	5	8	16	20	28
65+	19	12.4	435	1	1	7	13	25	64	93
TOT. SINGLE DX	204	4.8	25	1	1	3	6	9	12	30
" MULTIPLE DX	181	7.8	79	1	1	6	9	17	23	73
TOTAL 0-19 YRS	115	4.9	33	1	1	3	6	11	14	29
20-34	117	7.1	39	1	1	6	9	13	19	34
35-49	86	5.7	23	1	2	5	7	12	15	74
50-64	45	5.6	25	1	2	4	7	11	16	28
65+	22	11.2	384	<1	1	5	9	22	54	93
GRAND TOTAL	**385**	**6.2**	**53**	**1**	**1**	**5**	**7**	**12**	**18**	**31**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	2.7	6	<1	1	2	3	6	8	13
20-34	106	2.9	5	<1	1	2	4	7	8	49
35-49	96	3.8	44	<1	1	2	4	6	10	44
50-64	65	4.5	18	<1	1	3	7	9	15	20
65+	57	7.5	58	<1	1	5	9	20	25	36
2. MULTIPLE DX										
0-19 YRS	48	3.3	30	1	1	2	3	5	12	37
20-34	106	8.2	168	<1	1	5	8	16	26	74
35-49	166	9.9	179	1	1	6	12	23	40	99
50-64	316	11.9	112	1	3	9	15	26	32	51
65+	594	13.0	147	2	3	10	17	27	35	82
TOT. SINGLE DX	366	4.1	29	<1	1	3	5	8	12	30
" MULTIPLE DX	1230	11.5	145	1	2	8	15	26	33	79
TOTAL 0-19 YRS	90	3.0	19	<1	1	2	3	5	8	28
20-34	212	5.6	94	<1	1	3	6	11	17	73
35-49	262	7.7	139	1	1	4	9	18	30	95
50-64	381	10.7	104	1	1	8	14	23	30	49
65+	651	12.6	142	2	3	9	16	26	34	80
GRAND TOTAL	**1596**	**9.8**	**128**	**1**	**1**	**6**	**13**	**22**	**31**	**73**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	11.3	168	1	1	8	21	28	28	28
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	6	5.7	21	1	1	5	7	13	14	14
50-64	11	5.9	20	1	1	5	7	13	17	17
65+	7	8.1	24	1	2	11	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20
20-34	6	4.0	6	1	1	4	5	8	8	8
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	20	7.1	36	1	1	6	9	17	20	23
65+	28	10.8	63	4	5	9	13	16	22	46
TOT. SINGLE DX	30	6.8	39	1	1	5	11	14	17	28
" MULTIPLE DX	60	8.4	51	1	2	7	10	16	19	44
TOTAL 0-19 YRS	6	12.0	119	1	1	11	20	27	28	28
20-34	8	3.4	6	1	1	3	5	7	8	8
35-49	10	4.3	16	<1	<1	3	5	10	14	14
50-64	31	6.6	30	1	1	5	8	16	18	23
65+	35	10.2	56	3	4	9	13	15	18	46
GRAND TOTAL	**90**	**7.8**	**47**	**1**	**1**	**6**	**10**	**15**	**19**	**39**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	237	1.5	1	<1	<1	1	2	2	4	6
20-34	900	1.7	2	<1	<1	1	2	3	4	7
35-49	2494	1.9	1	<1	<1	1	2	4	5	7
50-64	2391	2.1	3	<1	<1	1	2	4	5	8
65+	1472	2.4	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	78	2.3	5	<1	<1	2	2	5	8	12
20-34	690	3.3	24	<1	<1	2	3	7	10	29
35-49	2622	3.2	19	<1	<1	2	3	7	10	26
50-64	3366	4.0	27	<1	<1	2	5	9	13	27
65+	4151	5.6	53	<1	1	3	7	12	17	38
TOT. SINGLE DX	7494	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	10907	4.4	36	<1	<1	2	5	10	14	31
TOTAL 0-19 YRS	315	1.7	2	<1	<1	1	2	3	4	9
20-34	1590	2.4	12	<1	<1	1	2	4	7	21
35-49	5116	2.6	12	<1	<1	2	3	5	7	16
50-64	5757	3.2	18	<1	<1	2	3	7	10	21
65+	5623	4.8	43	<1	<1	3	5	10	15	33
GRAND TOTAL	**18401**	**3.4**	**24**	**<1**	**<1**	**2**	**4**	**7**	**11**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.7		1	1	2	2	2	3	4
20-34	74	2.7	2	1	1	2	4	5	6	6
35-49	237	3.8	4	1	1	4	5	6	8	14
50-64	300	3.9	4	1	1	4	5	6	7	11
65+	374	4.2	5	1	1	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	16	3.4	23	<1	<1	2	3	10	17	19
20-34	79	3.9	7	1	2	4	5	6	7	18
35-49	418	4.4	16	1	2	4	5	7	8	16
50-64	626	5.6	34	2	2	4	6	9	12	35
65+	1242	6.8	43	2	2	5	8	13	17	44
TOT. SINGLE DX	1024	3.8	5	1	1	4	5	6	8	11
" MULTIPLE DX	2381	5.9	36	1	2	5	7	10	14	37
TOTAL 0-19 YRS	55	2.2	8	<1	1	2	2	4	4	19
20-34	153	3.3	5	1	1	3	4	6	8	13
35-49	655	4.2	12	1	2	4	5	6	8	15
50-64	926	5.0	25	1	2	4	6	8	11	28
65+	1616	6.2	36	1	2	5	7	11	15	38
GRAND TOTAL	**3405**	**5.3**	**28**	**1**	**2**	**4**	**6**	**9**	**13**	**31**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.4	10	<1	<1	4	7	9	9	9
20-34	240	4.8	4	2	3	4	6	7	8	12
35-49	1716	4.7	4	2	2	4	6	7	8	11
50-64	2698	4.9	5	2	2	5	6	8	8	11
65+	2889	5.2	5	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	6	5.5	5	2	2	6	7	8	8	8
20-34	311	5.5	8	2	3	5	7	9	11	16
35-49	2499	5.4	8	2	3	5	6	8	10	15
50-64	5050	6.1	13	2	3	5	7	9	12	21
65+	8279	6.8	17	3	3	6	8	11	14	24
TOT. SINGLE DX	7550	5.0	5	2	3	5	6	8	9	12
" MULTIPLE DX	16145	6.3	15	2	3	6	7	10	12	22
TOTAL 0-19 YRS	13	4.9	8	<1	1	5	7	8	9	9
20-34	551	5.2	7	2	3	5	6	8	10	15
35-49	4215	5.1	7	2	3	5	6	8	9	13
50-64	7748	5.7	11	2	3	5	7	9	10	19
65+	11168	6.4	15	2	3	6	8	10	12	22
GRAND TOTAL	**23695**	**5.9**	**12**	**2**	**3**	**5**	**7**	**9**	**11**	**20**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	888	2.2	1	1	1	2	3	4	4	6
20-34	1882	2.5	2	1	1	2	3	4	5	7
35-49	1567	2.8	3	1	1	2	3	5	6	8
50-64	829	2.7	2	1	1	2	3	4	5	8
65+	205	2.8	3	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	328	2.7	4	1	1	2	3	4	6	12
20-34	1356	3.1	7	1	1	3	4	5	7	11
35-49	3013	3.3	8	1	1	3	4	6	7	13
50-64	1899	3.5	8	1	1	3	4	6	8	15
65+	580	4.5	44	1	1	3	5	8	13	32
TOT. SINGLE DX	5371	2.6	3	1	1	2	3	4	5	7
" MULTIPLE DX	7176	3.4	11	1	1	3	4	6	7	15
TOTAL 0-19 YRS	1216	2.3	2	1	1	2	3	4	4	7
20-34	3238	2.7	4	1	1	2	3	4	6	10
35-49	4580	3.1	7	1	1	3	4	5	7	11
50-64	2728	3.3	7	1	1	3	4	6	7	13
65+	785	4.1	34	1	1	3	4	7	11	27
GRAND TOTAL	**12547**	**3.0**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1528	2.3	2	1	1	2	3	4	5	8
20-34	2711	2.3	2	1	1	2	3	4	5	8
35-49	499	2.3	2	<1	1	2	3	4	6	8
50-64	107	2.6	2	<1	1	2	3	4	5	9
65+	19	3.1	5	<1	<1	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	293	3.3	18	1	1	2	4	5	7	26
20-34	585	3.1	12	1	1	2	4	6	8	22
35-49	183	3.8	11	1	1	3	5	8	11	19
50-64	95	5.1	43	1	1	3	5	12	14	40
65+	46	4.7	21	1	1	3	6	11	13	25
TOT. SINGLE DX	4864	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	1202	3.5	17	1	1	2	4	6	10	23
TOTAL 0-19 YRS	1821	2.5	5	1	1	2	3	4	5	9
20-34	3296	2.4	4	1	1	2	3	4	5	10
35-49	682	2.7	5	1	1	2	3	5	7	13
50-64	202	3.8	23	<1	1	2	4	6	12	30
65+	65	4.2	17	<1	1	3	5	10	12	23
GRAND TOTAL	**6066**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1237	2.3	9	<1	<1	1	2	4	7	14
20-34	1200	2.7	12	<1	<1	2	3	6	9	17
35-49	1252	2.5	12	<1	<1	1	3	5	8	17
50-64	972	2.7	10	<1	<1	2	3	6	8	18
65+	662	3.5	35	<1	<1	2	4	8	11	23
2. MULTIPLE DX										
0-19 YRS	999	6.4	120	<1	1	3	6	15	30	75
20-34	1570	8.0	120	<1	1	4	9	22	31	59
35-49	2101	8.1	100	<1	1	5	10	20	28	56
50-64	2694	8.3	98	<1	1	5	10	20	28	50
65+	4335	10.2	124	1	2	7	13	22	31	75
TOT. SINGLE DX	5323	2.7	14	<1	<1	1	3	5	9	17
" MULTIPLE DX	11699	8.8	115	1	1	5	11	21	30	67
TOTAL 0-19 YRS	2236	4.1	63	<1	<1	2	4	9	15	57
20-34	2770	5.7	81	<1	<1	3	6	14	25	49
35-49	3353	6.0	75	<1	<1	3	7	15	23	44
50-64	3666	6.8	81	<1	<1	4	8	16	25	46
65+	4997	9.4	118	<1	1	6	12	21	29	73
GRAND TOTAL	**17022**	**6.9**	**91**	**<1**	**<1**	**3**	**8**	**16**	**25**	**56**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3599	3.5	19	<1	1	2	4	7	10	22
20-34	4434	4.2	23	<1	1	3	5	9	12	25
35-49	2534	4.6	27	<1	1	3	6	10	14	27
50-64	1641	5.2	42	<1	1	3	6	11	16	32
65+	1342	6.3	50	<1	1	4	8	14	20	35
2. MULTIPLE DX										
0-19 YRS	8270	5.3	61	1	1	3	6	12	19	45
20-34	13407	6.5	85	1	1	4	7	15	24	53
35-49	9041	9.4	132	1	1	6	11	22	33	65
50-64	9803	11.6	161	1	2	8	15	27	39	84
65+	18281	13.7	187	2	2	10	18	32	45	99+
TOT. SINGLE DX	13550	4.4	29	<1	1	3	5	9	13	27
" MULTIPLE DX	58802	9.9	144	1	1	6	12	24	35	77
TOTAL 0-19 YRS	11869	4.8	49	<1	1	3	5	10	16	40
20-34	17841	5.9	71	1	1	3	7	13	21	47
35-49	11575	8.3	114	1	1	5	10	19	29	59
50-64	11444	10.7	149	1	1	7	13	25	36	79
65+	19623	13.2	181	1	2	9	17	30	44	99+
GRAND TOTAL	**72352**	**8.9**	**127**	**1**	**1**	**5**	**11**	**21**	**32**	**70**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	483	5.2	35	1	1	3	7	12	17	28
20-34	578	5.5	40	<1	1	4	7	12	16	29
35-49	379	6.5	48	1	1	4	8	15	21	34
50-64	315	6.9	83	<1	1	4	8	16	23	39
65+	315	9.5	78	1	1	8	13	20	27	46
2. MULTIPLE DX										
0-19 YRS	740	13.3	168	1	1	9	19	30	38	71
20-34	1016	13.9	180	1	2	10	18	31	41	71
35-49	869	14.7	206	1	2	10	21	35	45	99+
50-64	1028	16.2	214	1	2	12	22	37	50	89
65+	2044	19.0	242	2	3	15	26	40	53	88
TOT. SINGLE DX	2070	6.5	55	<1	1	4	9	15	20	36
" MULTIPLE DX	5697	16.2	216	1	2	12	22	36	47	88
TOTAL 0-19 YRS	1223	10.1	131	1	1	6	14	25	32	55
20-34	1594	10.9	146	1	1	7	15	25	36	66
35-49	1248	12.2	173	1	1	8	17	30	40	91
50-64	1343	14.0	199	1	1	10	20	34	46	82
65+	2359	17.7	231	2	3	14	24	38	49	88
GRAND TOTAL	**7767**	**13.6**	**192**	**1**	**1**	**9**	**19**	**32**	**42**	**81**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	3.2	21	<1	<1	2	3	7	12	24
20-34	228	4.2	49	<1	<1	2	5	8	13	42
35-49	140	4.9	57	<1	1	2	5	11	24	35
50-64	78	4.2	24	<1	1	2	5	9	16	26
65+	55	5.7	56	1	1	2	6	16	23	35
2. MULTIPLE DX										
0-19 YRS	176	6.5	94	1	1	3	7	20	33	90
20-34	433	13.2	308	1	1	5	18	40	58	89
35-49	317	14.4	274	1	1	7	23	39	54	99+
50-64	258	14.4	316	1	1	7	20	40	55	85
65+	383	16.8	314	1	2	10	25	44	59	96
TOT. SINGLE DX	651	4.2	43	<1	1	2	4	9	16	33
" MULTIPLE DX	1567	13.8	288	1	1	7	21	39	56	95
TOTAL 0-19 YRS	326	5.0	64	<1	1	2	5	13	24	50
20-34	661	10.1	237	<1	1	4	11	31	46	79
35-49	457	11.5	227	1	1	5	17	32	44	99
50-64	336	12.0	267	1	1	5	15	33	45	79
65+	438	15.4	295	1	1	9	23	40	57	92
GRAND TOTAL	**2218**	**11.0**	**235**	**1**	**1**	**4**	**14**	**32**	**46**	**83**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	645	2.1	5	<1	<1	1	2	3	5	14
20-34	469	2.4	7	<1	<1	2	3	5	6	10
35-49	510	2.2	3	<1	1	2	3	5	6	10
50-64	419	2.0	2	<1	1	1	2	4	5	10
65+	172	2.1	6	<1	<1	1	2	3	5	18
2. MULTIPLE DX										
0-19 YRS	617	4.3	77	<1	1	2	3	7	16	75
20-34	638	4.9	55	<1	1	3	5	10	19	35
35-49	1019	4.5	36	1	1	3	5	8	12	44
50-64	1223	4.9	51	1	1	3	5	10	15	41
65+	1183	10.4	152	1	1	7	13	24	42	99+
TOT. SINGLE DX	2215	2.2	5	<1	<1	1	3	4	6	11
" MULTIPLE DX	4680	6.1	84	1	1	3	7	14	23	70
TOTAL 0-19 YRS	1262	3.2	42	<1	<1	2	3	6	8	49
20-34	1107	3.9	37	<1	<1	2	4	7	12	32
35-49	1529	3.8	26	1	1	2	5	7	10	30
50-64	1642	4.1	40	1	1	2	4	9	14	34
65+	1355	9.3	142	1	1	6	12	22	38	99+
GRAND TOTAL	**6895**	**4.9**	**62**	**<1**	**1**	**2**	**5**	**11**	**18**	**55**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	3.3	26	1	1	2	3	5	11	35
20-34	45	2.9	4	1	1	2	4	6	8	9
35-49	35	4.3	26	1	1	3	5	12	12	27
50-64	41	2.7	6	1	1	1	3	6	8	12
65+	43	3.6	9	1	1	3	4	9	11	13
2. MULTIPLE DX										
0-19 YRS	106	6.0	59	1	1	4	8	13	17	49
20-34	90	6.3	96	1	1	4	6	14	29	99+
35-49	108	5.4	19	1	2	4	7	10	13	26
50-64	187	9.5	114	2	2	6	12	18	25	79
65+	502	10.3	108	2	3	8	12	19	30	72
TOT. SINGLE DX	216	3.3	15	1	1	2	4	7	10	19
" MULTIPLE DX	993	8.8	97	1	2	6	11	17	25	69
TOTAL 0-19 YRS	158	5.1	50	1	1	3	6	11	16	41
20-34	135	5.2	68	1	1	3	6	11	17	99+
35-49	143	5.1	21	1	1	4	6	10	13	27
50-64	228	8.2	101	1	1	5	10	16	24	68
65+	545	9.8	104	2	2	7	12	19	29	64
GRAND TOTAL	**1209**	**7.8**	**87**	**1**	**1**	**5**	**10**	**16**	**23**	**63**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	559	2.5	9	1	1	1	2	5	8	17
20-34	9034	2.7	8	1	1	1	3	7	9	15
35-49	12260	2.7	9	1	1	1	3	6	9	15
50-64	6321	2.5	8	1	1	1	3	6	9	15
65+	2015	2.5	9	1	1	1	2	6	9	16
2. MULTIPLE DX										
0-19 YRS	466	4.2	44	1	1	2	4	10	15	36
20-34	5493	4.4	24	1	1	3	6	10	14	24
35-49	9232	4.3	27	1	1	2	6	10	13	26
50-64	7974	4.6	31	1	1	2	6	11	15	29
65+	5691	6.2	52	1	1	3	8	15	20	37
TOT. SINGLE DX	30189	2.6	9	1	1	1	3	6	9	15
" MULTIPLE DX	28856	4.8	34	1	1	3	6	11	15	28
TOTAL 0-19 YRS	1025	3.3	26	1	1	2	3	7	12	25
20-34	14527	3.3	15	1	1	2	4	8	11	19
35-49	21492	3.4	18	1	1	2	4	8	11	21
50-64	14295	3.7	22	1	1	2	4	9	12	22
65+	7706	5.2	44	1	1	2	7	13	18	32
GRAND TOTAL	**59045**	**3.7**	**22**	**1**	**1**	**2**	**4**	**9**	**12**	**23**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	3.3	16	1	1	2	3	7	10	26
20-34	634	3.5	19	1	1	2	4	8	12	23
35-49	815	3.7	21	1	1	2	4	9	12	20
50-64	1269	3.1	10	1	1	2	4	7	9	17
65+	1333	3.0	13	1	1	2	3	6	9	16
2. MULTIPLE DX										
0-19 YRS	270	6.0	51	1	1	4	7	13	17	43
20-34	883	6.2	48	1	1	4	8	14	18	35
35-49	1795	6.0	37	1	1	4	8	13	18	31
50-64	5276	6.1	45	1	1	4	8	13	17	35
65+	9346	6.2	42	1	1	5	8	13	17	33
TOT. SINGLE DX	4264	3.2	15	1	1	2	4	7	10	19
" MULTIPLE DX	17570	6.2	43	1	1	4	8	13	17	34
TOTAL 0-19 YRS	483	4.8	38	1	1	2	6	11	15	35
20-34	1517	5.0	39	1	1	3	6	11	17	31
35-49	2610	5.3	34	1	1	3	7	12	16	28
50-64	6545	5.5	41	1	1	4	7	12	16	32
65+	10679	5.8	40	1	1	4	8	12	16	32
GRAND TOTAL	**21834**	**5.6**	**39**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	14	4.9	30	1	1	3	6	12	18	20
35-49	138	2.8	6	<1	1	2	3	7	8	12
50-64	262	2.6	9	<1	1	1	3	6	9	13
65+	134	1.8	3	<1	<1	1	2	3	7	9
2. MULTIPLE DX										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	63	4.3	29	1	1	2	5	10	14	30
35-49	606	4.2	16	1	1	2	6	10	12	17
50-64	1698	4.0	14	1	1	2	6	9	12	18
65+	1590	5.0	31	1	1	3	7	11	15	28
TOT. SINGLE DX	552	2.5	8	<1	1	1	3	6	8	12
" MULTIPLE DX	3961	4.4	22	1	1	2	6	10	13	21
TOTAL 0-19 YRS	8	2.5	2	1	1	2	4	5	5	5
20-34	77	4.4	29	1	1	2	5	11	15	29
35-49	744	3.9	15	1	1	2	5	9	12	16
50-64	1960	3.8	14	1	1	2	5	9	11	17
65+	1724	4.7	30	<1	1	2	7	11	15	27
GRAND TOTAL	**4513**	**4.2**	**21**	**1**	**1**	**2**	**6**	**10**	**12**	**21**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	386	3.6	12	1	1	2	5	9	10	16
20-34	1589	4.5	16	1	1	3	7	10	12	18
35-49	1891	4.5	12	1	1	3	7	9	11	15
50-64	2227	4.1	13	1	1	2	6	9	11	16
65+	2109	4.2	15	1	1	2	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	518	5.7	45	<1	1	3	7	12	16	37
20-34	2384	6.7	47	1	1	5	9	13	17	37
35-49	4567	6.7	41	1	1	5	9	13	17	32
50-64	9896	6.5	40	1	1	5	9	13	17	29
65+	17416	7.4	48	1	1	6	10	15	19	35
TOT. SINGLE DX	8202	4.3	15	1	1	3	7	9	11	17
" MULTIPLE DX	34781	7.0	45	1	1	6	9	14	18	33
TOTAL 0-19 YRS	904	4.8	33	1	1	3	7	10	14	31
20-34	3973	5.8	36	1	1	4	8	12	15	27
35-49	6458	6.0	34	1	1	5	8	12	15	28
50-64	12123	6.1	36	1	1	5	8	12	16	27
65+	19525	7.1	46	1	1	6	10	14	18	34
GRAND TOTAL	**42983**	**6.5**	**41**	**1**	**1**	**5**	**9**	**13**	**17**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22658	3.2	17	1	1	2	4	6	8	18
20-34	33512	3.7	18	1	1	3	4	7	9	21
35-49	23251	4.1	17	1	1	3	5	8	11	22
50-64	16277	4.5	18	1	1	3	6	9	11	21
65+	12828	5.5	26	1	2	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	41596	5.4	59	1	1	3	6	10	17	44
20-34	60480	5.4	37	1	1	4	6	10	15	32
35-49	67005	6.0	35	1	2	4	7	11	16	31
50-64	105935	6.8	37	2	2	5	8	13	17	31
65+	260009	8.3	52	2	3	7	10	15	20	39
TOT. SINGLE DX	108526	4.0	19	1	1	3	5	8	10	22
" MULTIPLE DX	535025	7.2	48	1	2	5	9	14	19	36
TOTAL 0-19 YRS	64254	4.6	45	1	1	3	5	8	13	38
20-34	93992	4.8	31	1	1	3	5	9	13	29
35-49	90256	5.5	32	1	1	4	7	11	14	30
50-64	122212	6.5	36	1	2	5	8	12	16	30
65+	272837	8.2	51	2	3	6	10	15	20	39
GRAND TOTAL	**643551**	**6.6**	**44**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12548	5.4	70	1	1	3	5	11	23	44
20-34	5662	6.3	48	1	1	4	7	13	19	35
35-49	5434	6.4	39	1	2	5	8	12	17	35
50-64	3684	6.0	38	1	1	4	7	11	16	33
65+	3085	6.5	38	1	2	5	8	13	17	32
2. MULTIPLE DX										
0-19 YRS	19341	6.9	108	1	2	4	6	15	28	60
20-34	11364	7.9	83	1	2	5	9	16	25	51
35-49	13590	7.7	60	1	2	6	9	15	22	43
50-64	20278	8.1	65	2	2	6	10	15	22	46
65+	52054	9.3	73	2	3	7	11	18	25	50
TOT. SINGLE DX	30413	5.9	54	1	1	4	7	12	19	40
" MULTIPLE DX	116627	8.4	78	2	2	6	10	17	24	50
TOTAL 0-19 YRS	31889	6.3	94	1	1	3	6	14	25	55
20-34	17026	7.4	73	1	2	5	8	15	23	46
35-49	19024	7.3	55	1	2	5	9	14	21	41
50-64	23962	7.8	62	1	2	6	9	15	21	44
65+	55139	9.2	72	2	3	7	11	17	24	49
GRAND TOTAL	**147040**	**7.9**	**74**	**1**	**2**	**5**	**9**	**16**	**23**	**48**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14095	3.3	20	<1	1	2	4	6	7	21
20-34	11903	3.3	26	<1	<1	2	3	6	10	29
35-49	7969	4.2	26	1	1	3	5	8	11	28
50-64	7260	4.4	21	1	1	3	6	9	11	23
65+	6543	5.0	22	1	1	4	6	10	12	23
2. MULTIPLE DX										
0-19 YRS	33466	5.9	83	1	1	3	5	11	21	59
20-34	22517	5.4	54	1	1	3	6	11	19	41
35-49	30874	5.6	39	1	1	4	7	11	16	32
50-64	61499	6.3	35	1	2	5	8	12	16	31
65+	153297	7.6	45	2	2	6	9	14	19	36
TOT. SINGLE DX	47770	3.9	24	<1	1	3	4	7	10	26
" MULTIPLE DX	301653	6.8	49	1	2	5	8	13	18	37
TOTAL 0-19 YRS	47561	5.1	66	1	1	3	5	9	17	51
20-34	34420	4.7	46	<1	1	3	5	10	16	37
35-49	38843	5.3	37	1	1	4	6	10	15	31
50-64	68759	6.1	35	1	2	5	8	12	15	30
65+	159840	7.5	45	2	2	6	9	14	19	35
GRAND TOTAL	**349423**	**6.4**	**46**	**1**	**2**	**5**	**8**	**13**	**17**	**36**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic

Group No.	Title
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal

Group No.	Title
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus

Group No.	Title
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe

Group No.	Title
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease. except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago

Group No.	Title
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

DIAGNOSIS INDEX (continued)

Group No. Title

- Neurosis, except anxiety, cardiac, and depressive (continued)
  - 102 Depressive
- Nevus
  - 54 Skin
  - 327 Vascular
- Newborn, hospital
  - 394 Multiple
  - 393 Single term
  - 394 Twin
- Newborn, nonhospital
  - 395 Multiple
  - 395 Single
- 270 Normal delivery
- 125 Nuclear cataract
- 84 Nutritional anemia
- 128 Nystagmus

- 78 Obesity
- 268 Obstructed labor
  - 280 with delivery
- Obstruction
  - 218 Bile duct, except calculus
  - 207 Intestinal, except postoperative
  - 390 Intestinal, postoperative
  - 172 Portal vein
  - 172 Vena cava
- 184 Obstructive pulmonary disease NOS (COPD)
- Occlusion
  - 158 Cerebral, without paralysis
  - 159 Cerebral, with paralysis
  - 156 Precerebral, without paralysis
  - 157 Precerebral, with paralysis
- 122 Open-angle glaucoma
- 105 Opioid dependence or addiction
- 128 Optic atrophy
- 238 Orchitis
- 90 Organic brain syndrome, except acute and arteriosclerotic
  - 89 Acute
  - 91 Arteriosclerotic
  - 89 Transient
- 298 Osteoarthritis, except spinal
  - 303 Spinal
- 312 Osteomyelitis
- 317 Osteopathic somatic dysfunction
- Otitis media
  - 130 Chronic and unspecified
  - 131 Acute
- 133 Otosclerosis
- 243 Ovarian cyst
- 252 Ovarian disease, except endometriosis and dysfunction
- 74 Ovarian dysfunction
- 254 Ovarian pregnancy
- 74 Ovary, polycystic
- 384 Overdose, drug

- Paget's disease — *see Disease, Paget's*
- Pain
  - 338 Abdominal
  - 335 Chest
  - 253 Female genital organ
  - 331 Head
  - 335 Precordial
- 219 Pancreatic disease
- 128 Papilledema
- 114 Paralysis agitans
- 207 Paralytic ileus
- 100 Paranoia, except schizophrenic
- 94 Paranoid schizophrenia
- 114 Parkinsonism
- 146 Paroxysmal atrial or supraventricular tachycardia
- 17 Pediculosis
- Peptic ulcer — *see Ulcer, peptic*
- 189 Perforation, esophagus
- 397 Peritoneal dialysis treatment
- 211 Peritonitis, except due to appendicitis
- 84 Pernicious anemia
- 6 Pertussis
- 314 Pes planus
- 116 Petit mal epilepsy
- 240 Peyronie's disease
- 239 Phimosis
- 169 Phlebitis
- 244 PID
- 171 Piles
- 293 Pilonidal cyst
- 16 Pinworm infection
- 70 PKU
- 264 Placenta previa
  - 271 with delivery
- 11 Plantar warts
- 186 Pleural disease
- 186 Pleurisy
- 179 Pneumonia, except influenzal
  - 180 with influenza
- Pneumothorax
  - 185 Spontaneous
  - 366 Traumatic
- 385 Poisoning, except food and drug
  - 384 Drug
  - 1 Food
  - 374 Late effect
- 7 Poliomyelitis
  - 18 Late effect
- 74 Polycystic ovary
- 68 Polycythemia, except secondary
  - 86 Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation

Group No.	Title
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis

Group No.	Title
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery

Group No.	Title
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

OPERATION INDEX (continued)

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull

Group No.	Title
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

OPERATION INDEX (continued)

Group
No. Title

753 Encephalography
Endoscopy
617 Biliary tract
636 Bladder
567 Bronchus
619 Colon, except surgical approach
609 Surgical approach (transabdominal)
682 Cul-de-sac, except for tubal ligation
664 Tubal ligation
589 Esophagus
589 Gastric, except surgical approach
596 Surgical approach (transabdominal)
647 Ileal conduit
576 Larynx
628 Peritoneum
557 Pharynx
609 Small intestine
589 Stomach, except surgical approach
596 Surgical approach (transabdominal)
570 Thorax, transpleural
636 Urethra
679 Uterus
686 Vagina
602 Enterostomy
532 Enucleation, eyeball
533 Epilation, eyelid
697 Episioperinorrhaphy
697 Episiorrhaphy
690 Episiotomy, except with forceps delivery
687 with low forceps delivery
689 with other forceps delivery
544 Epistaxis control, except by anterior packing
557 Anterior packing
618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617 Biliary tract
588 Esophagectomy
589 Esophagoscopy, except surgical approach
619 Surgical approach
588 Esophagotomy
508 ESWL (extracorporeal shock wave lithotripsy)
613 Evacuation, hemorrhoids
Evisceration
532 Eyeball
673 Pelvic
Examination
764 Eye
764 General physical
764 Gynecologic
764 Pelvic
761 Psychiatric
763 Exchange transfusion, except intrauterine
696 Intrauterine

Group
No. Title

Excision — *see also Excision of lesion (and destruction of tissue)*
610 Anal fistula
727 Baker's cyst
705 Bone, except facial
699 Facial, except partial
698 Partial
556 Branchial cleft cyst
704 Bunion
517 Chalazion, eyelid
599 Colon
665 Fallopian tubes, bilateral, except endoscopic approach
664 Endoscopic approach
670 Fibroid, uterine
616 Gallbladder
508 Ganglion, except of tendon
727 Tendon (of hand)
612 Hemorrhoids
Hydrocele
679 Round ligament
656 Spermatic cord
651 Tunica vaginalis
717 Intervertebral disc or cartilage
719 Joint, except intervertebral disc and cartilage of knee
717 Intervertebral disc
718 Knee cartilage
631 Kidney, except partial
632 Partial
718 Knee cartilage (semilunar)
582 Lymph nodes, except radical
583 Radical
508 Neuroma, peripheral nerve
Ovary
662 Bilateral
661 Unilateral
550 Parotid gland
746 Pilonidal cyst or sinus
515 Pituitary gland
649 Prostate, except transurethral approach
648 Transurethral approach
522 Pterygium
747 Sebaceous cyst, except of eyelid
517 Eyelid, eyebrow
718 Semilunar cartilage, knee
586 Spleen
514 Thyroglossal duct or tract
513 Thyroid
751 Toenail
552 Tongue
553 Tonsil, except with adenoids
554 with adenoids
556 Tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

OPERATION INDEX (continued)

Group No. **Title**

- Fistulectomy (continued)
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - with fracture-reduction — *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 601 Endoileal rectal pouch
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 with internal fixation
  - 713 Open, except with internal fixation
    - 712 with internal fixation
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 with internal fixation
    - 710 Open, except with internal fixation
      - 709 with internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy

Group No. **Title**

- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 763 Hyperalimentation
- 760 Hyperthermia, except localized
  - 763 Localized, for treatment of malignancy and other lesions
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy

OPERATION INDEX (continued)

Group No. Title

- Implant, implantation
  - 642 Artifical urinary sphincter
  - 745 Breast
  - 574 Cardiac pacemaker (electrodes) (pulse generator)
  - 575 Cardioverter/defibrillator
  - 539 Cochlear prosthetic device
  - 740 Limb prosthesis
- Incision (and drainage)
  - 626 Abdominal wall
  - 610 Anal fistula
  - 605 Appendix
  - 683 Bartholin's gland or abscess
  - 703 Bone, except facial
    - 702 Facial
  - 501 Brain
  - 745 Breast
  - 501 Cerebral meninges
  - 569 Chest (wall)
  - 522 Cornea
  - 502 Cranial sinus
  - 534 Ear, external
  - 518 Eyelid
  - 552 Floor of mouth
  - 617 Gallbladder
  - 549 Gingiva, gums
  - 600 Intestine
  - 716 Joint
  - 519 Lacrimal gland or sac
  - 614 Liver
  - 582 Lymph nodes
  - 539 Mastoid
  - Meninges
    - 501 Cerebral
    - 506 Spinal
  - 537 Middle ear
  - 726 Muscle
  - Nasal sinus — *see Sinusotomy*
  - 726 Palmar space (hand)
  - 618 Pancreas
  - 613 Perianal tissue
  - Perineum
    - 683 Female
    - 748 Male
  - 607 Perirectal tissue
  - 627 Peritoneum, except via cul-de-sac
    - 682 Via cul-de-sac
  - 746 Pilonidal cyst or sinus
  - 569 Pleura
  - 607 Rectovaginal septum
  - 607 Rectum
  - 626 Retroperitoneal abscess
  - 651 Scrotum
  - Sinus (nasal) — *see Sinusotomy*
  - 748 Skin, except pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus

Group No. Title

- Incision (and drainage) (continued)
  - 506 Spinal meninges
  - 726 Tendon
  - 569 Thorax
  - 633 Ureter
  - 682 Vagina
  - 683 Vulva
- 690 Induction of labor (medical or surgical) for delivery
- Injection
  - 694 Intra-amniotic, for termination of pregnancy
  - 763 Therapeutic agent (drugs)
    - 745 Breast
    - 741 Bursa
    - 741 Joint
    - 741 Tendon
- 686 Insemination, artifical
- Insertion
  - 706 Bone growth stimulator
  - 574 Cardiac pacemaker (electrode) (pulse generator)
  - 512 Catheter, spinal canal
  - 596 Gastric balloon
  - 748 Infusion pump
  - 658 Penile prosthesis
  - 645 Ureteral stent
  - 751 Tissue expander, except breast
    - 745 Breast
  - 686 Intrauterine contraceptive device
  - 679 Laminaria, uterus
- 666 Insufflation, fallopian tubes
- 694 Intra-amniotic injection for termination of pregnancy
- 758 Intravenous pyelogram (IVP)
- 764 Intubation, nonoperative
- 764 Irrigation, nonoperative
- 758 IVP (intravenous pyelogram)

- Laceration repair (suture) — *see Repair, by site*
- 506 Laminectomy, except for excision of intervertebral disc
  - 717 Excision of intervertebral disc
- 628 Laparoscopy, except for tubal ligation
  - 664 Tubal ligation
- 627 Laparotomy, exploratory
- 560 Laryngectomy, except partial
  - 559 Partial
- 576 Laryngoscopy
- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids

OPERATION INDEX (continued)

Group No. Title
Ligation (continued)
577   Varicose veins
655   Vas deferens
577 Ligation and stripping, varicose veins
Lithotripsy
638   Bladder
646   Extracorporeal shock wave
635   Kidney
646   Ultrasonic
635   Ureter
Lobectomy
501   Brain
615   Liver
566   Lung, except partial
565   Partial
687 Low forceps delivery
512 Lumbar puncture
Lysis, adhesions
630   Abdominal
741   Hand
524   Iris
716   Joint
731   Muscle, except hand
741   Hand
630   Pelvis
630   Peritoneum
731   Tendon, except of hand
741   Hand

758 Magnetic resonance imaging
745 Mammary augmentation
745 Mammectomy
758 Mammography
745 Mammoplasty, reduction
699 Mandibulectomy, except partial
698   Partial
699 Mandibulotomy
Mastectomy
743   Complete
743   Simple, except extended
744   Extended
742   Subtotal
744   Radical
743   Partial
538 Mastoidectomy, except revision
539   Revision
745 Mastotomy
Meatotomy
635   Ureteral
639   Urethral
690 Medical induction of labor
718 Meniscectomy, knee
686 Menstrual extraction or regulation
699 Mentoplasty
764 Monitoring, circulatory (CVP) (PCW)

Group No. Title
754 Myelography
670 Myomectomy, uterus
537 Myringotomy

631 Nephrectomy (complete)
632 Nephropexy
758 NMR (nuclear magnetic resonance imaging)

682 Obliteration, vagina or vaginal vault
751 Onychectomy
751 Onychoplasty
Oophorectomy
662   Bilateral
661   Unilateral
533 Ophthalmoscopy
652 Orchiectomy
653 Orchiopexy
654 Orchioplasty, except suspension
653   Suspension
705 Ostectomy, except facial bone
699   Facial bone, except partial
698   Partial
706 Osteoplasty, except facial bone
699   Facial bone
703 Osteotomy, except facial bone
699   Facial bone
540 Otoscopy

551 Palatoplasty
618 Pancreatectomy
618 Pancreatotomy
Paracentesis
626   Abdominal
524   Anterior chamber (eye)
576   Thoracic
514 Parathyroidectomy
550 Parotidectomy
673 Pelvic exenteration
581 Percutaneous transluminal angioplasty, except coronary
575   Coronary artery (PTCA)
575 Pericardiocentesis
629 Peritoneal dialysis
628 Peritoneoscopy
557 Pharyngoscopy
556 Pharyngotomy
757 Phlebography
540 Piercing, ear
576 Pleurocentesis
576 Pleurodesis, chemical
Plication
644   Urethral, urethrovesical
581   Vena cava
753 Pneumoencephalography
566 Pneumonectomy
659 Preputiotomy

OPERATION INDEX (continued)

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

OPERATION INDEX (continued)

Group No. Title

Removal (continued)
- 697 Retained placenta, manually
- 764 Sutures
- 764 T-tube, gallbladder
- 764 Therapeutic device, nonoperatively
- 529 Vitreous

580 Renal dialysis

Repair
- 630 Abdominal wall
- 613 Anal fistula, except by excision
  - 610 Excision
- 581 Aneurysm (arteriovenous)
- 638 Bladder, except obstetric laceration
  - 697 Obstetric laceration
- 518 Blepharoptosis
- 581 Blood vessel
- 706 Bone, except facial
  - 699 Facial
- 745 Breast
- 564 Bronchial fistula
- 704 Bunion
- 571 Cardiac septal defect
- 669 Cervix, except obstetric laceration
  - 697 Obstetric laceration
- 570 Chest wall
- 551 Cleft palate
- 520 Conjunctiva
- 522 Cornea, except transplant
  - 521 Transplant
- 680 Cystocele, vagina
- 730 Diastasis recti
- 534 Ear, external
- 518 Ectropion or entropion, eyelid
- 697 Episiotomy
- 518 Eyelid
- Fistula — *see Fistulectomy*
- 704 Hallux valgus
- 729 Hand
- Hernia — *see Herniorrhaphy*
- 723 Hip, except total replacement
  - 722 Total replacement
- Hydrocephalus, by ventricular shunt
  - 504 Extracranial
  - 505 Intracranial (ventriculostomy)
- 601 Intestine
- 725 Joint, except hip and knee
  - 723 Hip, except total replacement
    - 722 Total replacement
  - 724 Knee
- 724 Knee (joint)
- Laceration — *see also Repair, by site*
  - 697 Obstetric
- 562 Larynx
- 552 Lip
- 615 Liver

Group No. Title

Repair (continued)
- 568 Lung
- 731 Muscle, except extraocular and of hand
  - 531 Extraocular
  - 729 Hand
- 556 Nasopharyngeal atresia
- 542 Nose
- 663 Ovary
- 551 Palate
- 658 Penis
- 685 Perineum, female, except obstetric laceration
  - 697 Obstetric laceration
- 509 Peripheral nerve
- 596 Pylorus, stomach
- 680 Rectocele, vagina
- 609 Rectum
- 528 Retinal detachment or tear
- 730 Rotator-cuff (shoulder)
- 503 Skull
- 507 Spina bifida
- 507 Spinal meningocele
- 596 Stomach
- 644 Stress incontinence, except urethral suspension
  - 643 Urethral suspension
- 731 Tendon, except of hand
  - 729 Hand
- 654 Testis
- 562 Trachea
- 635 Ureter
- 640 Urethra
- 679 Uterus, except obstetric laceration and supporting structures
  - 697 Obstetric laceration
  - 678 Supporting structures
- 681 Vagina, except for cystocele and rectocele, and obstetric laceration
  - 680 Cystocele and rectocele
  - 697 Obstetric laceration
- 552 Vestibular arch (mouth)
- 685 Vulva, except obstetric laceration
  - 697 Obstetric laceration

Replacement
- 574 Cardiac pacemaker
- 571 Heart valve
- 725 Joint, except hip and knee
  - 723 Hip, except total replacement
    - 722 Total replacement
  - 724 Knee
- 647 Urinary catheter

Resection
- 638 Bladder
- 581 Blood vessel
- 564 Bronchus
- 599 Large intestine
- 730 Muscle, except of hand

OPERATION INDEX (continued)

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

OPERATION INDEX (continued)

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand

Group No.	Title
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin